Office	State of New Mexico	Form C-103
District I Energy,	Minerals and Natural Resources	May 27, 2004 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 District II		30-037-20085
1301 W. Grand Ave., Artesia, NM 88210 OIL CONSERVATION DIVISION		5. Indicate Type of Lease
1000 Pio Brazos Pd. Aztes, NM 87410	20 South St. Francis Dr.	STATE FEE K
District IV 1220 S. St. Francis Dr., Santa Fe, NM		6. State Oil & Gas Lease No.
87505 SUNDRY NOTICES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		Evetts
PROPOSALS.)  1. Type of Well: Oil Well Gas Well A Other		8. Well Number 1
2. Name of Operator		9. OGRID Number
Cameron Oil & Gas, Inc.		181109
3. Address of Operator		10. Pool name or Wildcat
PO Box 1455, Roswell, NM 88202		Wildcat
Unit Letter O: 661 feet from the South line and 1988 feet from the East line		
Section 27 Township 10N Range 31E NMPM County Ouav		
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		
4180GR  Pit or Below-grade Tank Application □ or Closure □		
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water		
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:  PERFORM REMEDIAL WORK  PLUG AND ABANDON  REMEDIAL WORK  ALTERING CASING		
TEMPORARILY ABANDON  CHANGE PLANS  COMMENCE DRILLING OPNS. P AND A		
PULL OR ALTER CASING   MULTIPLE COMPL   CASING/CEMENT JOB		
OTHER:	☐ OTHER:	П
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date		
of starting any proposed work). SEE RUL or recompletion.	E 1103. For Multiple Completions: A	Attach wellbore diagram of proposed completion
4/27/06 - Received orders from Ed Martin to plug and abandon as follow		
9/26/06 - Plug and abandon as follows: Set a 27 sack 14.31B/gal		
Class C cement plug, at 2590' (top of Glorieta) 50' in		
and 50' out - est top 2300' set a 31 sack 14.31b/gal Class		
C cement plug at 1000' (7"csq shoe) est top 850'		
Set a 15 sack 14.31b/gal Class C cement plug at surface.		
All plugs set in place with mud laden fluid.		
Install dry hole marker and clean location.		
I hereby certify that the information above is true at grade tank has been/will be constructed or closed according	nd complete to the best of my knowled	ge and belief. I further certify that any pit or below-
grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan.		
SIGNATURE TO CAMPAGE	Ond TITLE Operation:	<u> Manager</u> DATE 10/11/06
Type or print name G. David Sweeney For State Use Only	E-mail address:	Telephone No. 627-3284 tnetworks.net 420-1108