## State of New Mexico Energy, Minerals & Natural Resources

Form C-101 Revised March 17, 1999

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. 1st Street, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

Oil Conservation Divsiion 2040 South Pacheco Santa Fe, NM 87505 Submit to appropriate District Office State Lease - 6 Copies Fee Lease - 5 Copies

☐ AMENDED REPORT

APPLIC	CATION	FO	R PERMIT	TO <u>DR</u> I	LL, RE-EI	NTER, DE	EPEN,	<b>PLUGBACI</b>	K, OR ADI	A ZONE	
<sup>1</sup> Operator Name and Address								<sup>2</sup> OGRID Number			
CKY USA Inc.								16696			
P.O. Box 50250 Midland, TX 79710-0250 30- 059- 20394											
<sup>4</sup> Рторег <b>271</b>			<sup>5</sup> Property Name  Bravo Dome Carbon Dioxide Gas Unit 2					6Well No. 3スス			
<sup>7</sup> Surface Location											
UL or lot no. Section T		Town	ship Range Lot le		Feet from t	the North/S	outh Line	Feet from the	East/West line	County	
M 32 20		20	N 34E		102	۱ اجم	aten	264	west	Union	
<sup>8</sup> Proposed Bottom Hole Location If Different From Surface											
UL or lot no.	Town		Lot. Idn	Feet from t		outh Line	Feet from the	East/West line	County		
<u> </u>	Section										
9 Proposed Pool 1 10 Proposed Pool 2									<u>.</u>		
Bravo Dome Carbon Dioxide Gas 640 96010											
11 Work Type Code 12 Well Type Code					<sup>13</sup> Cable	, , , , , , , , , , , , , , , , , , , ,			15 Ground Level Elevation		
N  16 Multiple			C 17 P			R	I <sup>9</sup> Contractor		4935.9°		
i Muli		17 Proposed Depth <b>2600</b> /		18 Formation Tubb		Contractor N/A		8/1/02			
<sup>21</sup> Proposed Casing and Cement Program											
Hole Size Casing Size					weight/foot	Setting Depth		Sacks of Cemer	nt Es	Estimated TOC	
12-1/4"		8-5/8"			24#	700′		300sx	Surface		
7-7/8"		5-1/2"		5.9#	FG/15.5#	2600′		300sx		Surface	
Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone.											
Describe the blow							•	•			
SEE OTHER SIDE											
Į į											
				•		_					
<sup>23</sup> I hereby certify that the information given above is true and complete to the						OIL CONSERVATION DIVISION					
best of my knowledge and belief.											
Signature:						Approved by: Subfine					
Printed name: David Stewart						Title: DISTRICT/SUPERVISOR					
Title: St	tory	Analyst			Approval Date: 7/18/02 Expiration Date: 7/18/03						
Date:			Phone:			Conditions of Approval:					
<u> 7( u</u>	7(11(02 915-685-5717 Attached [										
					1						

PROPOSED TD:

2600' TVD

BOP PROGRAM:

0-700'

None

700-2600'

8" 3M blind & pipe ram with stripper head.

CASING:

Surface:

8-5/8" OD 24# J55 8rd ST&C new casing set at 700'

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production:

5-1/2" OD new casing from 0-2600' 300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

7-7/8" hole - 5 centralizers

\*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT:

Surface - Circulate cement with 300sx Premium Plus with 2% CaCl<sub>2</sub> + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% CaCl<sub>2</sub> + .25#/sx Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% CaCl<sub>2</sub> + .25#/sx Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD:

0-700'

Fresh water/native mud.

Wt 8.6-9.2ppg, Vis 32-36sec

700-2600'

Fresh water/Starch/Gel pH control as needed. Wt 9.0-9.2ppg, Vis 28-29sec

## ESTIMATED FORMATION TOPS:

Tubb-2260 ' Cimarron-2240 ' San Andres-1476 ' Santa Rosa-1180 '

1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210

District III 1000 Rio Brazos Rd., Aztec, NM 87410

264'FWI

NM-E NAD27 Lat - 35°54′59.46" Lon -103° 21'18,85"

District IV

Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

State of New Mexico

Form C-102 Revised October 18, 1994 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true

E M. MARTA

and correct to the best of my belief.

Jessè


Date of Survey


June 3

2040 South Pacheco Santa Fe, NM 87505

## 2040 South Pacheco, Santa Fe, NM 87505 WELL LOCATION AND ACREAGE DEDICATION PLAT <sup>2</sup> Pool Code <sup>5</sup> Pool Name <sup>1</sup> API Number 96010 BRAVO DOME CARBON DIOXIDE GAS (640) <sup>5</sup>Property Name <sup>6</sup> Well Number <sup>4</sup> Property Code BRAVO DOME CARBON DIOXIDE GAS UNIT 2034 322 27111 <sup>8</sup>Operator Name <sup>9</sup> Elevation <sup>7</sup>OGRID No. OXY USA INC. 4935.9 16696 <sup>10</sup> Surface Location Township Feet from the North/South line East/West line UL or lot no. Range Lot Idn. Feet from the County Section SOUTH 34 Ε 1027 264' WEST UNION 32 20 N Μ <sup>11</sup>Bottom Hole Location If Different From Surface Lot Idn. Feet from the North/South line UL or lot no. Section Township Feet from the East/West line County <sup>12</sup>Dedicated Acres <sup>15</sup> Joint or Infill <sup>14</sup>Consolidation Code 640 NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 32 <sup>17</sup>OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. David Stewart Sr. Regulatory Analyst Title

## 3000 psi WORKING PRESSURE BOP





NOTE: ADEQUATE SUBSTRUCTURE REQUIRED TO ACCOMMDATE ROTATING HEAD, BAGS, RAME, ETC.