State of New Mexico Energy, Minerals & Natural Resources

District I 1625 N. French Dr., Hobbs, NM 88240 District II

316101

1301 W. Grand Avenue, Artesia, NM 88210

Oil Conservation Divsiion 1220 S. St. Francis Dr.

Submit to appropriate District Office

District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV AMENDED REPORT Santa Fe, NM 87505 1220 S. St. Francis Dr., Santa Fe, NM 87505 APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE Operator Name and Address 7 MAR 12 AM 11 06 OGRID Number 16696 OXY USA Inc. ³ API Number Midland, TX 79710-0250 P.O. Box 50250 30-021-20361 ⁵Property Name 6 Well No. ⁴Property Code Bravo Dome Carbon Dioxide Gas Unit 2032 27111 10 Proposed Pool 2 ⁹ Proposed Pool I 96010 Bravo Dome Carbon Dioxide Gas 640 Surface Location Feet from the North/South Line Lot. Idn Feet from the East/West line County UL or lot no. Section Township Range North F ١ 20 N 32 E 1701 1830 West Harding Proposed Bottom Hole Location If Different From Surface Lot. Idn Feet from the North/South Line East/West line County Section Township UL or lot no. Additional Well Location 12 Well Type Code 13 Cable/Rotary 14 Lease Type Code 15 Ground Level Elevation 11 Work Type Code **Վ**զՎგ.5 C R 5-LG296° 16 Multiple Proposed Depth 18 Formation Contractor 20 Spud Date 2600 Tubb Distance from nearest fresh water well Distance from nearest surface water Depth to ground water >100 >10000 >1000' Pit Volume 4000 bbls Liner: Synthetic X _ mils thick Clay Drilling Method: Pit: Closed-Loop System Fresh Water X Brine [Diesel/Oil-based Gas/Air ²¹Proposed Casing and Cement Program Hole Size Casing Size Casing weight/foot Setting Depth Sacks of Cement Estimated TOC 12-1/4" 8-5/8" 24# 7001 300sx Surface 7-7/8" 5-1/2" 5.9#FG/15.5# 2600' 300sx Surface Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary. See Attachment 23 I hereby certify that the information given above is true and complete to the best of OIL CONSERVATION DIVISION my knowledge and belief. I further certify that the drilling pit will be constructed according to NMOCD guidelines X a general permit . or an (attached) alternative OCD-approved plan Signature: Approved by: Signature: Printed name: David Stewart Title: DISTRICT Sr. Regulatory Analyst Title: Approval Date: Expiration Date: 3 E-mail Address: david stewart@oxy.com Date: Phone: Conditions of Approval:

432 - 685 - 5717

Attached [7]

ATTACHMENT C-101 BDCDGU _2032-01

PROPOSED TD:

2600' TVD

BOP PROGRAM:

0-700'

None

700-26001

8" 2M annular hydril preventer.

CASING:

Surface:

8-5/8" OD 24# J55 8rd ST&C new casing set at 700'

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production:

5-1/2" OD new casing from 0-2600'

300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

7-7/8" hole - 5 centralizers

*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT:

Surface - Circulate cement with 300sx Premium Plus with 2% CaCl₂ + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E

Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD:

0-700′

Fresh water/native mud.

Wt 8.6-9.2ppg, Vis 32-36sec

700-26001

Fresh water/Starch/Gel pH control as needed.

Wt 9.0-9.2ppg, Vis 28-29sec

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210

State of New Mexico Energy, Minerals & Natural Resources Department


OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505

Form C-102 Revised October 18, 1994 Instructions on back Submit to Appropriate District Office State Lease – 4 Copies Fee Lease – 3 Copies


1000 Rio Brazos Rd., Aztec, NM 87410 District IV

WELL LOCATION AND ACREAGE DEDICATION PLAT API Number Pool Code Pool Name 30-021-20361 96010 BRAVO DOME CARBON DIOXIDE GAS 6	
30-021-20361 96010 BRAVO DOME CARBON DIOXIDE GAS 6	
	S 640
Property Code Property Name Well Number	Number
27111 BRAVO DOME CARBON DIOXIDE GAS UNIT 2032 011	11
OGRID No. Operator Name Elevation	
16696 OXY USA INC. 4942.5	2.5
Surface Location	
UL or lot no. Section Township Range Lot Idn. Feet from the North/South line Feet from the East/West line County	unty
F 1 20 N 32 E 1701' NORTH 1830' WEST HARE	IARDING
Bottom Hole Location If Different From Surface	
UL or lot no. Section Township Range Lot Idn. Feet from the North/South line Feet from the East/West line County	unty
Dedicated Acres Joint or Infill Consolidation Code Order No.	
547.55 N	
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDA	LIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION	··
I hereby certify that the information contained here true and complete to the best of my knowledge and David Stewart NM-E NAD27 Lot - 35*59:33.76" Lon - 103*29:38.4" X - 748287.95 Y - 1815249.39	t CATION on this platers made by said is true

Certificate Number



BRAVO DOME 2003 DRILLING PROJECT BOP DIAGRAM



Bravo Dome Unit Location and Pit Design Cheyenne Rig 8

Bravo Dome Unit Cellar and Sump Pit Cheyenne Rig 8

