Submit 3 Copies To Appropriate District	State of New Mexico	Form C-103
Office District I	Energy, Minerals and Natural Resources	May 27, 2004
1625 N. French Dr., Hobbs, NM 88240		WELL API NO.
District II	OIL CONSERVATION DIVISION	30-007-20747
1301 W. Grand Ave., Artesia, NM 88210		7. Indicate Type of Lease
District III 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.	STATE FEE S
District IV	Santa Fe, NM 87505	7. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM		
87505		
	ICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		
PROPOSALS.)	CATION FOR FERMIT (FORM C-101) FOR SOCIE	VPR B
1. Type of Well: Oil Well	Gas Well Other Coalbed Methane	8. Well Number 162
2. Name of Operator		9. OGRID Number
	SO E & P COMPANY, L.P.	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
3. Address of Operator	0011212121	10. Pool name or Wildcat
	X 190, RATON, NM 87740	
4. Well Location		
Unit Letter M: 1246 feet from the South line and 739 feet from the West line		
Section 24 Tov	vnship 29N Range 18E NMPM	Colfax County
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		
机电离 恐惧的 化进滤器 克特勒	8,032' (GL)	多种类型成为的对对对对对对对
Pit or Below-grade Tank Application or Closure		
Pit type Depth to Ground		listance from nearest surface water
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:		
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING		
TEMPORARILY ABANDON	CHANGE PLANS COMMENCE D	RILLING OPNS. P AND A
PULL OR ALTER CASING	<u> </u>	
_	_	
OTHER:	☐ OTHER:	П
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date		
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion		
or recompletion.		
•		
02/17/07 Spud @ 5:00 a.m. Drill 11" surface hole to 325'. Run 10 jts. of 8 5/8", 24 #, J55 ST & C casing at 315'.		
Halliburton mixed and pumped 100 sx Midcon II cement, 14 ppg, yield 1.66. Circulate 7 bbls of cement to surface.		
WOC 8 hrs. Test surface 8 5/8" csg to 500 psi for 30 minutes.		
02/18/07 Drill 7 7/8" hole from 325' - 2575'. Reached TD 2575' at 4:15 p.m.		
MIRU Superior and log well. Logger's TD at 2552'.		
Run 53 jts 5 ½", 15.5 ppf, J-55, and 7 jts 17 ppf, J-55 LT&C casing at 2460'.		
HES mixed and pumped 335 sks Midcon II cement. Circulated 10 bbls of cement to surface.		
1 1		ourself to buriago.
I hereby certify that the information	n shove is true and complete to the best of my knowle	dge and halief I south a south at the
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines [], a general permit [] or an (attached) alternative OCD-approved plan [].		
SIGNATURE WINDER	Mitchell TITLE Regulatory Ana	<u>llys</u> t DATE <u>03/12/200</u> 7
Type or print name Shirley A. N	Mitchell E-mail address: shirley mitchell@elr	paso.com Telephone No. (505) 445-6785
For State Use Only		
APPROVED BY:	TITLE DISTRICT S	UPERVISOR DATE 4-2-0>
Conditions of Approval (if any):	111111	DATE /-2-0/
		PECEITIE

MAR 16 2007