State of New Mexito
Energy, Minerals & Natural Resources

Form C-101 May 27, 2004

1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV

Oil Conservation Division 26 2007

Submit to appropriate District Office

1220 S. St. Francis Dr.

1220 S. St. Franci	s Dr., Santa I	ře, NM	87505	,		Santa Fe, N	NM	82203. St. Fran	n Division	∐ AME.	NDED REPORT			
APPLIC	ATION	FO!	R PEI	RMIT T	O DRI	L <u>L, RE-EN</u>	<u> TEI</u>	82505. St. Fran R, BEEPEN M	PLAGBACI	د, OR ADD	A ZONE			
Operator Name and Address									² OGRID Number					
OXY USA Inc.	•								16696 3 API Number					
P.O. Box 50250 Midland, TX 79710-0250								30-021-20373						
⁴ Property Code ⁵ Property								- C Unit 15		⁶ Wel				
271	[]]	9 D ro	naged Pr		,avo noii	me Carbon Di I	10X10 	e Gas Unit (1	832 10 Proposed Po	14 ₂	<u> </u>			
9 Proposed Pool 1 Bravo Dome Carbon Dioxide Gas 640 96010									rioposeu i c)OI 2				
			-	-		⁷ Surface I	Locat	tion						
UL or lot no. Section Township Range Lot. Idn Feet from t								North/South Line	Feet from the	East/West line	County			
G-	ارىر		3 N	32 E		١٦٥٠		north	1700	east	Harding			
8 Proposed Bottom Hole Location If Different From Surface											<u></u>			
UL or lot no.	Section	Tov	vnship	Range	Lot. Idn Feet fro		1		Feet from the	East/West line	County			
OL OI IOU IIO.	5601.511	"	Home	1411162					1 000 110 110	Lust 11 Co. Line				
	<u> </u>	L		<u> </u>	A	dditional W	ell L	ocation		<u> </u>				
ll Work Ty	pe Code		12 ·	Well Type Cod		13 Cable/R			se Type Code	15 Ground L	evel Elevation			
N	V			С		R		5	لرجدرره رن	ىر-	701 [°]			
¹⁶ Multi			17 7	Proposed Depti	h	18 Format		¹⁹ C	Contractor	²⁰ Spud Date				
Depth to ground		1		2600'	Distance f	Tub rom nearest fresh		well [N/A Distance from neare	Set surface water				
Dopin to ground		>100)'		DEILLE -		water well Distance from nearest surface water >1000'							
Pit: Liner: Syn		12	_ mils thi	ick Clay	у	Pit Volume4(bbls Drilling Meth	ıod:	- , ,				
1	oop System [7			_	,	Greeh V	Vater X Brine	_	oil-based	Gas/Air			
ORGIO L.				21,						II-0aseu	O88/An			
					1		<u>id Ce</u>	ment Program						
Hole S	ize		Casin	g Size	e Casing weight/foot			Setting Depth	Sacks of Cemer	nt Es	stimated TOC			
12-1/	4"		8-5	/8"		24#		700'	300sx		Surface			
7-7/8	В"	<u> </u>	5-1.	./2"	5.9#FG/15.5#			2600'	300sx	Surface				
		T												
		1					1							
		+							·	-				
22 Describe the r	proposed pro	oram	If this a	polication is	to DEEPE	N or PLUG BAC	<u>l</u> יע קיי	e the data on the pre-	ment productive zo	and proposed				
Describe the blow							17, b-	e me dam on and pro-	Still productive 20.	ile and proposed.	new productive some.			
						See Attach	hmen	ıt.						
<u> </u>							п							
²³ I hereby certify that the information given above is true and complete to the best of							OIL CONSERVATION DIVISION							
my knowledge and belief. I further certify that the drilling pit will be constructed according to NMOCD guidelines a general permit , or														
an (attached) alternative OCD-androved plan							Approved by:							
Signature:								Med III artin						
Printed name: David Stewart							Title: DISTRICT SUPERVISOR							
Title: Sr. Regulatory Analyst							Appr	oval Date: 4-3	-07 E	epiration Date:	4-3-08			
E-mail Address: david_stewart@oxy.com							<u> </u>							
Date:				Phone:				Conditions of Approval:						
3(23(07]	432-685-5717				Attached						

ATTACHMENT C-101' BDCDGU 1832-142

PROPOSED TD:

2600' TVD

BOP PROGRAM:

0-700'

None

700-26001

8" 2M annular hydril preventer.

CASING:

Surface:

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production:

5-1/2" OD new casing from 0-2600'

300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

8-5/8" OD 24# J55 8rd ST&C new casing set at 700'

7-7/8" hole - 5 centralizers

*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT:

Surface - Circulate cement with 300sx Premium Plus with 2% CaCl₂ + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD:

0-700'

Fresh water/native mud. Wt 8.6-9.2ppg, Vis 32-36sec

700-26001

Fresh water/Starch/Gel pH control as needed.

Wt 9.0-9.2ppg, Vis 28-29sec

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505

State of New Mexico

Energy, Minerals & Natural Resources Department

Form C-102 Revised October 18, 1994 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

District IV 2040 South Pacheco, Santa Fe, NM 87505


AMENDED REPORT

	WELL	LOCATIO	ON AND	ACREAGE	DEDIC	AH	ON PLAT			
API Number		Pool	Code	Pool Name						
30-021-2037	3	96	010	BRAV	DE GAS	GAS 640				
Property Code			Pro	perty Name	,		·-·		Well Nu	mber
27111	BRAVO	DOME	CARBON	DIOXIDE	GAS	UN	IT 1832		142)


Operator Name OGRID No. Elevation 4701.0 16696 OXY USA INC. Surface Location UL or lot no. Feet from the North/South line Feet from the Fast/West line Section Township Range Lot Idn. County 32 E 1700' NORTH 1700' G 14 18 N EAST HARDING Hole Location If Different From Surface Bottom UL or lot no. Section Range Lot Idn. Feet from the North/South line Feet from the Township East/West line County Dedicated Acres Joint or Infill Consolidation Code Order No. N 640 NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 14 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. Signature 2 David Stewart 1700'-Printed Name NM-E NAD27 Lat - 35° 47'34.29' Sr. Regulatory Analyst Lon - 103° 30'18.07' X - 745650.81 1744868.29 Date SURVEYOR CERTIFICATION 1 PEU I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by **3**00&120017 me or under my supervision, and that the same is true and correct to the best of my belief. Nove Date of Survey Fred Ess Signature and

15070

Certificate Number 15079



BRAVO DOME 2003 DRILLING PROJECT BOP DIAGRAM



Bravo Dome Unit Location and Pit Design Cheyenne Rig 8

Bravo Dome Unit Cellar and Sump Pit Cheyenne Rig 8

