Submit To Appropriate District Office State of New Mexico Form C-105 Fee Lease - 5 copies Energy, Minerals and Natural Resources Revised March 25, 1999 WELL API NO. 30-007-20384 District I 1625 N. French Dr., Hobbs, NM 87240 OIL CONSERVATION DIVISION 5. Indicate Type of Lease <u>District II</u> 811 South First, Artesia, NM 87210 1220 South St Francis STATE FEE District III Santa Fe, NM 87505 State Oil & Gas I se No. 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 South St Francis, Santa Fe, NM 87505 WELL COMPLETION OR RECOMPLETION REPORT AND LOG la. Type of Well: Lease Name or Unit Agreement Name OIL WELL GAS WELL DRY OTHER X COALBED METHANE b. Type of Completion: VPR D NEW WORK RESVR. BACK [WELL OVER DEEPEN OTHER 2. Name of Operator Well No. EL PASO ENERGY RATON, L.L.C. 96 3. Address of Operator 9. Pool name or Wildcat PO BOX 190 Castle Rock Park - Vermejo Gas RATON, NEW MEXICO 87740 4. Well Location Unit Letter N 480 Feet From The South __ Line and_ 1597 Feet From The West Line NMPM Township Range COLFAX County 10. Date Spudded 11. Date T.D. Reached 12. Date Compl. (Ready to Prod.) 13. Elevations (DF& R(B. RT, GR, etc.) 14. Elev. Casinghead 02/18/03 02/19/03 08/05/03 8205 8205' 15. Total Depth 16. Plug Back T.D. 17. If Multiple Compl. How Many 18. Intervals Rotary Tools Cable Tools Drilled By 0 - TD None 1760' 19. Producing Interval(s), of this completion - Top, Bottom, Name Was Directional Survey Made 1243' - 1508' VERMEJO COALS No 21. Type Electric and Other Logs Run 21. Was Well Cored No Array Induction, Epithermal Neutron Litho Density, After Frac and Cement Bond Log. CASING RECORD (Report all strings set in well) 23. WEIGHT LB./FT. CASING SIZE DEPTH SET HOLE SIZE CEMENTING RECORD AMOUNT PULLED 332' 8 5/8" 11" 23 lb. 100 sx. None 5 ½" 15.5 lb. 1718' 7 7/8" 213 sx. LINER RECORD TUBING RECORD 25. 24. PACKER SET SIZE TOP BOTTOM SACKS CEMENT | SCREEN SIZE DEPTH SET 2 7/8 1950' N/A 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. 26. Perforation record (interval, size, and number) 1502'-1508' 17 Holes 1441'-1443' 5 Holes 1354'-1356', 1393' - 1395' 10 Holes AMOUNT AND KIND MATERIAL USED DEPTH INTERVAL 250,250 lbs 20/40 Ottawa/TLC Sand 1243'- 1508' 1243'- 1245', 1252'- 1254', 1256'- 1258', 2364'- 1266', 1274'- 1276' 25 Holes **PRODUCTION** Production Method (Flowing, gas lift, pumping - Size and type pump)
Pumping water up 2 7/8 tubing w/ 2'X 1 ¼" X 10' insert pump. Well Status (Prod. or Shut-in) Date First Production Production 08/11/03 Flowing gas up 5 ½" casing. Prod'n For Oil - Bbl Date of Test Hours Tested Choke Size Gas - MCF Water - Bbl. Gas - Oil Ratio 08/10/03 Full 2" Test Period N/A 24 Hours 65 Flow Tubing Calculated 24-Oil - Bbl. Gas - MCF Water - Bbl. Oil Gravity - API - (Corr.) Casing Pressure 250 psi Hour Rate Press. N/A 65 268 N/A Test Witnessed By 29. Disposition of Gas (Sold, used for fuel, vented, etc.)

31 I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief

Printed

Signature: Shirley A. Mitchell Title: Senior Specialist Date: (

Jerry Colburn

Date: 08-18-03

Sold, used for fuel

30. List Attachments

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

			em New Mexico			Northweste	rn New Mexico	
Γ. Anhy			T. Canyon	T. Ojo Alamo T. Kirtland-Fruitland		T. Penn. "B"		
. Salt			T. Strawn	T. Kirtland-Fruitland		T, Penn. "C"		
3. Salt			T. Atoka	T. Pictured Cliffs		T. Penn. "D"		
. Yates			T. Miss	T. Cliff House			T. Leadville	
. 7 River	rs		T. Devonian	T. Menefee			T. Madison	
L. Queen			T. Silurian	T. Point Lookout		T. Elbert		
C. Grayburg			T. Montoya	T. Mancos		T. McCracken		
. San Andres			T. Simpson	T. Gallup		T Ignacio O	tzte	
Gloriet	т а		T. McKee	Base Greenhorn			T. Granite	
. Glorieta . Paddock			T. Ellenburger	T. Dakota			T Raton - S	urface 0'
. Blinebry			T. Gr. Wash	T. Morrison		T.Vermejo		
Tubb			T. Delaware Sand	T Todilto		T Trinidad		
			T. Bone Springs	T. Todilto		. I_IIIIII		
. Drinkard			T. Bone Springs	T. Entrada		1		
. Abo			_ T	T. Wingate			1,	
. Wolfcamp			T	T. Chinle			1.	
. Penn			1.	I. Permian				
Г. Penn T Г. Cisco (Bough C) T			Т	T. Permian T. Penn "A"			· ••	
							OIL	OR GAS SANDS OR ZONES
o. I, fre	om		to	No. 3, fro	m		to	.,
No. 2, fromto				No. 4, from			to	
			IMPORTAN' inflow and elevation to which wa	iter rose in hole	e.	foot		
No. 1, fromtoto								
No. 2, fromtototo								
,								
			LITHOLOGY RECOF					
rom	То	Thickness In Feet	LITHOLOGY RECOF	(Attach add	litional To	Sheet if necess Thickness In Feet		hology
rom	То	Thickness				Thickness		chology
rom	То	Thickness				Thickness		chology
rom	То	Thickness				Thickness		chology