

Submit To Appropriate District Office  
State Lease - 6 copies  
Free Lease - 5 copies  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
811 South First, Artesia, NM 87210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 South St Francis, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources  
OIL CONSERVATION DIVISION  
1220 South St Francis  
Santa Fe, NM 87505

Form C-105  
Revised March 25, 1999

WELL API NO. 30-007-20393

5. Indicate Type of Lease  
STATE FEE X

State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:  
OIL WELL GAS WELL DRY OTHER X COALBED METHANE

1b. Type of Completion:  
NEW WORK PLUG DIFF.  
WELL OVER DEEPEN BACK RESVR. OTHER

7. Lease Name or Unit Agreement Name  
VPR D

2. Name of Operator  
EL PASO ENERGY RATON, L.L.C.

8. Well No.  
108

3. Address of Operator  
PO BOX 190  
RATON, NEW MEXICO 87740

9. Pool name or Wildcat  
Castle Rock Park – Vermejo Gas

4. Well Location  
Unit Letter O 1309 Feet From The South Line and 1419 Feet From The East Line  
Section 11 Township 30N Range 17E NMPM COLFAX County

10. Date Spudded  
03/09/03

11. Date T.D. Reached  
03/10/03

12. Date Compl. (Ready to Prod.)  
07/31/03

13. Elevations (DF& R(B. RT, GR, etc.)  
8277'

14. Elev. Casinghead  
8277'

15. Total Depth  
2180'

16. Plug Back T.D.  
2102'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By

Rotary Tools  
0 - TD

Cable Tools  
None

19. Producing Interval(s), of this completion - Top, Bottom, Name  
1655' - 1920' VERMEJO COALS

20. Was Directional Survey Made  
No

21. Type Electric and Other Logs Run  
Array Induction, Epithermal Neutron Litho Density. After Frac and Cement Bond Log.

21. Was Well Cored  
No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	23 lb.	329'	11"	100 sx.	None
5 1/2"	15.5 lb.	2122'	7 7/8"	270 sx.	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

26. Perforation record (interval, size, and number)  
1918'- 1920' 5 Holes  
1892'- 1894' 5 Holes  
1859'- 1861' 5 Holes  
1655'- 1657' 5 Holes

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2 7/8"	1963'	N/A

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.  
DEPTH INTERVAL  
1655'- 1920'  
AMOUNT AND KIND MATERIAL USED  
131,450 lbs 20/40 Ottawa/TLC Sand

28. PRODUCTION

Date First Production  
08/04/03

Production Method (Flowing, gas lift, pumping - Size and type pump)  
Pumping water up 2 7/8 tubing w/ 2'X 1 1/4" X 10' insert pump.  
Flowing gas up 5 1/2" casing.

Well Status (Prod. or Shut-in)  
Production

Date of Test 08/03/03	Hours Tested 24 Hours	Choke Size Full 2"	Prod'n For Test Period	Oil - Bbl N/A	Gas - MCF 34	Water - Bbl. 25	Gas - Oil Ratio N/A
Flow Tubing Press.	Casing Pressure 150 psi	Calculated 24-Hour Rate	Oil - Bbl. N/A	Gas - MCF 34	Water - Bbl. 25	Oil Gravity - API - (Corr.) N/A	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)  
Sold, used for fuel.

Test Witnessed By:  
Jerry Colburn

30. List Attachments

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief  
Signature: Shirley Mitchell Printed Name: Shirley A. Mitchell Title: Senior Specialist Date: 08-18-03

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

## Southeastern New Mexico

## Northwestern New Mexico

T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T. Raton – Surface <u>0'</u>
T. Blinebry	T. Gr. Wash	T. Morrison	T. Vermejo <u>1,614'</u>
T. Tubb	T. Delaware Sand	T. Todilto	T. Trinidad <u>1,938'</u>
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T.	T. Wingate	T.
T. Wolfcamp	T.	T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

## OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

\_\_\_\_\_