## State of New Mexico Energy, Minerals & Natural Resources

Form C-101 Revised March 17, 1999

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. 1st Street, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV

Signature:

Title.

Date:

Printed name: David Stewart

7/11/02

Sr. Regulatory Analyst

Phone:

915-685-5717

Oil Conservation Divsiion 2040 South Pacheco Santa Fe, NM 87505

Submit to appropriate District Office State Lease - 6 Copies Fee Lease - 5 Copies

2040 South Pacheco, Santa Fe, NM 87505 AMENDED REPORT APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE OGRID Number Operator Name and Address 16696 OXY USA Inc. API Number 0 P.O. Box 50250 Midland, TX 79710-0250 <sup>5</sup>Property Name <sup>6</sup>Well No. <sup>4</sup>Property Code Bravo Dome Carbon Dicacide Gas Unit 1935 27111 172 <sup>7</sup>Surface Location East/West line UL or lot no. Section Range Lot. Idn Feet from the North/South Line Feet from the north 19N 48( 475 17 35E Union <sup>8</sup> Proposed Bottom Hole Location If Different From Surface East/West line Range UL or lot no. Lot. Idn Feet from the North/South Line Township Feet from the County Section 10 Proposed Pool 2 <sup>9</sup> Proposed Pool 1 96010 Bravo Dome Carbon Dioxide Gas 640 11 Work Type Code 13 Cable/Rotary <sup>4</sup> Lease Type Code 12 Well Type Code 15 Ground Level Elevation <sup>16</sup> Multiple 18 Formation <sup>20</sup> Spud Date Proposed Depth 19 Contractor No 2600' Tubb N/A 8/1/02 <sup>21</sup>Proposed Casing and Cement Program Casing Size Casing weight/foot Setting Depth Sacks of Cement **Estimated TOC** Hole Size 12-1/4" 8-5/8" 24# 700' 300ex Surface 7-7/8" 5-1/2" 5.9#FG/15.5# 2600' 300soc Surface Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary. SEE OTHER SILE  $^{\rm 23}\,l$  hereby certify that the information given above is true and complete to the MOISIVIQ MOITA OK CONSERV best of my knowledge and belief. Approved by:

Title:

Approval Date: Conditions of Approval:

Attached ....

Expiration Date:

PROPOSED TD:

2600' TVD

BOP PROGRAM:

0-700'

None

700-26001

8" 3M blind & pipe ram with stripper head.

CASING:

Surface:

 $8-5/8\,^{\prime\prime}$  OD 24# J55 8rd ST&C new casing set at 700  $^{\prime}$ 

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production:

5-1/2" OD new casing from 0-2600' 300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

7-7/8" hole - 5 centralizers

\*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT:

Surface - Circulate cement with 300sx Premium Plus with 2% CaCl<sub>2</sub> + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% CaCl<sub>2</sub> + .25#/sx Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% CaCl<sub>2</sub> + .25#/sx Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD:

0-700'

Fresh water/native mud. Wt 8.6-9.2ppg, Vis 32-36sec

700-2600'

Fresh water/Starch/Gel pH control as needed. Wt 9.0-9.2ppg, Vis 28-29sec

## ESTIMATED FORMATION TOPS:

Tubb-2041 Cimarron-2014 San Andres-1231 Santa Rosa- 922

District I 1625 N. French Dr., Hobbs, NM 88240 District II

811 South First, Artesia, NM 88210

1000 Rio Brazos Rd., Aztec, NM 87410

District IV 2040 South Pacheco, Santa Fe, NM 87505 State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505

Form C-102 Revised October 18, 1994 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

AMENDED REPORT

WEN WEXICO


Jesse


Certificate Number

WELL LOCATION AND ACREAGE DEDICATION PLAT <sup>2</sup> Pool Code <sup>5</sup> Pool Name BRAVO DOME CARBON DIOXIDE GAS (640) 96010 <sup>6</sup> Well Number

<sup>1</sup> API Number <sup>4</sup> Property Code BRAVO DOME CARBON DIOXIDE GAS UNIT 1935 27111 172 <sup>7</sup>OGRID No. <sup>8</sup>Operator Name <sup>9</sup> Elevation OXY USA INC. 16696 4636.0 <sup>10</sup> Surface Location UL or lot no. Feet from the North/South line Range Lot Idn. East/West line Section Township Feet from the County 35 E NORTH WEST 17 19 N 481 475 UNION D <sup>II</sup> Bottom Hole Location If Different From Surface Feet from the UL or lot no. Section Township Range Lot Idn. Feet from the North/South line East/West line County <sup>12</sup>Dedicated Acres <sup>13</sup> Joint or Infill 14 Consolidation Code 15 Order No. NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 17 <sup>17</sup>OPERATOR CERTIFICATION NM-E NAD27 Lat - 35° 53'02.00" Lon -103° 14'51.76" I hereby certify that the information contained herein is 2 true and complete to the best of my knowledge and belief. Signature David Stewart Sr. Regulatory Analyst Title Date 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. June 3, M. MARIA Date of Survey Signature and Seal of Pro

## 3000 psi Working Pressure BOP





NOTE: ADEQUATE SUBSTRUCTURE REQUIRED TO ACCOMMDATE ROTATING HEAD, BAGS, RAME, ETC.