Submit To Appropria State Lease - 6 copies Fee Lease - 5 copies District I		Enc	State of New Mexico Energy, Minerals and Natural Resources					Form C-105 Revised June 10, 2003			
1625 N. French Dr., 1 <u>District II</u> 1301 W. Grand Aven <u>District III</u> 1000 Rio Brazos Rd.	0	Oil Conservation Division 1220 South St. Francis Dr.					WELL API NO. 30-007-20780 5. Indicate Type of Lease STATE ☐ FEE FEE				
District IV			Santa Fe, NM 87505				Ī	State Oil & Gas Lease No.			
WELL C			MPL	ETION REPOR	RT AND L	.OG					
1a. Type of Well: OIL WELL □ GAS WELL ☒ DRY □ OTHER Coalbed Methane						7. Lease Name or Unit Agreement Name					
b. Type of Completion: NEW WORK DEEPEN PLUG DIFF. WELL OVER BACK RESVR. OTHER								VPR B 8. Well No.			
2. Name of Operator EL PASO E & P COMPANY, L.P.								166			
3. Address of Oper	РО ВОХ	190 NEW MEXI	co s	37740				9. Pool name or Wildcat Van Bremmer - Vermejo Gas			
4. Well Location											
Unit Letter K: 1558 Feet From The South Line and 1356 Feet From The West Line											
Section 10. Date Spudded 03/05/2007		ached 12. I					DF&	PM Colfax County F& RKB, RT, GR, etc.) 14. Elev. Casinghout 7,905' 7,90			
15. Total Depth	16. Plug B	ack T.D.	17. If	Multiple Compl. How ones?		8. Interva	als	Rotary Tools		Cable	
2,485'		,385' oletion - Top, Bot	1			Drilled By 0 - TD 20. Was Directional Survey Made				urvey Made	
	8	85' - 2,184'		on – Vermejo Coa	ıls						
21. Type Electric a Compensate			Log a	and Cement Bon	d Log			22. Was Well Cored			
23.)		SING RECOR		rt all s	trin	gs set in we	ell)		
CASING SIZ		HT LB./FT.		DEPTH SET	HOLE	SIZE		CEMENTING RECORD AMOUNT PULLED			
8 5/8" 5 ½"		3 lbs 5.5 lbs		2,386'	11"			100 sks 392 sks			
5 72	5 15.5		2,386			7 7/8"		392 SRS		 	
									=======================================		
SIZE	SIZE TOP		LIN	ER RECORD SACKS CEMENT	SCREEN		25. SIZ		BING RI DEPTH S		PACKER SET
SIZL	101	BOTTOM		SACKS CLIVILIVI	SCREEN			7/8"	2,265)L1	TACKERSET
26. Perfora	tion record (interva	l, size, and numb	er)				FRA	ACTURE, CEM			
	Holes	52 II.l.			DEPTH INT		-	74,548 lbs 20/40 mesh sand			
1682'- 1684', 1700'-	· 2099', 2110'- 2114' · 1702', 1735'- 1737',	1751'- 1758' 52	Holes		003 - 23			1,201,686 scf 70% quality Nitrogen			
885'- 890', 944'- 94	6', 986'- 990', 1008'-	1011' 56 Holes						w/ Linear gel			
28				PRO	DUCTI	ON					
Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) 07/06/2007 Pumping water up 2 7/8" tubing, insert pump and 2' x 1 ½" x 10' Pumping unit. Flowing gas up 5 ½" casing.						1	Well Status (iut-in) Producti o	n	
Date of Test 07/06/2007	Hours Tested 24 Hours	Choke Size Full 2"		Prod'n For Test Period	Oil - Bbl N/A		Gas	- MCF 16	Water - B	361. O	Gas - Oil Ratio N/A
Flow Tubing	Casing Pressure	Calculated 2	24-	Oil - Bbl.	Gas - M	CF	. V	Vater - Bbl.			API - (Corr.)
Press. O psi 47 psi Hour Rate N/A 16 O N/A											
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Test Witnessed By Lyn Essman											
Sold, used for fuel. 30. List Attachments											
31 .I hereby certif	31 .I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief										
Signature Shirley Name Shirley A. Mitchell Title Regulatory Analyst Date 08/17/2007											
E-mail Address shirley.mitchell@elpaso.com											

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southe	astern New Mexico	Northwe	Northwestern New Mexico				
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"				
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"				
B. Salt_	T. Atoka	T. Pictured Cliffs	T. Penn. "D"				
T. Yates	T. Miss	T. Cliff House	T. Leadville				
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison				
T. Queen	T. Silurian	T. Point Lookout	T. Elbert				
T. Grayburg	T. Montoya	T. Mancos	T. McCracken				
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte				
T. Glorieta	T. McKee	Base Greenhorn	T. Granite				
T. Paddock_	T. Ellenburger	T. Dakota	T Raton 0'				
T. Blinebry	T. Gr. Wash	T. Morrison	T Vermejo 1,993'				
T.Tubb	T. Delaware Sand	T.Todilto	T Trinidad 2,196'				
T. Drinkard	T. Bone Springs	T. Entrada	T.				
T. Abo	T	T. Wingate	T.				
T. Wolfcamp	T	T. Chinle	T.				
T. Penn	T	T. Permian	T.				
T. Cisco (Bough C)	T	T. Penn "A"	T.				

			SANDS O	
No. 1, from	to	No. 3, from	to	
		No. 4, from		
		RTANT WATER SANDS		
Include data on rate o	f water inflow and elevation to w	hich water rose in hole.		
No. 1, from	toto	feet	*******************************	
No. 2, from	tot	feet		
No. 3, from	to	feet		
	LITHOLOGY REC	CORD (Attach additional sheet	f necessary)	

From	То	Thickness In Feet	Lithology		From	То	Thickness In Feet	Lithology
								·
			·					
					ļ 			
						1		
i								