Submit 3 Copies To Appropriate District Office	State of New Mexico		Form C-103	
District 1	Energy, Minerals and Natural Re	sources	May 27, 2004	
1625 N. French Dr., Hobbs, NM 88240		WELL A		
District II 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVI	SION 7	30-007-20880 Indicate Type of Lease	
District III	1220 South St. Francis D		TATE FEE	
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, NM 87505		State Oil & Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM				
87505 SUNDRY NOT	ICES AND REPORTS ON WELLS	7 Lease	Name or Unit Agreement Name	
	SALS TO DRILL OR TO DEEPEN OR PLUG BAC		Name of Ome Agreement Name	
	CATION FOR PERMIT" (FORM C-101) FOR SUCI	-[VPR A	
PROPOSALS.) 1. Type of Well: Oil Well	Gas Well Other Coalbed Methane	8. Well 1	Number 391	
2. Name of Operator			9. OGRID Number	
EL PAS	O E & P COMPANY, L.P.			
3. Address of Operator		10. Pool	name or Wildcat	
P.O. BOX	190, RATON, NM 87740		name of windcar	
1 4 W U I 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4				
Unit Letter P: 880 feet from the South line and 1266 feet from the East line				
Section 28 Towns		NMPM Colfax	County	
O	11. Elevation (Show whether DR, RKB, 8, 058' (GL)	RT, GR, etc.)	Tul-	
Pit or Below-grade Tank Application 🗌 o	or Closure 🗌		3 <	
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water				
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material				
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data				
NOTICE OF IN	ITENTION TO:	SUBSEQUE	NT REPORT OF:	
PERFORM REMEDIAL WORK	PLUG AND ABANDON ☐ REM	EDIAL WORK	☐ ALTERING CASING ☐	
TEMPORARILY ABANDON		MENCE DRILLING OPI	NS.⊠ PANDA □	
PULL OR ALTER CASING	MULTIPLE COMPL CASI	NG/CEMENT JOB		
OTHER:	□ ОТНЕ	R.	П	
	oleted operations. (Clearly state all pertine		nent dates, including estimated dat	
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.				
	ill 11" surface hole to 334'. Run 8 jts. of			
Halliburton mixed and pumped 100 sks Midcon II cement. Circulated 7 bbls of cement to surface. WOC 8 hrs. Test surface 8 5/8" csg to 500 psi for 30 minutes.				
WOC 8 nrs. Test surf	ace 8 5/8" csg to 500 psi for 30 minutes.			
08/20/07 Drill 7 7/8" hole fron	1 334' – 2185'. Reached TD at 2185' at	4:45 p.m.		
MIRU Superior and log well. Logger's TD 2177'.				
Run 44 jts 5 ½, 15.5 ppf, J-55, and 10 jts 17 ppf, J-55 LT&C casing at 2111'.				
HES mixed and pumpe	ed 261 sks Midcon II cement. Circulated	2 bbls of cement to sur	face.	
Lhereby certify that the information	above is true and complete to the best of n	y knowledge and belie	f I further certify that any nit or helow	
	closed according to NMOCD guidelines , a gen			
	Kaitalia M			
SIGNATURE ON Shirley A M		atory Analyst	DATE <u>09/05/2007</u>	
Type or print name Shirley A. M	tenen E-man address: sniriey.mit	chenweipaso.com 1	elephone No. (505) 445-6785	
In state osciony	not	DICT CHINEDI	cab / .	
APPROVED BY: Conditions of Approval (if any):	Martin TITLE UIS!	RICT SUPERVI	3UK DATE 9/6/07	
Conditions of Approval (II ally).				