

Chavez, Carl J, EMNRD

From: Terry M. Duffey [EverQuest@nts-online.net]
Sent: Friday, September 07, 2007 1:57 PM
To: Chavez, Carl J, EMNRD
Subject: Sunco Data Files
Attachments: SRT Data.xls

At your request...
Step-rate test - data file in Excel format.


Terry M. Duffey
EverQuest Energy Corporation – Dominating World Oil - One Well at a Time.
PO Box 10079
Midland, Texas 79702
432-686-9790
432-682-3821 Fax
EverQuest@nts-online.net

This inbound email has been scanned by the MessageLabs Email Security System.

10/30/2007


Key Energy Services, LLD - Sunco SWD

Step-Rate Test 7/21/2007



Key Energy Services, LLD - Sunco SWD

Step-Rate Test 7/21/2007




Key Energy Services, LLC
Sunco SWD

Step-Rate Test 7/21/2007


Summary Results

Injection Rate BPM	Injection Rate BPD	Wellhead Injection Pressure	Bottomhole Injection Pressure
0.5	720	933	2799
1.0	1,440	1025	2856
1.5	2,160	1117	2912
2.0	2,880	1217	2968
2.5	3,600	1371	3035
3.0	4,320	1517	3097
3.5	5,040	1663	3159
4.0	5,760	1840	3221
4.5	6,480	2066	3281
5.0	7,200	2397	3347
5.5	7,920	2450	3399
6.0	8,640	2700	3449
6.5	9,360	2950	3484
7.0	10,080	3172	3525

Key Energy - Sunco SWD
Step-Rate Test July 20-21, 2007



Key Energy - Sunco SWD
Step-Rate Test July 20-21, 2007



Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2.25			0.01	123.94	RU lubricator, place pressure device in lubricator
2.50			0.01	123.89	
2.75			0.01	123.84	
3.00			0.01	123.80	
3.25			0.01	123.75	
3.50			0.01	123.71	
3.75			0.01	123.66	
4.00			0.01	123.62	
4.25			0.01	123.57	
4.50			0.01	123.53	
4.75			0.01	123.48	
5.00			0.01	123.44	
6.00			0.01	123.03	
7.00			0.01	122.62	
8.00			0.01	122.21	
9.00			0.01	121.80	
10.00			0.01	121.42	
11.00			0.01	121.06	
12.00			0.01	120.71	
13.00			0.01	120.35	
14.00			9.93	119.55	Open master valve and equalize pressure into lubricator with tubing pressure
14.25			16.21	118.96	
14.50			25.78	118.03	
14.75			42.33	117.11	
15.00			81.07	116.18	
15.25			318.49	115.25	
15.50			2136.17	114.33	Recording wellhead injection pressures
15.75			2116.49	113.40	
16.00			2144.60	112.47	
16.25			2127.76	111.55	
16.50			2140.13	110.63	
16.75			2135.45	109.71	
17.00			2121.91	108.78	
17.25			2157.28	107.73	Lowering pressure device on wireline down tubing
17.50			2150.19	106.61	
17.75			2182.53	105.49	
18.00			2195.95	104.37	
18.25			2224.57	103.26	
18.50			2236.00	102.14	
18.75			2272.95	101.03	
19.00			2287.98	99.91	
19.25			2314.05	98.80	
19.50			2351.03	97.69	
19.75			2370.66	96.58	
20.00			2402.36	95.47	
20.25			2420.43	94.53	
20.50			2466.22	93.84	
20.75			2473.86	93.14	
21.00			2527.56	92.45	
21.25			2546.10	91.76	
21.50			2588.04	91.07	
21.75			2609.48	90.37	
22.00			2645.84	89.68	
22.25			2688.95	89.00	
22.50			2703.90	88.31	
22.75			2747.89	87.62	
23.00			2768.19	86.93	
23.25			2812.07	86.47	
23.50			2816.67	86.14	
23.75			2863.18	85.82	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
24.00			2894.90	85.50	
24.25			2913.56	85.18	
24.50			2956.05	84.86	
24.75			2993.52	84.54	
25.00			3044.77	84.22	
25.25			3060.13	83.90	
25.50			3104.78	83.58	
25.75			3126.75	83.26	
26.00			3160.06	82.94	
26.25			3185.81	82.75	
26.50			3226.34	82.64	
26.75			3268.90	82.52	
27.00			3291.06	82.41	
27.25			3332.30	82.30	
27.50			3356.05	82.18	
27.75			3409.20	82.07	
28.00			3424.92	81.95	
28.25			3456.54	81.84	
28.50			3486.43	81.73	
28.75			3515.06	81.61	
29.00			3539.65	81.50	
29.25			3570.99	81.46	
29.50			3615.44	81.46	
29.75			3630.21	81.46	
30.00			3664.47	81.46	
30.25			3690.99	81.46	
30.50			3722.39	81.46	
30.75			3744.46	81.46	
31.00			3768.97	81.46	
31.25			3812.39	81.46	
31.50			3828.01	81.46	
31.75			3852.94	81.46	
32.00			3871.13	81.46	
32.25			3889.54	81.50	
32.50			3900.90	81.55	
32.75			3900.98	81.59	
33.00			3900.79	81.64	
33.25			3901.31	81.68	
33.50			3901.34	81.73	
33.75			3901.34	81.77	
34.00			3901.32	81.82	
34.25			3901.30	81.86	
34.50			3901.53	81.91	
34.75			3901.20	81.95	
35.00			3900.90	81.99	
35.25			3901.98	82.03	
35.50			3901.77	82.06	
35.75			3901.19	82.09	
36.00			3901.62	82.12	
36.25			3901.68	82.15	
36.50			3901.67	82.18	
36.75			3901.51	82.20	
37.00			3901.52	82.23	
37.25			3901.61	82.26	
37.50			3901.89	82.29	
37.75			3901.32	82.32	
38.00			3901.58	82.35	
38.25			3901.68	82.37	
38.50			3901.88	82.38	
38.75			3901.77	82.39	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
39.00			3901.30	82.41	
39.25			3901.88	82.42	
39.50			3902.05	82.43	
39.75			3901.57	82.45	
40.00			3901.58	82.47	
40.25			3901.67	82.48	
40.50			3901.96	82.50	
40.75			3901.81	82.51	
41.00			3901.23	82.52	
42.00			3901.31	82.57	
43.00			3901.30	82.59	
44.00			3901.57	82.61	
45.00			3901.69	82.63	
46.00			3901.87	82.64	
47.00			3902.02	82.66	
48.00			3902.15	82.67	
49.00			3902.30	82.68	
50.00			3902.11	82.69	
51.00			3902.12	82.70	
52.00			3902.15	82.71	
53.00			3902.23	82.72	
54.00			3902.11	82.73	
55.00			3902.06	82.74	
56.00			3902.00	82.75	
57.00			3902.37	82.75	
58.00			3902.57	82.76	
59.00			3902.16	82.77	
60.00			3902.07	82.78	
61.00			3902.14	82.79	
62.00			3902.45	82.80	
63.00			3902.54	82.81	
64.00			3902.63	82.81	
65.00			3902.67	82.82	
66.00			3902.67	82.83	
67.00			3902.69	82.84	
68.00			3902.57	82.85	
69.00			3902.53	82.86	
70.00			3902.56	82.87	
71.00			3902.63	82.88	
72.00			3902.76	82.88	
73.00			3902.54	82.89	
74.00			3902.68	82.90	
75.00			3902.99	82.91	
76.00			3902.74	82.92	
77.00			3902.98	82.92	
78.00			3903.09	82.93	
79.00			3902.69	82.94	
80.00			3902.57	82.95	
81.00			3903.08	82.96	
82.00			3903.12	82.97	
83.00			3903.21	82.98	
84.00			3902.96	82.99	
85.00			3902.90	83.00	
86.00			3902.72	83.00	
87.00			3902.96	83.02	
88.00			3903.12	83.03	
89.00			3903.22	83.04	
90.00			3903.44	83.05	
91.00			3903.18	83.06	
92.00			3903.12	83.07	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
93.00	1.00	1.00	3896.23	83.07	Shut down water injection into well, began fall-off test
93.25	0.25	1.25	3895.70	83.07	
93.50	0.25	1.50	3894.76	83.08	
93.75	0.25	1.75	3893.90	83.08	
94.00	0.25	2.00	3893.19	83.08	
94.25	0.25	2.25	3892.45	83.09	
94.50	0.25	2.50	3891.74	83.09	
94.75	0.25	2.75	3891.16	83.09	
95.00	0.25	3.00	3890.59	83.09	
95.25	0.25	3.25	3890.02	83.09	
95.50	0.25	3.50	3889.52	83.09	
95.75	0.25	3.75	3889.02	83.09	
96.00	0.25	4.00	3888.42	83.10	
96.25	0.25	4.25	3887.93	83.10	
96.50	0.25	4.50	3887.50	83.10	
96.75	0.25	4.75	3886.79	83.10	
97.00	0.25	5.00	3886.57	83.10	
97.25	0.25	5.25	3886.21	83.10	
97.50	0.25	5.50	3885.78	83.10	
97.75	0.25	5.75	3885.33	83.11	
98.00	0.25	6.00	3884.90	83.11	
98.25	0.25	6.25	3884.47	83.11	
98.50	0.25	6.50	3884.04	83.11	
98.75	0.25	6.75	3883.48	83.11	
99.00	0.25	7.00	3883.33	83.11	
99.25	0.25	7.25	3883.04	83.11	
99.50	0.25	7.50	3882.61	83.11	
99.75	0.25	7.75	3882.01	83.11	
100.00	0.25	8.00	3881.85	83.11	
100.25	0.25	8.25	3881.54	83.11	
100.50	0.25	8.50	3881.01	83.11	
100.75	0.25	8.75	3880.82	83.11	
101.00	0.25	9.00	3880.29	83.11	
101.25	0.25	9.25	3880.15	83.11	
101.50	0.25	9.50	3879.90	83.11	
101.75	0.25	9.75	3879.43	83.11	
102.00	0.25	10.00	3879.27	83.11	
102.25	0.25	10.25	3878.96	83.11	
102.50	0.25	10.50	3878.43	83.11	
102.75	0.25	10.75	3878.29	83.11	
103.00	0.25	11.00	3878.03	83.11	
103.25	0.25	11.25	3877.59	83.10	
103.50	0.25	11.50	3877.40	83.10	
103.75	0.25	11.75	3876.91	83.10	
104.00	0.25	12.00	3876.78	83.10	
104.25	0.25	12.25	3876.56	83.09	
104.50	0.25	12.50	3876.07	83.09	
104.75	0.25	12.75	3875.94	83.09	
105.00	0.25	13.00	3875.76	83.09	
105.25	0.25	13.25	3875.52	83.09	
105.50	0.25	13.50	3875.28	83.09	
105.75	0.25	13.75	3874.92	83.09	
106.00	0.25	14.00	3874.51	83.08	
106.25	0.25	14.25	3874.39	83.08	
106.50	0.25	14.50	3874.22	83.07	
106.75	0.25	14.75	3873.98	83.07	
107.00	0.25	15.00	3873.72	83.07	
107.25	0.25	15.25	3873.44	83.07	
107.50	0.25	15.50	3873.19	83.06	
107.75	0.25	15.75	3872.90	83.06	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
108.00	0.25	16.00	3872.63	83.05	
108.25	0.25	16.25	3872.38	83.05	
108.50	0.25	16.50	3872.15	83.05	
108.75	0.25	16.75	3871.92	83.04	
109.00	0.25	17.00	3871.70	83.04	
109.25	0.25	17.25	3871.50	83.03	
109.50	0.25	17.50	3871.28	83.03	
109.75	0.25	17.75	3871.06	83.03	
110.00	0.25	18.00	3870.80	83.03	
110.25	0.25	18.25	3870.53	83.02	
110.50	0.25	18.50	3870.27	83.02	
110.75	0.25	18.75	3870.06	83.01	
111.00	0.25	19.00	3869.83	83.01	
111.25	0.25	19.25	3869.63	83.00	
111.50	0.25	19.50	3869.39	83.00	
111.75	0.25	19.75	3869.15	82.99	
112.00	0.25	20.00	3868.89	82.99	
112.25	0.25	20.25	3868.69	82.98	
112.50	0.25	20.50	3868.50	82.98	
112.75	0.25	20.75	3868.28	82.98	
113.00	0.25	21.00	3868.07	82.98	
113.25	0.25	21.25	3867.87	82.97	
113.50	0.25	21.50	3867.62	82.97	
113.75	0.25	21.75	3867.41	82.96	
114.00	0.25	22.00	3867.19	82.96	
114.25	0.25	22.25	3866.98	82.96	
114.50	0.25	22.50	3866.76	82.95	
114.75	0.25	22.75	3866.53	82.94	
115.00	0.25	23.00	3866.31	82.94	
115.25	0.25	23.25	3866.09	82.94	
115.50	0.25	23.50	3865.90	82.93	
115.75	0.25	23.75	3865.72	82.93	
116.00	0.25	24.00	3865.52	82.92	
116.25	0.25	24.25	3865.27	82.92	
116.50	0.25	24.50	3865.01	82.92	
116.75	0.25	24.75	3864.80	82.91	
117.00	0.25	25.00	3864.59	82.90	
117.25	0.25	25.25	3864.37	82.91	
117.50	0.25	25.50	3864.22	82.90	
117.75	0.25	25.75	3864.04	82.90	
118.00	0.25	26.00	3863.83	82.90	
118.25	0.25	26.25	3863.61	82.89	
118.50	0.25	26.50	3863.41	82.88	
118.75	0.25	26.75	3863.20	82.88	
119.00	0.25	27.00	3862.99	82.88	
119.25	0.25	27.25	3862.84	82.87	
119.50	0.25	27.50	3862.67	82.87	
119.75	0.25	27.75	3862.49	82.86	
120.00	0.25	28.00	3862.31	82.86	
120.25	0.25	28.25	3862.10	82.86	
120.50	0.25	28.50	3861.91	82.86	
120.75	0.25	28.75	3861.72	82.85	
121.00	0.25	29.00	3861.50	82.85	
121.25	0.25	29.25	3861.28	82.84	
121.50	0.25	29.50	3861.06	82.84	
121.75	0.25	29.75	3860.86	82.83	
122.00	0.25	30.00	3860.66	82.83	
122.25	0.25	30.25	3860.49	82.83	
122.50	0.25	30.50	3860.31	82.83	
122.75	0.25	30.75	3860.14	82.82	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
123.00	0.25	31.00	3859.83	82.82	
124.00	1.00	32.00	3859.35	82.80	
125.00	1.00	33.00	3858.58	82.79	
126.00	1.00	34.00	3857.91	82.77	
127.00	1.00	35.00	3857.21	82.76	
128.00	1.00	36.00	3856.51	82.75	
129.00	1.00	37.00	3855.83	82.73	
130.00	1.00	38.00	3855.14	82.72	
131.00	1.00	39.00	3854.52	82.71	
132.00	1.00	40.00	3853.91	82.69	
133.00	1.00	41.00	3853.19	82.69	
134.00	1.00	42.00	3852.51	82.67	
135.00	1.00	43.00	3851.89	82.67	
136.00	1.00	44.00	3851.32	82.66	
137.00	1.00	45.00	3850.77	82.65	
138.00	1.00	46.00	3850.06	82.64	
139.00	1.00	47.00	3849.43	82.64	
140.00	1.00	48.00	3848.94	82.63	
141.00	1.00	49.00	3848.39	82.62	
142.00	1.00	50.00	3847.68	82.61	
143.00	1.00	51.00	3846.99	82.60	
144.00	1.00	52.00	3846.42	82.60	
145.00	1.00	53.00	3845.94	82.59	
146.00	1.00	54.00	3845.46	82.58	
147.00	1.00	55.00	3844.81	82.58	
148.00	1.00	56.00	3844.21	82.56	
149.00	1.00	57.00	3843.63	82.56	
150.00	1.00	58.00	3843.14	82.56	
151.00	1.00	59.00	3842.63	82.56	
152.00	1.00	60.00	3842.08	82.55	
153.00	1.00	61.00	3841.50	82.55	
154.00	1.00	62.00	3840.95	82.54	
155.00	1.00	63.00	3840.45	82.54	
156.00	1.00	64.00	3839.97	82.53	
157.00	1.00	65.00	3839.39	82.53	
158.00	1.00	66.00	3838.92	82.52	
159.00	1.00	67.00	3838.41	82.52	
160.00	1.00	68.00	3837.91	82.52	
161.00	1.00	69.00	3837.41	82.52	
162.00	1.00	70.00	3836.91	82.52	
163.00	1.00	71.00	3836.40	82.52	
164.00	1.00	72.00	3835.93	82.51	
165.00	1.00	73.00	3835.44	82.50	
166.00	1.00	74.00	3834.87	82.50	
167.00	1.00	75.00	3834.39	82.50	
168.00	1.00	76.00	3833.96	82.50	
169.00	1.00	77.00	3833.25	82.50	
170.00	1.00	78.00	3833.03	82.50	
171.00	1.00	79.00	3832.59	82.50	
172.00	1.00	80.00	3832.10	82.49	
173.00	1.00	81.00	3831.67	82.49	
174.00	1.00	82.00	3831.24	82.49	
175.00	1.00	83.00	3830.81	82.49	
176.00	1.00	84.00	3830.12	82.48	
177.00	1.00	85.00	3829.90	82.48	
178.00	1.00	86.00	3829.48	82.48	
179.00	1.00	87.00	3828.98	82.48	
180.00	1.00	88.00	3828.55	82.48	
181.00	1.00	89.00	3828.12	82.48	
182.00	1.00	90.00	3827.69	82.48	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
183.00	1.00	91.00	3827.26	82.48	
184.00	1.00	92.00	3826.67	82.48	
185.00	1.00	93.00	3826.48	82.47	
186.00	1.00	94.00	3826.04	82.47	
187.00	1.00	95.00	3825.57	82.46	
188.00	1.00	96.00	3824.95	82.48	
189.00	1.00	97.00	3824.76	82.48	
190.00	1.00	98.00	3824.16	82.48	
191.00	1.00	99.00	3823.98	82.48	
192.00	1.00	100.00	3823.41	82.48	
193.00	1.00	101.00	3823.19	82.47	
194.00	1.00	102.00	3822.82	82.47	
195.00	1.00	103.00	3822.41	82.46	
196.00	1.00	104.00	3821.96	82.47	
197.00	1.00	105.00	3821.39	82.46	
198.00	1.00	106.00	3821.20	82.46	
199.00	1.00	107.00	3820.86	82.45	
200.00	1.00	108.00	3820.41	82.46	
201.00	1.00	109.00	3819.81	82.46	
202.00	1.00	110.00	3819.65	82.46	
203.00	1.00	111.00	3819.34	82.46	
204.00	1.00	112.00	3818.97	82.46	
205.00	1.00	113.00	3818.38	82.46	
206.00	1.00	114.00	3818.19	82.46	
207.00	1.00	115.00	3817.83	82.46	
208.00	1.00	116.00	3817.23	82.46	
209.00	1.00	117.00	3817.04	82.46	
210.00	1.00	118.00	3816.51	82.46	
211.00	1.00	119.00	3816.33	82.46	
212.00	1.00	120.00	3815.97	82.46	
213.00	1.00	121.00	3815.39	82.45	
214.00	1.00	122.00	3815.24	82.45	
215.00	1.00	123.00	3814.99	82.45	
216.00	1.00	124.00	3814.42	82.45	
217.00	1.00	125.00	3814.24	82.45	
218.00	1.00	126.00	3813.91	82.45	
219.00	1.00	127.00	3813.55	82.45	
220.00	1.00	128.00	3812.95	82.45	
221.00	1.00	129.00	3812.77	82.45	
222.00	1.00	130.00	3812.24	82.45	
223.00	1.00	131.00	3812.07	82.45	
224.00	1.00	132.00	3811.85	82.45	
225.00	1.00	133.00	3811.48	82.45	
226.00	1.00	134.00	3810.95	82.45	
227.00	1.00	135.00	3810.79	82.45	
228.00	1.00	136.00	3810.47	82.45	
229.00	1.00	137.00	3809.94	82.45	
230.00	1.00	138.00	3809.78	82.45	
231.00	1.00	139.00	3809.49	82.44	
232.00	1.00	140.00	3808.94	82.45	
233.00	1.00	141.00	3808.80	82.45	
234.00	1.00	142.00	3808.54	82.45	
235.00	1.00	143.00	3808.08	82.45	
236.00	1.00	144.00	3807.91	82.44	
237.00	1.00	145.00	3807.36	82.45	
238.00	1.00	146.00	3807.20	82.45	
239.00	1.00	147.00	3806.98	82.45	
240.00	1.00	148.00	3806.61	82.45	
241.00	1.00	149.00	3806.07	82.45	
242.00	1.00	150.00	3805.93	82.45	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
243.00	1.00	151.00	3805.68	82.45	
244.00	1.00	152.00	3805.38	82.45	
245.00	1.00	153.00	3804.82	82.45	
246.00	1.00	154.00	3804.69	82.45	
247.00	1.00	155.00	3804.51	82.45	
248.00	1.00	156.00	3804.17	82.45	
249.00	1.00	157.00	3803.64	82.45	
250.00	1.00	158.00	3803.48	82.45	
251.00	1.00	159.00	3803.25	82.45	
252.00	1.00	160.00	3803.02	82.44	
253.00	1.00	161.00	3802.73	82.45	
254.00	1.00	162.00	3802.45	82.45	
255.00	1.00	163.00	3802.16	82.45	
256.00	1.00	164.00	3801.88	82.45	
257.00	1.00	165.00	3801.61	82.45	
258.00	1.00	166.00	3801.24	82.45	
259.00	1.00	167.00	3800.94	82.45	
260.00	1.00	168.00	3800.38	82.45	
261.00	1.00	169.00	3800.25	82.45	
262.00	1.00	170.00	3800.07	82.45	
263.00	1.00	171.00	3799.85	82.44	
264.00	1.00	172.00	3799.57	82.45	
265.00	1.00	173.00	3799.29	82.45	
266.00	1.00	174.00	3798.87	82.45	
267.00	1.00	175.00	3798.37	82.45	
268.00	1.00	176.00	3798.24	82.45	
269.00	1.00	177.00	3798.06	82.45	
270.00	1.00	178.00	3797.82	82.45	
271.00	1.00	179.00	3797.56	82.45	
272.00	1.00	180.00	3797.30	82.45	
273.00	1.00	181.00	3797.06	82.45	
274.00	1.00	182.00	3796.82	82.45	
275.00	1.00	183.00	3796.43	82.45	
276.00	1.00	184.00	3795.94	82.45	
277.00	1.00	185.00	3795.81	82.45	
278.00	1.00	186.00	3795.62	82.45	
279.00	1.00	187.00	3795.40	82.45	
280.00	1.00	188.00	3795.11	82.43	
281.00	1.00	189.00	3794.67	82.44	
282.00	1.00	190.00	3794.52	82.44	
283.00	1.00	191.00	3794.04	82.45	
284.00	1.00	192.00	3793.92	82.44	
285.00	1.00	193.00	3793.74	82.44	
286.00	1.00	194.00	3793.52	82.44	
287.00	1.00	195.00	3793.27	82.44	
288.00	1.00	196.00	3793.00	82.44	
289.00	1.00	197.00	3792.72	82.44	
290.00	1.00	198.00	3792.44	82.44	
291.00	1.00	199.00	3792.19	82.44	
292.00	1.00	200.00	3792.01	82.43	
293.00	1.00	201.00	3791.79	82.44	
294.00	1.00	202.00	3791.55	82.44	
295.00	1.00	203.00	3791.26	82.45	
296.00	1.00	204.00	3791.00	82.44	
297.00	1.00	205.00	3790.72	82.44	
298.00	1.00	206.00	3790.43	82.44	
299.00	1.00	207.00	3790.16	82.44	
300.00	1.00	208.00	3789.79	82.44	
301.00	1.00	209.00	3789.36	82.44	
302.00	1.00	210.00	3789.25	82.44	

Minutes					
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in	Pressure	Temp	Remarks
303.00	1.00	211.00	3789.11	82.44	
304.00	1.00	212.00	3788.92	82.44	
305.00	1.00	213.00	3788.71	82.43	
306.00	1.00	214.00	3788.49	82.43	
307.00	1.00	215.00	3788.25	82.43	
308.00	1.00	216.00	3787.99	82.43	
309.00	1.00	217.00	3787.74	82.43	
310.00	1.00	218.00	3787.50	82.43	
311.00	1.00	219.00	3787.26	82.44	
312.00	1.00	220.00	3786.93	82.44	
313.00	1.00	221.00	3786.50	82.44	
314.00	1.00	222.00	3786.37	82.44	
315.00	1.00	223.00	3786.20	82.44	
316.00	1.00	224.00	3786.01	82.44	
317.00	1.00	225.00	3785.79	82.44	
318.00	1.00	226.00	3785.55	82.44	
319.00	1.00	227.00	3785.33	82.44	
320.00	1.00	228.00	3785.09	82.44	
321.00	1.00	229.00	3784.85	82.43	
322.00	1.00	230.00	3784.59	82.43	
323.00	1.00	231.00	3784.35	82.43	
324.00	1.00	232.00	3784.12	82.43	
325.00	1.00	233.00	3783.90	82.43	
326.00	1.00	234.00	3783.67	82.43	
327.00	1.00	235.00	3783.41	82.44	
328.00	1.00	236.00	3783.20	82.43	
329.00	1.00	237.00	3782.96	82.43	
330.00	1.00	238.00	3782.72	82.43	
331.00	1.00	239.00	3782.51	82.43	
332.00	1.00	240.00	3782.31	82.43	
333.00	1.00	241.00	3782.08	82.43	
334.00	1.00	242.00	3781.85	82.43	
335.00	1.00	243.00	3781.64	82.43	
336.00	1.00	244.00	3781.44	82.43	
337.00	1.00	245.00	3781.22	82.43	
338.00	1.00	246.00	3780.99	82.43	
339.00	1.00	247.00	3780.76	82.43	
340.00	1.00	248.00	3780.52	82.43	
341.00	1.00	249.00	3780.28	82.43	
342.00	1.00	250.00	3780.05	82.43	
343.00	1.00	251.00	3779.83	82.43	
344.00	1.00	252.00	3779.62	82.43	
345.00	1.00	253.00	3779.35	82.43	
346.00	1.00	254.00	3778.92	82.43	
347.00	1.00	255.00	3778.81	82.43	
348.00	1.00	256.00	3778.67	82.43	
349.00	1.00	257.00	3778.48	82.43	
350.00	1.00	258.00	3778.27	82.43	
351.00	1.00	259.00	3778.10	82.43	
352.00	1.00	260.00	3777.94	82.42	
353.00	1.00	261.00	3777.73	82.43	
354.00	1.00	262.00	3777.52	82.43	
355.00	1.00	263.00	3777.31	82.43	
356.00	1.00	264.00	3777.08	82.43	
357.00	1.00	265.00	3776.83	82.43	
358.00	1.00	266.00	3776.62	82.43	
359.00	1.00	267.00	3776.43	82.43	
360.00	1.00	268.00	3776.25	82.42	
361.00	1.00	269.00	3776.02	82.43	
362.00	1.00	270.00	3775.80	82.43	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
363.00	1.00	271.00	3775.61	82.43	
364.00	1.00	272.00	3775.43	82.43	
365.00	1.00	273.00	3775.22	82.43	
366.00	1.00	274.00	3775.01	82.43	
367.00	1.00	275.00	3774.80	82.43	
368.00	1.00	276.00	3774.59	82.43	
369.00	1.00	277.00	3774.35	82.43	
370.00	1.00	278.00	3774.13	82.43	
371.00	1.00	279.00	3773.97	82.42	
372.00	1.00	280.00	3773.77	82.43	
373.00	1.00	281.00	3773.57	82.43	
374.00	1.00	282.00	3773.34	82.43	
375.00	1.00	283.00	3773.11	82.43	
376.00	1.00	284.00	3772.90	82.43	
377.00	1.00	285.00	3772.72	82.43	
378.00	1.00	286.00	3772.54	82.43	
379.00	1.00	287.00	3772.39	82.42	
380.00	1.00	288.00	3772.12	82.43	
381.00	1.00	289.00	3771.76	82.43	
382.00	1.00	290.00	3771.65	82.43	
383.00	1.00	291.00	3771.52	82.43	
384.00	1.00	292.00	3771.33	82.43	
385.00	1.00	293.00	3770.93	82.43	
386.00	1.00	294.00	3770.87	82.43	
387.00	1.00	295.00	3770.76	82.43	
388.00	1.00	296.00	3770.60	82.43	
389.00	1.00	297.00	3770.41	82.43	
390.00	1.00	298.00	3770.21	82.43	
391.00	1.00	299.00	3770.00	82.43	
392.00	1.00	300.00	3769.82	82.41	
393.00	1.00	301.00	3769.61	82.42	
394.00	1.00	302.00	3769.44	82.42	
395.00	1.00	303.00	3769.26	82.43	
396.00	1.00	304.00	3769.10	82.43	
397.00	1.00	305.00	3768.92	82.42	
398.00	1.00	306.00	3768.72	82.42	
399.00	1.00	307.00	3768.51	82.41	
400.00	1.00	308.00	3768.25	82.43	
401.00	1.00	309.00	3768.11	82.42	
402.00	1.00	310.00	3767.96	82.42	
403.00	1.00	311.00	3767.79	82.41	
404.00	1.00	312.00	3767.57	82.42	
405.00	1.00	313.00	3767.38	82.42	
406.00	1.00	314.00	3767.13	82.42	
407.00	1.00	315.00	3766.80	82.42	
408.00	1.00	316.00	3766.69	82.43	
409.00	1.00	317.00	3766.59	82.42	
410.00	1.00	318.00	3766.41	82.42	
411.00	1.00	319.00	3766.10	82.41	
412.00	1.00	320.00	3766.00	82.42	
413.00	1.00	321.00	3765.86	82.42	
414.00	1.00	322.00	3765.70	82.42	
415.00	1.00	323.00	3765.55	82.42	
416.00	1.00	324.00	3765.39	82.42	
417.00	1.00	325.00	3765.20	82.42	
418.00	1.00	326.00	3765.01	82.42	
419.00	1.00	327.00	3764.85	82.42	
420.00	1.00	328.00	3764.70	82.41	
421.00	1.00	329.00	3764.49	82.41	
422.00	1.00	330.00	3764.25	82.41	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
423.00	1.00	331.00	3764.03	82.42	
424.00	1.00	332.00	3763.85	82.42	
425.00	1.00	333.00	3763.69	82.42	
426.00	1.00	334.00	3763.53	82.42	
427.00	1.00	335.00	3763.33	82.42	
428.00	1.00	336.00	3763.16	82.42	
429.00	1.00	337.00	3763.03	82.42	
430.00	1.00	338.00	3762.87	82.42	
431.00	1.00	339.00	3762.68	82.42	
432.00	1.00	340.00	3762.52	82.41	
433.00	1.00	341.00	3762.36	82.41	
434.00	1.00	342.00	3762.19	82.41	
435.00	1.00	343.00	3762.01	82.41	
436.00	1.00	344.00	3761.82	82.42	
437.00	1.00	345.00	3761.66	82.41	
438.00	1.00	346.00	3761.50	82.41	
439.00	1.00	347.00	3761.33	82.41	
440.00	1.00	348.00	3761.12	82.42	
441.00	1.00	349.00	3760.93	82.42	
442.00	1.00	350.00	3760.77	82.42	
443.00	1.00	351.00	3760.59	82.42	
444.00	1.00	352.00	3760.44	82.41	
445.00	1.00	353.00	3760.27	82.41	
446.00	1.00	354.00	3760.14	82.41	
447.00	1.00	355.00	3760.12	82.41	
448.00	1.00	356.00	3760.05	82.41	
449.00	1.00	357.00	3759.81	82.41	
450.00	1.00	358.00	3759.61	82.41	
451.00	1.00	359.00	3759.40	82.42	
452.00	1.00	360.00	3759.21	82.41	
453.00	1.00	361.00	3759.04	82.41	
454.00	1.00	362.00	3758.90	82.41	
455.00	1.00	363.00	3758.74	82.41	
456.00	1.00	364.00	3758.56	82.41	
457.00	1.00	365.00	3758.37	82.41	
458.00	1.00	366.00	3758.23	82.41	
459.00	1.00	367.00	3758.08	82.41	
460.00	1.00	368.00	3757.88	82.41	
461.00	1.00	369.00	3757.67	82.41	
462.00	1.00	370.00	3757.52	82.41	
463.00	1.00	371.00	3757.38	82.41	
464.00	1.00	372.00	3757.25	82.41	
465.00	1.00	373.00	3757.21	82.41	
466.00	1.00	374.00	3756.98	82.41	
467.00	1.00	375.00	3756.79	82.41	
468.00	1.00	376.00	3756.61	82.41	
469.00	1.00	377.00	3756.41	82.41	
470.00	1.00	378.00	3756.22	82.41	
471.00	1.00	379.00	3756.08	82.41	
472.00	1.00	380.00	3755.95	82.41	
473.00	1.00	381.00	3755.80	82.41	
474.00	1.00	382.00	3755.63	82.41	
475.00	1.00	383.00	3755.50	82.41	
476.00	1.00	384.00	3755.35	82.41	
477.00	1.00	385.00	3755.16	82.41	
478.00	1.00	386.00	3754.95	82.41	
479.00	1.00	387.00	3754.82	82.40	
480.00	1.00	388.00	3754.64	82.41	
481.00	1.00	389.00	3754.48	82.41	
482.00	1.00	390.00	3754.44	82.41	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
483.00	1.00	391.00	3754.21	82.41	
484.00	1.00	392.00	3754.05	82.40	
485.00	1.00	393.00	3754.00	82.41	
486.00	1.00	394.00	3753.79	82.41	
487.00	1.00	395.00	3753.73	82.41	
488.00	1.00	396.00	3753.51	82.41	
489.00	1.00	397.00	3753.30	82.41	
490.00	1.00	398.00	3753.14	82.41	
491.00	1.00	399.00	3753.02	82.41	
492.00	1.00	400.00	3752.86	82.41	
493.00	1.00	401.00	3752.69	82.41	
494.00	1.00	402.00	3752.54	82.41	
495.00	1.00	403.00	3752.37	82.41	
496.00	1.00	404.00	3752.19	82.40	
497.00	1.00	405.00	3752.01	82.41	
498.00	1.00	406.00	3751.87	82.41	
499.00	1.00	407.00	3751.71	82.41	
500.00	1.00	408.00	3751.54	82.41	
501.00	1.00	409.00	3751.39	82.41	
502.00	1.00	410.00	3751.22	82.41	
503.00	1.00	411.00	3751.04	82.41	
504.00	1.00	412.00	3750.93	82.40	
505.00	1.00	413.00	3750.78	82.41	
506.00	1.00	414.00	3750.65	82.41	
507.00	1.00	415.00	3750.62	82.41	
508.00	1.00	416.00	3750.40	82.41	
509.00	1.00	417.00	3750.19	82.41	
510.00	1.00	418.00	3750.02	82.41	
511.00	1.00	419.00	3749.89	82.41	
512.00	1.00	420.00	3749.76	82.41	
513.00	1.00	421.00	3749.58	82.41	
514.00	1.00	422.00	3749.40	82.41	
515.00	1.00	423.00	3749.26	82.40	
516.00	1.00	424.00	3749.11	82.41	
517.00	1.00	425.00	3749.09	82.41	
518.00	1.00	426.00	3749.02	82.41	
519.00	1.00	427.00	3748.92	82.41	
520.00	1.00	428.00	3748.68	82.41	
521.00	1.00	429.00	3748.49	82.41	
522.00	1.00	430.00	3748.31	82.41	
523.00	1.00	431.00	3748.12	82.41	
524.00	1.00	432.00	3747.98	82.41	
525.00	1.00	433.00	3747.85	82.41	
526.00	1.00	434.00	3747.70	82.41	
527.00	1.00	435.00	3747.53	82.41	
528.00	1.00	436.00	3747.36	82.41	
529.00	1.00	437.00	3747.17	82.41	
530.00	1.00	438.00	3746.98	82.41	
531.00	1.00	439.00	3746.83	82.41	
532.00	1.00	440.00	3746.72	82.41	
533.00	1.00	441.00	3746.70	82.41	
534.00	1.00	442.00	3746.61	82.41	
535.00	1.00	443.00	3746.36	82.41	
536.00	1.00	444.00	3746.16	82.41	
537.00	1.00	445.00	3746.01	82.41	
538.00	1.00	446.00	3745.86	82.41	
539.00	1.00	447.00	3745.83	82.41	
540.00	1.00	448.00	3745.61	82.41	
541.00	1.00	449.00	3745.41	82.41	
542.00	1.00	450.00	3745.25	82.41	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
543.00	1.00	451.00	3745.09	82.41	
544.00	1.00	452.00	3744.95	82.41	
545.00	1.00	453.00	3744.95	82.40	
546.00	1.00	454.00	3744.89	82.40	
547.00	1.00	455.00	3744.81	82.39	
548.00	1.00	456.00	3744.71	82.39	
549.00	1.00	457.00	3744.46	82.40	
550.00	1.00	458.00	3744.26	82.40	
551.00	1.00	459.00	3744.03	82.41	
552.00	1.00	460.00	3743.84	82.41	
553.00	1.00	461.00	3743.67	82.41	
554.00	1.00	462.00	3743.51	82.41	
555.00	1.00	463.00	3743.36	82.41	
556.00	1.00	464.00	3743.23	82.41	
557.00	1.00	465.00	3743.21	82.41	
558.00	1.00	466.00	3743.15	82.41	
559.00	1.00	467.00	3743.05	82.41	
560.00	1.00	468.00	3742.94	82.41	
561.00	1.00	469.00	3742.67	82.41	
562.00	1.00	470.00	3742.44	82.41	
563.00	1.00	471.00	3742.25	82.41	
564.00	1.00	472.00	3742.10	82.40	
565.00	1.00	473.00	3741.95	82.40	
566.00	1.00	474.00	3741.78	82.40	
567.00	1.00	475.00	3741.61	82.40	
568.00	1.00	476.00	3741.49	82.39	
569.00	1.00	477.00	3741.34	82.40	
570.00	1.00	478.00	3741.23	82.40	
571.00	1.00	479.00	3741.18	82.41	
572.00	1.00	480.00	3741.02	82.40	
573.00	1.00	481.00	3740.85	82.40	
574.00	1.00	482.00	3740.82	82.40	
575.00	1.00	483.00	3740.63	82.40	
576.00	1.00	484.00	3740.59	82.39	
577.00	1.00	485.00	3740.34	82.40	
578.00	1.00	486.00	3740.14	82.40	
579.00	1.00	487.00	3739.94	82.41	
580.00	1.00	488.00	3739.80	82.40	
581.00	1.00	489.00	3739.67	82.40	
582.00	1.00	490.00	3739.64	82.40	
583.00	1.00	491.00	3739.47	82.40	
584.00	1.00	492.00	3739.42	82.40	
585.00	1.00	493.00	3739.33	82.40	
586.00	1.00	494.00	3739.09	82.40	
587.00	1.00	495.00	3739.04	82.40	
588.00	1.00	496.00	3738.84	82.40	
589.00	1.00	497.00	3738.67	82.40	
590.00	1.00	498.00	3738.62	82.40	
591.00	1.00	499.00	3738.42	82.40	
592.00	1.00	500.00	3738.24	82.40	
593.00	1.00	501.00	3738.10	82.39	
594.00	1.00	502.00	3737.97	82.39	
595.00	1.00	503.00	3737.94	82.39	
596.00	1.00	504.00	3737.75	82.40	
597.00	1.00	505.00	3737.71	82.39	
598.00	1.00	506.00	3737.49	82.39	
599.00	1.00	507.00	3737.28	82.39	
600.00	1.00	508.00	3737.10	82.40	
601.00	1.00	509.00	3736.94	82.40	
602.00	1.00	510.00	3736.80	82.40	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
603.00	1.00	511.00	3736.78	82.40	
604.00	1.00	512.00	3736.60	82.40	
605.00	1.00	513.00	3736.56	82.40	
606.00	1.00	514.00	3736.47	82.40	
607.00	1.00	515.00	3736.27	82.40	
608.00	1.00	516.00	3736.23	82.39	
609.00	1.00	517.00	3736.15	82.39	
610.00	1.00	518.00	3735.92	82.39	
611.00	1.00	519.00	3735.71	82.40	
612.00	1.00	520.00	3735.67	82.40	
613.00	1.00	521.00	3735.47	82.40	
614.00	1.00	522.00	3735.41	82.40	
615.00	1.00	523.00	3735.20	82.40	
616.00	1.00	524.00	3735.02	82.40	
617.00	1.00	525.00	3734.85	82.40	
618.00	1.00	526.00	3734.67	82.40	
619.00	1.00	527.00	3734.53	82.40	
620.00	1.00	528.00	3734.43	82.39	
621.00	1.00	529.00	3734.41	82.39	
622.00	1.00	530.00	3734.34	82.39	
623.00	1.00	531.00	3734.26	82.39	
624.00	1.00	532.00	3734.02	82.40	
625.00	1.00	533.00	3733.83	82.40	
626.00	1.00	534.00	3733.66	82.40	
627.00	1.00	535.00	3733.50	82.40	
628.00	1.00	536.00	3733.34	82.40	
629.00	1.00	537.00	3733.24	82.39	
630.00	1.00	538.00	3733.22	82.39	
631.00	1.00	539.00	3733.15	82.39	
632.00	1.00	540.00	3733.05	82.40	
633.00	1.00	541.00	3732.98	82.39	
634.00	1.00	542.00	3732.88	82.39	
635.00	1.00	543.00	3732.66	82.39	
636.00	1.00	544.00	3732.58	82.40	
637.00	1.00	545.00	3732.40	82.39	
638.00	1.00	546.00	3732.23	82.39	
639.00	1.00	547.00	3732.18	82.39	
640.00	1.00	548.00	3731.98	82.39	
641.00	1.00	549.00	3731.81	82.39	
642.00	1.00	550.00	3731.65	82.39	
643.00	1.00	551.00	3731.48	82.40	
644.00	1.00	552.00	3731.37	82.39	
645.00	1.00	553.00	3731.35	82.39	
646.00	1.00	554.00	3731.16	82.39	
647.00	1.00	555.00	3730.97	82.39	
648.00	1.00	556.00	3730.82	82.39	
649.00	1.00	557.00	3730.71	82.39	
650.00	1.00	558.00	3730.68	82.39	
651.00	1.00	559.00	3730.61	82.39	
652.00	1.00	560.00	3730.52	82.39	
653.00	1.00	561.00	3730.42	82.39	
654.00	1.00	562.00	3730.19	82.39	
655.00	1.00	563.00	3730.00	82.39	
656.00	1.00	564.00	3729.97	82.39	
657.00	1.00	565.00	3729.80	82.39	
658.00	1.00	566.00	3729.74	82.39	
659.00	1.00	567.00	3729.65	82.39	
660.00	1.00	568.00	3729.43	82.39	
661.00	1.00	569.00	3729.24	82.39	
662.00	1.00	570.00	3729.08	82.39	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
663.00	1.00	571.00	3728.96	82.39	
664.00	1.00	572.00	3728.95	82.39	
665.00	1.00	573.00	3728.88	82.39	
666.00	1.00	574.00	3728.79	82.39	
667.00	1.00	575.00	3728.59	82.38	
668.00	1.00	576.00	3728.40	82.38	
669.00	1.00	577.00	3728.22	82.39	
670.00	1.00	578.00	3728.09	82.39	
671.00	1.00	579.00	3728.07	82.39	
672.00	1.00	580.00	3728.00	82.39	
673.00	1.00	581.00	3727.91	82.39	
674.00	1.00	582.00	3727.80	82.39	
675.00	1.00	583.00	3727.57	82.39	
676.00	1.00	584.00	3727.39	82.39	
677.00	1.00	585.00	3727.24	82.39	
678.00	1.00	586.00	3727.21	82.39	
679.00	1.00	587.00	3727.13	82.39	
680.00	1.00	588.00	3726.92	82.39	
681.00	1.00	589.00	3726.86	82.39	
682.00	1.00	590.00	3726.67	82.39	
683.00	1.00	591.00	3726.50	82.39	
684.00	1.00	592.00	3726.46	82.39	
685.00	1.00	593.00	3726.39	82.39	
686.00	1.00	594.00	3726.30	82.39	
687.00	1.00	595.00	3726.22	82.38	
688.00	1.00	596.00	3726.09	82.39	
689.00	1.00	597.00	3725.87	82.39	
690.00	1.00	598.00	3725.80	82.39	
691.00	1.00	599.00	3725.62	82.38	
692.00	1.00	600.00	3725.55	82.39	
693.00	1.00	601.00	3725.47	82.39	
694.00	1.00	602.00	3725.25	82.39	
695.00	1.00	603.00	3725.20	82.39	
696.00	1.00	604.00	3725.13	82.38	
697.00	1.00	605.00	3724.90	82.39	
698.00	1.00	606.00	3724.83	82.39	
699.00	1.00	607.00	3724.61	82.39	
700.00	1.00	608.00	3724.45	82.39	
701.00	1.00	609.00	3724.41	82.39	
702.00	1.00	610.00	3724.23	82.39	
703.00	1.00	611.00	3724.18	82.39	
704.00	1.00	612.00	3724.11	82.39	
705.00	1.00	613.00	3724.02	82.39	
706.00	1.00	614.00	3723.92	82.39	
707.00	1.00	615.00	3723.83	82.38	
708.00	1.00	616.00	3723.59	82.39	
709.00	1.00	617.00	3723.53	82.39	
710.00	1.00	618.00	3723.36	82.39	
711.00	1.00	619.00	3723.31	82.38	
712.00	1.00	620.00	3723.20	82.39	
713.00	1.00	621.00	3722.98	82.39	
714.00	1.00	622.00	3722.79	82.39	
715.00	1.00	623.00	3722.65	82.39	
716.00	1.00	624.00	3722.62	82.39	
717.00	1.00	625.00	3722.57	82.39	
718.00	1.00	626.00	3722.49	82.39	
719.00	1.00	627.00	3722.40	82.39	
720.00	1.00	628.00	3722.18	82.39	
721.00	1.00	629.00	3722.13	82.39	
722.00	1.00	630.00	3721.96	82.39	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
723.00	1.00	631.00	3721.91	82.39	
724.00	1.00	632.00	3721.82	82.39	
725.00	1.00	633.00	3721.74	82.39	
726.00	1.00	634.00	3721.64	82.39	
727.00	1.00	635.00	3721.43	82.39	
728.00	1.00	636.00	3721.36	82.39	
729.00	1.00	637.00	3721.16	82.39	
730.00	1.00	638.00	3721.11	82.39	
731.00	1.00	639.00	3721.02	82.39	
732.00	1.00	640.00	3720.81	82.39	
733.00	1.00	641.00	3720.74	82.39	
734.00	1.00	642.00	3720.53	82.39	
735.00	1.00	643.00	3720.37	82.39	
736.00	1.00	644.00	3720.34	82.39	
737.00	1.00	645.00	3720.27	82.39	
738.00	1.00	646.00	3720.19	82.39	
739.00	1.00	647.00	3720.10	82.39	
740.00	1.00	648.00	3720.00	82.39	
741.00	1.00	649.00	3719.89	82.39	
742.00	1.00	650.00	3719.67	82.39	
743.00	1.00	651.00	3719.60	82.39	
744.00	1.00	652.00	3719.40	82.39	
745.00	1.00	653.00	3719.35	82.39	
746.00	1.00	654.00	3719.27	82.39	
747.00	1.00	655.00	3719.18	82.39	
748.00	1.00	656.00	3719.10	82.38	
749.00	1.00	657.00	3719.02	82.38	
750.00	1.00	658.00	3718.93	82.38	
751.00	1.00	659.00	3718.83	82.38	
752.00	1.00	660.00	3718.59	82.39	
753.00	1.00	661.00	3718.54	82.39	
754.00	1.00	662.00	3718.36	82.39	
755.00	1.00	663.00	3718.19	82.39	
756.00	1.00	664.00	3718.15	82.39	
757.00	1.00	665.00	3718.08	82.39	
758.00	1.00	666.00	3717.99	82.39	
759.00	1.00	667.00	3717.89	82.39	
760.00	1.00	668.00	3717.79	82.39	
761.00	1.00	669.00	3717.70	82.38	
762.00	1.00	670.00	3717.60	82.38	
763.00	1.00	671.00	3717.52	82.37	
764.00	1.00	672.00	3717.37	82.39	
765.00	1.00	673.00	3717.14	82.39	
766.00	1.00	674.00	3717.09	82.39	
767.00	1.00	675.00	3716.92	82.39	
768.00	1.00	676.00	3716.85	82.39	
769.00	1.00	677.00	3716.78	82.38	
770.00	1.00	678.00	3716.57	82.38	
771.00	1.00	679.00	3716.53	82.37	
772.00	1.00	680.00	3716.42	82.39	
773.00	1.00	681.00	3716.35	82.38	
774.00	1.00	682.00	3716.24	82.38	
775.00	1.00	683.00	3716.17	82.37	
776.00	1.00	684.00	3716.04	82.38	
777.00	1.00	685.00	3715.82	82.38	
778.00	1.00	686.00	3715.75	82.38	
779.00	1.00	687.00	3715.54	82.38	
780.00	1.00	688.00	3715.38	82.38	
781.00	1.00	689.00	3715.34	82.38	
782.00	1.00	690.00	3715.28	82.38	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
783.00	1.00	691.00	3715.20	82.38	
784.00	1.00	692.00	3715.10	82.39	
785.00	1.00	693.00	3715.02	82.38	
786.00	1.00	694.00	3714.93	82.38	
787.00	1.00	695.00	3714.85	82.37	
788.00	1.00	696.00	3714.63	82.37	
789.00	1.00	697.00	3714.54	82.38	
790.00	1.00	698.00	3714.46	82.38	
791.00	1.00	699.00	3714.35	82.39	
792.00	1.00	700.00	3714.27	82.38	
793.00	1.00	701.00	3714.18	82.38	
794.00	1.00	702.00	3714.08	82.38	
795.00	1.00	703.00	3713.88	82.38	
796.00	1.00	704.00	3713.82	82.38	
797.00	1.00	705.00	3713.73	82.38	
798.00	1.00	706.00	3713.54	82.38	
799.00	1.00	707.00	3713.47	82.38	
800.00	1.00	708.00	3713.28	82.39	
801.00	1.00	709.00	3713.27	82.38	
802.00	1.00	710.00	3713.19	82.38	
803.00	1.00	711.00	3713.02	82.37	
804.00	1.00	712.00	3712.94	82.39	
805.00	1.00	713.00	3712.91	82.38	
806.00	1.00	714.00	3712.82	82.38	
807.00	1.00	715.00	3712.74	82.37	
808.00	1.00	716.00	3712.62	82.38	
809.00	1.00	717.00	3712.41	82.38	
810.00	1.00	718.00	3712.36	82.38	
811.00	1.00	719.00	3712.27	82.38	
812.00	1.00	720.00	3712.04	82.38	
813.00	1.00	721.00	3711.98	82.38	
814.00	1.00	722.00	3711.80	82.38	
815.00	1.00	723.00	3711.75	82.38	
816.00	1.00	724.00	3711.68	82.38	
817.00	1.00	725.00	3711.60	82.38	
818.00	1.00	726.00	3711.50	82.38	
819.00	1.00	727.00	3711.28	82.38	
820.00	1.00	728.00	3711.24	82.38	
821.00	1.00	729.00	3711.17	82.38	
822.00	1.00	730.00	3711.09	82.38	
823.00	1.00	731.00	3711.01	82.38	
824.00	1.00	732.00	3710.93	82.38	
825.00	1.00	733.00	3710.72	82.38	
826.00	1.00	734.00	3710.69	82.38	
827.00	1.00	735.00	3710.61	82.38	
828.00	1.00	736.00	3710.40	82.38	
829.00	1.00	737.00	3710.34	82.38	
830.00	1.00	738.00	3710.27	82.38	
831.00	1.00	739.00	3710.18	82.38	
832.00	1.00	740.00	3710.08	82.38	
833.00	1.00	741.00	3709.99	82.38	
834.00	1.00	742.00	3709.90	82.38	
835.00	1.00	743.00	3709.69	82.38	
836.00	1.00	744.00	3709.64	82.38	
837.00	1.00	745.00	3709.55	82.38	
838.00	1.00	746.00	3709.45	82.38	
839.00	1.00	747.00	3709.35	82.38	
840.00	1.00	748.00	3709.25	82.38	
841.00	1.00	749.00	3709.16	82.37	
842.00	1.00	750.00	3709.06	82.37	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
843.00	1.00	751.00	3708.95	82.37	
844.00	1.00	752.00	3708.84	82.38	
845.00	1.00	753.00	3708.74	82.38	
846.00	1.00	754.00	3708.65	82.38	
847.00	1.00	755.00	3708.56	82.38	
848.00	1.00	756.00	3708.45	82.38	
849.00	1.00	757.00	3708.34	82.38	
850.00	1.00	758.00	3708.12	82.38	
851.00	1.00	759.00	3708.06	82.38	
852.00	1.00	760.00	3707.99	82.37	
853.00	1.00	761.00	3707.89	82.37	
854.00	1.00	762.00	3707.79	82.37	
855.00	1.00	763.00	3707.67	82.38	
856.00	1.00	764.00	3707.57	82.38	
857.00	1.00	765.00	3707.48	82.38	
858.00	1.00	766.00	3707.38	82.38	
859.00	1.00	767.00	3707.30	82.38	
860.00	1.00	768.00	3707.21	82.38	
861.00	1.00	769.00	3707.11	82.38	
862.00	1.00	770.00	3707.01	82.38	
863.00	1.00	771.00	3706.91	82.38	
864.00	1.00	772.00	3706.81	82.38	
865.00	1.00	773.00	3706.70	82.38	
866.00	1.00	774.00	3706.60	82.38	
867.00	1.00	775.00	3706.49	82.38	
868.00	1.00	776.00	3706.28	82.38	
869.00	1.00	777.00	3706.24	82.37	
870.00	1.00	778.00	3706.16	82.37	
871.00	1.00	779.00	3706.08	82.37	
872.00	1.00	780.00	3705.98	82.37	
873.00	1.00	781.00	3705.89	82.37	
874.00	1.00	782.00	3705.79	82.37	
875.00	1.00	783.00	3705.70	82.37	
876.00	1.00	784.00	3705.61	82.37	
877.00	1.00	785.00	3705.52	82.37	
878.00	1.00	786.00	3705.45	82.37	
879.00	1.00	787.00	3705.34	82.38	
880.00	1.00	788.00	3705.24	82.38	
881.00	1.00	789.00	3705.03	82.38	
882.00	1.00	790.00	3704.90	82.38	
883.00	1.00	791.00	3704.77	82.38	
884.00	1.00	792.00	3704.76	82.37	
885.00	1.00	793.00	3704.70	82.37	
886.00	1.00	794.00	3704.54	82.37	
887.00	1.00	795.00	3704.49	82.37	
888.00	1.00	796.00	3704.42	82.37	
889.00	1.00	797.00	3704.23	82.37	
890.00	1.00	798.00	3704.18	82.37	
891.00	1.00	799.00	3704.11	82.37	
892.00	1.00	800.00	3704.02	82.37	
893.00	1.00	801.00	3703.93	82.37	
894.00	1.00	802.00	3703.84	82.37	
895.00	1.00	803.00	3703.72	82.38	
896.00	1.00	804.00	3703.62	82.38	
897.00	1.00	805.00	3703.53	82.37	
898.00	1.00	806.00	3703.42	82.37	
899.00	1.00	807.00	3703.32	82.37	
900.00	1.00	808.00	3703.22	82.37	
901.00	1.00	809.00	3703.14	82.37	
902.00	1.00	810.00	3703.04	82.37	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
903.00	1.00	811.00	3702.96	82.37	
904.00	1.00	812.00	3702.88	82.37	
905.00	1.00	813.00	3702.78	82.37	
906.00	1.00	814.00	3702.69	82.37	
907.00	1.00	815.00	3702.60	82.37	
908.00	1.00	816.00	3702.50	82.37	
909.00	1.00	817.00	3702.39	82.37	
910.00	1.00	818.00	3702.30	82.37	
911.00	1.00	819.00	3702.21	82.37	
912.00	1.00	820.00	3702.12	82.37	
913.00	1.00	821.00	3702.02	82.37	
914.00	1.00	822.00	3701.94	82.37	
915.00	1.00	823.00	3701.82	82.38	
916.00	1.00	824.00	3701.73	82.37	
917.00	1.00	825.00	3701.63	82.37	
918.00	1.00	826.00	3701.54	82.37	
919.00	1.00	827.00	3701.43	82.37	
920.00	1.00	828.00	3701.33	82.37	
921.00	1.00	829.00	3701.24	82.37	
922.00	1.00	830.00	3701.16	82.37	
923.00	1.00	831.00	3701.06	82.37	
924.00	1.00	832.00	3700.96	82.37	
925.00	1.00	833.00	3700.86	82.37	
926.00	1.00	834.00	3700.76	82.37	
927.00	1.00	835.00	3700.67	82.37	
928.00	1.00	836.00	3700.56	82.37	
929.00	1.00	837.00	3700.46	82.37	
930.00	1.00	838.00	3700.36	82.37	
931.00	1.00	839.00	3700.29	82.37	
932.00	1.00	840.00	3700.21	82.37	
933.00	1.00	841.00	3700.13	82.37	
934.00	1.00	842.00	3700.05	82.37	
935.00	1.00	843.00	3699.97	82.37	
936.00	1.00	844.00	3699.89	82.36	
937.00	1.00	845.00	3699.78	82.37	
938.00	1.00	846.00	3699.67	82.37	
939.00	1.00	847.00	3699.57	82.37	
940.00	1.00	848.00	3699.46	82.37	
941.00	1.00	849.00	3699.25	82.37	
942.00	1.00	850.00	3699.19	82.37	
943.00	1.00	851.00	3699.11	82.37	
944.00	1.00	852.00	3699.03	82.36	
945.00	1.00	853.00	3698.92	82.37	
946.00	1.00	854.00	3698.84	82.37	
947.00	1.00	855.00	3698.75	82.37	
948.00	1.00	856.00	3698.68	82.36	
949.00	1.00	857.00	3698.58	82.37	
950.00	1.00	858.00	3698.50	82.37	
951.00	1.00	859.00	3698.42	82.37	
952.00	1.00	860.00	3698.32	82.37	
953.00	1.00	861.00	3698.23	82.37	
954.00	1.00	862.00	3698.13	82.37	
955.00	1.00	863.00	3698.04	82.37	
956.00	1.00	864.00	3697.94	82.37	
957.00	1.00	865.00	3697.85	82.37	
958.00	1.00	866.00	3697.75	82.37	
959.00	1.00	867.00	3697.66	82.37	
960.00	1.00	868.00	3697.58	82.36	
961.00	1.00	869.00	3697.46	82.37	
962.00	1.00	870.00	3697.38	82.37	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
963.00	1.00	871.00	3697.30	82.37	
964.00	1.00	872.00	3697.22	82.37	
965.00	1.00	873.00	3697.13	82.37	
966.00	1.00	874.00	3697.05	82.37	
967.00	1.00	875.00	3696.96	82.37	
968.00	1.00	876.00	3696.87	82.37	
969.00	1.00	877.00	3696.78	82.37	
970.00	1.00	878.00	3696.70	82.37	
971.00	1.00	879.00	3696.60	82.37	
972.00	1.00	880.00	3696.51	82.37	
973.00	1.00	881.00	3696.43	82.37	
974.00	1.00	882.00	3696.33	82.37	
975.00	1.00	883.00	3696.25	82.36	
976.00	1.00	884.00	3696.13	82.37	
977.00	1.00	885.00	3696.03	82.37	
978.00	1.00	886.00	3695.94	82.37	
979.00	1.00	887.00	3695.86	82.36	
980.00	1.00	888.00	3695.75	82.37	
981.00	1.00	889.00	3695.67	82.37	
982.00	1.00	890.00	3695.59	82.37	
983.00	1.00	891.00	3695.52	82.37	
984.00	1.00	892.00	3695.46	82.37	
985.00	1.00	893.00	3695.38	82.37	
986.00	1.00	894.00	3695.29	82.37	
987.00	1.00	895.00	3695.12	82.36	
988.00	1.00	896.00	3695.05	82.37	
989.00	1.00	897.00	3694.98	82.37	
990.00	1.00	898.00	3694.89	82.37	
991.00	1.00	899.00	3694.80	82.37	
992.00	1.00	900.00	3694.72	82.37	
993.00	1.00	901.00	3694.62	82.37	
994.00	1.00	902.00	3694.53	82.37	
995.00	1.00	903.00	3694.42	82.37	
996.00	1.00	904.00	3694.22	82.37	
997.00	1.00	905.00	3694.16	82.37	
998.00	1.00	906.00	3694.09	82.37	
999.00	1.00	907.00	3694.02	82.37	
1000.00	1.00	908.00	3693.95	82.37	
1001.00	1.00	909.00	3693.88	82.37	
1002.00	1.00	910.00	3693.80	82.37	
1003.00	1.00	911.00	3693.73	82.37	
1004.00	1.00	912.00	3693.53	82.37	
1005.00	1.00	913.00	3693.49	82.37	
1006.00	1.00	914.00	3693.43	82.37	
1007.00	1.00	915.00	3693.34	82.37	
1008.00	1.00	916.00	3693.25	82.37	
1009.00	1.00	917.00	3693.18	82.37	
1010.00	1.00	918.00	3693.11	82.37	
1011.00	1.00	919.00	3693.05	82.36	
1012.00	1.00	920.00	3692.94	82.37	
1013.00	1.00	921.00	3692.85	82.37	
1014.00	1.00	922.00	3692.65	82.37	
1015.00	1.00	923.00	3692.61	82.37	
1016.00	1.00	924.00	3692.53	82.37	
1017.00	1.00	925.00	3692.44	82.37	
1018.00	1.00	926.00	3692.35	82.37	
1019.00	1.00	927.00	3692.29	82.37	
1020.00	1.00	928.00	3692.22	82.37	
1021.00	1.00	929.00	3692.14	82.37	
1022.00	1.00	930.00	3692.07	82.37	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1023.00	1.00	931.00	3691.99	82.37	
1024.00	1.00	932.00	3691.91	82.37	
1025.00	1.00	933.00	3691.81	82.37	
1026.00	1.00	934.00	3691.71	82.37	
1027.00	1.00	935.00	3691.62	82.37	
1028.00	1.00	936.00	3691.55	82.37	
1029.00	1.00	937.00	3691.46	82.37	
1030.00	1.00	938.00	3691.38	82.37	
1031.00	1.00	939.00	3691.30	82.37	
1032.00	1.00	940.00	3691.22	82.37	
1033.00	1.00	941.00	3691.12	82.37	
1034.00	1.00	942.00	3691.03	82.37	
1035.00	1.00	943.00	3690.94	82.37	
1036.00	1.00	944.00	3690.85	82.37	
1037.00	1.00	945.00	3690.75	82.37	
1038.00	1.00	946.00	3690.66	82.37	
1039.00	1.00	947.00	3690.56	82.37	
1040.00	1.00	948.00	3690.47	82.37	
1041.00	1.00	949.00	3690.39	82.37	
1042.00	1.00	950.00	3690.31	82.37	
1043.00	1.00	951.00	3690.22	82.37	
1044.00	1.00	952.00	3690.15	82.37	
1045.00	1.00	953.00	3690.07	82.37	
1046.00	1.00	954.00	3689.98	82.37	
1047.00	1.00	955.00	3689.91	82.37	
1048.00	1.00	956.00	3689.83	82.37	
1049.00	1.00	957.00	3689.75	82.37	
1050.00	1.00	958.00	3689.67	82.37	
1051.00	1.00	959.00	3689.59	82.37	
1052.00	1.00	960.00	3689.51	82.37	
1053.00	1.00	961.00	3689.43	82.37	
1054.00	1.00	962.00	3689.34	82.37	
1055.00	1.00	963.00	3689.24	82.37	
1056.00	1.00	964.00	3689.15	82.37	
1057.00	1.00	965.00	3689.07	82.37	
1058.00	1.00	966.00	3688.97	82.37	
1059.00	1.00	967.00	3688.86	82.37	
1060.00	1.00	968.00	3688.76	82.37	
1061.00	1.00	969.00	3688.69	82.36	
1062.00	1.00	970.00	3688.53	82.36	
1063.00	1.00	971.00	3688.49	82.35	
1064.00	1.00	972.00	3688.38	82.37	
1065.00	1.00	973.00	3688.32	82.37	
1066.00	1.00	974.00	3688.22	82.37	
1067.00	1.00	975.00	3688.04	82.37	
1068.00	1.00	976.00	3687.99	82.37	
1069.00	1.00	977.00	3687.92	82.37	
1070.00	1.00	978.00	3687.84	82.37	
1071.00	1.00	979.00	3687.77	82.37	
1072.00	1.00	980.00	3687.69	82.37	
1073.00	1.00	981.00	3687.61	82.37	
1074.00	1.00	982.00	3687.53	82.37	
1075.00	1.00	983.00	3687.46	82.37	
1076.00	1.00	984.00	3687.40	82.36	
1077.00	1.00	985.00	3687.31	82.36	
1078.00	1.00	986.00	3687.24	82.36	
1079.00	1.00	987.00	3687.16	82.36	
1080.00	1.00	988.00	3687.06	82.37	
1081.00	1.00	989.00	3686.97	82.37	
1082.00	1.00	990.00	3686.87	82.37	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1083.00	1.00	991.00	3686.79	82.37	
1084.00	1.00	992.00	3686.72	82.36	
1085.00	1.00	993.00	3686.63	82.36	
1086.00	1.00	994.00	3686.55	82.36	
1087.00	1.00	995.00	3686.46	82.36	
1088.00	1.00	996.00	3686.36	82.37	
1089.00	1.00	997.00	3686.28	82.37	
1090.00	1.00	998.00	3686.19	82.37	
1091.00	1.00	999.00	3686.12	82.37	
1092.00	1.00	1000.00	3686.04	82.37	
1093.00	1.00	1001.00	3685.97	82.37	
1094.00	1.00	1002.00	3685.89	82.37	
1095.00	1.00	1003.00	3685.81	82.37	
1096.00	1.00	1004.00	3685.75	82.36	
1097.00	1.00	1005.00	3685.66	82.36	
1098.00	1.00	1006.00	3685.59	82.36	
1099.00	1.00	1007.00	3685.50	82.36	
1100.00	1.00	1008.00	3685.41	82.37	
1101.00	1.00	1009.00	3685.35	82.36	
1102.00	1.00	1010.00	3685.27	82.36	
1103.00	1.00	1011.00	3685.21	82.35	
1104.00	1.00	1012.00	3685.08	82.37	
1105.00	1.00	1013.00	3685.01	82.37	
1106.00	1.00	1014.00	3684.94	82.37	
1107.00	1.00	1015.00	3684.86	82.37	
1108.00	1.00	1016.00	3684.78	82.37	
1109.00	1.00	1017.00	3684.73	82.36	
1110.00	1.00	1018.00	3684.65	82.36	
1111.00	1.00	1019.00	3684.58	82.35	
1112.00	1.00	1020.00	3684.49	82.35	
1113.00	1.00	1021.00	3684.40	82.36	
1114.00	1.00	1022.00	3684.30	82.36	
1115.00	1.00	1023.00	3684.10	82.37	
1116.00	1.00	1024.00	3684.08	82.36	
1117.00	1.00	1025.00	3684.02	82.36	
1118.00	1.00	1026.00	3683.94	82.36	
1119.00	1.00	1027.00	3683.86	82.36	
1120.00	1.00	1028.00	3683.77	82.37	
1121.00	1.00	1029.00	3683.71	82.36	
1122.00	1.00	1030.00	3683.63	82.36	
1123.00	1.00	1031.00	3683.57	82.35	
1124.00	1.00	1032.00	3683.45	82.37	
1125.00	1.00	1033.00	3683.39	82.36	
1126.00	1.00	1034.00	3683.29	82.36	
1127.00	1.00	1035.00	3683.23	82.35	
1128.00	1.00	1036.00	3683.12	82.36	
1129.00	1.00	1037.00	3683.02	82.36	
1130.00	1.00	1038.00	3682.94	82.36	
1131.00	1.00	1039.00	3682.86	82.36	
1132.00	1.00	1040.00	3682.77	82.37	
1133.00	1.00	1041.00	3682.68	82.37	
1134.00	1.00	1042.00	3682.60	82.37	
1135.00	1.00	1043.00	3682.52	82.37	
1136.00	1.00	1044.00	3682.46	82.36	
1137.00	1.00	1045.00	3682.38	82.36	
1138.00	1.00	1046.00	3682.31	82.36	
1139.00	1.00	1047.00	3682.24	82.36	
1140.00	1.00	1048.00	3682.17	82.36	
1141.00	1.00	1049.00	3682.10	82.36	
1142.00	1.00	1050.00	3682.00	82.36	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1143.00	1.00	1051.00	3681.82	82.36	
1144.00	1.00	1052.00	3681.76	82.37	
1145.00	1.00	1053.00	3681.72	82.36	
1146.00	1.00	1054.00	3681.66	82.36	
1147.00	1.00	1055.00	3681.61	82.35	
1148.00	1.00	1056.00	3681.52	82.36	
1149.00	1.00	1057.00	3681.44	82.36	
1150.00	1.00	1058.00	3681.36	82.36	
1151.00	1.00	1059.00	3681.28	82.36	
1152.00	1.00	1060.00	3681.19	82.36	
1153.00	1.00	1061.00	3681.11	82.36	
1154.00	1.00	1062.00	3681.04	82.36	
1155.00	1.00	1063.00	3680.97	82.36	
1156.00	1.00	1064.00	3680.89	82.36	
1157.00	1.00	1065.00	3680.81	82.36	
1158.00	1.00	1066.00	3680.74	82.36	
1159.00	1.00	1067.00	3680.65	82.36	
1160.00	1.00	1068.00	3680.55	82.36	
1161.00	1.00	1069.00	3680.46	82.36	
1162.00	1.00	1070.00	3680.38	82.36	
1163.00	1.00	1071.00	3680.20	82.36	
1164.00	1.00	1072.00	3680.12	82.37	
1165.00	1.00	1073.00	3680.08	82.36	
1166.00	1.00	1074.00	3680.02	82.36	
1167.00	1.00	1075.00	3679.97	82.35	
1168.00	1.00	1076.00	3679.89	82.36	
1169.00	1.00	1077.00	3679.81	82.36	
1170.00	1.00	1078.00	3679.73	82.36	
1171.00	1.00	1079.00	3679.64	82.36	
1172.00	1.00	1080.00	3679.56	82.36	
1173.00	1.00	1081.00	3679.49	82.35	
1174.00	1.00	1082.00	3679.42	82.35	
1175.00	1.00	1083.00	3679.36	82.35	
1176.00	1.00	1084.00	3679.27	82.36	
1177.00	1.00	1085.00	3679.21	82.35	
1178.00	1.00	1086.00	3679.13	82.35	
1179.00	1.00	1087.00	3678.93	82.35	
1180.00	1.00	1088.00	3678.86	82.36	
1181.00	1.00	1089.00	3678.80	82.35	
1182.00	1.00	1090.00	3678.73	82.35	
1183.00	1.00	1091.00	3678.66	82.35	
1184.00	1.00	1092.00	3678.59	82.36	
1185.00	1.00	1093.00	3678.55	82.35	
1186.00	1.00	1094.00	3678.50	82.35	
1187.00	1.00	1095.00	3678.46	82.35	
1188.00	1.00	1096.00	3678.40	82.35	
1189.00	1.00	1097.00	3678.32	82.35	
1190.00	1.00	1098.00	3678.24	82.35	
1191.00	1.00	1099.00	3678.03	82.36	
1192.00	1.00	1100.00	3678.02	82.35	
1193.00	1.00	1101.00	3677.95	82.35	
1194.00	1.00	1102.00	3677.87	82.35	
1195.00	1.00	1103.00	3677.77	82.36	
1196.00	1.00	1104.00	3677.69	82.36	
1197.00	1.00	1105.00	3677.62	82.35	
1198.00	1.00	1106.00	3677.54	82.35	
1199.00	1.00	1107.00	3677.45	82.35	
1200.00	1.00	1108.00	3677.35	82.36	
1201.00	1.00	1109.00	3677.29	82.35	
1202.00	1.00	1110.00	3677.22	82.35	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1203.00	1.00	1111.00	3677.15	82.35	
1204.00	1.00	1112.00	3677.04	82.36	
1205.00	1.00	1113.00	3676.97	82.35	
1206.00	1.00	1114.00	3676.89	82.35	
1207.00	1.00	1115.00	3676.81	82.35	
1208.00	1.00	1116.00	3676.72	82.36	
1209.00	1.00	1117.00	3676.65	82.36	
1210.00	1.00	1118.00	3676.59	82.36	
1211.00	1.00	1119.00	3676.53	82.36	
1212.00	1.00	1120.00	3676.49	82.35	
1213.00	1.00	1121.00	3676.42	82.35	
1214.00	1.00	1122.00	3676.35	82.35	
1215.00	1.00	1123.00	3676.25	82.36	
1216.00	1.00	1124.00	3676.18	82.36	
1217.00	1.00	1125.00	3676.09	82.36	
1218.00	1.00	1126.00	3676.00	82.36	
1219.00	1.00	1127.00	3675.92	82.36	
1220.00	1.00	1128.00	3675.85	82.36	
1221.00	1.00	1129.00	3675.77	82.36	
1222.00	1.00	1130.00	3675.70	82.36	
1223.00	1.00	1131.00	3675.61	82.36	
1224.00	1.00	1132.00	3675.54	82.36	
1225.00	1.00	1133.00	3675.46	82.36	
1226.00	1.00	1134.00	3675.38	82.36	
1227.00	1.00	1135.00	3675.30	82.36	
1228.00	1.00	1136.00	3675.23	82.35	
1229.00	1.00	1137.00	3675.16	82.35	
1230.00	1.00	1138.00	3675.09	82.35	
1231.00	1.00	1139.00	3675.01	82.35	
1232.00	1.00	1140.00	3674.93	82.35	
1233.00	1.00	1141.00	3674.86	82.35	
1234.00	1.00	1142.00	3674.78	82.35	
1235.00	1.00	1143.00	3674.70	82.35	
1236.00	1.00	1144.00	3674.62	82.35	
1237.00	1.00	1145.00	3674.54	82.35	
1238.00	1.00	1146.00	3674.48	82.35	
1239.00	1.00	1147.00	3674.40	82.36	
1240.00	1.00	1148.00	3674.33	82.36	
1241.00	1.00	1149.00	3674.26	82.36	
1242.00	1.00	1150.00	3674.19	82.36	
1243.00	1.00	1151.00	3674.12	82.36	
1244.00	1.00	1152.00	3674.05	82.35	
1245.00	1.00	1153.00	3673.96	82.35	
1246.00	1.00	1154.00	3673.87	82.35	
1247.00	1.00	1155.00	3673.78	82.35	
1248.00	1.00	1156.00	3673.69	82.36	
1249.00	1.00	1157.00	3673.63	82.35	
1250.00	1.00	1158.00	3673.57	82.35	
1251.00	1.00	1159.00	3673.49	82.35	
1252.00	1.00	1160.00	3673.40	82.36	
1253.00	1.00	1161.00	3673.33	82.36	
1254.00	1.00	1162.00	3673.25	82.36	
1255.00	1.00	1163.00	3673.18	82.36	
1256.00	1.00	1164.00	3673.14	82.35	
1257.00	1.00	1165.00	3673.07	82.35	
1258.00	1.00	1166.00	3672.99	82.35	
1259.00	1.00	1167.00	3672.92	82.35	
1260.00	1.00	1168.00	3672.83	82.35	
1261.00	1.00	1169.00	3672.75	82.35	
1262.00	1.00	1170.00	3672.66	82.35	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1263.00	1.00	1171.00	3672.58	82.35	
1264.00	1.00	1172.00	3672.52	82.35	
1265.00	1.00	1173.00	3672.45	82.35	
1266.00	1.00	1174.00	3672.39	82.35	
1267.00	1.00	1175.00	3672.32	82.35	
1268.00	1.00	1176.00	3672.25	82.35	
1269.00	1.00	1177.00	3672.17	82.35	
1270.00	1.00	1178.00	3672.09	82.35	
1271.00	1.00	1179.00	3672.01	82.35	
1272.00	1.00	1180.00	3671.92	82.35	
1273.00	1.00	1181.00	3671.85	82.35	
1274.00	1.00	1182.00	3671.77	82.35	
1275.00	1.00	1183.00	3671.69	82.35	
1276.00	1.00	1184.00	3671.61	82.35	
1277.00	1.00	1185.00	3671.54	82.35	
1278.00	1.00	1186.00	3671.47	82.35	
1279.00	1.00	1187.00	3671.42	82.35	
1280.00	1.00	1188.00	3671.34	82.36	
1281.00	1.00	1189.00	3671.29	82.35	
1282.00	1.00	1190.00	3671.22	82.35	
1283.00	1.00	1191.00	3671.14	82.35	
1284.00	1.00	1192.00	3671.06	82.35	
1285.00	1.00	1193.00	3670.99	82.35	
1286.00	1.00	1194.00	3670.91	82.35	
1287.00	1.00	1195.00	3670.85	82.35	
1288.00	1.00	1196.00	3670.78	82.35	
1289.00	1.00	1197.00	3670.72	82.35	
1290.00	1.00	1198.00	3670.65	82.35	
1291.00	1.00	1199.00	3670.57	82.35	
1292.00	1.00	1200.00	3670.50	82.35	
1293.00	1.00	1201.00	3670.43	82.35	
1294.00	1.00	1202.00	3670.36	82.35	
1295.00	1.00	1203.00	3670.29	82.35	
1296.00	1.00	1204.00	3670.22	82.35	
1297.00	1.00	1205.00	3670.14	82.35	
1298.00	1.00	1206.00	3670.07	82.35	
1299.00	1.00	1207.00	3670.00	82.35	
1300.00	1.00	1208.00	3669.93	82.35	
1301.00	1.00	1209.00	3669.86	82.35	
1302.00	1.00	1210.00	3669.80	82.35	
1303.00	1.00	1211.00	3669.72	82.35	
1304.00	1.00	1212.00	3669.64	82.35	
1305.00	1.00	1213.00	3669.56	82.35	
1306.00	1.00	1214.00	3669.48	82.35	
1307.00	1.00	1215.00	3669.42	82.35	
1308.00	1.00	1216.00	3669.34	82.35	
1309.00	1.00	1217.00	3669.27	82.35	
1310.00	1.00	1218.00	3669.19	82.35	
1311.00	1.00	1219.00	3669.13	82.35	
1312.00	1.00	1220.00	3669.06	82.35	
1313.00	1.00	1221.00	3669.00	82.35	
1314.00	1.00	1222.00	3668.93	82.35	
1315.00	1.00	1223.00	3668.86	82.35	
1316.00	1.00	1224.00	3668.78	82.35	
1317.00	1.00	1225.00	3668.71	82.35	
1318.00	1.00	1226.00	3668.65	82.35	
1319.00	1.00	1227.00	3668.58	82.35	
1320.00	1.00	1228.00	3668.53	82.34	
1321.00	1.00	1229.00	3668.46	82.35	
1322.00	1.00	1230.00	3668.40	82.35	

Minutes					
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in	Pressure	Temp	Remarks
1323.00	1.00	1231.00	3668.32	82.35	
1324.00	1.00	1232.00	3668.25	82.34	
1325.00	1.00	1233.00	3668.14	82.35	
1326.00	1.00	1234.00	3668.05	82.35	
1327.00	1.00	1235.00	3667.98	82.35	
1328.00	1.00	1236.00	3667.90	82.35	
1329.00	1.00	1237.00	3667.84	82.35	
1330.00	1.00	1238.00	3667.78	82.35	
1331.00	1.00	1239.00	3667.73	82.35	
1332.00	1.00	1240.00	3667.67	82.35	
1333.00	1.00	1241.00	3667.60	82.35	
1334.00	1.00	1242.00	3667.55	82.35	
1335.00	1.00	1243.00	3667.49	82.35	
1336.00	1.00	1244.00	3667.42	82.35	
1337.00	1.00	1245.00	3667.34	82.35	
1338.00	1.00	1246.00	3667.27	82.35	
1339.00	1.00	1247.00	3667.21	82.34	
1340.00	1.00	1248.00	3667.13	82.34	
1341.00	1.00	1249.00	3667.04	82.35	
1342.00	1.00	1250.00	3666.96	82.35	
1343.00	1.00	1251.00	3666.89	82.35	
1344.00	1.00	1252.00	3666.83	82.35	
1345.00	1.00	1253.00	3666.77	82.35	
1346.00	1.00	1254.00	3666.70	82.35	
1347.00	1.00	1255.00	3666.63	82.35	
1348.00	1.00	1256.00	3666.58	82.35	
1349.00	1.00	1257.00	3666.52	82.35	
1350.00	1.00	1258.00	3666.46	82.35	
1351.00	1.00	1259.00	3666.39	82.35	
1352.00	1.00	1260.00	3666.32	82.35	
1353.00	1.00	1261.00	3666.26	82.35	
1354.00	1.00	1262.00	3666.18	82.35	
1355.00	1.00	1263.00	3666.10	82.35	
1356.00	1.00	1264.00	3666.02	82.35	
1357.00	1.00	1265.00	3665.94	82.35	
1358.00	1.00	1266.00	3665.87	82.35	
1359.00	1.00	1267.00	3665.81	82.35	
1360.00	1.00	1268.00	3665.73	82.35	
1361.00	1.00	1269.00	3665.66	82.35	
1362.00	1.00	1270.00	3665.58	82.35	
1363.00	1.00	1271.00	3665.53	82.34	
1364.00	1.00	1272.00	3665.44	82.35	
1365.00	1.00	1273.00	3665.35	82.35	
1366.00	1.00	1274.00	3665.29	82.35	
1367.00	1.00	1275.00	3665.24	82.34	
1368.00	1.00	1276.00	3665.15	82.35	
1369.00	1.00	1277.00	3665.08	82.35	
1370.00	1.00	1278.00	3665.01	82.35	
1371.00	1.00	1279.00	3664.97	82.34	
1372.00	1.00	1280.00	3664.87	82.35	
1373.00	1.00	1281.00	3664.80	82.35	
1374.00	1.00	1282.00	3664.71	82.35	
1375.00	1.00	1283.00	3664.66	82.34	
1376.00	1.00	1284.00	3664.60	82.34	
1377.00	1.00	1285.00	3664.49	82.35	
1378.00	1.00	1286.00	3664.43	82.35	
1379.00	1.00	1287.00	3664.36	82.35	
1380.00	1.00	1288.00	3664.30	82.35	
1381.00	1.00	1289.00	3664.22	82.35	
1382.00	1.00	1290.00	3664.15	82.35	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1383.00	1.00	1291.00	3664.10	82.34	
1384.00	1.00	1292.00	3664.00	82.35	
1385.00	1.00	1293.00	3663.95	82.35	
1386.00	1.00	1294.00	3663.89	82.35	
1387.00	1.00	1295.00	3663.84	82.35	
1388.00	1.00	1296.00	3663.78	82.35	
1389.00	1.00	1297.00	3663.73	82.35	
1390.00	1.00	1298.00	3663.67	82.35	
1391.00	1.00	1299.00	3663.62	82.34	
1392.00	1.00	1300.00	3663.53	82.34	
1393.00	1.00	1301.00	3663.44	82.35	
1394.00	1.00	1302.00	3663.36	82.35	
1395.00	1.00	1303.00	3663.28	82.35	
1396.00	1.00	1304.00	3663.21	82.35	
1397.00	1.00	1305.00	3663.14	82.35	
1398.00	1.00	1306.00	3663.08	82.35	
1399.00	1.00	1307.00	3663.00	82.35	
1400.00	1.00	1308.00	3662.93	82.35	
1401.00	1.00	1309.00	3662.87	82.35	
1402.00	1.00	1310.00	3662.80	82.35	
1403.00	1.00	1311.00	3662.74	82.34	
1404.00	1.00	1312.00	3662.66	82.35	
1405.00	1.00	1313.00	3662.59	82.35	
1406.00	1.00	1314.00	3662.52	82.35	
1407.00	1.00	1315.00	3662.46	82.35	
1408.00	1.00	1316.00	3662.41	82.35	
1409.00	1.00	1317.00	3662.36	82.35	
1410.00	1.00	1318.00	3662.30	82.35	
1411.00	1.00	1319.00	3662.23	82.35	
1412.00	1.00	1320.00	3662.17	82.35	
1413.00	1.00	1321.00	3662.10	82.35	
1414.00	1.00	1322.00	3662.02	82.35	
1415.00	1.00	1323.00	3661.95	82.35	
1416.00	1.00	1324.00	3661.88	82.35	
1417.00	1.00	1325.00	3661.81	82.35	
1418.00	1.00	1326.00	3661.74	82.35	
1419.00	1.00	1327.00	3661.68	82.35	
1420.00	1.00	1328.00	3661.61	82.35	
1421.00	1.00	1329.00	3661.54	82.35	
1422.00	1.00	1330.00	3661.47	82.35	
1423.00	1.00	1331.00	3661.42	82.35	
1424.00	1.00	1332.00	3661.36	82.35	
1425.00	1.00	1333.00	3661.29	82.35	
1426.00	1.00	1334.00	3661.21	82.35	
1427.00	1.00	1335.00	3661.14	82.35	
1428.00	1.00	1336.00	3661.07	82.35	
1429.00	1.00	1337.00	3660.99	82.35	
1430.00	1.00	1338.00	3660.91	82.35	
1431.00	1.00	1339.00	3660.84	82.35	
1432.00	1.00	1340.00	3660.78	82.35	
1433.00	1.00	1341.00	3660.72	82.35	
1434.00	1.00	1342.00	3660.63	82.35	
1435.00	1.00	1343.00	3660.55	82.35	
1436.00	1.00	1344.00	3660.48	82.35	
1437.00	1.00	1345.00	3660.41	82.35	
1438.00	1.00	1346.00	3660.34	82.35	
1439.00	1.00	1347.00	3660.27	82.35	
1440.00	1.00	1348.00	3660.25	82.34	
1441.00	1.00	1349.00	3660.19	82.34	
1442.00	1.00	1350.00	3660.12	82.34	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1443.00	1.00	1351.00	3660.06	82.34	
1444.00	1.00	1352.00	3659.99	82.35	
1445.00	1.00	1353.00	3659.93	82.35	
1446.00	1.00	1354.00	3659.86	82.35	
1447.00	1.00	1355.00	3659.80	82.35	
1448.00	1.00	1356.00	3659.73	82.35	
1449.00	1.00	1357.00	3659.64	82.35	
1450.00	1.00	1358.00	3659.58	82.35	
1451.00	1.00	1359.00	3659.51	82.35	
1452.00	1.00	1360.00	3659.45	82.35	
1453.00	1.00	1361.00	3659.42	82.34	
1454.00	1.00	1362.00	3659.36	82.34	
1455.00	1.00	1363.00	3659.32	82.33	
1456.00	1.00	1364.00	3659.21	82.35	
1457.00	1.00	1365.00	3659.15	82.35	
1458.00	1.00	1366.00	3659.08	82.35	
1459.00	1.00	1367.00	3659.01	82.35	
1460.00	1.00	1368.00	3658.99	82.33	
1461.00	1.00	1369.00	3658.90	82.34	
1462.00	1.00	1370.00	3658.84	82.34	
1463.00	1.00	1371.00	3658.75	82.35	
1464.00	1.00	1372.00	3658.68	82.35	
1465.00	1.00	1373.00	3658.64	82.34	
1466.00	1.00	1374.00	3658.57	82.34	
1467.00	1.00	1375.00	3658.52	82.33	
1468.00	1.00	1376.00	3658.44	82.34	
1469.00	1.00	1377.00	3658.38	82.34	
1470.00	1.00	1378.00	3658.31	82.34	
1471.00	1.00	1379.00	3658.22	82.34	
1472.00	1.00	1380.00	3658.17	82.33	
1473.00	1.00	1381.00	3658.08	82.34	
1474.00	1.00	1382.00	3658.00	82.34	
1475.00	1.00	1383.00	3657.92	82.35	
1476.00	1.00	1384.00	3657.88	82.35	
1477.00	1.00	1385.00	3657.82	82.35	
1478.00	1.00	1386.00	3657.77	82.35	
1479.00	1.00	1387.00	3657.72	82.35	
1480.00	1.00	1388.00	3657.67	82.35	
1481.00	1.00	1389.00	3657.64	82.34	
1482.00	1.00	1390.00	3657.58	82.34	
1483.00	1.00	1391.00	3657.55	82.33	
1484.00	1.00	1392.00	3657.44	82.35	
1485.00	1.00	1393.00	3657.38	82.35	
1486.00	1.00	1394.00	3657.31	82.35	
1487.00	1.00	1395.00	3657.24	82.35	
1488.00	1.00	1396.00	3657.17	82.35	
1489.00	1.00	1397.00	3657.08	82.35	
1490.00	1.00	1398.00	3657.03	82.35	
1491.00	1.00	1399.00	3656.96	82.35	
1492.00	1.00	1400.00	3656.92	82.34	
1493.00	1.00	1401.00	3656.85	82.34	
1494.00	1.00	1402.00	3656.80	82.34	
1495.00	1.00	1403.00	3656.73	82.34	
1496.00	1.00	1404.00	3656.64	82.35	
1497.00	1.00	1405.00	3656.60	82.34	
1498.00	1.00	1406.00	3656.53	82.34	
1499.00	1.00	1407.00	3656.47	82.33	
1500.00	1.00	1408.00	3656.38	82.34	
1501.00	1.00	1409.00	3656.31	82.34	
1502.00	1.00	1410.00	3656.23	82.34	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1503.00	1.00	1411.00	3656.16	82.34	
1504.00	1.00	1412.00	3656.12	82.33	
1505.00	1.00	1413.00	3656.05	82.34	
1506.00	1.00	1414.00	3656.00	82.34	
1507.00	1.00	1415.00	3655.94	82.35	
1508.00	1.00	1416.00	3655.91	82.34	
1509.00	1.00	1417.00	3655.86	82.34	
1510.00	1.00	1418.00	3655.80	82.34	
1511.00	1.00	1419.00	3655.73	82.34	
1512.00	1.00	1420.00	3655.66	82.34	
1513.00	1.00	1421.00	3655.59	82.34	
1514.00	1.00	1422.00	3655.53	82.34	
1515.00	1.00	1423.00	3655.46	82.34	
1516.00	1.00	1424.00	3655.39	82.35	
1517.00	1.00	1425.00	3655.35	82.34	
1518.00	1.00	1426.00	3655.28	82.34	
1519.00	1.00	1427.00	3655.24	82.33	
1520.00	1.00	1428.00	3655.18	82.33	
1521.00	1.00	1429.00	3655.10	82.34	
1522.00	1.00	1430.00	3655.03	82.34	
1523.00	1.00	1431.00	3654.96	82.35	
1524.00	1.00	1432.00	3654.92	82.34	
1525.00	1.00	1433.00	3654.85	82.34	
1526.00	1.00	1434.00	3654.76	82.34	
1527.00	1.00	1435.00	3654.70	82.34	
1528.00	1.00	1436.00	3654.63	82.34	
1529.00	1.00	1437.00	3654.56	82.34	
1530.00	1.00	1438.00	3654.49	82.34	
1531.00	1.00	1439.00	3654.42	82.34	
1532.00	1.00	1440.00	3654.35	82.34	
1533.00	1.00	1441.00	3654.28	82.34	
1534.00	1.00	1442.00	3654.22	82.34	
1535.00	1.00	1443.00	3654.15	82.34	
1536.00	1.00	1444.00	3654.09	82.34	
1537.00	1.00	1445.00	3654.03	82.34	
1538.00	1.00	1446.00	3653.97	82.34	
1539.00	1.00	1447.00	3653.91	82.34	
1540.00	1.00	1448.00	3653.85	82.34	
1541.00	1.00	1449.00	3653.79	82.34	
1542.00	1.00	1450.00	3653.73	82.34	
1543.00	1.00	1451.00	3653.68	82.34	
1544.00	1.00	1452.00	3653.63	82.34	
1545.00	1.00	1453.00	3653.58	82.34	
1546.00	1.00	1454.00	3653.53	82.34	
1547.00	1.00	1455.00	3653.46	82.34	
1548.00	1.00	1456.00	3653.39	82.34	
1549.00	1.00	1457.00	3653.33	82.34	
1550.00	1.00	1458.00	3653.26	82.34	
1551.00	1.00	1459.00	3653.20	82.34	
1552.00	1.00	1460.00	3653.14	82.34	
1553.00	1.00	1461.00	3653.08	82.34	
1554.00	1.00	1462.00	3653.01	82.34	
1555.00	1.00	1463.00	3652.94	82.34	
1556.00	1.00	1464.00	3652.87	82.34	
1557.00	1.00	1465.00	3652.80	82.34	
1558.00	1.00	1466.00	3652.72	82.34	
1559.00	1.00	1467.00	3652.67	82.34	
1560.00	1.00	1468.00	3652.58	82.35	
1561.00	1.00	1469.00	3652.53	82.34	
1562.00	1.00	1470.00	3652.47	82.34	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1563.00	1.00	1471.00	3652.44	82.33	
1564.00	1.00	1472.00	3652.36	82.34	
1565.00	1.00	1473.00	3652.29	82.34	
1566.00	1.00	1474.00	3652.23	82.34	
1567.00	1.00	1475.00	3652.15	82.34	
1568.00	1.00	1476.00	3652.07	82.34	
1569.00	1.00	1477.00	3652.02	82.34	
1570.00	1.00	1478.00	3651.97	82.34	
1571.00	1.00	1479.00	3651.91	82.34	
1572.00	1.00	1480.00	3651.86	82.34	
1573.00	1.00	1481.00	3651.81	82.34	
1574.00	1.00	1482.00	3651.76	82.34	
1575.00	1.00	1483.00	3651.70	82.34	
1576.00	1.00	1484.00	3651.65	82.34	
1577.00	1.00	1485.00	3651.58	82.34	
1578.00	1.00	1486.00	3651.52	82.34	
1579.00	1.00	1487.00	3651.45	82.34	
1580.00	1.00	1488.00	3651.38	82.34	
1581.00	1.00	1489.00	3651.30	82.34	
1582.00	1.00	1490.00	3651.24	82.34	
1583.00	1.00	1491.00	3651.18	82.34	
1584.00	1.00	1492.00	3651.09	82.35	
1585.00	1.00	1493.00	3651.05	82.34	
1586.00	1.00	1494.00	3651.00	82.34	
1587.00	1.00	1495.00	3650.97	82.33	
1588.00	1.00	1496.00	3650.89	82.34	
1589.00	1.00	1497.00	3650.84	82.34	
1590.00	1.00	1498.00	3650.79	82.34	
1591.00	1.00	1499.00	3650.73	82.34	
1592.00	1.00	1500.00	3650.67	82.34	
1593.00	1.00	1501.00	3650.60	82.34	
1594.00	1.00	1502.00	3650.52	82.34	
1595.00	1.00	1503.00	3650.46	82.34	
1596.00	1.00	1504.00	3650.40	82.34	
1597.00	1.00	1505.00	3650.34	82.34	
1598.00	1.00	1506.00	3650.30	82.34	
1599.00	1.00	1507.00	3650.25	82.34	
1600.00	1.00	1508.00	3650.21	82.34	
1601.00	1.00	1509.00	3650.16	82.34	
1602.00	1.00	1510.00	3650.12	82.34	
1603.00	1.00	1511.00	3650.06	82.34	
1604.00	1.00	1512.00	3649.99	82.34	
1605.00	1.00	1513.00	3649.94	82.33	
1606.00	1.00	1514.00	3649.88	82.33	
1607.00	1.00	1515.00	3649.80	82.33	
1608.00	1.00	1516.00	3649.71	82.34	
1609.00	1.00	1517.00	3649.66	82.34	
1610.00	1.00	1518.00	3649.59	82.34	
1611.00	1.00	1519.00	3649.53	82.34	
1612.00	1.00	1520.00	3649.48	82.34	
1613.00	1.00	1521.00	3649.42	82.34	
1614.00	1.00	1522.00	3649.36	82.34	
1615.00	1.00	1523.00	3649.31	82.34	
1616.00	1.00	1524.00	3649.27	82.33	
1617.00	1.00	1525.00	3649.21	82.33	
1618.00	1.00	1526.00	3649.15	82.33	
1619.00	1.00	1527.00	3649.06	82.34	
1620.00	1.00	1528.00	3649.01	82.34	
1621.00	1.00	1529.00	3648.96	82.33	
1622.00	1.00	1530.00	3648.91	82.33	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1623.00	1.00	1531.00	3648.84	82.33	
1624.00	1.00	1532.00	3648.78	82.33	
1625.00	1.00	1533.00	3648.74	82.33	
1626.00	1.00	1534.00	3648.69	82.33	
1627.00	1.00	1535.00	3648.62	82.34	
1628.00	1.00	1536.00	3648.58	82.34	
1629.00	1.00	1537.00	3648.53	82.34	
1630.00	1.00	1538.00	3648.48	82.34	
1631.00	1.00	1539.00	3648.41	82.34	
1632.00	1.00	1540.00	3648.35	82.33	
1633.00	1.00	1541.00	3648.27	82.33	
1634.00	1.00	1542.00	3648.20	82.33	
1635.00	1.00	1543.00	3648.11	82.34	
1636.00	1.00	1544.00	3648.07	82.33	
1637.00	1.00	1545.00	3648.02	82.33	
1638.00	1.00	1546.00	3647.97	82.33	
1639.00	1.00	1547.00	3647.91	82.33	
1640.00	1.00	1548.00	3647.84	82.33	
1641.00	1.00	1549.00	3647.79	82.33	
1642.00	1.00	1550.00	3647.72	82.33	
1643.00	1.00	1551.00	3647.66	82.33	
1644.00	1.00	1552.00	3647.61	82.33	
1645.00	1.00	1553.00	3647.56	82.33	
1646.00	1.00	1554.00	3647.51	82.33	
1647.00	1.00	1555.00	3647.43	82.34	
1648.00	1.00	1556.00	3647.40	82.33	
1649.00	1.00	1557.00	3647.35	82.33	
1650.00	1.00	1558.00	3647.29	82.33	
1651.00	1.00	1559.00	3647.21	82.34	
1652.00	1.00	1560.00	3647.15	82.34	
1653.00	1.00	1561.00	3647.11	82.33	
1654.00	1.00	1562.00	3647.06	82.33	
1655.00	1.00	1563.00	3647.00	82.33	
1656.00	1.00	1564.00	3646.93	82.33	
1657.00	1.00	1565.00	3646.87	82.33	
1658.00	1.00	1566.00	3646.80	82.33	
1659.00	1.00	1567.00	3646.73	82.33	
1660.00	1.00	1568.00	3646.66	82.33	
1661.00	1.00	1569.00	3646.60	82.33	
1662.00	1.00	1570.00	3646.56	82.33	
1663.00	1.00	1571.00	3646.52	82.33	
1664.00	1.00	1572.00	3646.49	82.33	
1665.00	1.00	1573.00	3646.44	82.33	
1666.00	1.00	1574.00	3646.38	82.33	
1667.00	1.00	1575.00	3646.32	82.33	
1668.00	1.00	1576.00	3646.24	82.34	
1669.00	1.00	1577.00	3646.19	82.33	
1670.00	1.00	1578.00	3646.12	82.33	
1671.00	1.00	1579.00	3646.06	82.33	
1672.00	1.00	1580.00	3646.01	82.33	
1673.00	1.00	1581.00	3645.95	82.33	
1674.00	1.00	1582.00	3645.88	82.33	
1675.00	1.00	1583.00	3645.82	82.33	
1676.00	1.00	1584.00	3645.77	82.33	
1677.00	1.00	1585.00	3645.72	82.33	
1678.00	1.00	1586.00	3645.66	82.33	
1679.00	1.00	1587.00	3645.59	82.33	
1680.00	1.00	1588.00	3645.53	82.33	
1681.00	1.00	1589.00	3645.48	82.33	
1682.00	1.00	1590.00	3645.42	82.33	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1683.00	1.00	1591.00	3645.35	82.33	
1684.00	1.00	1592.00	3645.28	82.33	
1685.00	1.00	1593.00	3645.23	82.33	
1686.00	1.00	1594.00	3645.19	82.33	
1687.00	1.00	1595.00	3645.13	82.33	
1688.00	1.00	1596.00	3645.06	82.34	
1689.00	1.00	1597.00	3645.03	82.33	
1690.00	1.00	1598.00	3644.97	82.33	
1691.00	1.00	1599.00	3644.90	82.33	
1692.00	1.00	1600.00	3644.83	82.33	
1693.00	1.00	1601.00	3644.77	82.33	
1694.00	1.00	1602.00	3644.71	82.33	
1695.00	1.00	1603.00	3644.63	82.34	
1696.00	1.00	1604.00	3644.61	82.33	
1697.00	1.00	1605.00	3644.56	82.33	
1698.00	1.00	1606.00	3644.52	82.33	
1699.00	1.00	1607.00	3644.47	82.33	
1700.00	1.00	1608.00	3644.43	82.33	
1701.00	1.00	1609.00	3644.38	82.33	
1702.00	1.00	1610.00	3644.33	82.33	
1703.00	1.00	1611.00	3644.27	82.33	
1704.00	1.00	1612.00	3644.22	82.33	
1705.00	1.00	1613.00	3644.17	82.33	
1706.00	1.00	1614.00	3644.11	82.33	
1707.00	1.00	1615.00	3644.03	82.33	
1708.00	1.00	1616.00	3643.95	82.33	
1709.00	1.00	1617.00	3643.87	82.33	
1710.00	1.00	1618.00	3643.80	82.33	
1711.00	1.00	1619.00	3643.73	82.33	
1712.00	1.00	1620.00	3643.67	82.33	
1713.00	1.00	1621.00	3643.63	82.33	
1714.00	1.00	1622.00	3643.59	82.33	
1715.00	1.00	1623.00	3643.55	82.33	
1716.00	1.00	1624.00	3643.51	82.33	
1717.00	1.00	1625.00	3643.46	82.33	
1718.00	1.00	1626.00	3643.41	82.33	
1719.00	1.00	1627.00	3643.36	82.33	
1720.00	1.00	1628.00	3643.30	82.33	
1721.00	1.00	1629.00	3643.23	82.33	
1722.00	1.00	1630.00	3643.16	82.33	
1723.00	1.00	1631.00	3643.11	82.33	
1724.00	1.00	1632.00	3643.05	82.33	
1725.00	1.00	1633.00	3642.99	82.33	
1726.00	1.00	1634.00	3642.92	82.33	
1727.00	1.00	1635.00	3642.88	82.32	
1728.00	1.00	1636.00	3642.81	82.33	
1729.00	1.00	1637.00	3642.76	82.33	
1730.00	1.00	1638.00	3642.70	82.33	
1731.00	1.00	1639.00	3642.64	82.33	
1732.00	1.00	1640.00	3642.60	82.33	
1733.00	1.00	1641.00	3642.55	82.33	
1734.00	1.00	1642.00	3642.50	82.33	
1735.00	1.00	1643.00	3642.45	82.33	
1736.00	1.00	1644.00	3642.40	82.33	
1737.00	1.00	1645.00	3642.35	82.33	
1738.00	1.00	1646.00	3642.29	82.33	
1739.00	1.00	1647.00	3642.24	82.33	
1740.00	1.00	1648.00	3642.19	82.33	
1741.00	1.00	1649.00	3642.13	82.33	
1742.00	1.00	1650.00	3642.07	82.33	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1743.00	1.00	1651.00	3642.02	82.33	
1744.00	1.00	1652.00	3641.97	82.33	
1745.00	1.00	1653.00	3641.92	82.33	
1746.00	1.00	1654.00	3641.86	82.33	
1747.00	1.00	1655.00	3641.81	82.33	
1748.00	1.00	1656.00	3641.76	82.33	
1749.00	1.00	1657.00	3641.70	82.33	
1750.00	1.00	1658.00	3641.63	82.33	
1751.00	1.00	1659.00	3641.56	82.33	
1752.00	1.00	1660.00	3641.50	82.33	
1753.00	1.00	1661.00	3641.44	82.33	
1754.00	1.00	1662.00	3641.37	82.33	
1755.00	1.00	1663.00	3641.32	82.32	
1756.00	1.00	1664.00	3641.25	82.33	
1757.00	1.00	1665.00	3641.20	82.33	
1758.00	1.00	1666.00	3641.15	82.33	
1759.00	1.00	1667.00	3641.11	82.33	
1760.00	1.00	1668.00	3641.06	82.33	
1761.00	1.00	1669.00	3641.01	82.33	
1762.00	1.00	1670.00	3640.95	82.33	
1763.00	1.00	1671.00	3640.90	82.33	
1764.00	1.00	1672.00	3640.86	82.32	
1765.00	1.00	1673.00	3640.78	82.33	
1766.00	1.00	1674.00	3640.72	82.33	
1767.00	1.00	1675.00	3640.65	82.33	
1768.00	1.00	1676.00	3640.60	82.32	
1769.00	1.00	1677.00	3640.52	82.33	
1770.00	1.00	1678.00	3640.47	82.33	
1771.00	1.00	1679.00	3640.41	82.33	
1772.00	1.00	1680.00	3640.35	82.33	
1773.00	1.00	1681.00	3640.31	82.33	
1774.00	1.00	1682.00	3640.27	82.33	
1775.00	1.00	1683.00	3640.25	82.32	
1776.00	1.00	1684.00	3640.19	82.33	
1777.00	1.00	1685.00	3640.15	82.33	
1778.00	1.00	1686.00	3640.12	82.33	
1779.00	1.00	1687.00	3640.07	82.33	
1780.00	1.00	1688.00	3640.00	82.33	
1781.00	1.00	1689.00	3639.93	82.33	
1782.00	1.00	1690.00	3639.86	82.33	
1783.00	1.00	1691.00	3639.79	82.33	
1784.00	1.00	1692.00	3639.73	82.33	
1785.00	1.00	1693.00	3639.69	82.33	
1786.00	1.00	1694.00	3639.64	82.33	
1787.00	1.00	1695.00	3639.61	82.32	
1788.00	1.00	1696.00	3639.52	82.33	
1789.00	1.00	1697.00	3639.45	82.33	
1790.00	1.00	1698.00	3639.39	82.33	
1791.00	1.00	1699.00	3639.35	82.32	
1792.00	1.00	1700.00	3639.29	82.33	
1793.00	1.00	1701.00	3639.24	82.33	
1794.00	1.00	1702.00	3639.19	82.33	
1795.00	1.00	1703.00	3639.16	82.33	
1796.00	1.00	1704.00	3639.11	82.33	
1797.00	1.00	1705.00	3639.06	82.33	
1798.00	1.00	1706.00	3639.00	82.33	
1799.00	1.00	1707.00	3638.96	82.32	
1800.00	1.00	1708.00	3638.89	82.33	
1801.00	1.00	1709.00	3638.83	82.33	
1802.00	1.00	1710.00	3638.77	82.33	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1803.00	1.00	1711.00	3638.72	82.33	
1804.00	1.00	1712.00	3638.68	82.33	
1805.00	1.00	1713.00	3638.64	82.33	
1806.00	1.00	1714.00	3638.59	82.33	
1807.00	1.00	1715.00	3638.53	82.33	
1808.00	1.00	1716.00	3638.50	82.32	
1809.00	1.00	1717.00	3638.43	82.33	
1810.00	1.00	1718.00	3638.36	82.33	
1811.00	1.00	1719.00	3638.29	82.33	
1812.00	1.00	1720.00	3638.23	82.33	
1813.00	1.00	1721.00	3638.17	82.33	
1814.00	1.00	1722.00	3638.11	82.33	
1815.00	1.00	1723.00	3638.05	82.33	
1816.00	1.00	1724.00	3638.00	82.33	
1817.00	1.00	1725.00	3637.94	82.33	
1818.00	1.00	1726.00	3637.89	82.33	
1819.00	1.00	1727.00	3637.83	82.33	
1820.00	1.00	1728.00	3637.78	82.33	
1821.00	1.00	1729.00	3637.73	82.33	
1822.00	1.00	1730.00	3637.69	82.33	
1823.00	1.00	1731.00	3637.64	82.33	
1824.00	1.00	1732.00	3637.59	82.33	
1825.00	1.00	1733.00	3637.53	82.33	
1826.00	1.00	1734.00	3637.48	82.33	
1827.00	1.00	1735.00	3637.42	82.33	
1828.00	1.00	1736.00	3637.36	82.33	
1829.00	1.00	1737.00	3637.31	82.33	
1830.00	1.00	1738.00	3637.25	82.33	
1831.00	1.00	1739.00	3637.19	82.33	
1832.00	1.00	1740.00	3637.12	82.33	
1833.00	1.00	1741.00	3637.07	82.33	
1834.00	1.00	1742.00	3637.02	82.33	
1835.00	1.00	1743.00	3636.98	82.32	
1836.00	1.00	1744.00	3636.91	82.33	
1837.00	1.00	1745.00	3636.87	82.33	
1838.00	1.00	1746.00	3636.82	82.33	
1839.00	1.00	1747.00	3636.76	82.33	
1840.00	1.00	1748.00	3636.70	82.33	
1841.00	1.00	1749.00	3636.65	82.33	
1842.00	1.00	1750.00	3636.59	82.33	
1843.00	1.00	1751.00	3636.52	82.33	
1844.00	1.00	1752.00	3636.47	82.33	
1845.00	1.00	1753.00	3636.42	82.33	
1846.00	1.00	1754.00	3636.38	82.33	
1847.00	1.00	1755.00	3636.34	82.33	
1848.00	1.00	1756.00	3636.30	82.33	
1849.00	1.00	1757.00	3636.27	82.33	
1850.00	1.00	1758.00	3636.21	82.33	
1851.00	1.00	1759.00	3636.15	82.33	
1852.00	1.00	1760.00	3636.08	82.33	
1853.00	1.00	1761.00	3636.02	82.33	
1854.00	1.00	1762.00	3635.97	82.33	
1855.00	1.00	1763.00	3635.92	82.33	
1856.00	1.00	1764.00	3635.89	82.33	
1857.00	1.00	1765.00	3635.84	82.33	
1858.00	1.00	1766.00	3635.80	82.33	
1859.00	1.00	1767.00	3635.75	82.33	
1860.00	1.00	1768.00	3635.71	82.33	
1861.00	1.00	1769.00	3635.65	82.33	
1862.00	1.00	1770.00	3635.59	82.33	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1863.00	1.00	1771.00	3635.54	82.33	
1864.00	1.00	1772.00	3635.49	82.33	
1865.00	1.00	1773.00	3635.44	82.33	
1866.00	1.00	1774.00	3635.40	82.33	
1867.00	1.00	1775.00	3635.35	82.33	
1868.00	1.00	1776.00	3635.30	82.33	
1869.00	1.00	1777.00	3635.24	82.33	
1870.00	1.00	1778.00	3635.18	82.33	
1871.00	1.00	1779.00	3635.12	82.33	
1872.00	1.00	1780.00	3635.07	82.33	
1873.00	1.00	1781.00	3635.04	82.32	
1874.00	1.00	1782.00	3634.98	82.32	
1875.00	1.00	1783.00	3634.94	82.31	
1876.00	1.00	1784.00	3634.86	82.33	
1877.00	1.00	1785.00	3634.81	82.33	
1878.00	1.00	1786.00	3634.76	82.33	
1879.00	1.00	1787.00	3634.70	82.33	
1880.00	1.00	1788.00	3634.65	82.32	
1881.00	1.00	1789.00	3634.59	82.32	
1882.00	1.00	1790.00	3634.52	82.32	
1883.00	1.00	1791.00	3634.46	82.32	
1884.00	1.00	1792.00	3634.39	82.33	
1885.00	1.00	1793.00	3634.34	82.33	
1886.00	1.00	1794.00	3634.30	82.33	
1887.00	1.00	1795.00	3634.25	82.33	
1888.00	1.00	1796.00	3634.22	82.32	
1889.00	1.00	1797.00	3634.17	82.32	
1890.00	1.00	1798.00	3634.12	82.32	
1891.00	1.00	1799.00	3634.08	82.32	
1892.00	1.00	1800.00	3634.02	82.33	
1893.00	1.00	1801.00	3633.97	82.33	
1894.00	1.00	1802.00	3633.92	82.33	
1895.00	1.00	1803.00	3633.86	82.33	
1896.00	1.00	1804.00	3633.80	82.33	
1897.00	1.00	1805.00	3633.75	82.33	
1898.00	1.00	1806.00	3633.69	82.33	
1899.00	1.00	1807.00	3633.64	82.33	
1900.00	1.00	1808.00	3633.58	82.33	
1901.00	1.00	1809.00	3633.53	82.33	
1902.00	1.00	1810.00	3633.48	82.33	
1903.00	1.00	1811.00	3633.41	82.33	
1904.00	1.00	1812.00	3633.39	82.31	
1905.00	1.00	1813.00	3633.32	82.32	
1906.00	1.00	1814.00	3633.27	82.32	
1907.00	1.00	1815.00	3633.20	82.33	
1908.00	1.00	1816.00	3633.15	82.33	
1909.00	1.00	1817.00	3633.13	82.32	
1910.00	1.00	1818.00	3633.09	82.32	
1911.00	1.00	1819.00	3633.06	82.31	
1912.00	1.00	1820.00	3632.99	82.31	
1913.00	1.00	1821.00	3632.91	82.32	
1914.00	1.00	1822.00	3632.86	82.32	
1915.00	1.00	1823.00	3632.78	82.33	
1916.00	1.00	1824.00	3632.74	82.32	
1917.00	1.00	1825.00	3632.69	82.32	
1918.00	1.00	1826.00	3632.64	82.32	
1919.00	1.00	1827.00	3632.58	82.32	
1920.00	1.00	1828.00	3632.51	82.33	
1921.00	1.00	1829.00	3632.45	82.33	
1922.00	1.00	1830.00	3632.40	82.33	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1923.00	1.00	1831.00	3632.37	82.33	
1924.00	1.00	1832.00	3632.35	82.32	
1925.00	1.00	1833.00	3632.31	82.32	
1926.00	1.00	1834.00	3632.25	82.32	
1927.00	1.00	1835.00	3632.20	82.32	
1928.00	1.00	1836.00	3632.16	82.31	
1929.00	1.00	1837.00	3632.09	82.32	
1930.00	1.00	1838.00	3632.04	82.32	
1931.00	1.00	1839.00	3631.97	82.33	
1932.00	1.00	1840.00	3631.95	82.32	
1933.00	1.00	1841.00	3631.90	82.32	
1934.00	1.00	1842.00	3631.85	82.32	
1935.00	1.00	1843.00	3631.81	82.32	
1936.00	1.00	1844.00	3631.72	82.33	
1937.00	1.00	1845.00	3631.66	82.33	
1938.00	1.00	1846.00	3631.60	82.33	
1939.00	1.00	1847.00	3631.55	82.33	
1940.00	1.00	1848.00	3631.49	82.33	
1941.00	1.00	1849.00	3631.43	82.33	
1942.00	1.00	1850.00	3631.38	82.33	
1943.00	1.00	1851.00	3631.33	82.33	
1944.00	1.00	1852.00	3631.28	82.33	
1945.00	1.00	1853.00	3631.22	82.33	
1946.00	1.00	1854.00	3631.17	82.33	
1947.00	1.00	1855.00	3631.12	82.33	
1948.00	1.00	1856.00	3631.08	82.33	
1949.00	1.00	1857.00	3631.04	82.33	
1950.00	1.00	1858.00	3630.99	82.33	
1951.00	1.00	1859.00	3630.94	82.33	
1952.00	1.00	1860.00	3630.89	82.33	
1953.00	1.00	1861.00	3630.83	82.33	
1954.00	1.00	1862.00	3630.76	82.33	
1955.00	1.00	1863.00	3630.70	82.33	
1956.00	1.00	1864.00	3630.70	82.31	
1957.00	1.00	1865.00	3630.64	82.32	
1958.00	1.00	1866.00	3630.58	82.32	
1959.00	1.00	1867.00	3630.52	82.33	
1960.00	1.00	1868.00	3630.47	82.33	
1961.00	1.00	1869.00	3630.42	82.33	
1962.00	1.00	1870.00	3630.36	82.33	
1963.00	1.00	1871.00	3630.31	82.33	
1964.00	1.00	1872.00	3630.30	82.31	
1965.00	1.00	1873.00	3630.23	82.32	
1966.00	1.00	1874.00	3630.17	82.32	
1967.00	1.00	1875.00	3630.09	82.33	
1968.00	1.00	1876.00	3630.03	82.33	
1969.00	1.00	1877.00	3629.99	82.32	
1970.00	1.00	1878.00	3629.94	82.32	
1971.00	1.00	1879.00	3629.90	82.31	
1972.00	1.00	1880.00	3629.86	82.31	
1973.00	1.00	1881.00	3629.80	82.32	
1974.00	1.00	1882.00	3629.75	82.32	
1975.00	1.00	1883.00	3629.67	82.33	
1976.00	1.00	1884.00	3629.62	82.32	
1977.00	1.00	1885.00	3629.59	82.32	
1978.00	1.00	1886.00	3629.55	82.32	
1979.00	1.00	1887.00	3629.51	82.32	
1980.00	1.00	1888.00	3629.49	82.32	
1981.00	1.00	1889.00	3629.46	82.32	
1982.00	1.00	1890.00	3629.43	82.32	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
1983.00	1.00	1891.00	3629.38	82.32	
1984.00	1.00	1892.00	3629.32	82.32	
1985.00	1.00	1893.00	3629.25	82.32	
1986.00	1.00	1894.00	3629.17	82.32	
1987.00	1.00	1895.00	3629.09	82.32	
1988.00	1.00	1896.00	3629.02	82.32	
1989.00	1.00	1897.00	3628.97	82.32	
1990.00	1.00	1898.00	3628.92	82.32	
1991.00	1.00	1899.00	3628.86	82.32	
1992.00	1.00	1900.00	3628.82	82.32	
1993.00	1.00	1901.00	3628.77	82.32	
1994.00	1.00	1902.00	3628.72	82.32	
1995.00	1.00	1903.00	3628.67	82.32	
1996.00	1.00	1904.00	3628.64	82.32	
1997.00	1.00	1905.00	3628.61	82.31	
1998.00	1.00	1906.00	3628.58	82.31	
1999.00	1.00	1907.00	3628.57	82.31	
2000.00	1.00	1908.00	3628.49	82.32	
2001.00	1.00	1909.00	3628.43	82.32	
2002.00	1.00	1910.00	3628.36	82.32	
2003.00	1.00	1911.00	3628.30	82.32	
2004.00	1.00	1912.00	3628.25	82.32	
2005.00	1.00	1913.00	3628.20	82.32	
2006.00	1.00	1914.00	3628.15	82.32	
2007.00	1.00	1915.00	3628.11	82.32	
2008.00	1.00	1916.00	3628.10	82.31	
2009.00	1.00	1917.00	3628.07	82.31	
2010.00	1.00	1918.00	3628.01	82.31	
2011.00	1.00	1919.00	3627.96	82.31	
2012.00	1.00	1920.00	3627.89	82.32	
2013.00	1.00	1921.00	3627.86	82.31	
2014.00	1.00	1922.00	3627.80	82.31	
2015.00	1.00	1923.00	3627.76	82.31	
2016.00	1.00	1924.00	3627.68	82.32	
2017.00	1.00	1925.00	3627.63	82.32	
2018.00	1.00	1926.00	3627.58	82.32	
2019.00	1.00	1927.00	3627.53	82.32	
2020.00	1.00	1928.00	3627.53	82.31	
2021.00	1.00	1929.00	3627.47	82.31	
2022.00	1.00	1930.00	3627.43	82.31	
2023.00	1.00	1931.00	3627.37	82.32	
2024.00	1.00	1932.00	3627.35	82.32	
2025.00	1.00	1933.00	3627.30	82.32	
2026.00	1.00	1934.00	3627.24	82.32	
2027.00	1.00	1935.00	3627.18	82.32	
2028.00	1.00	1936.00	3627.16	82.31	
2029.00	1.00	1937.00	3627.07	82.31	
2030.00	1.00	1938.00	3627.00	82.31	
2031.00	1.00	1939.00	3626.93	82.32	
2032.00	1.00	1940.00	3626.87	82.32	
2033.00	1.00	1941.00	3626.82	82.32	
2034.00	1.00	1942.00	3626.76	82.32	
2035.00	1.00	1943.00	3626.71	82.32	
2036.00	1.00	1944.00	3626.68	82.31	
2037.00	1.00	1945.00	3626.64	82.31	
2038.00	1.00	1946.00	3626.58	82.31	
2039.00	1.00	1947.00	3626.51	82.31	
2040.00	1.00	1948.00	3626.44	82.32	
2041.00	1.00	1949.00	3626.43	82.31	
2042.00	1.00	1950.00	3626.38	82.31	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2043.00	1.00	1951.00	3626.35	82.31	
2044.00	1.00	1952.00	3626.27	82.32	
2045.00	1.00	1953.00	3626.23	82.32	
2046.00	1.00	1954.00	3626.17	82.32	
2047.00	1.00	1955.00	3626.12	82.32	
2048.00	1.00	1956.00	3626.11	82.31	
2049.00	1.00	1957.00	3626.04	82.31	
2050.00	1.00	1958.00	3626.01	82.31	
2051.00	1.00	1959.00	3625.94	82.32	
2052.00	1.00	1960.00	3625.91	82.31	
2053.00	1.00	1961.00	3625.86	82.31	
2054.00	1.00	1962.00	3625.81	82.31	
2055.00	1.00	1963.00	3625.75	82.31	
2056.00	1.00	1964.00	3625.70	82.31	
2057.00	1.00	1965.00	3625.67	82.31	
2058.00	1.00	1966.00	3625.64	82.31	
2059.00	1.00	1967.00	3625.60	82.31	
2060.00	1.00	1968.00	3625.55	82.32	
2061.00	1.00	1969.00	3625.54	82.31	
2062.00	1.00	1970.00	3625.49	82.31	
2063.00	1.00	1971.00	3625.45	82.31	
2064.00	1.00	1972.00	3625.37	82.31	
2065.00	1.00	1973.00	3625.31	82.31	
2066.00	1.00	1974.00	3625.25	82.31	
2067.00	1.00	1975.00	3625.19	82.31	
2068.00	1.00	1976.00	3625.15	82.31	
2069.00	1.00	1977.00	3625.07	82.31	
2070.00	1.00	1978.00	3625.02	82.31	
2071.00	1.00	1979.00	3624.94	82.32	
2072.00	1.00	1980.00	3624.88	82.32	
2073.00	1.00	1981.00	3624.85	82.31	
2074.00	1.00	1982.00	3624.81	82.31	
2075.00	1.00	1983.00	3624.79	82.31	
2076.00	1.00	1984.00	3624.73	82.31	
2077.00	1.00	1985.00	3624.69	82.31	
2078.00	1.00	1986.00	3624.65	82.31	
2079.00	1.00	1987.00	3624.62	82.31	
2080.00	1.00	1988.00	3624.56	82.32	
2081.00	1.00	1989.00	3624.54	82.32	
2082.00	1.00	1990.00	3624.51	82.32	
2083.00	1.00	1991.00	3624.48	82.32	
2084.00	1.00	1992.00	3624.49	82.31	
2085.00	1.00	1993.00	3624.42	82.31	
2086.00	1.00	1994.00	3624.36	82.31	
2087.00	1.00	1995.00	3624.29	82.32	
2088.00	1.00	1996.00	3624.25	82.31	
2089.00	1.00	1997.00	3624.20	82.31	
2090.00	1.00	1998.00	3624.14	82.31	
2091.00	1.00	1999.00	3624.09	82.31	
2092.00	1.00	2000.00	3624.02	82.32	
2093.00	1.00	2001.00	3623.98	82.31	
2094.00	1.00	2002.00	3623.92	82.31	
2095.00	1.00	2003.00	3623.87	82.31	
2096.00	1.00	2004.00	3623.79	82.31	
2097.00	1.00	2005.00	3623.73	82.31	
2098.00	1.00	2006.00	3623.68	82.31	
2099.00	1.00	2007.00	3623.64	82.31	
2100.00	1.00	2008.00	3623.57	82.32	
2101.00	1.00	2009.00	3623.53	82.32	
2102.00	1.00	2010.00	3623.49	82.32	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2103.00	1.00	2011.00	3623.46	82.32	
2104.00	1.00	2012.00	3623.44	82.31	
2105.00	1.00	2013.00	3623.38	82.31	
2106.00	1.00	2014.00	3623.33	82.31	
2107.00	1.00	2015.00	3623.29	82.31	
2108.00	1.00	2016.00	3623.23	82.31	
2109.00	1.00	2017.00	3623.18	82.31	
2110.00	1.00	2018.00	3623.12	82.31	
2111.00	1.00	2019.00	3623.06	82.31	
2112.00	1.00	2020.00	3623.01	82.31	
2113.00	1.00	2021.00	3622.96	82.31	
2114.00	1.00	2022.00	3622.91	82.31	
2115.00	1.00	2023.00	3622.86	82.31	
2116.00	1.00	2024.00	3622.81	82.32	
2117.00	1.00	2025.00	3622.77	82.32	
2118.00	1.00	2026.00	3622.73	82.32	
2119.00	1.00	2027.00	3622.67	82.32	
2120.00	1.00	2028.00	3622.65	82.31	
2121.00	1.00	2029.00	3622.60	82.31	
2122.00	1.00	2030.00	3622.55	82.31	
2123.00	1.00	2031.00	3622.51	82.31	
2124.00	1.00	2032.00	3622.46	82.31	
2125.00	1.00	2033.00	3622.40	82.31	
2126.00	1.00	2034.00	3622.36	82.31	
2127.00	1.00	2035.00	3622.31	82.31	
2128.00	1.00	2036.00	3622.26	82.31	
2129.00	1.00	2037.00	3622.20	82.31	
2130.00	1.00	2038.00	3622.15	82.31	
2131.00	1.00	2039.00	3622.10	82.31	
2132.00	1.00	2040.00	3622.06	82.31	
2133.00	1.00	2041.00	3622.00	82.31	
2134.00	1.00	2042.00	3621.97	82.31	
2135.00	1.00	2043.00	3621.91	82.32	
2136.00	1.00	2044.00	3621.87	82.32	
2137.00	1.00	2045.00	3621.85	82.31	
2138.00	1.00	2046.00	3621.80	82.31	
2139.00	1.00	2047.00	3621.77	82.31	
2140.00	1.00	2048.00	3621.69	82.31	
2141.00	1.00	2049.00	3621.63	82.31	
2142.00	1.00	2050.00	3621.58	82.31	
2143.00	1.00	2051.00	3621.53	82.31	
2144.00	1.00	2052.00	3621.49	82.31	
2145.00	1.00	2053.00	3621.45	82.31	
2146.00	1.00	2054.00	3621.41	82.31	
2147.00	1.00	2055.00	3621.38	82.31	
2148.00	1.00	2056.00	3621.34	82.31	
2149.00	1.00	2057.00	3621.29	82.31	
2150.00	1.00	2058.00	3621.23	82.31	
2151.00	1.00	2059.00	3621.18	82.31	
2152.00	1.00	2060.00	3621.13	82.31	
2153.00	1.00	2061.00	3621.07	82.31	
2154.00	1.00	2062.00	3621.02	82.31	
2155.00	1.00	2063.00	3620.97	82.31	
2156.00	1.00	2064.00	3620.94	82.30	
2157.00	1.00	2065.00	3620.91	82.31	
2158.00	1.00	2066.00	3620.87	82.31	
2159.00	1.00	2067.00	3620.81	82.31	
2160.00	1.00	2068.00	3620.80	82.30	
2161.00	1.00	2069.00	3620.76	82.31	
2162.00	1.00	2070.00	3620.70	82.31	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2163.00	1.00	2071.00	3620.61	82.31	
2164.00	1.00	2072.00	3620.55	82.31	
2165.00	1.00	2073.00	3620.50	82.31	
2166.00	1.00	2074.00	3620.45	82.31	
2167.00	1.00	2075.00	3620.42	82.31	
2168.00	1.00	2076.00	3620.38	82.31	
2169.00	1.00	2077.00	3620.37	82.31	
2170.00	1.00	2078.00	3620.33	82.31	
2171.00	1.00	2079.00	3620.27	82.30	
2172.00	1.00	2080.00	3620.20	82.31	
2173.00	1.00	2081.00	3620.15	82.31	
2174.00	1.00	2082.00	3620.10	82.31	
2175.00	1.00	2083.00	3620.05	82.31	
2176.00	1.00	2084.00	3620.00	82.31	
2177.00	1.00	2085.00	3619.95	82.31	
2178.00	1.00	2086.00	3619.90	82.31	
2179.00	1.00	2087.00	3619.85	82.31	
2180.00	1.00	2088.00	3619.80	82.31	
2181.00	1.00	2089.00	3619.76	82.31	
2182.00	1.00	2090.00	3619.71	82.31	
2183.00	1.00	2091.00	3619.67	82.31	
2184.00	1.00	2092.00	3619.62	82.31	
2185.00	1.00	2093.00	3619.57	82.31	
2186.00	1.00	2094.00	3619.51	82.31	
2187.00	1.00	2095.00	3619.46	82.31	
2188.00	1.00	2096.00	3619.42	82.30	
2189.00	1.00	2097.00	3619.38	82.31	
2190.00	1.00	2098.00	3619.35	82.31	
2191.00	1.00	2099.00	3619.30	82.31	
2192.00	1.00	2100.00	3619.28	82.30	
2193.00	1.00	2101.00	3619.26	82.31	
2194.00	1.00	2102.00	3619.22	82.31	
2195.00	1.00	2103.00	3619.15	82.31	
2196.00	1.00	2104.00	3619.10	82.31	
2197.00	1.00	2105.00	3619.04	82.31	
2198.00	1.00	2106.00	3618.99	82.31	
2199.00	1.00	2107.00	3618.94	82.31	
2200.00	1.00	2108.00	3618.90	82.30	
2201.00	1.00	2109.00	3618.88	82.31	
2202.00	1.00	2110.00	3618.85	82.31	
2203.00	1.00	2111.00	3618.81	82.31	
2204.00	1.00	2112.00	3618.77	82.31	
2205.00	1.00	2113.00	3618.75	82.31	
2206.00	1.00	2114.00	3618.69	82.31	
2207.00	1.00	2115.00	3618.64	82.30	
2208.00	1.00	2116.00	3618.56	82.31	
2209.00	1.00	2117.00	3618.49	82.31	
2210.00	1.00	2118.00	3618.44	82.31	
2211.00	1.00	2119.00	3618.38	82.31	
2212.00	1.00	2120.00	3618.33	82.31	
2213.00	1.00	2121.00	3618.29	82.31	
2214.00	1.00	2122.00	3618.25	82.31	
2215.00	1.00	2123.00	3618.20	82.30	
2216.00	1.00	2124.00	3618.15	82.30	
2217.00	1.00	2125.00	3618.09	82.31	
2218.00	1.00	2126.00	3618.05	82.31	
2219.00	1.00	2127.00	3617.99	82.31	
2220.00	1.00	2128.00	3617.97	82.31	
2221.00	1.00	2129.00	3617.93	82.31	
2222.00	1.00	2130.00	3617.89	82.31	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2223.00	1.00	2131.00	3617.86	82.31	
2224.00	1.00	2132.00	3617.80	82.31	
2225.00	1.00	2133.00	3617.76	82.31	
2226.00	1.00	2134.00	3617.72	82.31	
2227.00	1.00	2135.00	3617.68	82.31	
2228.00	1.00	2136.00	3617.63	82.30	
2229.00	1.00	2137.00	3617.58	82.31	
2230.00	1.00	2138.00	3617.53	82.31	
2231.00	1.00	2139.00	3617.46	82.31	
2232.00	1.00	2140.00	3617.43	82.31	
2233.00	1.00	2141.00	3617.39	82.31	
2234.00	1.00	2142.00	3617.37	82.31	
2235.00	1.00	2143.00	3617.33	82.31	
2236.00	1.00	2144.00	3617.28	82.31	
2237.00	1.00	2145.00	3617.25	82.31	
2238.00	1.00	2146.00	3617.21	82.31	
2239.00	1.00	2147.00	3617.17	82.31	
2240.00	1.00	2148.00	3617.15	82.30	
2241.00	1.00	2149.00	3617.10	82.31	
2242.00	1.00	2150.00	3617.05	82.31	
2243.00	1.00	2151.00	3616.98	82.31	
2244.00	1.00	2152.00	3616.94	82.31	
2245.00	1.00	2153.00	3616.89	82.31	
2246.00	1.00	2154.00	3616.83	82.31	
2247.00	1.00	2155.00	3616.79	82.31	
2248.00	1.00	2156.00	3616.74	82.30	
2249.00	1.00	2157.00	3616.70	82.31	
2250.00	1.00	2158.00	3616.65	82.31	
2251.00	1.00	2159.00	3616.58	82.31	
2252.00	1.00	2160.00	3616.54	82.31	
2253.00	1.00	2161.00	3616.50	82.31	
2254.00	1.00	2162.00	3616.46	82.31	
2255.00	1.00	2163.00	3616.44	82.31	
2256.00	1.00	2164.00	3616.39	82.31	
2257.00	1.00	2165.00	3616.35	82.31	
2258.00	1.00	2166.00	3616.32	82.31	
2259.00	1.00	2167.00	3616.28	82.31	
2260.00	1.00	2168.00	3616.22	82.31	
2261.00	1.00	2169.00	3616.18	82.31	
2262.00	1.00	2170.00	3616.14	82.31	
2263.00	1.00	2171.00	3616.10	82.31	
2264.00	1.00	2172.00	3616.08	82.31	
2265.00	1.00	2173.00	3616.02	82.31	
2266.00	1.00	2174.00	3615.96	82.31	
2267.00	1.00	2175.00	3615.91	82.31	
2268.00	1.00	2176.00	3615.86	82.31	
2269.00	1.00	2177.00	3615.80	82.31	
2270.00	1.00	2178.00	3615.75	82.31	
2271.00	1.00	2179.00	3615.70	82.31	
2272.00	1.00	2180.00	3615.64	82.31	
2273.00	1.00	2181.00	3615.62	82.31	
2274.00	1.00	2182.00	3615.57	82.31	
2275.00	1.00	2183.00	3615.54	82.30	
2276.00	1.00	2184.00	3615.49	82.31	
2277.00	1.00	2185.00	3615.45	82.31	
2278.00	1.00	2186.00	3615.39	82.31	
2279.00	1.00	2187.00	3615.34	82.31	
2280.00	1.00	2188.00	3615.29	82.31	
2281.00	1.00	2189.00	3615.24	82.31	
2282.00	1.00	2190.00	3615.20	82.31	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2283.00	1.00	2191.00	3615.16	82.31	
2284.00	1.00	2192.00	3615.12	82.31	
2285.00	1.00	2193.00	3615.10	82.31	
2286.00	1.00	2194.00	3615.07	82.31	
2287.00	1.00	2195.00	3615.04	82.31	
2288.00	1.00	2196.00	3615.01	82.29	
2289.00	1.00	2197.00	3614.95	82.30	
2290.00	1.00	2198.00	3614.90	82.30	
2291.00	1.00	2199.00	3614.84	82.31	
2292.00	1.00	2200.00	3614.78	82.31	
2293.00	1.00	2201.00	3614.72	82.31	
2294.00	1.00	2202.00	3614.67	82.31	
2295.00	1.00	2203.00	3614.61	82.31	
2296.00	1.00	2204.00	3614.56	82.31	
2297.00	1.00	2205.00	3614.52	82.31	
2298.00	1.00	2206.00	3614.49	82.31	
2299.00	1.00	2207.00	3614.45	82.31	
2300.00	1.00	2208.00	3614.41	82.31	
2301.00	1.00	2209.00	3614.36	82.31	
2302.00	1.00	2210.00	3614.31	82.31	
2303.00	1.00	2211.00	3614.26	82.31	
2304.00	1.00	2212.00	3614.21	82.31	
2305.00	1.00	2213.00	3614.17	82.30	
2306.00	1.00	2214.00	3614.14	82.30	
2307.00	1.00	2215.00	3614.11	82.29	
2308.00	1.00	2216.00	3614.04	82.31	
2309.00	1.00	2217.00	3613.99	82.31	
2310.00	1.00	2218.00	3613.96	82.31	
2311.00	1.00	2219.00	3613.92	82.31	
2312.00	1.00	2220.00	3613.88	82.31	
2313.00	1.00	2221.00	3613.86	82.31	
2314.00	1.00	2222.00	3613.82	82.31	
2315.00	1.00	2223.00	3613.79	82.31	
2316.00	1.00	2224.00	3613.75	82.31	
2317.00	1.00	2225.00	3613.71	82.31	
2318.00	1.00	2226.00	3613.66	82.31	
2319.00	1.00	2227.00	3613.61	82.31	
2320.00	1.00	2228.00	3613.58	82.31	
2321.00	1.00	2229.00	3613.54	82.31	
2322.00	1.00	2230.00	3613.50	82.31	
2323.00	1.00	2231.00	3613.46	82.31	
2324.00	1.00	2232.00	3613.42	82.31	
2325.00	1.00	2233.00	3613.39	82.30	
2326.00	1.00	2234.00	3613.34	82.30	
2327.00	1.00	2235.00	3613.32	82.29	
2328.00	1.00	2236.00	3613.26	82.29	
2329.00	1.00	2237.00	3613.19	82.30	
2330.00	1.00	2238.00	3613.13	82.30	
2331.00	1.00	2239.00	3613.07	82.31	
2332.00	1.00	2240.00	3613.03	82.29	
2333.00	1.00	2241.00	3612.95	82.30	
2334.00	1.00	2242.00	3612.91	82.30	
2335.00	1.00	2243.00	3612.86	82.31	
2336.00	1.00	2244.00	3612.83	82.30	
2337.00	1.00	2245.00	3612.80	82.30	
2338.00	1.00	2246.00	3612.75	82.30	
2339.00	1.00	2247.00	3612.70	82.30	
2340.00	1.00	2248.00	3612.65	82.31	
2341.00	1.00	2249.00	3612.62	82.30	
2342.00	1.00	2250.00	3612.58	82.30	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2343.00	1.00	2251.00	3612.56	82.29	
2344.00	1.00	2252.00	3612.54	82.29	
2345.00	1.00	2253.00	3612.48	82.30	
2346.00	1.00	2254.00	3612.44	82.30	
2347.00	1.00	2255.00	3612.39	82.31	
2348.00	1.00	2256.00	3612.35	82.30	
2349.00	1.00	2257.00	3612.30	82.30	
2350.00	1.00	2258.00	3612.25	82.30	
2351.00	1.00	2259.00	3612.21	82.30	
2352.00	1.00	2260.00	3612.19	82.29	
2353.00	1.00	2261.00	3612.13	82.30	
2354.00	1.00	2262.00	3612.10	82.30	
2355.00	1.00	2263.00	3612.05	82.31	
2356.00	1.00	2264.00	3612.03	82.29	
2357.00	1.00	2265.00	3611.96	82.30	
2358.00	1.00	2266.00	3611.93	82.30	
2359.00	1.00	2267.00	3611.88	82.31	
2360.00	1.00	2268.00	3611.84	82.31	
2361.00	1.00	2269.00	3611.81	82.31	
2362.00	1.00	2270.00	3611.77	82.31	
2363.00	1.00	2271.00	3611.72	82.31	
2364.00	1.00	2272.00	3611.65	82.30	
2365.00	1.00	2273.00	3611.59	82.30	
2366.00	1.00	2274.00	3611.54	82.30	
2367.00	1.00	2275.00	3611.49	82.30	
2368.00	1.00	2276.00	3611.45	82.31	
2369.00	1.00	2277.00	3611.42	82.30	
2370.00	1.00	2278.00	3611.40	82.30	
2371.00	1.00	2279.00	3611.39	82.29	
2372.00	1.00	2280.00	3611.34	82.31	
2373.00	1.00	2281.00	3611.29	82.31	
2374.00	1.00	2282.00	3611.24	82.31	
2375.00	1.00	2283.00	3611.18	82.31	
2376.00	1.00	2284.00	3611.14	82.30	
2377.00	1.00	2285.00	3611.10	82.30	
2378.00	1.00	2286.00	3611.07	82.30	
2379.00	1.00	2287.00	3611.03	82.30	
2380.00	1.00	2288.00	3611.01	82.31	
2381.00	1.00	2289.00	3610.97	82.31	
2382.00	1.00	2290.00	3610.92	82.31	
2383.00	1.00	2291.00	3610.87	82.31	
2384.00	1.00	2292.00	3610.82	82.31	
2385.00	1.00	2293.00	3610.76	82.30	
2386.00	1.00	2294.00	3610.70	82.30	
2387.00	1.00	2295.00	3610.66	82.29	
2388.00	1.00	2296.00	3610.58	82.31	
2389.00	1.00	2297.00	3610.52	82.31	
2390.00	1.00	2298.00	3610.46	82.31	
2391.00	1.00	2299.00	3610.41	82.31	
2392.00	1.00	2300.00	3610.38	82.31	
2393.00	1.00	2301.00	3610.34	82.30	
2394.00	1.00	2302.00	3610.32	82.30	
2395.00	1.00	2303.00	3610.32	82.29	
2396.00	1.00	2304.00	3610.26	82.31	
2397.00	1.00	2305.00	3610.21	82.30	
2398.00	1.00	2306.00	3610.17	82.30	
2399.00	1.00	2307.00	3610.14	82.29	
2400.00	1.00	2308.00	3610.07	82.30	
2401.00	1.00	2309.00	3610.03	82.30	
2402.00	1.00	2310.00	3609.98	82.30	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2403.00	1.00	2311.00	3609.95	82.30	
2404.00	1.00	2312.00	3609.90	82.31	
2405.00	1.00	2313.00	3609.86	82.30	
2406.00	1.00	2314.00	3609.81	82.30	
2407.00	1.00	2315.00	3609.79	82.29	
2408.00	1.00	2316.00	3609.74	82.29	
2409.00	1.00	2317.00	3609.68	82.30	
2410.00	1.00	2318.00	3609.65	82.30	
2411.00	1.00	2319.00	3609.62	82.31	
2412.00	1.00	2320.00	3609.59	82.31	
2413.00	1.00	2321.00	3609.56	82.30	
2414.00	1.00	2322.00	3609.51	82.30	
2415.00	1.00	2323.00	3609.49	82.29	
2416.00	1.00	2324.00	3609.46	82.29	
2417.00	1.00	2325.00	3609.40	82.30	
2418.00	1.00	2326.00	3609.35	82.30	
2419.00	1.00	2327.00	3609.31	82.31	
2420.00	1.00	2328.00	3609.26	82.30	
2421.00	1.00	2329.00	3609.23	82.30	
2422.00	1.00	2330.00	3609.18	82.30	
2423.00	1.00	2331.00	3609.13	82.30	
2424.00	1.00	2332.00	3609.08	82.30	
2425.00	1.00	2333.00	3609.05	82.30	
2426.00	1.00	2334.00	3609.02	82.30	
2427.00	1.00	2335.00	3608.98	82.30	
2428.00	1.00	2336.00	3608.94	82.30	
2429.00	1.00	2337.00	3608.91	82.30	
2430.00	1.00	2338.00	3608.87	82.30	
2431.00	1.00	2339.00	3608.82	82.30	
2432.00	1.00	2340.00	3608.79	82.29	
2433.00	1.00	2341.00	3608.74	82.29	
2434.00	1.00	2342.00	3608.69	82.29	
2435.00	1.00	2343.00	3608.64	82.29	
2436.00	1.00	2344.00	3608.57	82.30	
2437.00	1.00	2345.00	3608.54	82.30	
2438.00	1.00	2346.00	3608.49	82.30	
2439.00	1.00	2347.00	3608.45	82.30	
2440.00	1.00	2348.00	3608.42	82.29	
2441.00	1.00	2349.00	3608.37	82.29	
2442.00	1.00	2350.00	3608.34	82.29	
2443.00	1.00	2351.00	3608.30	82.29	
2444.00	1.00	2352.00	3608.26	82.30	
2445.00	1.00	2353.00	3608.23	82.30	
2446.00	1.00	2354.00	3608.21	82.30	
2447.00	1.00	2355.00	3608.17	82.30	
2448.00	1.00	2356.00	3608.13	82.30	
2449.00	1.00	2357.00	3608.08	82.30	
2450.00	1.00	2358.00	3608.04	82.30	
2451.00	1.00	2359.00	3608.00	82.30	
2452.00	1.00	2360.00	3607.95	82.30	
2453.00	1.00	2361.00	3607.93	82.29	
2454.00	1.00	2362.00	3607.90	82.29	
2455.00	1.00	2363.00	3607.89	82.29	
2456.00	1.00	2364.00	3607.82	82.30	
2457.00	1.00	2365.00	3607.79	82.30	
2458.00	1.00	2366.00	3607.76	82.30	
2459.00	1.00	2367.00	3607.73	82.30	
2460.00	1.00	2368.00	3607.68	82.30	
2461.00	1.00	2369.00	3607.64	82.30	
2462.00	1.00	2370.00	3607.59	82.30	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2463.00	1.00	2371.00	3607.53	82.30	
2464.00	1.00	2372.00	3607.47	82.30	
2465.00	1.00	2373.00	3607.43	82.30	
2466.00	1.00	2374.00	3607.39	82.30	
2467.00	1.00	2375.00	3607.36	82.30	
2468.00	1.00	2376.00	3607.35	82.29	
2469.00	1.00	2377.00	3607.32	82.29	
2470.00	1.00	2378.00	3607.29	82.29	
2471.00	1.00	2379.00	3607.24	82.29	
2472.00	1.00	2380.00	3607.17	82.30	
2473.00	1.00	2381.00	3607.12	82.30	
2474.00	1.00	2382.00	3607.07	82.30	
2475.00	1.00	2383.00	3607.03	82.30	
2476.00	1.00	2384.00	3606.98	82.30	
2477.00	1.00	2385.00	3606.95	82.30	
2478.00	1.00	2386.00	3606.93	82.30	
2479.00	1.00	2387.00	3606.90	82.30	
2480.00	1.00	2388.00	3606.87	82.30	
2481.00	1.00	2389.00	3606.82	82.30	
2482.00	1.00	2390.00	3606.79	82.30	
2483.00	1.00	2391.00	3606.76	82.30	
2484.00	1.00	2392.00	3606.76	82.29	
2485.00	1.00	2393.00	3606.70	82.29	
2486.00	1.00	2394.00	3606.66	82.29	
2487.00	1.00	2395.00	3606.59	82.30	
2488.00	1.00	2396.00	3606.54	82.30	
2489.00	1.00	2397.00	3606.48	82.30	
2490.00	1.00	2398.00	3606.43	82.30	
2491.00	1.00	2399.00	3606.38	82.30	
2492.00	1.00	2400.00	3606.34	82.30	
2493.00	1.00	2401.00	3606.29	82.30	
2494.00	1.00	2402.00	3606.25	82.30	
2495.00	1.00	2403.00	3606.21	82.30	
2496.00	1.00	2404.00	3606.16	82.30	
2497.00	1.00	2405.00	3606.13	82.29	
2498.00	1.00	2406.00	3606.08	82.29	
2499.00	1.00	2407.00	3606.05	82.29	
2500.00	1.00	2408.00	3605.96	82.30	
2501.00	1.00	2409.00	3605.93	82.30	
2502.00	1.00	2410.00	3605.90	82.30	
2503.00	1.00	2411.00	3605.86	82.30	
2504.00	1.00	2412.00	3605.82	82.30	
2505.00	1.00	2413.00	3605.78	82.30	
2506.00	1.00	2414.00	3605.74	82.30	
2507.00	1.00	2415.00	3605.69	82.30	
2508.00	1.00	2416.00	3605.65	82.30	
2509.00	1.00	2417.00	3605.63	82.29	
2510.00	1.00	2418.00	3605.59	82.29	
2511.00	1.00	2419.00	3605.58	82.29	
2512.00	1.00	2420.00	3605.52	82.29	
2513.00	1.00	2421.00	3605.48	82.29	
2514.00	1.00	2422.00	3605.44	82.29	
2515.00	1.00	2423.00	3605.40	82.29	
2516.00	1.00	2424.00	3605.38	82.29	
2517.00	1.00	2425.00	3605.33	82.29	
2518.00	1.00	2426.00	3605.28	82.29	
2519.00	1.00	2427.00	3605.23	82.30	
2520.00	1.00	2428.00	3605.22	82.29	
2521.00	1.00	2429.00	3605.19	82.29	
2522.00	1.00	2430.00	3605.15	82.29	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2523.00	1.00	2431.00	3605.09	82.29	
2524.00	1.00	2432.00	3605.02	82.30	
2525.00	1.00	2433.00	3604.98	82.30	
2526.00	1.00	2434.00	3604.94	82.30	
2527.00	1.00	2435.00	3604.90	82.30	
2528.00	1.00	2436.00	3604.86	82.30	
2529.00	1.00	2437.00	3604.82	82.30	
2530.00	1.00	2438.00	3604.78	82.30	
2531.00	1.00	2439.00	3604.74	82.30	
2532.00	1.00	2440.00	3604.70	82.30	
2533.00	1.00	2441.00	3604.65	82.30	
2534.00	1.00	2442.00	3604.61	82.30	
2535.00	1.00	2443.00	3604.57	82.30	
2536.00	1.00	2444.00	3604.52	82.30	
2537.00	1.00	2445.00	3604.45	82.30	
2538.00	1.00	2446.00	3604.40	82.30	
2539.00	1.00	2447.00	3604.35	82.30	
2540.00	1.00	2448.00	3604.30	82.30	
2541.00	1.00	2449.00	3604.27	82.30	
2542.00	1.00	2450.00	3604.25	82.30	
2543.00	1.00	2451.00	3604.24	82.30	
2544.00	1.00	2452.00	3604.22	82.30	
2545.00	1.00	2453.00	3604.19	82.30	
2546.00	1.00	2454.00	3604.17	82.30	
2547.00	1.00	2455.00	3604.13	82.30	
2548.00	1.00	2456.00	3604.12	82.29	
2549.00	1.00	2457.00	3604.05	82.29	
2550.00	1.00	2458.00	3604.00	82.29	
2551.00	1.00	2459.00	3603.93	82.30	
2552.00	1.00	2460.00	3603.88	82.30	
2553.00	1.00	2461.00	3603.86	82.29	
2554.00	1.00	2462.00	3603.82	82.29	
2555.00	1.00	2463.00	3603.81	82.29	
2556.00	1.00	2464.00	3603.74	82.30	
2557.00	1.00	2465.00	3603.70	82.30	
2558.00	1.00	2466.00	3603.65	82.30	
2559.00	1.00	2467.00	3603.61	82.30	
2560.00	1.00	2468.00	3603.60	82.29	
2561.00	1.00	2469.00	3603.56	82.29	
2562.00	1.00	2470.00	3603.53	82.29	
2563.00	1.00	2471.00	3603.50	82.29	
2564.00	1.00	2472.00	3603.46	82.30	
2565.00	1.00	2473.00	3603.43	82.30	
2566.00	1.00	2474.00	3603.38	82.30	
2567.00	1.00	2475.00	3603.34	82.30	
2568.00	1.00	2476.00	3603.31	82.29	
2569.00	1.00	2477.00	3603.26	82.29	
2570.00	1.00	2478.00	3603.21	82.29	
2571.00	1.00	2479.00	3603.17	82.29	
2572.00	1.00	2480.00	3603.10	82.30	
2573.00	1.00	2481.00	3603.08	82.29	
2574.00	1.00	2482.00	3603.05	82.29	
2575.00	1.00	2483.00	3603.03	82.29	
2576.00	1.00	2484.00	3602.95	82.30	
2577.00	1.00	2485.00	3602.93	82.29	
2578.00	1.00	2486.00	3602.88	82.29	
2579.00	1.00	2487.00	3602.85	82.29	
2580.00	1.00	2488.00	3602.77	82.29	
2581.00	1.00	2489.00	3602.73	82.29	
2582.00	1.00	2490.00	3602.69	82.29	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2583.00	1.00	2491.00	3602.65	82.29	
2584.00	1.00	2492.00	3602.62	82.29	
2585.00	1.00	2493.00	3602.58	82.29	
2586.00	1.00	2494.00	3602.55	82.29	
2587.00	1.00	2495.00	3602.51	82.29	
2588.00	1.00	2496.00	3602.47	82.29	
2589.00	1.00	2497.00	3602.43	82.29	
2590.00	1.00	2498.00	3602.39	82.29	
2591.00	1.00	2499.00	3602.36	82.29	
2592.00	1.00	2500.00	3602.33	82.29	
2593.00	1.00	2501.00	3602.30	82.29	
2594.00	1.00	2502.00	3602.26	82.29	
2595.00	1.00	2503.00	3602.22	82.29	
2596.00	1.00	2504.00	3602.19	82.29	
2597.00	1.00	2505.00	3602.15	82.29	
2598.00	1.00	2506.00	3602.11	82.29	
2599.00	1.00	2507.00	3602.08	82.29	
2600.00	1.00	2508.00	3602.04	82.29	
2601.00	1.00	2509.00	3602.01	82.29	
2602.00	1.00	2510.00	3601.96	82.29	
2603.00	1.00	2511.00	3601.91	82.29	
2604.00	1.00	2512.00	3601.86	82.29	
2605.00	1.00	2513.00	3601.80	82.29	
2606.00	1.00	2514.00	3601.74	82.29	
2607.00	1.00	2515.00	3601.69	82.29	
2608.00	1.00	2516.00	3601.64	82.29	
2609.00	1.00	2517.00	3601.59	82.29	
2610.00	1.00	2518.00	3601.55	82.29	
2611.00	1.00	2519.00	3601.52	82.29	
2612.00	1.00	2520.00	3601.48	82.29	
2613.00	1.00	2521.00	3601.45	82.29	
2614.00	1.00	2522.00	3601.43	82.29	
2615.00	1.00	2523.00	3601.41	82.29	
2616.00	1.00	2524.00	3601.38	82.29	
2617.00	1.00	2525.00	3601.35	82.29	
2618.00	1.00	2526.00	3601.32	82.29	
2619.00	1.00	2527.00	3601.28	82.29	
2620.00	1.00	2528.00	3601.24	82.29	
2621.00	1.00	2529.00	3601.18	82.29	
2622.00	1.00	2530.00	3601.14	82.29	
2623.00	1.00	2531.00	3601.08	82.30	
2624.00	1.00	2532.00	3601.05	82.30	
2625.00	1.00	2533.00	3601.02	82.30	
2626.00	1.00	2534.00	3601.00	82.30	
2627.00	1.00	2535.00	3600.96	82.30	
2628.00	1.00	2536.00	3600.91	82.30	
2629.00	1.00	2537.00	3600.87	82.30	
2630.00	1.00	2538.00	3600.83	82.30	
2631.00	1.00	2539.00	3600.78	82.30	
2632.00	1.00	2540.00	3600.74	82.30	
2633.00	1.00	2541.00	3600.70	82.29	
2634.00	1.00	2542.00	3600.67	82.29	
2635.00	1.00	2543.00	3600.64	82.29	
2636.00	1.00	2544.00	3600.55	82.30	
2637.00	1.00	2545.00	3600.50	82.30	
2638.00	1.00	2546.00	3600.46	82.30	
2639.00	1.00	2547.00	3600.42	82.30	
2640.00	1.00	2548.00	3600.41	82.29	
2641.00	1.00	2549.00	3600.38	82.29	
2642.00	1.00	2550.00	3600.35	82.29	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2643.00	1.00	2551.00	3600.32	82.29	
2644.00	1.00	2552.00	3600.27	82.29	
2645.00	1.00	2553.00	3600.22	82.29	
2646.00	1.00	2554.00	3600.19	82.29	
2647.00	1.00	2555.00	3600.15	82.29	
2648.00	1.00	2556.00	3600.11	82.29	
2649.00	1.00	2557.00	3600.07	82.29	
2650.00	1.00	2558.00	3600.04	82.29	
2651.00	1.00	2559.00	3600.00	82.29	
2652.00	1.00	2560.00	3599.94	82.30	
2653.00	1.00	2561.00	3599.93	82.29	
2654.00	1.00	2562.00	3599.89	82.29	
2655.00	1.00	2563.00	3599.86	82.29	
2656.00	1.00	2564.00	3599.77	82.30	
2657.00	1.00	2565.00	3599.74	82.29	
2658.00	1.00	2566.00	3599.70	82.29	
2659.00	1.00	2567.00	3599.67	82.29	
2660.00	1.00	2568.00	3599.62	82.29	
2661.00	1.00	2569.00	3599.57	82.29	
2662.00	1.00	2570.00	3599.54	82.29	
2663.00	1.00	2571.00	3599.50	82.29	
2664.00	1.00	2572.00	3599.47	82.28	
2665.00	1.00	2573.00	3599.43	82.29	
2666.00	1.00	2574.00	3599.38	82.29	
2667.00	1.00	2575.00	3599.32	82.29	
2668.00	1.00	2576.00	3599.27	82.29	
2669.00	1.00	2577.00	3599.22	82.29	
2670.00	1.00	2578.00	3599.19	82.29	
2671.00	1.00	2579.00	3599.14	82.29	
2672.00	1.00	2580.00	3599.11	82.29	
2673.00	1.00	2581.00	3599.08	82.29	
2674.00	1.00	2582.00	3599.03	82.29	
2675.00	1.00	2583.00	3598.98	82.29	
2676.00	1.00	2584.00	3598.95	82.29	
2677.00	1.00	2585.00	3598.90	82.29	
2678.00	1.00	2586.00	3598.86	82.29	
2679.00	1.00	2587.00	3598.80	82.30	
2680.00	1.00	2588.00	3598.78	82.30	
2681.00	1.00	2589.00	3598.77	82.29	
2682.00	1.00	2590.00	3598.75	82.29	
2683.00	1.00	2591.00	3598.73	82.29	
2684.00	1.00	2592.00	3598.67	82.29	
2685.00	1.00	2593.00	3598.64	82.29	
2686.00	1.00	2594.00	3598.60	82.29	
2687.00	1.00	2595.00	3598.57	82.29	
2688.00	1.00	2596.00	3598.53	82.29	
2689.00	1.00	2597.00	3598.49	82.29	
2690.00	1.00	2598.00	3598.44	82.29	
2691.00	1.00	2599.00	3598.38	82.29	
2692.00	1.00	2600.00	3598.33	82.29	
2693.00	1.00	2601.00	3598.30	82.29	
2694.00	1.00	2602.00	3598.26	82.29	
2695.00	1.00	2603.00	3598.22	82.29	
2696.00	1.00	2604.00	3598.22	82.28	
2697.00	1.00	2605.00	3598.18	82.29	
2698.00	1.00	2606.00	3598.14	82.29	
2699.00	1.00	2607.00	3598.07	82.29	
2700.00	1.00	2608.00	3598.04	82.29	
2701.00	1.00	2609.00	3598.00	82.29	
2702.00	1.00	2610.00	3597.95	82.29	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2703.00	1.00	2611.00	3597.92	82.29	
2704.00	1.00	2612.00	3597.91	82.28	
2705.00	1.00	2613.00	3597.87	82.29	
2706.00	1.00	2614.00	3597.83	82.29	
2707.00	1.00	2615.00	3597.78	82.29	
2708.00	1.00	2616.00	3597.74	82.29	
2709.00	1.00	2617.00	3597.69	82.29	
2710.00	1.00	2618.00	3597.64	82.29	
2711.00	1.00	2619.00	3597.61	82.29	
2712.00	1.00	2620.00	3597.57	82.29	
2713.00	1.00	2621.00	3597.53	82.29	
2714.00	1.00	2622.00	3597.51	82.29	
2715.00	1.00	2623.00	3597.48	82.29	
2716.00	1.00	2624.00	3597.46	82.29	
2717.00	1.00	2625.00	3597.42	82.29	
2718.00	1.00	2626.00	3597.39	82.29	
2719.00	1.00	2627.00	3597.34	82.29	
2720.00	1.00	2628.00	3597.29	82.29	
2721.00	1.00	2629.00	3597.24	82.29	
2722.00	1.00	2630.00	3597.19	82.29	
2723.00	1.00	2631.00	3597.15	82.29	
2724.00	1.00	2632.00	3597.09	82.29	
2725.00	1.00	2633.00	3597.08	82.29	
2726.00	1.00	2634.00	3597.05	82.29	
2727.00	1.00	2635.00	3597.02	82.28	
2728.00	1.00	2636.00	3596.97	82.29	
2729.00	1.00	2637.00	3596.93	82.29	
2730.00	1.00	2638.00	3596.88	82.29	
2731.00	1.00	2639.00	3596.84	82.29	
2732.00	1.00	2640.00	3596.82	82.28	
2733.00	1.00	2641.00	3596.78	82.29	
2734.00	1.00	2642.00	3596.74	82.29	
2735.00	1.00	2643.00	3596.70	82.29	
2736.00	1.00	2644.00	3596.67	82.29	
2737.00	1.00	2645.00	3596.62	82.29	
2738.00	1.00	2646.00	3596.57	82.29	
2739.00	1.00	2647.00	3596.52	82.29	
2740.00	1.00	2648.00	3596.47	82.29	
2741.00	1.00	2649.00	3596.43	82.29	
2742.00	1.00	2650.00	3596.37	82.29	
2743.00	1.00	2651.00	3596.33	82.29	
2744.00	1.00	2652.00	3596.27	82.30	
2745.00	1.00	2653.00	3596.23	82.29	
2746.00	1.00	2654.00	3596.18	82.29	
2747.00	1.00	2655.00	3596.17	82.29	
2748.00	1.00	2656.00	3596.16	82.30	
2749.00	1.00	2657.00	3596.10	82.29	
2750.00	1.00	2658.00	3596.07	82.29	
2751.00	1.00	2659.00	3596.07	82.29	
2752.00	1.00	2660.00	3596.01	82.29	
2753.00	1.00	2661.00	3595.97	82.29	
2754.00	1.00	2662.00	3595.92	82.29	
2755.00	1.00	2663.00	3595.89	82.29	
2756.00	1.00	2664.00	3595.85	82.29	
2757.00	1.00	2665.00	3595.80	82.29	
2758.00	1.00	2666.00	3595.77	82.29	
2759.00	1.00	2667.00	3595.74	82.29	
2760.00	1.00	2668.00	3595.72	82.29	
2761.00	1.00	2669.00	3595.66	82.29	
2762.00	1.00	2670.00	3595.63	82.29	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2763.00	1.00	2671.00	3595.57	82.30	
2764.00	1.00	2672.00	3595.56	82.29	
2765.00	1.00	2673.00	3595.51	82.29	
2766.00	1.00	2674.00	3595.47	82.29	
2767.00	1.00	2675.00	3595.43	82.29	
2768.00	1.00	2676.00	3595.39	82.29	
2769.00	1.00	2677.00	3595.35	82.29	
2770.00	1.00	2678.00	3595.31	82.29	
2771.00	1.00	2679.00	3595.29	82.29	
2772.00	1.00	2680.00	3595.25	82.29	
2773.00	1.00	2681.00	3595.22	82.29	
2774.00	1.00	2682.00	3595.19	82.29	
2775.00	1.00	2683.00	3595.16	82.28	
2776.00	1.00	2684.00	3595.10	82.29	
2777.00	1.00	2685.00	3595.08	82.29	
2778.00	1.00	2686.00	3595.04	82.29	
2779.00	1.00	2687.00	3594.99	82.28	
2780.00	1.00	2688.00	3594.92	82.29	
2781.00	1.00	2689.00	3594.87	82.29	
2782.00	1.00	2690.00	3594.83	82.29	
2783.00	1.00	2691.00	3594.79	82.29	
2784.00	1.00	2692.00	3594.76	82.29	
2785.00	1.00	2693.00	3594.73	82.29	
2786.00	1.00	2694.00	3594.70	82.29	
2787.00	1.00	2695.00	3594.66	82.29	
2788.00	1.00	2696.00	3594.63	82.29	
2789.00	1.00	2697.00	3594.58	82.29	
2790.00	1.00	2698.00	3594.52	82.29	
2791.00	1.00	2699.00	3594.46	82.29	
2792.00	1.00	2700.00	3594.39	82.29	
2793.00	1.00	2701.00	3594.34	82.29	
2794.00	1.00	2702.00	3594.31	82.29	
2795.00	1.00	2703.00	3594.28	82.29	
2796.00	1.00	2704.00	3594.27	82.29	
2797.00	1.00	2705.00	3594.25	82.29	
2798.00	1.00	2706.00	3594.21	82.29	
2799.00	1.00	2707.00	3594.18	82.29	
2800.00	1.00	2708.00	3594.15	82.29	
2801.00	1.00	2709.00	3594.12	82.29	
2802.00	1.00	2710.00	3594.09	82.29	
2803.00	1.00	2711.00	3594.06	82.29	
2804.00	1.00	2712.00	3594.02	82.29	
2805.00	1.00	2713.00	3594.00	82.29	
2806.00	1.00	2714.00	3593.96	82.29	
2807.00	1.00	2715.00	3593.93	82.28	
2808.00	1.00	2716.00	3593.86	82.29	
2809.00	1.00	2717.00	3593.82	82.29	
2810.00	1.00	2718.00	3593.77	82.29	
2811.00	1.00	2719.00	3593.74	82.29	
2812.00	1.00	2720.00	3593.70	82.29	
2813.00	1.00	2721.00	3593.69	82.29	
2814.00	1.00	2722.00	3593.66	82.29	
2815.00	1.00	2723.00	3593.63	82.28	
2816.00	1.00	2724.00	3593.58	82.29	
2817.00	1.00	2725.00	3593.55	82.29	
2818.00	1.00	2726.00	3593.50	82.29	
2819.00	1.00	2727.00	3593.46	82.28	
2820.00	1.00	2728.00	3593.39	82.29	
2821.00	1.00	2729.00	3593.37	82.29	
2822.00	1.00	2730.00	3593.34	82.29	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2823.00	1.00	2731.00	3593.31	82.28	
2824.00	1.00	2732.00	3593.28	82.28	
2825.00	1.00	2733.00	3593.25	82.29	
2826.00	1.00	2734.00	3593.23	82.29	
2827.00	1.00	2735.00	3593.16	82.29	
2828.00	1.00	2736.00	3593.13	82.28	
2829.00	1.00	2737.00	3593.11	82.29	
2830.00	1.00	2738.00	3593.07	82.29	
2831.00	1.00	2739.00	3593.01	82.29	
2832.00	1.00	2740.00	3593.00	82.28	
2833.00	1.00	2741.00	3592.96	82.29	
2834.00	1.00	2742.00	3592.92	82.29	
2835.00	1.00	2743.00	3592.86	82.29	
2836.00	1.00	2744.00	3592.85	82.29	
2837.00	1.00	2745.00	3592.81	82.29	
2838.00	1.00	2746.00	3592.79	82.29	
2839.00	1.00	2747.00	3592.75	82.29	
2840.00	1.00	2748.00	3592.71	82.29	
2841.00	1.00	2749.00	3592.68	82.29	
2842.00	1.00	2750.00	3592.63	82.29	
2843.00	1.00	2751.00	3592.57	82.29	
2844.00	1.00	2752.00	3592.51	82.28	
2845.00	1.00	2753.00	3592.47	82.29	
2846.00	1.00	2754.00	3592.43	82.29	
2847.00	1.00	2755.00	3592.39	82.29	
2848.00	1.00	2756.00	3592.38	82.29	
2849.00	1.00	2757.00	3592.36	82.29	
2850.00	1.00	2758.00	3592.33	82.29	
2851.00	1.00	2759.00	3592.31	82.29	
2852.00	1.00	2760.00	3592.28	82.28	
2853.00	1.00	2761.00	3592.24	82.29	
2854.00	1.00	2762.00	3592.20	82.29	
2855.00	1.00	2763.00	3592.15	82.29	
2856.00	1.00	2764.00	3592.14	82.29	
2857.00	1.00	2765.00	3592.10	82.29	
2858.00	1.00	2766.00	3592.04	82.29	
2859.00	1.00	2767.00	3592.01	82.29	
2860.00	1.00	2768.00	3591.95	82.29	
2861.00	1.00	2769.00	3591.92	82.29	
2862.00	1.00	2770.00	3591.87	82.29	
2863.00	1.00	2771.00	3591.82	82.28	
2864.00	1.00	2772.00	3591.76	82.29	
2865.00	1.00	2773.00	3591.71	82.29	
2866.00	1.00	2774.00	3591.67	82.29	
2867.00	1.00	2775.00	3591.63	82.29	
2868.00	1.00	2776.00	3591.60	82.29	
2869.00	1.00	2777.00	3591.57	82.29	
2870.00	1.00	2778.00	3591.55	82.29	
2871.00	1.00	2779.00	3591.52	82.29	
2872.00	1.00	2780.00	3591.50	82.29	
2873.00	1.00	2781.00	3591.47	82.29	
2874.00	1.00	2782.00	3591.45	82.29	
2875.00	1.00	2783.00	3591.41	82.29	
2876.00	1.00	2784.00	3591.38	82.29	
2877.00	1.00	2785.00	3591.33	82.29	
2878.00	1.00	2786.00	3591.29	82.29	
2879.00	1.00	2787.00	3591.25	82.29	
2880.00	1.00	2788.00	3591.21	82.29	
2881.00	1.00	2789.00	3591.18	82.29	
2882.00	1.00	2790.00	3591.15	82.29	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2883.00	1.00	2791.00	3591.11	82.29	
2884.00	1.00	2792.00	3591.07	82.29	
2885.00	1.00	2793.00	3591.02	82.29	
2886.00	1.00	2794.00	3590.97	82.29	
2887.00	1.00	2795.00	3590.91	82.29	
2888.00	1.00	2796.00	3590.87	82.29	
2889.00	1.00	2797.00	3590.83	82.29	
2890.00	1.00	2798.00	3590.78	82.29	
2891.00	1.00	2799.00	3590.75	82.29	
2892.00	1.00	2800.00	3590.71	82.29	
2893.00	1.00	2801.00	3590.70	82.29	
2894.00	1.00	2802.00	3590.67	82.29	
2895.00	1.00	2803.00	3590.64	82.29	
2896.00	1.00	2804.00	3590.63	82.29	
2897.00	1.00	2805.00	3590.61	82.29	
2898.00	1.00	2806.00	3590.58	82.29	
2899.00	1.00	2807.00	3590.53	82.29	
2900.00	1.00	2808.00	3590.50	82.29	
2901.00	1.00	2809.00	3590.48	82.29	
2902.00	1.00	2810.00	3590.43	82.29	
2903.00	1.00	2811.00	3590.37	82.29	
2904.00	1.00	2812.00	3590.33	82.29	
2905.00	1.00	2813.00	3590.28	82.29	
2906.00	1.00	2814.00	3590.24	82.29	
2907.00	1.00	2815.00	3590.20	82.29	
2908.00	1.00	2816.00	3590.16	82.29	
2909.00	1.00	2817.00	3590.14	82.29	
2910.00	1.00	2818.00	3590.11	82.29	
2911.00	1.00	2819.00	3590.09	82.29	
2912.00	1.00	2820.00	3590.05	82.29	
2913.00	1.00	2821.00	3590.00	82.29	
2914.00	1.00	2822.00	3589.94	82.29	
2915.00	1.00	2823.00	3589.89	82.29	
2916.00	1.00	2824.00	3589.86	82.29	
2917.00	1.00	2825.00	3589.82	82.29	
2918.00	1.00	2826.00	3589.78	82.29	
2919.00	1.00	2827.00	3589.76	82.29	
2920.00	1.00	2828.00	3589.73	82.29	
2921.00	1.00	2829.00	3589.70	82.29	
2922.00	1.00	2830.00	3589.66	82.29	
2923.00	1.00	2831.00	3589.62	82.29	
2924.00	1.00	2832.00	3589.58	82.29	
2925.00	1.00	2833.00	3589.54	82.29	
2926.00	1.00	2834.00	3589.49	82.29	
2927.00	1.00	2835.00	3589.46	82.29	
2928.00	1.00	2836.00	3589.41	82.29	
2929.00	1.00	2837.00	3589.37	82.29	
2930.00	1.00	2838.00	3589.34	82.29	
2931.00	1.00	2839.00	3589.30	82.29	
2932.00	1.00	2840.00	3589.27	82.29	
2933.00	1.00	2841.00	3589.23	82.29	
2934.00	1.00	2842.00	3589.19	82.29	
2935.00	1.00	2843.00	3589.16	82.29	
2936.00	1.00	2844.00	3589.13	82.29	
2937.00	1.00	2845.00	3589.08	82.29	
2938.00	1.00	2846.00	3589.05	82.29	
2939.00	1.00	2847.00	3589.02	82.29	
2940.00	1.00	2848.00	3588.98	82.28	
2941.00	1.00	2849.00	3588.95	82.29	
2942.00	1.00	2850.00	3588.92	82.29	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
2943.00	1.00	2851.00	3588.88	82.29	
2944.00	1.00	2852.00	3588.85	82.29	
2945.00	1.00	2853.00	3588.82	82.29	
2946.00	1.00	2854.00	3588.79	82.29	
2947.00	1.00	2855.00	3588.75	82.29	
2948.00	1.00	2856.00	3588.72	82.29	
2949.00	1.00	2857.00	3588.69	82.29	
2950.00	1.00	2858.00	3588.65	82.29	
2951.00	1.00	2859.00	3588.62	82.29	
2952.00	1.00	2860.00	3588.57	82.29	
2953.00	1.00	2861.00	3588.56	82.29	
2954.00	1.00	2862.00	3588.54	82.29	
2955.00	1.00	2863.00	3588.50	82.28	
2956.00	1.00	2864.00	3588.44	82.29	
2957.00	1.00	2865.00	3588.44	82.29	
2958.00	1.00	2866.00	3588.40	82.29	
2959.00	1.00	2867.00	3588.36	82.28	
2960.00	1.00	2868.00	3588.32	82.29	
2961.00	1.00	2869.00	3588.28	82.29	
2962.00	1.00	2870.00	3588.25	82.29	
2963.00	1.00	2871.00	3588.22	82.29	
2964.00	1.00	2872.00	3588.18	82.29	
2965.00	1.00	2873.00	3588.15	82.29	
2966.00	1.00	2874.00	3588.11	82.29	
2967.00	1.00	2875.00	3588.07	82.29	
2968.00	1.00	2876.00	3588.01	82.29	
2969.00	1.00	2877.00	3588.00	82.29	
2970.00	1.00	2878.00	3587.95	82.29	
2971.00	1.00	2879.00	3587.92	82.28	
2972.00	1.00	2880.00	3587.90	82.29	
2973.00	1.00	2881.00	3587.87	82.29	
2974.00	1.00	2882.00	3587.84	82.29	
2975.00	1.00	2883.00	3587.79	82.29	
2976.00	1.00	2884.00	3587.74	82.29	
2977.00	1.00	2885.00	3587.71	82.29	
2978.00	1.00	2886.00	3587.68	82.29	
2979.00	1.00	2887.00	3587.64	82.29	
2980.00	1.00	2888.00	3587.60	82.29	
2981.00	1.00	2889.00	3587.57	82.28	
2982.00	1.00	2890.00	3587.52	82.28	
2983.00	1.00	2891.00	3587.50	82.27	
2984.00	1.00	2892.00	3587.43	82.29	
2985.00	1.00	2893.00	3587.39	82.29	
2986.00	1.00	2894.00	3587.36	82.29	
2987.00	1.00	2895.00	3587.32	82.29	
2988.00	1.00	2896.00	3587.29	82.29	
2989.00	1.00	2897.00	3587.25	82.29	
2990.00	1.00	2898.00	3587.20	82.29	
2991.00	1.00	2899.00	3587.19	82.29	
2992.00	1.00	2900.00	3587.18	82.29	
2993.00	1.00	2901.00	3587.14	82.29	
2994.00	1.00	2902.00	3587.11	82.29	
2995.00	1.00	2903.00	3587.09	82.28	
2996.00	1.00	2904.00	3587.04	82.29	
2997.00	1.00	2905.00	3586.99	82.29	
2998.00	1.00	2906.00	3586.94	82.29	
2999.00	1.00	2907.00	3586.90	82.29	
3000.00	1.00	2908.00	3586.87	82.29	
3001.00	1.00	2909.00	3586.83	82.29	
3002.00	1.00	2910.00	3586.79	82.29	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3003.00	1.00	2911.00	3586.76	82.29	
3004.00	1.00	2912.00	3586.72	82.29	
3005.00	1.00	2913.00	3586.70	82.29	
3006.00	1.00	2914.00	3586.66	82.29	
3007.00	1.00	2915.00	3586.63	82.29	
3008.00	1.00	2916.00	3586.60	82.29	
3009.00	1.00	2917.00	3586.58	82.29	
3010.00	1.00	2918.00	3586.55	82.29	
3011.00	1.00	2919.00	3586.53	82.29	
3012.00	1.00	2920.00	3586.50	82.29	
3013.00	1.00	2921.00	3586.48	82.29	
3014.00	1.00	2922.00	3586.45	82.29	
3015.00	1.00	2923.00	3586.42	82.29	
3016.00	1.00	2924.00	3586.38	82.29	
3017.00	1.00	2925.00	3586.33	82.29	
3018.00	1.00	2926.00	3586.30	82.29	
3019.00	1.00	2927.00	3586.27	82.29	
3020.00	1.00	2928.00	3586.25	82.27	
3021.00	1.00	2929.00	3586.20	82.28	
3022.00	1.00	2930.00	3586.17	82.28	
3023.00	1.00	2931.00	3586.14	82.29	
3024.00	1.00	2932.00	3586.12	82.27	
3025.00	1.00	2933.00	3586.05	82.28	
3026.00	1.00	2934.00	3586.01	82.28	
3027.00	1.00	2935.00	3585.96	82.29	
3028.00	1.00	2936.00	3585.92	82.27	
3029.00	1.00	2937.00	3585.86	82.28	
3030.00	1.00	2938.00	3585.82	82.28	
3031.00	1.00	2939.00	3585.78	82.29	
3032.00	1.00	2940.00	3585.74	82.29	
3033.00	1.00	2941.00	3585.72	82.29	
3034.00	1.00	2942.00	3585.69	82.29	
3035.00	1.00	2943.00	3585.65	82.29	
3036.00	1.00	2944.00	3585.61	82.29	
3037.00	1.00	2945.00	3585.58	82.29	
3038.00	1.00	2946.00	3585.54	82.29	
3039.00	1.00	2947.00	3585.50	82.29	
3040.00	1.00	2948.00	3585.49	82.27	
3041.00	1.00	2949.00	3585.43	82.28	
3042.00	1.00	2950.00	3585.40	82.28	
3043.00	1.00	2951.00	3585.36	82.29	
3044.00	1.00	2952.00	3585.32	82.29	
3045.00	1.00	2953.00	3585.29	82.29	
3046.00	1.00	2954.00	3585.26	82.29	
3047.00	1.00	2955.00	3585.24	82.29	
3048.00	1.00	2956.00	3585.21	82.29	
3049.00	1.00	2957.00	3585.20	82.29	
3050.00	1.00	2958.00	3585.18	82.29	
3051.00	1.00	2959.00	3585.16	82.29	
3052.00	1.00	2960.00	3585.13	82.29	
3053.00	1.00	2961.00	3585.09	82.28	
3054.00	1.00	2962.00	3585.05	82.28	
3055.00	1.00	2963.00	3585.03	82.27	
3056.00	1.00	2964.00	3584.98	82.29	
3057.00	1.00	2965.00	3584.94	82.29	
3058.00	1.00	2966.00	3584.91	82.29	
3059.00	1.00	2967.00	3584.88	82.29	
3060.00	1.00	2968.00	3584.84	82.29	
3061.00	1.00	2969.00	3584.81	82.28	
3062.00	1.00	2970.00	3584.77	82.28	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3063.00	1.00	2971.00	3584.76	82.27	
3064.00	1.00	2972.00	3584.72	82.29	
3065.00	1.00	2973.00	3584.69	82.29	
3066.00	1.00	2974.00	3584.66	82.29	
3067.00	1.00	2975.00	3584.61	82.29	
3068.00	1.00	2976.00	3584.56	82.29	
3069.00	1.00	2977.00	3584.50	82.29	
3070.00	1.00	2978.00	3584.45	82.29	
3071.00	1.00	2979.00	3584.41	82.29	
3072.00	1.00	2980.00	3584.37	82.29	
3073.00	1.00	2981.00	3584.34	82.29	
3074.00	1.00	2982.00	3584.33	82.29	
3075.00	1.00	2983.00	3584.30	82.29	
3076.00	1.00	2984.00	3584.27	82.29	
3077.00	1.00	2985.00	3584.23	82.29	
3078.00	1.00	2986.00	3584.19	82.29	
3079.00	1.00	2987.00	3584.15	82.29	
3080.00	1.00	2988.00	3584.12	82.28	
3081.00	1.00	2989.00	3584.08	82.28	
3082.00	1.00	2990.00	3584.06	82.28	
3083.00	1.00	2991.00	3584.05	82.28	
3084.00	1.00	2992.00	3584.02	82.29	
3085.00	1.00	2993.00	3583.99	82.28	
3086.00	1.00	2994.00	3583.96	82.28	
3087.00	1.00	2995.00	3583.95	82.27	
3088.00	1.00	2996.00	3583.88	82.28	
3089.00	1.00	2997.00	3583.83	82.28	
3090.00	1.00	2998.00	3583.80	82.28	
3091.00	1.00	2999.00	3583.76	82.28	
3092.00	1.00	3000.00	3583.73	82.28	
3093.00	1.00	3001.00	3583.70	82.28	
3094.00	1.00	3002.00	3583.67	82.28	
3095.00	1.00	3003.00	3583.64	82.28	
3096.00	1.00	3004.00	3583.63	82.27	
3097.00	1.00	3005.00	3583.59	82.28	
3098.00	1.00	3006.00	3583.55	82.28	
3099.00	1.00	3007.00	3583.53	82.29	
3100.00	1.00	3008.00	3583.54	82.27	
3101.00	1.00	3009.00	3583.48	82.28	
3102.00	1.00	3010.00	3583.45	82.28	
3103.00	1.00	3011.00	3583.42	82.29	
3104.00	1.00	3012.00	3583.37	82.28	
3105.00	1.00	3013.00	3583.33	82.28	
3106.00	1.00	3014.00	3583.30	82.28	
3107.00	1.00	3015.00	3583.26	82.28	
3108.00	1.00	3016.00	3583.24	82.27	
3109.00	1.00	3017.00	3583.19	82.28	
3110.00	1.00	3018.00	3583.16	82.28	
3111.00	1.00	3019.00	3583.12	82.29	
3112.00	1.00	3020.00	3583.10	82.28	
3113.00	1.00	3021.00	3583.07	82.28	
3114.00	1.00	3022.00	3583.07	82.28	
3115.00	1.00	3023.00	3583.03	82.28	
3116.00	1.00	3024.00	3583.00	82.28	
3117.00	1.00	3025.00	3582.95	82.28	
3118.00	1.00	3026.00	3582.89	82.28	
3119.00	1.00	3027.00	3582.84	82.28	
3120.00	1.00	3028.00	3582.78	82.28	
3121.00	1.00	3029.00	3582.75	82.28	
3122.00	1.00	3030.00	3582.72	82.28	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3123.00	1.00	3031.00	3582.70	82.28	
3124.00	1.00	3032.00	3582.69	82.28	
3125.00	1.00	3033.00	3582.67	82.29	
3126.00	1.00	3034.00	3582.64	82.29	
3127.00	1.00	3035.00	3582.60	82.29	
3128.00	1.00	3036.00	3582.56	82.29	
3129.00	1.00	3037.00	3582.54	82.29	
3130.00	1.00	3038.00	3582.51	82.29	
3131.00	1.00	3039.00	3582.51	82.29	
3132.00	1.00	3040.00	3582.51	82.29	
3133.00	1.00	3041.00	3582.50	82.29	
3134.00	1.00	3042.00	3582.43	82.29	
3135.00	1.00	3043.00	3582.39	82.29	
3136.00	1.00	3044.00	3582.34	82.28	
3137.00	1.00	3045.00	3582.27	82.28	
3138.00	1.00	3046.00	3582.22	82.28	
3139.00	1.00	3047.00	3582.19	82.28	
3140.00	1.00	3048.00	3582.15	82.29	
3141.00	1.00	3049.00	3582.12	82.29	
3142.00	1.00	3050.00	3582.09	82.29	
3143.00	1.00	3051.00	3582.07	82.29	
3144.00	1.00	3052.00	3582.03	82.28	
3145.00	1.00	3053.00	3581.98	82.28	
3146.00	1.00	3054.00	3581.96	82.28	
3147.00	1.00	3055.00	3581.92	82.28	
3148.00	1.00	3056.00	3581.90	82.28	
3149.00	1.00	3057.00	3581.87	82.28	
3150.00	1.00	3058.00	3581.84	82.28	
3151.00	1.00	3059.00	3581.80	82.28	
3152.00	1.00	3060.00	3581.75	82.28	
3153.00	1.00	3061.00	3581.71	82.28	
3154.00	1.00	3062.00	3581.67	82.28	
3155.00	1.00	3063.00	3581.63	82.28	
3156.00	1.00	3064.00	3581.59	82.28	
3157.00	1.00	3065.00	3581.56	82.28	
3158.00	1.00	3066.00	3581.53	82.28	
3159.00	1.00	3067.00	3581.49	82.28	
3160.00	1.00	3068.00	3581.45	82.28	
3161.00	1.00	3069.00	3581.41	82.28	
3162.00	1.00	3070.00	3581.38	82.28	
3163.00	1.00	3071.00	3581.34	82.28	
3164.00	1.00	3072.00	3581.33	82.28	
3165.00	1.00	3073.00	3581.32	82.28	
3166.00	1.00	3074.00	3581.32	82.28	
3167.00	1.00	3075.00	3581.31	82.28	
3168.00	1.00	3076.00	3581.28	82.27	
3169.00	1.00	3077.00	3581.22	82.28	
3170.00	1.00	3078.00	3581.17	82.28	
3171.00	1.00	3079.00	3581.13	82.29	
3172.00	1.00	3080.00	3581.10	82.27	
3173.00	1.00	3081.00	3581.04	82.28	
3174.00	1.00	3082.00	3581.01	82.28	
3175.00	1.00	3083.00	3580.99	82.29	/
3176.00	1.00	3084.00	3580.96	82.28	
3177.00	1.00	3085.00	3580.95	82.28	
3178.00	1.00	3086.00	3580.94	82.28	
3179.00	1.00	3087.00	3580.91	82.28	
3180.00	1.00	3088.00	3580.89	82.28	
3181.00	1.00	3089.00	3580.85	82.28	
3182.00	1.00	3090.00	3580.82	82.28	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3183.00	1.00	3091.00	3580.79	82.28	
3184.00	1.00	3092.00	3580.73	82.28	
3185.00	1.00	3093.00	3580.71	82.27	
3186.00	1.00	3094.00	3580.67	82.27	
3187.00	1.00	3095.00	3580.65	82.26	
3188.00	1.00	3096.00	3580.57	82.28	
3189.00	1.00	3097.00	3580.53	82.28	
3190.00	1.00	3098.00	3580.51	82.28	
3191.00	1.00	3099.00	3580.48	82.28	
3192.00	1.00	3100.00	3580.46	82.28	
3193.00	1.00	3101.00	3580.45	82.27	
3194.00	1.00	3102.00	3580.42	82.27	
3195.00	1.00	3103.00	3580.43	82.26	
3196.00	1.00	3104.00	3580.36	82.28	
3197.00	1.00	3105.00	3580.33	82.28	
3198.00	1.00	3106.00	3580.30	82.28	
3199.00	1.00	3107.00	3580.26	82.28	
3200.00	1.00	3108.00	3580.25	82.27	
3201.00	1.00	3109.00	3580.20	82.28	
3202.00	1.00	3110.00	3580.16	82.28	
3203.00	1.00	3111.00	3580.13	82.29	
3204.00	1.00	3112.00	3580.09	82.28	
3205.00	1.00	3113.00	3580.07	82.28	
3206.00	1.00	3114.00	3580.03	82.28	
3207.00	1.00	3115.00	3580.01	82.28	
3208.00	1.00	3116.00	3579.98	82.29	
3209.00	1.00	3117.00	3579.95	82.28	
3210.00	1.00	3118.00	3579.92	82.28	
3211.00	1.00	3119.00	3579.88	82.27	
3212.00	1.00	3120.00	3579.82	82.28	
3213.00	1.00	3121.00	3579.76	82.28	
3214.00	1.00	3122.00	3579.71	82.28	
3215.00	1.00	3123.00	3579.68	82.28	
3216.00	1.00	3124.00	3579.65	82.28	
3217.00	1.00	3125.00	3579.62	82.28	
3218.00	1.00	3126.00	3579.60	82.28	
3219.00	1.00	3127.00	3579.57	82.28	
3220.00	1.00	3128.00	3579.54	82.28	
3221.00	1.00	3129.00	3579.50	82.28	
3222.00	1.00	3130.00	3579.47	82.28	
3223.00	1.00	3131.00	3579.44	82.28	
3224.00	1.00	3132.00	3579.41	82.28	
3225.00	1.00	3133.00	3579.38	82.28	
3226.00	1.00	3134.00	3579.34	82.28	
3227.00	1.00	3135.00	3579.30	82.28	
3228.00	1.00	3136.00	3579.27	82.28	
3229.00	1.00	3137.00	3579.24	82.28	
3230.00	1.00	3138.00	3579.21	82.28	
3231.00	1.00	3139.00	3579.17	82.28	
3232.00	1.00	3140.00	3579.15	82.28	
3233.00	1.00	3141.00	3579.12	82.28	
3234.00	1.00	3142.00	3579.07	82.28	
3235.00	1.00	3143.00	3579.03	82.28	
3236.00	1.00	3144.00	3579.01	82.28	
3237.00	1.00	3145.00	3578.98	82.28	
3238.00	1.00	3146.00	3578.96	82.28	
3239.00	1.00	3147.00	3578.94	82.28	
3240.00	1.00	3148.00	3578.92	82.28	
3241.00	1.00	3149.00	3578.89	82.28	
3242.00	1.00	3150.00	3578.85	82.28	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3243.00	1.00	3151.00	3578.81	82.28	
3244.00	1.00	3152.00	3578.77	82.28	
3245.00	1.00	3153.00	3578.73	82.28	
3246.00	1.00	3154.00	3578.69	82.28	
3247.00	1.00	3155.00	3578.67	82.28	
3248.00	1.00	3156.00	3578.64	82.28	
3249.00	1.00	3157.00	3578.62	82.28	
3250.00	1.00	3158.00	3578.59	82.28	
3251.00	1.00	3159.00	3578.57	82.28	
3252.00	1.00	3160.00	3578.54	82.28	
3253.00	1.00	3161.00	3578.54	82.27	
3254.00	1.00	3162.00	3578.53	82.27	
3255.00	1.00	3163.00	3578.53	82.26	
3256.00	1.00	3164.00	3578.46	82.28	
3257.00	1.00	3165.00	3578.42	82.28	
3258.00	1.00	3166.00	3578.38	82.28	
3259.00	1.00	3167.00	3578.33	82.28	
3260.00	1.00	3168.00	3578.28	82.28	
3261.00	1.00	3169.00	3578.24	82.28	
3262.00	1.00	3170.00	3578.20	82.28	
3263.00	1.00	3171.00	3578.17	82.28	
3264.00	1.00	3172.00	3578.15	82.28	
3265.00	1.00	3173.00	3578.12	82.28	
3266.00	1.00	3174.00	3578.09	82.28	
3267.00	1.00	3175.00	3578.08	82.28	
3268.00	1.00	3176.00	3578.05	82.28	
3269.00	1.00	3177.00	3578.03	82.28	
3270.00	1.00	3178.00	3577.99	82.28	
3271.00	1.00	3179.00	3577.95	82.28	
3272.00	1.00	3180.00	3577.94	82.26	
3273.00	1.00	3181.00	3577.88	82.27	
3274.00	1.00	3182.00	3577.85	82.27	
3275.00	1.00	3183.00	3577.81	82.28	
3276.00	1.00	3184.00	3577.79	82.28	
3277.00	1.00	3185.00	3577.78	82.28	
3278.00	1.00	3186.00	3577.78	82.28	
3279.00	1.00	3187.00	3577.75	82.28	
3280.00	1.00	3188.00	3577.71	82.28	
3281.00	1.00	3189.00	3577.68	82.27	
3282.00	1.00	3190.00	3577.63	82.27	
3283.00	1.00	3191.00	3577.60	82.26	
3284.00	1.00	3192.00	3577.52	82.27	
3285.00	1.00	3193.00	3577.48	82.27	
3286.00	1.00	3194.00	3577.45	82.27	
3287.00	1.00	3195.00	3577.41	82.27	
3288.00	1.00	3196.00	3577.38	82.27	
3289.00	1.00	3197.00	3577.34	82.27	
3290.00	1.00	3198.00	3577.30	82.27	
3291.00	1.00	3199.00	3577.28	82.27	
3292.00	1.00	3200.00	3577.26	82.26	
3293.00	1.00	3201.00	3577.21	82.27	
3294.00	1.00	3202.00	3577.16	82.27	
3295.00	1.00	3203.00	3577.10	82.28	
3296.00	1.00	3204.00	3577.08	82.27	
3297.00	1.00	3205.00	3577.06	82.27	
3298.00	1.00	3206.00	3577.03	82.27	
3299.00	1.00	3207.00	3577.01	82.27	
3300.00	1.00	3208.00	3577.00	82.27	
3301.00	1.00	3209.00	3576.98	82.27	
3302.00	1.00	3210.00	3576.95	82.27	

Minutes..			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3303.00	1.00	3211.00	3576.90	82.28	
3304.00	1.00	3212.00	3576.87	82.28	
3305.00	1.00	3213.00	3576.85	82.28	
3306.00	1.00	3214.00	3576.81	82.28	
3307.00	1.00	3215.00	3576.78	82.28	
3308.00	1.00	3216.00	3576.75	82.28	
3309.00	1.00	3217.00	3576.73	82.27	
3310.00	1.00	3218.00	3576.68	82.27	
3311.00	1.00	3219.00	3576.65	82.26	
3312.00	1.00	3220.00	3576.59	82.28	
3313.00	1.00	3221.00	3576.54	82.28	
3314.00	1.00	3222.00	3576.50	82.28	
3315.00	1.00	3223.00	3576.48	82.28	
3316.00	1.00	3224.00	3576.47	82.28	
3317.00	1.00	3225.00	3576.44	82.28	
3318.00	1.00	3226.00	3576.41	82.28	
3319.00	1.00	3227.00	3576.38	82.28	
3320.00	1.00	3228.00	3576.34	82.28	
3321.00	1.00	3229.00	3576.30	82.28	
3322.00	1.00	3230.00	3576.26	82.28	
3323.00	1.00	3231.00	3576.23	82.28	
3324.00	1.00	3232.00	3576.20	82.28	
3325.00	1.00	3233.00	3576.16	82.28	
3326.00	1.00	3234.00	3576.14	82.28	
3327.00	1.00	3235.00	3576.11	82.28	
3328.00	1.00	3236.00	3576.08	82.28	
3329.00	1.00	3237.00	3576.04	82.28	
3330.00	1.00	3238.00	3576.00	82.28	
3331.00	1.00	3239.00	3575.97	82.28	
3332.00	1.00	3240.00	3575.94	82.28	
3333.00	1.00	3241.00	3575.92	82.28	
3334.00	1.00	3242.00	3575.89	82.28	
3335.00	1.00	3243.00	3575.87	82.28	
3336.00	1.00	3244.00	3575.84	82.28	
3337.00	1.00	3245.00	3575.83	82.27	
3338.00	1.00	3246.00	3575.79	82.27	
3339.00	1.00	3247.00	3575.76	82.26	
3340.00	1.00	3248.00	3575.73	82.26	
3341.00	1.00	3249.00	3575.68	82.27	
3342.00	1.00	3250.00	3575.65	82.27	
3343.00	1.00	3251.00	3575.61	82.28	
3344.00	1.00	3252.00	3575.58	82.28	
3345.00	1.00	3253.00	3575.56	82.28	
3346.00	1.00	3254.00	3575.53	82.28	
3347.00	1.00	3255.00	3575.51	82.28	
3348.00	1.00	3256.00	3575.47	82.28	
3349.00	1.00	3257.00	3575.44	82.28	
3350.00	1.00	3258.00	3575.40	82.28	
3351.00	1.00	3259.00	3575.35	82.28	
3352.00	1.00	3260.00	3575.32	82.27	
3353.00	1.00	3261.00	3575.28	82.27	
3354.00	1.00	3262.00	3575.25	82.27	
3355.00	1.00	3263.00	3575.22	82.27	
3356.00	1.00	3264.00	3575.20	82.27	
3357.00	1.00	3265.00	3575.19	82.27	
3358.00	1.00	3266.00	3575.15	82.27	
3359.00	1.00	3267.00	3575.13	82.27	
3360.00	1.00	3268.00	3575.10	82.27	
3361.00	1.00	3269.00	3575.08	82.27	
3362.00	1.00	3270.00	3575.04	82.27	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3363.00	1.00	3271.00	3575.00	82.27	
3364.00	1.00	3272.00	3574.96	82.27	
3365.00	1.00	3273.00	3574.92	82.27	
3366.00	1.00	3274.00	3574.88	82.27	
3367.00	1.00	3275.00	3574.84	82.27	
3368.00	1.00	3276.00	3574.81	82.27	
3369.00	1.00	3277.00	3574.77	82.27	
3370.00	1.00	3278.00	3574.75	82.27	
3371.00	1.00	3279.00	3574.71	82.27	
3372.00	1.00	3280.00	3574.67	82.27	
3373.00	1.00	3281.00	3574.65	82.27	
3374.00	1.00	3282.00	3574.63	82.27	
3375.00	1.00	3283.00	3574.62	82.27	
3376.00	1.00	3284.00	3574.61	82.27	
3377.00	1.00	3285.00	3574.61	82.26	
3378.00	1.00	3286.00	3574.56	82.26	
3379.00	1.00	3287.00	3574.52	82.26	
3380.00	1.00	3288.00	3574.47	82.26	
3381.00	1.00	3289.00	3574.42	82.26	
3382.00	1.00	3290.00	3574.39	82.26	
3383.00	1.00	3291.00	3574.36	82.26	
3384.00	1.00	3292.00	3574.31	82.27	
3385.00	1.00	3293.00	3574.28	82.27	
3386.00	1.00	3294.00	3574.23	82.27	
3387.00	1.00	3295.00	3574.20	82.27	
3388.00	1.00	3296.00	3574.16	82.27	
3389.00	1.00	3297.00	3574.12	82.27	
3390.00	1.00	3298.00	3574.11	82.27	
3391.00	1.00	3299.00	3574.08	82.27	
3392.00	1.00	3300.00	3574.08	82.28	
3393.00	1.00	3301.00	3574.04	82.27	
3394.00	1.00	3302.00	3574.04	82.27	
3395.00	1.00	3303.00	3574.02	82.26	
3396.00	1.00	3304.00	3573.95	82.28	
3397.00	1.00	3305.00	3573.94	82.28	
3398.00	1.00	3306.00	3573.90	82.28	
3399.00	1.00	3307.00	3573.86	82.28	
3400.00	1.00	3308.00	3573.86	82.26	
3401.00	1.00	3309.00	3573.79	82.27	
3402.00	1.00	3310.00	3573.74	82.27	
3403.00	1.00	3311.00	3573.70	82.28	
3404.00	1.00	3312.00	3573.68	82.28	
3405.00	1.00	3313.00	3573.64	82.28	
3406.00	1.00	3314.00	3573.62	82.28	
3407.00	1.00	3315.00	3573.60	82.28	
3408.00	1.00	3316.00	3573.57	82.28	
3409.00	1.00	3317.00	3573.55	82.27	
3410.00	1.00	3318.00	3573.52	82.27	
3411.00	1.00	3319.00	3573.50	82.26	
3412.00	1.00	3320.00	3573.44	82.27	
3413.00	1.00	3321.00	3573.40	82.27	
3414.00	1.00	3322.00	3573.37	82.27	
3415.00	1.00	3323.00	3573.32	82.27	
3416.00	1.00	3324.00	3573.31	82.26	
3417.00	1.00	3325.00	3573.28	82.26	
3418.00	1.00	3326.00	3573.25	82.26	
3419.00	1.00	3327.00	3573.20	82.27	
3420.00	1.00	3328.00	3573.16	82.27	
3421.00	1.00	3329.00	3573.14	82.27	
3422.00	1.00	3330.00	3573.11	82.27	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3423.00	1.00	3331.00	3573.09	82.27	
3424.00	1.00	3332.00	3573.09	82.26	
3425.00	1.00	3333.00	3573.04	82.27	
3426.00	1.00	3334.00	3573.01	82.27	
3427.00	1.00	3335.00	3572.96	82.28	
3428.00	1.00	3336.00	3572.94	82.27	
3429.00	1.00	3337.00	3572.89	82.28	
3430.00	1.00	3338.00	3572.87	82.28	
3431.00	1.00	3339.00	3572.84	82.29	
3432.00	1.00	3340.00	3572.81	82.28	
3433.00	1.00	3341.00	3572.79	82.28	
3434.00	1.00	3342.00	3572.76	82.28	
3435.00	1.00	3343.00	3572.72	82.28	
3436.00	1.00	3344.00	3572.68	82.28	
3437.00	1.00	3345.00	3572.64	82.28	
3438.00	1.00	3346.00	3572.60	82.28	
3439.00	1.00	3347.00	3572.57	82.28	
3440.00	1.00	3348.00	3572.56	82.27	
3441.00	1.00	3349.00	3572.56	82.28	
3442.00	1.00	3350.00	3572.55	82.28	
3443.00	1.00	3351.00	3572.54	82.28	
3444.00	1.00	3352.00	3572.54	82.28	
3445.00	1.00	3353.00	3572.46	82.28	
3446.00	1.00	3354.00	3572.43	82.28	
3447.00	1.00	3355.00	3572.39	82.28	
3448.00	1.00	3356.00	3572.36	82.28	
3449.00	1.00	3357.00	3572.33	82.28	
3450.00	1.00	3358.00	3572.30	82.28	
3451.00	1.00	3359.00	3572.27	82.28	
3452.00	1.00	3360.00	3572.24	82.28	
3453.00	1.00	3361.00	3572.24	82.27	
3454.00	1.00	3362.00	3572.21	82.27	
3455.00	1.00	3363.00	3572.19	82.26	
3456.00	1.00	3364.00	3572.14	82.27	
3457.00	1.00	3365.00	3572.13	82.26	
3458.00	1.00	3366.00	3572.09	82.26	
3459.00	1.00	3367.00	3572.05	82.26	
3460.00	1.00	3368.00	3571.99	82.27	
3461.00	1.00	3369.00	3571.95	82.27	
3462.00	1.00	3370.00	3571.90	82.27	
3463.00	1.00	3371.00	3571.86	82.27	
3464.00	1.00	3372.00	3571.83	82.27	
3465.00	1.00	3373.00	3571.80	82.27	
3466.00	1.00	3374.00	3571.78	82.27	
3467.00	1.00	3375.00	3571.75	82.27	
3468.00	1.00	3376.00	3571.73	82.27	
3469.00	1.00	3377.00	3571.70	82.27	
3470.00	1.00	3378.00	3571.67	82.27	
3471.00	1.00	3379.00	3571.63	82.27	
3472.00	1.00	3380.00	3571.59	82.27	
3473.00	1.00	3381.00	3571.57	82.27	
3474.00	1.00	3382.00	3571.54	82.27	
3475.00	1.00	3383.00	3571.52	82.27	
3476.00	1.00	3384.00	3571.51	82.26	
3477.00	1.00	3385.00	3571.49	82.26	
3478.00	1.00	3386.00	3571.45	82.26	
3479.00	1.00	3387.00	3571.41	82.26	
3480.00	1.00	3388.00	3571.38	82.26	
3481.00	1.00	3389.00	3571.33	82.26	
3482.00	1.00	3390.00	3571.29	82.26	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3483.00	1.00	3391.00	3571.26	82.26	
3484.00	1.00	3392.00	3571.22	82.26	
3485.00	1.00	3393.00	3571.18	82.26	
3486.00	1.00	3394.00	3571.14	82.26	
3487.00	1.00	3395.00	3571.11	82.26	
3488.00	1.00	3396.00	3571.09	82.26	
3489.00	1.00	3397.00	3571.06	82.26	
3490.00	1.00	3398.00	3571.06	82.26	
3491.00	1.00	3399.00	3571.06	82.26	
3492.00	1.00	3400.00	3571.05	82.26	
3493.00	1.00	3401.00	3571.04	82.26	
3494.00	1.00	3402.00	3570.97	82.26	
3495.00	1.00	3403.00	3570.95	82.26	
3496.00	1.00	3404.00	3570.90	82.26	
3497.00	1.00	3405.00	3570.86	82.26	
3498.00	1.00	3406.00	3570.83	82.26	
3499.00	1.00	3407.00	3570.79	82.26	
3500.00	1.00	3408.00	3570.77	82.26	
3501.00	1.00	3409.00	3570.74	82.26	
3502.00	1.00	3410.00	3570.72	82.26	
3503.00	1.00	3411.00	3570.69	82.26	
3504.00	1.00	3412.00	3570.66	82.26	
3505.00	1.00	3413.00	3570.62	82.26	
3506.00	1.00	3414.00	3570.59	82.26	
3507.00	1.00	3415.00	3570.58	82.26	
3508.00	1.00	3416.00	3570.54	82.26	
3509.00	1.00	3417.00	3570.50	82.26	
3510.00	1.00	3418.00	3570.47	82.26	
3511.00	1.00	3419.00	3570.47	82.27	
3512.00	1.00	3420.00	3570.42	82.26	
3513.00	1.00	3421.00	3570.39	82.26	
3514.00	1.00	3422.00	3570.36	82.26	
3515.00	1.00	3423.00	3570.36	82.27	
3516.00	1.00	3424.00	3570.30	82.27	
3517.00	1.00	3425.00	3570.30	82.26	
3518.00	1.00	3426.00	3570.27	82.26	
3519.00	1.00	3427.00	3570.24	82.26	
3520.00	1.00	3428.00	3570.19	82.27	
3521.00	1.00	3429.00	3570.16	82.26	
3522.00	1.00	3430.00	3570.13	82.26	
3523.00	1.00	3431.00	3570.10	82.26	
3524.00	1.00	3432.00	3570.05	82.27	
3525.00	1.00	3433.00	3570.02	82.27	
3526.00	1.00	3434.00	3569.99	82.27	
3527.00	1.00	3435.00	3569.97	82.27	
3528.00	1.00	3436.00	3569.95	82.26	
3529.00	1.00	3437.00	3569.91	82.26	
3530.00	1.00	3438.00	3569.88	82.26	
3531.00	1.00	3439.00	3569.84	82.27	
3532.00	1.00	3440.00	3569.81	82.27	
3533.00	1.00	3441.00	3569.79	82.27	
3534.00	1.00	3442.00	3569.77	82.27	
3535.00	1.00	3443.00	3569.75	82.27	
3536.00	1.00	3444.00	3569.73	82.26	
3537.00	1.00	3445.00	3569.69	82.26	
3538.00	1.00	3446.00	3569.65	82.26	
3539.00	1.00	3447.00	3569.60	82.26	
3540.00	1.00	3448.00	3569.54	82.27	
3541.00	1.00	3449.00	3569.49	82.27	
3542.00	1.00	3450.00	3569.46	82.27	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3543.00	1.00	3451.00	3569.43	82.27	
3544.00	1.00	3452.00	3569.43	82.26	
3545.00	1.00	3453.00	3569.38	82.27	
3546.00	1.00	3454.00	3569.38	82.27	
3547.00	1.00	3455.00	3569.33	82.28	
3548.00	1.00	3456.00	3569.31	82.27	
3549.00	1.00	3457.00	3569.27	82.27	
3550.00	1.00	3458.00	3569.25	82.27	
3551.00	1.00	3459.00	3569.22	82.27	
3552.00	1.00	3460.00	3569.20	82.27	
3553.00	1.00	3461.00	3569.20	82.27	
3554.00	1.00	3462.00	3569.19	82.27	
3555.00	1.00	3463.00	3569.19	82.27	
3556.00	1.00	3464.00	3569.15	82.26	
3557.00	1.00	3465.00	3569.12	82.26	
3558.00	1.00	3466.00	3569.09	82.26	
3559.00	1.00	3467.00	3569.05	82.26	
3560.00	1.00	3468.00	3569.00	82.26	
3561.00	1.00	3469.00	3568.97	82.26	
3562.00	1.00	3470.00	3568.94	82.26	
3563.00	1.00	3471.00	3568.91	82.26	
3564.00	1.00	3472.00	3568.90	82.25	
3565.00	1.00	3473.00	3568.85	82.26	
3566.00	1.00	3474.00	3568.82	82.26	
3567.00	1.00	3475.00	3568.78	82.26	
3568.00	1.00	3476.00	3568.75	82.26	
3569.00	1.00	3477.00	3568.70	82.26	
3570.00	1.00	3478.00	3568.66	82.26	
3571.00	1.00	3479.00	3568.62	82.26	
3572.00	1.00	3480.00	3568.58	82.26	
3573.00	1.00	3481.00	3568.54	82.26	
3574.00	1.00	3482.00	3568.51	82.26	
3575.00	1.00	3483.00	3568.47	82.26	
3576.00	1.00	3484.00	3568.43	82.26	
3577.00	1.00	3485.00	3568.41	82.26	
3578.00	1.00	3486.00	3568.37	82.26	
3579.00	1.00	3487.00	3568.32	82.27	
3580.00	1.00	3488.00	3568.30	82.26	
3581.00	1.00	3489.00	3568.26	82.26	
3582.00	1.00	3490.00	3568.24	82.26	
3583.00	1.00	3491.00	3568.21	82.26	
3584.00	1.00	3492.00	3568.19	82.26	
3585.00	1.00	3493.00	3568.16	82.26	
3586.00	1.00	3494.00	3568.14	82.26	
3587.00	1.00	3495.00	3568.09	82.27	
3588.00	1.00	3496.00	3568.06	82.27	
3589.00	1.00	3497.00	3568.02	82.27	
3590.00	1.00	3498.00	3567.98	82.27	
3591.00	1.00	3499.00	3567.96	82.27	
3592.00	1.00	3500.00	3567.94	82.26	
3593.00	1.00	3501.00	3567.91	82.26	
3594.00	1.00	3502.00	3567.88	82.26	
3595.00	1.00	3503.00	3567.86	82.26	
3596.00	1.00	3504.00	3567.83	82.26	
3597.00	1.00	3505.00	3567.79	82.26	
3598.00	1.00	3506.00	3567.78	82.26	
3599.00	1.00	3507.00	3567.75	82.26	
3600.00	1.00	3508.00	3567.74	82.25	
3601.00	1.00	3509.00	3567.72	82.26	
3602.00	1.00	3510.00	3567.72	82.26	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3603.00	1.00	3511.00	3567.69	82.26	
3604.00	1.00	3512.00	3567.67	82.26	
3605.00	1.00	3513.00	3567.64	82.26	
3606.00	1.00	3514.00	3567.62	82.26	
3607.00	1.00	3515.00	3567.61	82.25	
3608.00	1.00	3516.00	3567.56	82.26	
3609.00	1.00	3517.00	3567.55	82.26	
3610.00	1.00	3518.00	3567.51	82.26	
3611.00	1.00	3519.00	3567.47	82.26	
3612.00	1.00	3520.00	3567.43	82.25	
3613.00	1.00	3521.00	3567.37	82.26	
3614.00	1.00	3522.00	3567.33	82.26	
3615.00	1.00	3523.00	3567.29	82.26	
3616.00	1.00	3524.00	3567.26	82.26	
3617.00	1.00	3525.00	3567.23	82.26	
3618.00	1.00	3526.00	3567.19	82.26	
3619.00	1.00	3527.00	3567.15	82.26	
3620.00	1.00	3528.00	3567.12	82.26	
3621.00	1.00	3529.00	3567.08	82.26	
3622.00	1.00	3530.00	3567.05	82.26	
3623.00	1.00	3531.00	3567.03	82.26	
3624.00	1.00	3532.00	3567.02	82.26	
3625.00	1.00	3533.00	3566.99	82.26	
3626.00	1.00	3534.00	3566.97	82.26	
3627.00	1.00	3535.00	3566.95	82.26	
3628.00	1.00	3536.00	3566.93	82.25	
3629.00	1.00	3537.00	3566.87	82.26	
3630.00	1.00	3538.00	3566.84	82.26	
3631.00	1.00	3539.00	3566.81	82.26	
3632.00	1.00	3540.00	3566.77	82.26	
3633.00	1.00	3541.00	3566.74	82.26	
3634.00	1.00	3542.00	3566.71	82.26	
3635.00	1.00	3543.00	3566.69	82.26	
3636.00	1.00	3544.00	3566.64	82.27	
3637.00	1.00	3545.00	3566.64	82.26	
3638.00	1.00	3546.00	3566.61	82.26	
3639.00	1.00	3547.00	3566.59	82.26	
3640.00	1.00	3548.00	3566.56	82.26	
3641.00	1.00	3549.00	3566.53	82.26	
3642.00	1.00	3550.00	3566.49	82.26	
3643.00	1.00	3551.00	3566.46	82.26	
3644.00	1.00	3552.00	3566.43	82.26	
3645.00	1.00	3553.00	3566.41	82.26	
3646.00	1.00	3554.00	3566.39	82.26	
3647.00	1.00	3555.00	3566.39	82.27	
3648.00	1.00	3556.00	3566.32	82.27	
3649.00	1.00	3557.00	3566.31	82.26	
3650.00	1.00	3558.00	3566.27	82.26	
3651.00	1.00	3559.00	3566.21	82.26	
3652.00	1.00	3560.00	3566.15	82.27	
3653.00	1.00	3561.00	3566.12	82.26	
3654.00	1.00	3562.00	3566.10	82.26	
3655.00	1.00	3563.00	3566.07	82.26	
3656.00	1.00	3564.00	3566.05	82.26	
3657.00	1.00	3565.00	3566.03	82.26	
3658.00	1.00	3566.00	3566.01	82.26	
3659.00	1.00	3567.00	3565.99	82.26	
3660.00	1.00	3568.00	3565.97	82.25	
3661.00	1.00	3569.00	3565.93	82.26	
3662.00	1.00	3570.00	3565.90	82.26	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3663.00	1.00	3571.00	3565.87	82.26	
3664.00	1.00	3572.00	3565.84	82.26	
3665.00	1.00	3573.00	3565.82	82.26	
3666.00	1.00	3574.00	3565.78	82.26	
3667.00	1.00	3575.00	3565.77	82.26	
3668.00	1.00	3576.00	3565.74	82.26	
3669.00	1.00	3577.00	3565.70	82.26	
3670.00	1.00	3578.00	3565.66	82.26	
3671.00	1.00	3579.00	3565.61	82.26	
3672.00	1.00	3580.00	3565.57	82.26	
3673.00	1.00	3581.00	3565.53	82.26	
3674.00	1.00	3582.00	3565.50	82.26	
3675.00	1.00	3583.00	3565.46	82.26	
3676.00	1.00	3584.00	3565.44	82.26	
3677.00	1.00	3585.00	3565.41	82.26	
3678.00	1.00	3586.00	3565.39	82.26	
3679.00	1.00	3587.00	3565.36	82.26	
3680.00	1.00	3588.00	3565.35	82.26	
3681.00	1.00	3589.00	3565.31	82.26	
3682.00	1.00	3590.00	3565.28	82.26	
3683.00	1.00	3591.00	3565.25	82.26	
3684.00	1.00	3592.00	3565.25	82.25	
3685.00	1.00	3593.00	3565.19	82.26	
3686.00	1.00	3594.00	3565.16	82.26	
3687.00	1.00	3595.00	3565.14	82.26	
3688.00	1.00	3596.00	3565.11	82.26	
3689.00	1.00	3597.00	3565.08	82.26	
3690.00	1.00	3598.00	3565.05	82.26	
3691.00	1.00	3599.00	3565.04	82.25	
3692.00	1.00	3600.00	3564.99	82.26	
3693.00	1.00	3601.00	3564.97	82.26	
3694.00	1.00	3602.00	3564.94	82.26	
3695.00	1.00	3603.00	3564.92	82.26	
3696.00	1.00	3604.00	3564.89	82.26	
3697.00	1.00	3605.00	3564.87	82.26	
3698.00	1.00	3606.00	3564.84	82.26	
3699.00	1.00	3607.00	3564.81	82.26	
3700.00	1.00	3608.00	3564.79	82.26	
3701.00	1.00	3609.00	3564.76	82.26	
3702.00	1.00	3610.00	3564.73	82.26	
3703.00	1.00	3611.00	3564.71	82.26	
3704.00	1.00	3612.00	3564.67	82.26	
3705.00	1.00	3613.00	3564.63	82.26	
3706.00	1.00	3614.00	3564.59	82.26	
3707.00	1.00	3615.00	3564.57	82.26	
3708.00	1.00	3616.00	3564.57	82.25	
3709.00	1.00	3617.00	3564.53	82.26	
3710.00	1.00	3618.00	3564.52	82.26	
3711.00	1.00	3619.00	3564.51	82.26	
3712.00	1.00	3620.00	3564.49	82.26	
3713.00	1.00	3621.00	3564.45	82.26	
3714.00	1.00	3622.00	3564.42	82.26	
3715.00	1.00	3623.00	3564.40	82.25	
3716.00	1.00	3624.00	3564.36	82.25	
3717.00	1.00	3625.00	3564.30	82.26	
3718.00	1.00	3626.00	3564.27	82.26	
3719.00	1.00	3627.00	3564.25	82.26	
3720.00	1.00	3628.00	3564.22	82.26	
3721.00	1.00	3629.00	3564.20	82.26	
3722.00	1.00	3630.00	3564.17	82.26	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3723.00	1.00	3631.00	3564.16	82.25	
3724.00	1.00	3632.00	3564.10	82.26	
3725.00	1.00	3633.00	3564.06	82.26	
3726.00	1.00	3634.00	3564.00	82.26	
3727.00	1.00	3635.00	3563.97	82.26	
3728.00	1.00	3636.00	3563.94	82.26	
3729.00	1.00	3637.00	3563.91	82.26	
3730.00	1.00	3638.00	3563.89	82.26	
3731.00	1.00	3639.00	3563.86	82.26	
3732.00	1.00	3640.00	3563.83	82.26	
3733.00	1.00	3641.00	3563.79	82.26	
3734.00	1.00	3642.00	3563.77	82.26	
3735.00	1.00	3643.00	3563.74	82.26	
3736.00	1.00	3644.00	3563.74	82.25	
3737.00	1.00	3645.00	3563.69	82.26	
3738.00	1.00	3646.00	3563.68	82.26	
3739.00	1.00	3647.00	3563.67	82.26	
3740.00	1.00	3648.00	3563.63	82.26	
3741.00	1.00	3649.00	3563.59	82.26	
3742.00	1.00	3650.00	3563.56	82.26	
3743.00	1.00	3651.00	3563.53	82.26	
3744.00	1.00	3652.00	3563.50	82.26	
3745.00	1.00	3653.00	3563.46	82.26	
3746.00	1.00	3654.00	3563.42	82.26	
3747.00	1.00	3655.00	3563.39	82.26	
3748.00	1.00	3656.00	3563.37	82.25	
3749.00	1.00	3657.00	3563.31	82.26	
3750.00	1.00	3658.00	3563.28	82.26	
3751.00	1.00	3659.00	3563.25	82.26	
3752.00	1.00	3660.00	3563.22	82.26	
3753.00	1.00	3661.00	3563.20	82.26	
3754.00	1.00	3662.00	3563.19	82.26	
3755.00	1.00	3663.00	3563.19	82.26	
3756.00	1.00	3664.00	3563.18	82.26	
3757.00	1.00	3665.00	3563.18	82.26	
3758.00	1.00	3666.00	3563.11	82.26	
3759.00	1.00	3667.00	3563.08	82.26	
3760.00	1.00	3668.00	3563.05	82.26	
3761.00	1.00	3669.00	3563.03	82.26	
3762.00	1.00	3670.00	3562.99	82.26	
3763.00	1.00	3671.00	3562.98	82.25	
3764.00	1.00	3672.00	3562.97	82.26	
3765.00	1.00	3673.00	3562.92	82.26	
3766.00	1.00	3674.00	3562.87	82.26	
3767.00	1.00	3675.00	3562.83	82.26	
3768.00	1.00	3676.00	3562.81	82.26	
3769.00	1.00	3677.00	3562.78	82.26	
3770.00	1.00	3678.00	3562.75	82.26	
3771.00	1.00	3679.00	3562.75	82.26	
3772.00	1.00	3680.00	3562.74	82.26	
3773.00	1.00	3681.00	3562.69	82.26	
3774.00	1.00	3682.00	3562.66	82.26	
3775.00	1.00	3683.00	3562.64	82.26	
3776.00	1.00	3684.00	3562.62	82.26	
3777.00	1.00	3685.00	3562.59	82.26	
3778.00	1.00	3686.00	3562.55	82.26	
3779.00	1.00	3687.00	3562.50	82.26	
3780.00	1.00	3688.00	3562.45	82.26	
3781.00	1.00	3689.00	3562.40	82.26	
3782.00	1.00	3690.00	3562.37	82.26	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3783.00	1.00	3691.00	3562.33	82.26	
3784.00	1.00	3692.00	3562.30	82.26	
3785.00	1.00	3693.00	3562.28	82.26	
3786.00	1.00	3694.00	3562.26	82.26	
3787.00	1.00	3695.00	3562.24	82.26	
3788.00	1.00	3696.00	3562.23	82.26	
3789.00	1.00	3697.00	3562.22	82.26	
3790.00	1.00	3698.00	3562.20	82.26	
3791.00	1.00	3699.00	3562.18	82.26	
3792.00	1.00	3700.00	3562.19	82.25	
3793.00	1.00	3701.00	3562.13	82.26	
3794.00	1.00	3702.00	3562.10	82.26	
3795.00	1.00	3703.00	3562.07	82.26	
3796.00	1.00	3704.00	3562.05	82.26	
3797.00	1.00	3705.00	3562.02	82.26	
3798.00	1.00	3706.00	3562.00	82.26	
3799.00	1.00	3707.00	3561.96	82.26	
3800.00	1.00	3708.00	3561.93	82.26	
3801.00	1.00	3709.00	3561.90	82.26	
3802.00	1.00	3710.00	3561.85	82.26	
3803.00	1.00	3711.00	3561.82	82.26	
3804.00	1.00	3712.00	3561.79	82.26	
3805.00	1.00	3713.00	3561.77	82.26	
3806.00	1.00	3714.00	3561.74	82.26	
3807.00	1.00	3715.00	3561.72	82.26	
3808.00	1.00	3716.00	3561.69	82.26	
3809.00	1.00	3717.00	3561.65	82.26	
3810.00	1.00	3718.00	3561.61	82.26	
3811.00	1.00	3719.00	3561.57	82.26	
3812.00	1.00	3720.00	3561.53	82.26	
3813.00	1.00	3721.00	3561.52	82.25	
3814.00	1.00	3722.00	3561.50	82.25	
3815.00	1.00	3723.00	3561.50	82.24	
3816.00	1.00	3724.00	3561.48	82.24	
3817.00	1.00	3725.00	3561.47	82.25	
3818.00	1.00	3726.00	3561.42	82.25	
3819.00	1.00	3727.00	3561.37	82.26	
3820.00	1.00	3728.00	3561.37	82.25	
3821.00	1.00	3729.00	3561.36	82.26	
3822.00	1.00	3730.00	3561.31	82.26	
3823.00	1.00	3731.00	3561.30	82.26	
3824.00	1.00	3732.00	3561.28	82.26	
3825.00	1.00	3733.00	3561.26	82.26	
3826.00	1.00	3734.00	3561.22	82.26	
3827.00	1.00	3735.00	3561.18	82.26	
3828.00	1.00	3736.00	3561.15	82.26	
3829.00	1.00	3737.00	3561.11	82.26	
3830.00	1.00	3738.00	3561.08	82.26	
3831.00	1.00	3739.00	3561.04	82.26	
3832.00	1.00	3740.00	3561.00	82.26	
3833.00	1.00	3741.00	3560.98	82.26	
3834.00	1.00	3742.00	3560.95	82.26	
3835.00	1.00	3743.00	3560.91	82.26	
3836.00	1.00	3744.00	3560.88	82.26	
3837.00	1.00	3745.00	3560.86	82.26	
3838.00	1.00	3746.00	3560.84	82.26	
3839.00	1.00	3747.00	3560.83	82.26	
3840.00	1.00	3748.00	3560.80	82.26	
3841.00	1.00	3749.00	3560.77	82.26	
3842.00	1.00	3750.00	3560.75	82.26	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3843.00	1.00	3751.00	3560.74	82.26	
3844.00	1.00	3752.00	3560.72	82.26	
3845.00	1.00	3753.00	3560.69	82.26	
3846.00	1.00	3754.00	3560.66	82.26	
3847.00	1.00	3755.00	3560.64	82.26	
3848.00	1.00	3756.00	3560.62	82.25	
3849.00	1.00	3757.00	3560.56	82.26	
3850.00	1.00	3758.00	3560.53	82.26	
3851.00	1.00	3759.00	3560.50	82.26	
3852.00	1.00	3760.00	3560.46	82.26	
3853.00	1.00	3761.00	3560.43	82.26	
3854.00	1.00	3762.00	3560.40	82.26	
3855.00	1.00	3763.00	3560.38	82.26	
3856.00	1.00	3764.00	3560.35	82.26	
3857.00	1.00	3765.00	3560.33	82.26	
3858.00	1.00	3766.00	3560.30	82.26	
3859.00	1.00	3767.00	3560.28	82.26	
3860.00	1.00	3768.00	3560.27	82.25	
3861.00	1.00	3769.00	3560.23	82.26	
3862.00	1.00	3770.00	3560.20	82.26	
3863.00	1.00	3771.00	3560.17	82.26	
3864.00	1.00	3772.00	3560.15	82.26	
3865.00	1.00	3773.00	3560.13	82.26	
3866.00	1.00	3774.00	3560.11	82.26	
3867.00	1.00	3775.00	3560.08	82.26	
3868.00	1.00	3776.00	3560.06	82.26	
3869.00	1.00	3777.00	3560.05	82.26	
3870.00	1.00	3778.00	3560.02	82.26	
3871.00	1.00	3779.00	3560.00	82.26	
3872.00	1.00	3780.00	3559.98	82.25	
3873.00	1.00	3781.00	3559.95	82.25	
3874.00	1.00	3782.00	3559.91	82.25	
3875.00	1.00	3783.00	3559.87	82.25	
3876.00	1.00	3784.00	3559.81	82.26	
3877.00	1.00	3785.00	3559.78	82.26	
3878.00	1.00	3786.00	3559.78	82.26	
3879.00	1.00	3787.00	3559.74	82.26	
3880.00	1.00	3788.00	3559.75	82.24	
3881.00	1.00	3789.00	3559.71	82.25	
3882.00	1.00	3790.00	3559.68	82.25	
3883.00	1.00	3791.00	3559.64	82.26	
3884.00	1.00	3792.00	3559.61	82.26	
3885.00	1.00	3793.00	3559.59	82.26	
3886.00	1.00	3794.00	3559.56	82.26	
3887.00	1.00	3795.00	3559.53	82.26	
3888.00	1.00	3796.00	3559.53	82.25	
3889.00	1.00	3797.00	3559.48	82.26	
3890.00	1.00	3798.00	3559.44	82.26	
3891.00	1.00	3799.00	3559.42	82.26	
3892.00	1.00	3800.00	3559.39	82.26	
3893.00	1.00	3801.00	3559.37	82.26	
3894.00	1.00	3802.00	3559.34	82.26	
3895.00	1.00	3803.00	3559.32	82.26	
3896.00	1.00	3804.00	3559.29	82.26	
3897.00	1.00	3805.00	3559.25	82.26	
3898.00	1.00	3806.00	3559.22	82.26	
3899.00	1.00	3807.00	3559.20	82.26	
3900.00	1.00	3808.00	3559.17	82.26	
3901.00	1.00	3809.00	3559.16	82.26	
3902.00	1.00	3810.00	3559.15	82.26	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3903.00	1.00	3811.00	3559.14	82.26	
3904.00	1.00	3812.00	3559.11	82.26	
3905.00	1.00	3813.00	3559.09	82.26	
3906.00	1.00	3814.00	3559.05	82.26	
3907.00	1.00	3815.00	3559.01	82.26	
3908.00	1.00	3816.00	3558.97	82.26	
3909.00	1.00	3817.00	3558.95	82.25	
3910.00	1.00	3818.00	3558.91	82.25	
3911.00	1.00	3819.00	3558.90	82.24	
3912.00	1.00	3820.00	3558.83	82.26	
3913.00	1.00	3821.00	3558.82	82.25	
3914.00	1.00	3822.00	3558.80	82.25	
3915.00	1.00	3823.00	3558.80	82.24	
3916.00	1.00	3824.00	3558.76	82.25	
3917.00	1.00	3825.00	3558.74	82.25	
3918.00	1.00	3826.00	3558.72	82.25	
3919.00	1.00	3827.00	3558.68	82.25	
3920.00	1.00	3828.00	3558.65	82.25	
3921.00	1.00	3829.00	3558.62	82.25	
3922.00	1.00	3830.00	3558.58	82.25	
3923.00	1.00	3831.00	3558.56	82.25	
3924.00	1.00	3832.00	3558.51	82.26	
3925.00	1.00	3833.00	3558.52	82.25	
3926.00	1.00	3834.00	3558.50	82.25	
3927.00	1.00	3835.00	3558.50	82.24	
3928.00	1.00	3836.00	3558.47	82.24	
3929.00	1.00	3837.00	3558.41	82.25	
3930.00	1.00	3838.00	3558.39	82.25	
3931.00	1.00	3839.00	3558.35	82.26	
3932.00	1.00	3840.00	3558.33	82.25	
3933.00	1.00	3841.00	3558.30	82.25	
3934.00	1.00	3842.00	3558.29	82.25	
3935.00	1.00	3843.00	3558.26	82.25	
3936.00	1.00	3844.00	3558.24	82.25	
3937.00	1.00	3845.00	3558.21	82.25	
3938.00	1.00	3846.00	3558.20	82.25	
3939.00	1.00	3847.00	3558.16	82.25	
3940.00	1.00	3848.00	3558.11	82.26	
3941.00	1.00	3849.00	3558.10	82.25	
3942.00	1.00	3850.00	3558.07	82.25	
3943.00	1.00	3851.00	3558.05	82.24	
3944.00	1.00	3852.00	3558.02	82.24	
3945.00	1.00	3853.00	3557.98	82.25	
3946.00	1.00	3854.00	3557.95	82.25	
3947.00	1.00	3855.00	3557.91	82.26	
3948.00	1.00	3856.00	3557.90	82.26	
3949.00	1.00	3857.00	3557.90	82.25	
3950.00	1.00	3858.00	3557.87	82.25	
3951.00	1.00	3859.00	3557.88	82.24	
3952.00	1.00	3860.00	3557.81	82.26	
3953.00	1.00	3861.00	3557.78	82.26	
3954.00	1.00	3862.00	3557.74	82.26	
3955.00	1.00	3863.00	3557.70	82.26	
3956.00	1.00	3864.00	3557.66	82.26	
3957.00	1.00	3865.00	3557.62	82.26	
3958.00	1.00	3866.00	3557.58	82.26	
3959.00	1.00	3867.00	3557.55	82.26	
3960.00	1.00	3868.00	3557.53	82.26	
3961.00	1.00	3869.00	3557.50	82.26	
3962.00	1.00	3870.00	3557.48	82.26	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
3963.00	1.00	3871.00	3557.46	82.26	
3964.00	1.00	3872.00	3557.44	82.26	
3965.00	1.00	3873.00	3557.42	82.26	
3966.00	1.00	3874.00	3557.39	82.26	
3967.00	1.00	3875.00	3557.37	82.26	
3968.00	1.00	3876.00	3557.34	82.26	
3969.00	1.00	3877.00	3557.32	82.26	
3970.00	1.00	3878.00	3557.30	82.26	
3971.00	1.00	3879.00	3557.28	82.26	
3972.00	1.00	3880.00	3557.28	82.25	
3973.00	1.00	3881.00	3557.25	82.25	
3974.00	1.00	3882.00	3557.21	82.25	
3975.00	1.00	3883.00	3557.17	82.25	
3976.00	1.00	3884.00	3557.13	82.26	
3977.00	1.00	3885.00	3557.11	82.25	
3978.00	1.00	3886.00	3557.08	82.25	
3979.00	1.00	3887.00	3557.07	82.24	
3980.00	1.00	3888.00	3557.07	82.24	
3981.00	1.00	3889.00	3557.05	82.25	
3982.00	1.00	3890.00	3557.02	82.25	
3983.00	1.00	3891.00	3556.98	82.26	
3984.00	1.00	3892.00	3556.95	82.26	
3985.00	1.00	3893.00	3556.91	82.26	
3986.00	1.00	3894.00	3556.88	82.26	
3987.00	1.00	3895.00	3556.84	82.26	
3988.00	1.00	3896.00	3556.82	82.26	
3989.00	1.00	3897.00	3556.81	82.25	
3990.00	1.00	3898.00	3556.78	82.25	
3991.00	1.00	3899.00	3556.75	82.24	
3992.00	1.00	3900.00	3556.70	82.25	
3993.00	1.00	3901.00	3556.67	82.25	
3994.00	1.00	3902.00	3556.64	82.25	
3995.00	1.00	3903.00	3556.62	82.25	
3996.00	1.00	3904.00	3556.59	82.25	
3997.00	1.00	3905.00	3556.57	82.25	
3998.00	1.00	3906.00	3556.54	82.25	
3999.00	1.00	3907.00	3556.52	82.25	
4000.00	1.00	3908.00	3556.49	82.25	
4001.00	1.00	3909.00	3556.46	82.25	
4002.00	1.00	3910.00	3556.44	82.25	
4003.00	1.00	3911.00	3556.43	82.25	
4004.00	1.00	3912.00	3556.42	82.25	
4005.00	1.00	3913.00	3556.41	82.25	
4006.00	1.00	3914.00	3556.37	82.25	
4007.00	1.00	3915.00	3556.36	82.25	
4008.00	1.00	3916.00	3556.32	82.25	
4009.00	1.00	3917.00	3556.28	82.25	
4010.00	1.00	3918.00	3556.24	82.25	
4011.00	1.00	3919.00	3556.20	82.25	
4012.00	1.00	3920.00	3556.16	82.25	
4013.00	1.00	3921.00	3556.14	82.25	
4014.00	1.00	3922.00	3556.11	82.25	
4015.00	1.00	3923.00	3556.09	82.25	
4016.00	1.00	3924.00	3556.08	82.24	
4017.00	1.00	3925.00	3556.08	82.25	
4018.00	1.00	3926.00	3556.04	82.25	
4019.00	1.00	3927.00	3556.03	82.26	
4020.00	1.00	3928.00	3555.98	82.26	
4021.00	1.00	3929.00	3555.98	82.25	
4022.00	1.00	3930.00	3555.96	82.25	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
4023.00	1.00	3931.00	3555.95	82.24	
4024.00	1.00	3932.00	3555.91	82.24	
4025.00	1.00	3933.00	3555.86	82.25	
4026.00	1.00	3934.00	3555.83	82.25	
4027.00	1.00	3935.00	3555.77	82.26	
4028.00	1.00	3936.00	3555.74	82.26	
4029.00	1.00	3937.00	3555.71	82.26	
4030.00	1.00	3938.00	3555.69	82.26	
4031.00	1.00	3939.00	3555.67	82.26	
4032.00	1.00	3940.00	3555.65	82.26	
4033.00	1.00	3941.00	3555.64	82.26	
4034.00	1.00	3942.00	3555.60	82.26	
4035.00	1.00	3943.00	3555.59	82.26	
4036.00	1.00	3944.00	3555.59	82.25	
4037.00	1.00	3945.00	3555.56	82.25	
4038.00	1.00	3946.00	3555.52	82.25	
4039.00	1.00	3947.00	3555.49	82.25	
4040.00	1.00	3948.00	3555.45	82.25	
4041.00	1.00	3949.00	3555.41	82.25	
4042.00	1.00	3950.00	3555.38	82.25	
4043.00	1.00	3951.00	3555.35	82.25	
4044.00	1.00	3952.00	3555.35	82.24	
4045.00	1.00	3953.00	3555.32	82.24	
4046.00	1.00	3954.00	3555.30	82.24	
4047.00	1.00	3955.00	3555.27	82.24	
4048.00	1.00	3956.00	3555.24	82.24	
4049.00	1.00	3957.00	3555.19	82.24	
4050.00	1.00	3958.00	3555.16	82.24	
4051.00	1.00	3959.00	3555.12	82.25	
4052.00	1.00	3960.00	3555.09	82.25	
4053.00	1.00	3961.00	3555.07	82.25	
4054.00	1.00	3962.00	3555.05	82.25	
4055.00	1.00	3963.00	3555.03	82.25	
4056.00	1.00	3964.00	3555.00	82.25	
4057.00	1.00	3965.00	3554.97	82.25	
4058.00	1.00	3966.00	3554.95	82.25	
4059.00	1.00	3967.00	3554.92	82.25	
4060.00	1.00	3968.00	3554.92	82.24	
4061.00	1.00	3969.00	3554.90	82.24	
4062.00	1.00	3970.00	3554.88	82.24	
4063.00	1.00	3971.00	3554.88	82.25	
4064.00	1.00	3972.00	3554.84	82.24	
4065.00	1.00	3973.00	3554.81	82.24	
4066.00	1.00	3974.00	3554.79	82.24	
4067.00	1.00	3975.00	3554.75	82.25	
4068.00	1.00	3976.00	3554.73	82.25	
4069.00	1.00	3977.00	3554.70	82.25	
4070.00	1.00	3978.00	3554.68	82.25	
4071.00	1.00	3979.00	3554.65	82.25	
4072.00	1.00	3980.00	3554.62	82.25	
4073.00	1.00	3981.00	3554.58	82.25	
4074.00	1.00	3982.00	3554.54	82.25	
4075.00	1.00	3983.00	3554.52	82.25	
4076.00	1.00	3984.00	3554.48	82.25	
4077.00	1.00	3985.00	3554.44	82.25	
4078.00	1.00	3986.00	3554.41	82.25	
4079.00	1.00	3987.00	3554.37	82.25	
4080.00	1.00	3988.00	3554.37	82.24	
4081.00	1.00	3989.00	3554.32	82.25	
4082.00	1.00	3990.00	3554.31	82.25	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
4083.00	1.00	3991.00	3554.30	82.26	
4084.00	1.00	3992.00	3554.29	82.26	
4085.00	1.00	3993.00	3554.28	82.26	
4086.00	1.00	3994.00	3554.23	82.26	
4087.00	1.00	3995.00	3554.20	82.26	
4088.00	1.00	3996.00	3554.17	82.26	
4089.00	1.00	3997.00	3554.14	82.26	
4090.00	1.00	3998.00	3554.10	82.26	
4091.00	1.00	3999.00	3554.09	82.25	
4092.00	1.00	4000.00	3554.04	82.26	
4093.00	1.00	4001.00	3554.02	82.26	
4094.00	1.00	4002.00	3553.99	82.26	
4095.00	1.00	4003.00	3553.98	82.25	
4096.00	1.00	4004.00	3553.97	82.26	
4097.00	1.00	4005.00	3553.92	82.26	
4098.00	1.00	4006.00	3553.89	82.26	
4099.00	1.00	4007.00	3553.88	82.25	
4100.00	1.00	4008.00	3553.83	82.26	
4101.00	1.00	4009.00	3553.83	82.25	
4102.00	1.00	4010.00	3553.80	82.25	
4103.00	1.00	4011.00	3553.79	82.24	
4104.00	1.00	4012.00	3553.71	82.26	
4105.00	1.00	4013.00	3553.67	82.26	
4106.00	1.00	4014.00	3553.64	82.26	
4107.00	1.00	4015.00	3553.61	82.26	
4108.00	1.00	4016.00	3553.58	82.26	
4109.00	1.00	4017.00	3553.57	82.25	
4110.00	1.00	4018.00	3553.57	82.25	
4111.00	1.00	4019.00	3553.55	82.24	
4112.00	1.00	4020.00	3553.51	82.25	
4113.00	1.00	4021.00	3553.47	82.25	
4114.00	1.00	4022.00	3553.46	82.25	
4115.00	1.00	4023.00	3553.43	82.25	
4116.00	1.00	4024.00	3553.43	82.24	
4117.00	1.00	4025.00	3553.39	82.25	
4118.00	1.00	4026.00	3553.36	82.25	
4119.00	1.00	4027.00	3553.36	82.26	
4120.00	1.00	4028.00	3553.30	82.26	
4121.00	1.00	4029.00	3553.28	82.26	
4122.00	1.00	4030.00	3553.26	82.26	
4123.00	1.00	4031.00	3553.25	82.26	
4124.00	1.00	4032.00	3553.24	82.26	
4125.00	1.00	4033.00	3553.23	82.25	
4126.00	1.00	4034.00	3553.24	82.25	
4127.00	1.00	4035.00	3553.23	82.24	
4128.00	1.00	4036.00	3553.17	82.25	
4129.00	1.00	4037.00	3553.13	82.25	
4130.00	1.00	4038.00	3553.09	82.25	
4131.00	1.00	4039.00	3553.05	82.25	
4132.00	1.00	4040.00	3553.01	82.25	
4133.00	1.00	4041.00	3552.98	82.25	
4134.00	1.00	4042.00	3552.96	82.25	
4135.00	1.00	4043.00	3552.93	82.25	
4136.00	1.00	4044.00	3552.91	82.25	
4137.00	1.00	4045.00	3552.89	82.25	
4138.00	1.00	4046.00	3552.86	82.25	
4139.00	1.00	4047.00	3552.83	82.25	
4140.00	1.00	4048.00	3552.80	82.25	
4141.00	1.00	4049.00	3552.76	82.25	
4142.00	1.00	4050.00	3552.73	82.25	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
4143.00	1.00	4051.00	3552.73	82.25	
4144.00	1.00	4052.00	3552.72	82.25	
4145.00	1.00	4053.00	3552.67	82.25	
4146.00	1.00	4054.00	3552.65	82.25	
4147.00	1.00	4055.00	3552.64	82.25	
4148.00	1.00	4056.00	3552.63	82.26	
4149.00	1.00	4057.00	3552.57	82.26	
4150.00	1.00	4058.00	3552.54	82.26	
4151.00	1.00	4059.00	3552.51	82.26	
4152.00	1.00	4060.00	3552.49	82.25	
4153.00	1.00	4061.00	3552.46	82.25	
4154.00	1.00	4062.00	3552.43	82.25	
4155.00	1.00	4063.00	3552.42	82.25	
4156.00	1.00	4064.00	3552.40	82.25	
4157.00	1.00	4065.00	3552.39	82.24	
4158.00	1.00	4066.00	3552.39	82.24	
4159.00	1.00	4067.00	3552.37	82.24	
4160.00	1.00	4068.00	3552.31	82.25	
4161.00	1.00	4069.00	3552.28	82.24	
4162.00	1.00	4070.00	3552.25	82.24	
4163.00	1.00	4071.00	3552.22	82.24	
4164.00	1.00	4072.00	3552.19	82.24	
4165.00	1.00	4073.00	3552.17	82.24	
4166.00	1.00	4074.00	3552.14	82.24	
4167.00	1.00	4075.00	3552.12	82.24	
4168.00	1.00	4076.00	3552.09	82.24	
4169.00	1.00	4077.00	3552.06	82.24	
4170.00	1.00	4078.00	3552.02	82.24	
4171.00	1.00	4079.00	3551.98	82.25	
4172.00	1.00	4080.00	3551.95	82.25	
4173.00	1.00	4081.00	3551.94	82.25	
4174.00	1.00	4082.00	3551.91	82.25	
4175.00	1.00	4083.00	3551.89	82.25	
4176.00	1.00	4084.00	3551.90	82.24	
4177.00	1.00	4085.00	3551.88	82.24	
4178.00	1.00	4086.00	3551.85	82.24	
4179.00	1.00	4087.00	3551.79	82.25	
4180.00	1.00	4088.00	3551.79	82.24	
4181.00	1.00	4089.00	3551.75	82.24	
4182.00	1.00	4090.00	3551.72	82.24	
4183.00	1.00	4091.00	3551.69	82.24	
4184.00	1.00	4092.00	3551.67	82.24	
4185.00	1.00	4093.00	3551.65	82.24	
4186.00	1.00	4094.00	3551.64	82.24	
4187.00	1.00	4095.00	3551.63	82.25	
4188.00	1.00	4096.00	3551.58	82.25	
4189.00	1.00	4097.00	3551.58	82.24	
4190.00	1.00	4098.00	3551.58	82.24	
4191.00	1.00	4099.00	3551.56	82.24	
4192.00	1.00	4100.00	3551.55	82.25	
4193.00	1.00	4101.00	3551.49	82.25	
4194.00	1.00	4102.00	3551.46	82.25	
4195.00	1.00	4103.00	3551.42	82.25	
4196.00	1.00	4104.00	3551.38	82.25	
4197.00	1.00	4105.00	3551.36	82.24	
4198.00	1.00	4106.00	3551.31	82.24	
4199.00	1.00	4107.00	3551.29	82.24	
4200.00	1.00	4108.00	3551.25	82.25	
4201.00	1.00	4109.00	3551.24	82.24	
4202.00	1.00	4110.00	3551.20	82.24	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
4203.00	1.00	4111.00	3551.17	82.24	
4204.00	1.00	4112.00	3551.12	82.25	
4205.00	1.00	4113.00	3551.10	82.24	
4206.00	1.00	4114.00	3551.07	82.24	
4207.00	1.00	4115.00	3551.04	82.24	
4208.00	1.00	4116.00	3551.00	82.25	
4209.00	1.00	4117.00	3550.98	82.25	
4210.00	1.00	4118.00	3550.94	82.25	
4211.00	1.00	4119.00	3550.92	82.25	
4212.00	1.00	4120.00	3550.92	82.24	
4213.00	1.00	4121.00	3550.89	82.24	
4214.00	1.00	4122.00	3550.88	82.24	
4215.00	1.00	4123.00	3550.86	82.24	
4216.00	1.00	4124.00	3550.85	82.24	
4217.00	1.00	4125.00	3550.84	82.25	
4218.00	1.00	4126.00	3550.84	82.25	
4219.00	1.00	4127.00	3550.76	82.26	
4220.00	1.00	4128.00	3550.75	82.25	
4221.00	1.00	4129.00	3550.76	82.25	
4222.00	1.00	4130.00	3550.72	82.25	
4223.00	1.00	4131.00	3550.70	82.25	
4224.00	1.00	4132.00	3550.67	82.25	
4225.00	1.00	4133.00	3550.65	82.25	
4226.00	1.00	4134.00	3550.61	82.25	
4227.00	1.00	4135.00	3550.58	82.25	
4228.00	1.00	4136.00	3550.57	82.24	
4229.00	1.00	4137.00	3550.53	82.25	
4230.00	1.00	4138.00	3550.50	82.25	
4231.00	1.00	4139.00	3550.46	82.26	
4232.00	1.00	4140.00	3550.43	82.26	
4233.00	1.00	4141.00	3550.40	82.26	
4234.00	1.00	4142.00	3550.37	82.26	
4235.00	1.00	4143.00	3550.34	82.26	
4236.00	1.00	4144.00	3550.32	82.26	
4237.00	1.00	4145.00	3550.29	82.26	
4238.00	1.00	4146.00	3550.26	82.26	
4239.00	1.00	4147.00	3550.25	82.26	
4240.00	1.00	4148.00	3550.23	82.26	
4241.00	1.00	4149.00	3550.21	82.26	
4242.00	1.00	4150.00	3550.18	82.26	
4243.00	1.00	4151.00	3550.14	82.26	
4244.00	1.00	4152.00	3550.12	82.25	
4245.00	1.00	4153.00	3550.08	82.25	
4246.00	1.00	4154.00	3550.05	82.25	
4247.00	1.00	4155.00	3550.02	82.25	
4248.00	1.00	4156.00	3550.00	82.25	
4249.00	1.00	4157.00	3549.99	82.25	
4250.00	1.00	4158.00	3549.99	82.25	
4251.00	1.00	4159.00	3549.99	82.25	
4252.00	1.00	4160.00	3549.98	82.25	
4253.00	1.00	4161.00	3549.92	82.25	
4254.00	1.00	4162.00	3549.91	82.25	
4255.00	1.00	4163.00	3549.90	82.25	
4256.00	1.00	4164.00	3549.86	82.25	
4257.00	1.00	4165.00	3549.84	82.25	
4258.00	1.00	4166.00	3549.81	82.25	
4259.00	1.00	4167.00	3549.79	82.25	
4260.00	1.00	4168.00	3549.78	82.24	
4261.00	1.00	4169.00	3549.75	82.24	
4262.00	1.00	4170.00	3549.71	82.24	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
4263.00	1.00	4171.00	3549.67	82.25	
4264.00	1.00	4172.00	3549.65	82.24	
4265.00	1.00	4173.00	3549.62	82.24	
4266.00	1.00	4174.00	3549.58	82.24	
4267.00	1.00	4175.00	3549.54	82.24	
4268.00	1.00	4176.00	3549.51	82.24	
4269.00	1.00	4177.00	3549.48	82.24	
4270.00	1.00	4178.00	3549.45	82.24	
4271.00	1.00	4179.00	3549.39	82.25	
4272.00	1.00	4180.00	3549.36	82.25	
4273.00	1.00	4181.00	3549.37	82.24	
4274.00	1.00	4182.00	3549.36	82.24	
4275.00	1.00	4183.00	3549.34	82.24	
4276.00	1.00	4184.00	3549.33	82.25	
4277.00	1.00	4185.00	3549.32	82.24	
4278.00	1.00	4186.00	3549.28	82.24	
4279.00	1.00	4187.00	3549.26	82.24	
4280.00	1.00	4188.00	3549.22	82.24	
4281.00	1.00	4189.00	3549.19	82.24	
4282.00	1.00	4190.00	3549.16	82.24	
4283.00	1.00	4191.00	3549.13	82.24	
4284.00	1.00	4192.00	3549.10	82.24	
4285.00	1.00	4193.00	3549.08	82.24	
4286.00	1.00	4194.00	3549.07	82.24	
4287.00	1.00	4195.00	3549.06	82.25	
4288.00	1.00	4196.00	3549.00	82.25	
4289.00	1.00	4197.00	3548.99	82.24	
4290.00	1.00	4198.00	3548.97	82.24	
4291.00	1.00	4199.00	3548.94	82.24	
4292.00	1.00	4200.00	3548.90	82.24	
4293.00	1.00	4201.00	3548.87	82.24	
4294.00	1.00	4202.00	3548.84	82.24	
4295.00	1.00	4203.00	3548.80	82.25	
4296.00	1.00	4204.00	3548.77	82.25	
4297.00	1.00	4205.00	3548.77	82.25	
4298.00	1.00	4206.00	3548.75	82.25	
4299.00	1.00	4207.00	3548.71	82.25	
4300.00	1.00	4208.00	3548.71	82.24	
4301.00	1.00	4209.00	3548.68	82.24	
4302.00	1.00	4210.00	3548.66	82.24	
4303.00	1.00	4211.00	3548.61	82.25	
4304.00	1.00	4212.00	3548.58	82.25	
4305.00	1.00	4213.00	3548.55	82.25	
4306.00	1.00	4214.00	3548.55	82.25	
4307.00	1.00	4215.00	3548.51	82.25	
4308.00	1.00	4216.00	3548.51	82.24	
4309.00	1.00	4217.00	3548.47	82.24	
4310.00	1.00	4218.00	3548.45	82.24	
4311.00	1.00	4219.00	3548.39	82.25	
4312.00	1.00	4220.00	3548.37	82.24	
4313.00	1.00	4221.00	3548.35	82.24	
4314.00	1.00	4222.00	3548.32	82.24	
4315.00	1.00	4223.00	3548.30	82.24	
4316.00	1.00	4224.00	3548.29	82.24	
4317.00	1.00	4225.00	3548.27	82.24	
4318.00	1.00	4226.00	3548.24	82.24	
4319.00	1.00	4227.00	3548.22	82.24	
4320.00	1.00	4228.00	3548.19	82.24	
4321.00	1.00	4229.00	3548.17	82.24	
4322.00	1.00	4230.00	3548.16	82.24	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
4323.00	1.00	4231.00	3548.16	82.23	
4324.00	1.00	4232.00	3548.16	82.24	
4325.00	1.00	4233.00	3546.61	82.22	Open well to blow down pressure in preparation for step-rate test
4326.00			3539.32	82.21	
4326.25			3538.75	82.19	
4326.50			3537.68	82.15	
4326.75			3536.60	82.11	
4327.00			3530.69	82.07	
4327.25			3528.61	82.03	
4327.50			3526.97	81.99	
4327.75			3525.32	81.95	
4328.00			3523.96	81.91	
4328.25			3522.75	81.87	
4328.50			3522.29	81.83	
4328.75			3521.36	81.79	
4329.00			3520.43	81.75	
4329.25			3519.58	81.72	
4329.50			3518.60	81.69	
4329.75			3517.66	81.66	
4330.00			3516.77	81.64	
4330.25			3515.89	81.61	
4330.50			3509.22	81.59	
4330.75			3506.96	81.57	
4331.00			3505.29	81.54	
4331.25			3503.20	81.51	
4331.50			3502.63	81.49	
4331.75			3500.42	81.46	
4332.00			3499.17	81.44	
4332.25			3498.58	81.43	
4332.50			3497.60	81.42	
4332.75			3495.48	81.42	
4333.00			3494.96	81.41	
4333.25			3493.90	81.40	
4333.50			3492.83	81.40	
4333.75			3491.41	81.40	
4334.00			3491.08	81.39	
4334.25			3490.58	81.38	
4334.50			3489.87	81.38	
4334.75			3489.09	81.37	
4335.00			3488.32	81.36	
4335.25			3486.52	81.38	
4335.50			3485.91	81.38	
4335.75			3484.91	81.38	
4336.00			3484.05	81.38	
4336.25			3482.94	81.39	
4336.50			3482.69	81.39	
4336.75			3481.77	81.40	
4337.00			3481.45	81.40	
4337.25			3481.01	81.40	
4337.50			3480.36	81.40	
4337.75			3479.70	81.41	
4338.00			3479.05	81.41	
4338.25			3478.31	81.42	
4338.50			3477.65	81.43	
4338.75			3476.91	81.44	
4339.00			3476.20	81.44	
4339.25			3475.61	81.45	
4339.50			3474.86	81.46	
4339.75			3474.16	81.46	
4340.00			3473.49	81.47	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
4340.25			3472.83	81.48	
4340.50			3472.25	81.48	
4340.75			3471.66	81.49	
4341.00			3470.99	81.50	
4341.25			3470.18	81.51	
4341.50			3469.53	81.52	
4341.75			3468.95	81.53	
4342.00			3468.21	81.53	
4342.25			3467.48	81.54	
4342.50			3466.74	81.55	
4342.75			3466.08	81.56	
4343.00			3465.41	81.57	
4343.25			3464.77	81.57	
4343.50			3463.76	81.58	
4343.75			3463.45	81.59	
4344.00			3462.94	81.59	
4344.25			3462.35	81.60	
4344.50			3461.83	81.61	
4344.75			3461.23	81.62	
4345.00			3460.57	81.63	
4345.25			3460.00	81.63	
4345.50			3459.40	81.64	
4345.75			3458.74	81.65	
4346.00			3458.24	81.65	
4346.25			3457.72	81.66	
4346.50			3457.12	81.67	
4346.75			3456.63	81.67	
4347.00			3456.16	81.69	
4347.25			3455.58	81.69	
4347.50			3454.99	81.70	
4347.75			3454.39	81.71	
4348.00			3453.75	81.72	
4348.25			3453.16	81.72	
4348.50			3452.36	81.73	
4348.75			3452.14	81.74	
4349.00			3451.61	81.74	
4349.25			3450.87	81.75	
4349.50			3450.14	81.76	
4349.75			3449.50	81.76	
4350.00			3448.90	81.77	
4350.25			3448.33	81.77	
4350.50			3447.76	81.77	
4350.75			3447.24	81.78	
4351.00			3446.66	81.78	
4351.25			3446.09	81.78	
4351.50			3445.64	81.79	
4351.75			3445.12	81.80	
4352.00			3444.54	81.80	
4352.25			3443.66	81.80	
4352.50			3443.39	81.81	
4352.75			3442.93	81.82	
4353.00			3442.36	81.82	
4353.25			3441.78	81.82	
4353.50			3441.19	81.83	
4353.75			3440.69	81.83	
4354.00			3440.24	81.84	
4354.25			3439.81	81.84	
4354.50			3439.31	81.84	
4354.75			3438.73	81.84	
4355.00			3438.14	81.85	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
4355.25			3437.57	81.85	
4355.50			3437.05	81.86	
4355.75			3436.54	81.86	
4356.00			3435.88	81.86	
4356.25			3435.70	81.87	
4356.50			3435.39	81.87	
4356.75			3435.02	81.87	
4357.00			3434.44	81.88	
4357.25			3434.30	81.88	
4357.50			3434.00	81.88	
4357.75			3433.57	81.88	
4358.00			3433.14	81.88	
4358.25			3432.54	81.88	
4358.50			3432.34	81.89	
4358.75			3431.97	81.89	
4359.00			3431.04	81.89	
4359.25			3430.76	81.89	
4359.50			3430.30	81.90	
4359.75			3429.80	81.90	
4360.00			3429.30	81.90	
4360.25			3428.80	81.91	
4360.50			3428.20	81.91	
4360.75			3428.01	81.91	
4361.00			3427.65	81.91	
4361.25			3427.20	81.91	
4361.50			3426.77	81.91	
4361.75			3426.34	81.91	
4362.00			3425.89	81.92	
4362.25			3425.09	81.91	
4362.50			3424.82	81.92	
4362.75			3424.18	81.92	
4363.00			3423.96	81.92	
4363.25			3423.60	81.93	
4363.50			3423.09	81.93	
4363.75			3422.59	81.93	
4364.00			3421.99	81.93	
4364.25			3421.79	81.93	
4364.50			3421.43	81.93	
4364.75			3421.00	81.93	
4365.00			3427.52	81.94	
4365.25			3440.71	81.94	
4365.50			3443.35	81.99	
4365.75			3432.66	82.03	
4366.00			3420.23	82.08	
4366.25			3405.36	82.13	
4366.50			3386.76	82.18	
4366.75			3367.60	82.22	
4367.00			3348.02	82.26	
4367.25			3328.27	82.31	
4367.50			3307.65	82.36	
4367.75			3286.75	82.41	
4368.00			3265.87	82.45	
4368.25			3244.25	82.58	
4368.50			3222.39	82.76	
4368.75			3199.82	82.94	
4369.00			3176.96	83.12	
4369.25			3152.66	83.30	
4369.50			3127.93	83.48	
4369.75			3102.63	83.66	
4370.00			3076.75	83.84	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
4370.25			3051.02	84.02	
4370.50			3025.14	84.20	
4370.75			2999.12	84.38	
4371.00			2972.24	84.56	
4371.25			2945.43	84.78	
4371.50			2918.56	84.95	
4371.75			2891.55	85.13	
4372.00			2864.38	85.30	
4372.25			2836.51	85.47	
4372.50			2808.48	85.65	
4372.75			2780.44	85.83	
4373.00			2751.71	86.00	
4373.25			2723.55	86.17	
4373.50			2694.51	86.35	
4373.75			2665.90	86.53	
4374.00			2636.30	86.70	
4374.25			2607.11	86.80	
4374.50			2578.49	86.82	
4374.75			2549.01	86.83	
4375.00			2518.95	86.85	
4375.25			2488.76	86.86	
4375.50			2459.28	86.87	
4375.75			2428.35	86.89	
4376.00			2397.86	86.90	
4376.25			2366.92	86.92	
4376.50			2335.57	86.93	
4376.75			2303.93	86.94	
4377.00			2272.26	86.96	
4377.25			2240.22	86.86	
4377.50			2208.04	86.67	
4377.75			2175.42	86.48	
4378.00			2142.81	86.28	
4378.25			2109.61	86.09	
4378.50			2076.98	85.90	
4378.75			2043.93	85.70	
4379.00			2019.20	85.51	
4379.25			1998.64	85.32	
4379.50			1969.90	85.13	
4379.75			1940.12	84.93	
4380.00			1909.77	84.74	
4380.25			1879.24	84.48	
4380.50			1848.66	84.16	
4380.75			1818.05	83.85	
4381.00			1787.03	83.53	
4381.25			1756.00	83.22	
4381.50			1724.37	82.90	
4381.75			1695.47	82.59	
4382.00			1668.01	82.28	
4382.25			1642.44	81.96	
4382.50			1624.48	81.65	
4382.75			1607.98	81.34	
4383.00			1595.63	81.02	
4383.25			1586.61	80.70	
4383.50			1581.62	80.95	
4383.75			1581.18	81.19	
4384.00			1581.35	81.43	
4384.25			1581.29	81.67	
4384.50			1580.51	81.91	
4384.75			1582.09	82.15	
4385.00			1588.20	82.39	Shut down flow-back and elected to pull pressure device

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
4385.25			1589.70	82.63	
4385.50			1590.90	82.88	
4385.75			1592.28	83.11	
4386.00			1595.64	83.36	
4386.25			1598.52	83.83	
4386.50			1599.46	84.25	
4386.75			1600.82	84.68	
4387.00			1602.03	85.11	
4387.25			1603.24	85.54	
4387.50			1604.31	85.97	
4387.75			7.35	86.40	Pressure device in lubricator, shut master valve and bleed down all pressure
4388.00			3.65	86.83	
4388.25			3.64	87.26	
4388.50			4.27	87.69	
4388.75			3.83	88.12	
4389.00			3.74	88.55	
4389.25			2.67	88.93	
4389.50			2.59	89.26	
4389.75			2.52	89.56	
4390.00			2.39	89.89	
4390.25			2.16	90.24	
4390.50			1.91	90.57	
4390.75			0.50	90.89	
4391.00			0.34	91.21	
4391.25			0.16	91.54	
4391.50			0.01	91.86	Remove pressure device, RD lubricator. End test
4391.75			0.01	92.19	
4392.00			0.01	92.52	
4392.25			0.01	92.77	
4392.50			0.01	92.97	
4392.75			0.01	93.16	
4393.00			0.01	93.36	
4393.25			0.01	93.56	
4393.50			0.01	93.76	
4393.75			0.01	93.95	
4394.00			0.01	94.15	
4394.25			0.01	94.35	
4394.50			0.01	94.55	
4394.75			0.01	94.75	
4395.00			0.01	94.95	
4396.00			0.01	95.52	
4397.00			0.01	95.40	
4398.00			0.01	95.29	
4399.00			0.01	95.17	
4400.00			0.01	94.87	
4401.00			0.01	94.84	
4402.00			0.01	94.80	
4403.00			0.01	94.76	
4404.00			0.01	95.03	
4405.00			0.01	95.53	
4406.00			0.01	96.02	
4407.00			0.01	96.52	
4408.00			0.01	97.07	
4409.00			0.01	97.60	
4410.00			0.01	98.13	
4411.00			0.01	98.66	
4412.00			0.01	99.18	
4413.00			0.01	99.67	
4414.00			0.01	100.17	
4415.00			0.01	100.67	

Minutes			Pressure	Temp	Remarks
Elapsed Time from Clock Start	Elapsed Time from Shut-in	Accum. Time from Shut-in			
4416.00			0.01	101.18	
4417.00			0.01	101.63	
4418.00			0.01	102.10	
4419.00			0.01	102.55	
4420.00			0.01	102.91	
4421.00			0.01	103.43	
4422.00			0.01	103.95	
4423.00			0.01	104.47	
4424.00			0.01	105.03	
4425.00			0.01	105.30	
4426.00			0.01	105.57	
4427.00			0.01	105.85	
4428.00			0.01	105.80	
4429.00			0.01	105.53	
4430.00			0.01	105.28	
4431.00			0.01	105.01	
4432.00			0.01	104.43	
4433.00			0.01	103.97	
4434.00			0.01	103.51	
4435.00			0.01	103.05	
4436.00			0.01	102.94	
4437.00			0.01	102.77	
4438.00			0.01	102.61	
4439.00			0.01	102.45	