

District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 South Pacheco, Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St Francis
Santa Fe, NM 87505

WELL API NO.

30-007-20845

5. Indicate Type of Lease

STATE ☐ FEE ☒

State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:
OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER Coal Bed Methane

b. Type of Completion:

NEW ☒ WELL WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐

2. Name of Operator

EL PASO E & P COMPANY, L.P.

8. Well No.

327

3. Address of Operator

PO BOX 190, RATON, NEW MEXICO 87740

9. Pool name or Wildcat

Stubblefield Canyon Raton - Vermejo Gas

4. Well Location

Unit Letter M : 1093 Feet From The South Line and 1233 Feet From The West Line

Section 19 Township 31N Range 21E NMPM Colfax County

10. Date Spudded 07/10/2007 11. Date T.D. Reached 07/11/2007 12. Date Compl. (Ready to Prod.) 08/29/2007 13. Elevations (DF& R(B. RT, GR, etc.) 7,906' 14. Elev. Casinghead 7,906'

15. Total Depth 2,195' 16. Plug Back T.D. 2,105' 17. If Multiple Compl. How Many Zones? 0 18. Intervals Drilled By Rotary Tools 19. Cable Tools NONE

19. Producing Interval(s), of this completion - Top, Bottom, Name

1,016'-1,910' Vermejo - Raton Coals

20. Was Directional Survey Made

NO

21. Type Electric and Other Logs Run

Compensated Density and Cement Bond Log

22. Was Well Cored

No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
<u>8 5/8"</u>	<u>23</u>	<u>323'</u>	<u>11"</u>	<u>100 sks</u>	<u>None</u>
<u>5 1/2"</u>	<u>15.5</u>	<u>2,105'</u>	<u>7 7/8"</u>	<u>329 sks</u>	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
<u>2 7/8"</u>	<u>1,936'</u>	<u>No</u>

26. Perforation record (interval, size, and number)

1849'-1853', 1894'-1898', 1900'-1910' 72 Holes
1545'-1550', 1615'-1618' 32 Holes
1117'-1125', 1143'-1148' 52 Holes
1016'-1026', 1061'-1071' 80 Holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED

1,016'-1,910' 102,943 lbs 20/40 sand

752,176 scf nitrogen foam

20# Linear gel

28. PRODUCTION

Date First Production 10/14/2007 Production Method (*Flowing, gas lift, pumping - Size and type pump*) Pumping water up 2 7/8" tubing, pc pump.. Flowing gas up 5 1/2" Casing. Well Status (*Prod. or Shut-in*) Production

Date of Test <u>10/14/2007</u>	Hours Tested <u>24 hrs.</u>	Choke Size <u>Full 2"</u>	Prod'n For Test Period <u>Oil - Bbl. N/A</u>	Oil - Bbl <u>N/A</u>	Gas - MCF <u>5</u>	Water - Bbl. <u>218</u>	Gas - Oil Ratio <u>N/A</u>
Flow Tubing Press. <u>0</u>	Casing Pressure <u>4</u>	Calculated 24-Hour Rate <u>N/A</u>	Oil - Bbl. <u>N/A</u>	Gas - MCF <u>5</u>	Water - Bbl. <u>218</u>	Oil Gravity - API - (Corr.) <u>N/A</u>	

29. Disposition of Gas (*Sold, used for fuel, vented, etc.*)

Sold, used for fuel.

Test Witnessed By:
Steve Medina

30. List Attachments

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief.

Signature: Shirley Mitchell Printed Shirley A. Mitchell Title Regulatory Analyst Date: 11/08/2007

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy	T. Canyon
T. Salt	T. Strawn
B. Salt	T. Atoka
T. Yates	T. Miss
T. 7 Rivers	T. Devonian
T. Queen	T. Silurian
T. Grayburg	T. Montoya
T. San Andres	T. Simpson
T. Glorieta	T. McKee
T. Paddock	T. Ellenburger
T. Blinberry	T. Gr. Wash

T. Tubb _____	T. Delaware Sand _____
T. Drinkard _____	T. Bone Springs _____
T. Abo _____	T. _____
T. Wolfcamp _____	T. _____
T. Penn _____	T. _____
T. Cisco (Bough C) _____	T. _____

Northwestern New Mexico

T. Ojo Alamo	T. Penn. "B"
T. Kirtland-Fruitland	T. Penn. "C"
T. Pictured Cliffs	T. Penn. "D"
T. Cliff House	T. Leadville
T. Menefee	T. Madison
T. Point Lookout	T. Elbert
T. Mancos	T. McCracken
T. Gallup	T. Ignacio Otztz
Base Greenhorn	T. Granite
T. Dakota	T. Raton Top <u>Surface</u>
T. Morrison	T. Vermejo <u>1,740'</u>
	Trinidad <u>1,916'</u>

T. Todilto	T. _____
T. Entrada	T. _____
T. Wingate	T. _____
T. Chinle	T. _____
T. Permian	T. _____
T. Penn "A"	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology