

District I
1625 N. French, Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM, 87505
2003 FEB 14 PM 2 47

WELL API NO. 30-021-20401
5. Indicate Type Of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. ---

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER <u>CO2 Supply Well</u>	7. Lease Name or Unit Agreement Name Bravo Dome Carbon Dioxide Gas Unit
b. Type of Completion: NEW WELL <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> OTHER	1932
2. Name of Operator OXY USA Inc. 16696	8. Well No. 231
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250	9. Pool name or Wildcat Bravo Dome Carbon Dioxide Gas 640


4. Well Location Unit Letter <u>G</u> : <u>2060</u> Feet From The <u>north</u> Line and <u>1707</u> Feet From The <u>east</u> Line Section <u>23</u> Township <u>19N</u> Range <u>32E</u> NMPM <u>Harding</u> County				
10. Date Spudded 7/29/07	11. Date T.D. Reached 8/2/07	12. Date Compl. (Ready to Prod.) 9/24/07	13. Elevations (DF & RKB, RT, GR, etc.) 4644'	14. Elev. Casinghead
15. Total Depth 2300'	16. Plug Back T.D. 2281'	17. If Multiple Compl. How Many Zones?	18. Intervals Drilled By X	Rotary Tools Cable Tools
19. Producing Interval(s), of this completion - Top, Bottom, Name 2220-2240' Tubb				20. Was Directional Survey Made No
21. Type Electric and Other Logs Run CN\GR\CCCL				22. Was Well Cored No

23. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	704'	12-1/4"	400sx-Circ	N/A
5-1/2"	5.3#FG/15.5#	2281'	7-7/8"	550sx-Circ	N/A

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					---	---	---
26. Perforation record (interval, size, and number) 4 SPF @ 2220-2240' Total 84 Holes				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 2220-2240' 18228g CO2 gel frac w/ 23800# snd			

28. PRODUCTION							
Date First Production 9/24/07		Production Method (Flowing, gas lift, pumping - Size and type pump) flowing				Well Status (Prod. or Shut-in) prod	
Date of Test 9/28/07	Hours Tested 24	Choke Size 2.5-orf	Prod'n For Test Period	Oil - Bbl. 0	Gas - MCF 1010	Water - Bbl. 0	Gas - Oil Ratio
Flow Tubing Press.	Casing Pressure +/-100	Calculated 24-Hour Rate	Oil - Bbl. 0	Gas - MCF 1010	Water - Bbl. 0	Oil Gravity - API -(Corr.)	
29. Disposition of Gas (Sold, used for fuel, vented, etc.) sold						Test Witnessed By E. Courley	

30. List Attachments C-104. Deviation Svy. Log (1set)	
--	--

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief			
Signature 	Printed Name David Stewart	Title Sr. Reg Analyst	Date 2/12/08
E-mail address david_stewart@oxy.com			

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico			Northeastern New Mexico	
T. Anhy		T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt		T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt		T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates		T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers		T. Devonian	T. Menefee	T. Madison
T. Queen		T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg		T. Montoya	T. Mancos	T. McCracken
T. San Andres	1422	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	1716	T. McKee	Base Greenhorn	T. Granite
T. Paddock		T. Ellenburger	T. Dakota	T.
T. Blinebry		T. Gr. Wash	T. Morrison	T.
T. Tubb	2214	T. Delaware Sand	T. Todilto	T.
T. Drinkard		T. Bone Springs	T. Entrada	T.
T. Abo		T. Santa Rosa	1067	T. Wingate
T. Wolfcamp		Yeso	1802	T. Chinle
T. Penn		T. Cimarron	2195	T. Permain
T. Cisco (Bough C)		T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____

No. 3, from ----- to -----

No. 2, from _____ to _____

No. 4, from ----- to -----

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet _____

No. 2, from _____ to _____ feet _____

No. 3. from _____ to _____ feet _____

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology
0 704	704 2300	704 1596	redbed sandstone/shale