

District I
1625 N. French, Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
2008 FEB 14 PM 2 47

WELL API NO. 30-021-20400
5. Indicate Type Of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. ---


WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER <u>CO2 Supply Well</u>		7. Lease Name or Unit Agreement Name Bravo Dome Carbon Dioxide Gas Unit 1932	
b. Type of Completion: NEW WELL <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> OTHER		8. Well No. 242	
2. Name of Operator OXY USA Inc. 16696		9. Pool name or Wildcat Bravo Dome Carbon Dioxide Gas 640	
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250			
4. Well Location Unit Letter <u>G</u> : <u>1700</u> Feet From The <u>north</u> Line and <u>1700</u> Feet From The <u>east</u> Line Section <u>24</u> Township <u>19N</u> Range <u>32E</u> NMPM Harding County			
10. Date Spudded 8/2/07	11. Date T.D. Reached 8/5/07	12. Date Compl. (Ready to Prod.) 9/6/07	13. Elevations (DF & RKB, RT, GR, etc.) 4712'
14. Elev. Casinghead			
15. Total Depth 2371'	16. Plug Back T.D. 2361'	17. If Multiple Compl. How Many Zones?	18. Intervals Drilled By Rotary Tools <u>X</u> Cable Tools
19. Producing Interval(s), of this completion - Top, Bottom, Name 2282-2322' Tubb			20. Was Directional Survey Made No
21. Type Electric and Other Logs Run CN\GR\CCCL			22. Was Well Cored No

23. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	705'	12-1/4"	400sx-Circ	N/A
5-1/2"	5.3#FG/15.5#	2362'	7-7/8"	550sx-Circ	N/A

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					---	---	---
26. Perforation record (interval, size, and number) 4 SPF @ 2282-2322' Total 164 Holes				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 2282-2322' 18732g CO2 gel frac w/ 49100# snd			

28. PRODUCTION							
Date First Production 9/6/07		Production Method (Flowing, gas lift, pumping - Size and type pump) flowing				Well Status (Prod. or Shut-in) prod	
Date of Test 9/7/07	Hours Tested 24	Choke Size 2.5-orf	Prod'n For Test Period	Oil - Bbl. 0	Gas - MCF 2873	Water - Bbl. 0	Gas - Oil Ratio
Flow Tubing Press.	Casing Pressure +/-100	Calculated 24-Hour Rate	Oil - Bbl. 0	Gas - MCF 2873	Water - Bbl. 0	Oil Gravity - API -(Corr.)	
29. Disposition of Gas (Sold, used for fuel, vented, etc.) sold						Test Witnessed By E. Courley	

30. List Attachments C-104. Deviation Svy. Log (1set)			
31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief			
Signature 	Printed Name David Stewart	Title Sr. Reg Analyst	Date 2/12/08
E-mail address david_stewart@oxy.com			

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico			Northeastern New Mexico	
T. Anhy	T. Canyon		T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn		T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka		T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss		T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian		T. Menefee	T. Madison
T. Queen	T. Silurian		T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya		T. Mancos	T. McCracken
T. San Andres	T. Simpson	1474	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	1772	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger		T. Dakota	T.
T. Blinebry	T. Gr. Wash		T. Morrison	T.
T. Tubb	T. Delaware Sand	2268	T. Todilto	T.
T. Drinkard	T. Bone Springs		T. Entrada	T.
T. Abo	T. Santa Rosa	1098	T. Wingate	T.
T. Wolfcamp	Yeso	1860	T. Chinle	T.
T. Penn	T. Cimarron	2250	T. Permian	T.
T. Cisco (Bough C)	T.		T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____

No. 2, from _____ to _____

No. 3, from _____ to _____

No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from ----- to ----- feet -----
 No. 2, from ----- to ----- feet -----
 No. 3, from ----- to ----- feet -----

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology
0 705	705 2371	705 1666	redbed sandstone/shale