Submit To Appropriate District Office State of New Mexico Form C-105 State Lease - 6 copies Revised March 25, 1999 Energy, Minerals and Natural Resources Fee Lease - 5 copies WELL API NO. District I 1625 N. French Dr., Hobbs, NM 87240 30-007-20951 OIL CONSERVATION DIVISION District II 5. Indicate Type of Lease 811 South First, Artesia, NM 87210 1220 South St Francis District III STATE ___ FEE Santa Fe, NM 87505 1000 Rio Brazos Rd., Aztec, NM 87410 State Oil & Gas Lease No. District IV 1220 South Pacheco, Santa Fe, NM 87505 WELL COMPLETION OR RECOMPLETION REPORT AND LOG 1a. Type of Well: Lease Name or Unit Agreement Name OIL WELL GAS WELL DRY OTHER Coal Bed Methane VPR A b. Type of Completion: NEW WELL WORK DEEPEN DEEPEN BACK OTHER 2. Name of Operator Well No. 444 EL PASO E & P COMPANY, L.P. 3. Address of Operator Pool name or Wildcat PO BOX 190, RATON, NEW MEXICO 87740 Stubblefield Canyon Raton - Vermejo Gas 4. Well Location Unit Letter P: 916 Feet From The South Line and 1307 Feet From The East Line 20E NMPM Section 34 Township 31N Range Colfax County 11. Date T.D. Reached 12. Date Compl. (Ready to Prod.) 13. Elevations (DF& R(B. RT, GR, etc.) 14. Elev, Casinghead 10. Date Spudded 03/04/2008 06/10/2008 7,953 03/03/2008 7,953 15. Total Depth 16. Plug Back T.D. 17. If Multiple Compl. How Many 18. Intervals Rotary Tools Cable Tools Zones? Drilled By 0 - TD NONE 2,102 2,255 19. Producing Interval(s), of this completion - Top, Bottom, Name Was Directional Survey Made 712' - 1915' Vermejo - Raton Coals 21. Type Electric and Other Logs Run 22. Was Well Cored Compensated Density and Cement Bond Log No 23. CASING RECORD (Report all strings set in well) CASING SIZE WEIGHT LB./FT. DEPTH SET HOLE SIZE CEMENTING RECORD AMOUNT PULLED 8 5/8" 23 324' 11" 100 sks None 2,101' 7 7/8" 5 1/2" 15.5 265 sks LINER RECORD 24. 25. TUBING RECORD SIZE SACKS CEMENT | SCREEN TOP BOTTOM PACKER SET SIZE DEPTH SET 1,954 2 7/8" No 26.Perforation record (interval, size, and number) DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 1908'- 1915' 28 Holes 712'- 1,915' 98,352 lbs 20/40 sand 1798'- 1800', 1840'- 1842', 1843'- 1846' 28 Holes 854'- 859', 874'- 876', 936'- 938', 981'- 985' 52 Holes 1,665,251 scf nitrogen foam 712'- 715', 749'- 752', 796'- 798', 824'- 827' 44 Holes 21# Linear gel **PRODUCTION** 28 **Date First Production** Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in) Pumping water up 2 7/8" tubing, pc pump.. Flowing gas up 5 07/24/2008 Production 1/2" Casing. Hours Tested Choke Size Prod'n For Oil - Bbl Date of Test Gas - MCF Water - Bbl. Gas - Oil Ratio 07/24/2008 Full 2" Test Period 24 hrs. N/A 114 N/A Flow Tubing Casing Pressure Calculated 24-Oil - Bbl. Gas - MCF Water - Bbl. Oil Gravity - API - (Corr.)

 07/24/2008
 24 hrs.
 Full 2"
 Test Period
 N/A
 114
 67
 N/A

 Flow Tubing Pressure Press.
 Casing Pressure Hour Rate O
 Calculated 24- Hour Rate Hour Rate O
 N/A
 Water - Bbl. N/A
 Oil Gravity - API - (Corr.) N/A

 29. Disposition of Gas (Sold, used for fuel, vented, etc.)
 Sold, used for fuel.
 Sold, used for fuel.
 Test Witnessed By: Jake Middlebrook

30. List Attachments

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief.

Signature: Shurley Fritcholl Printed Shirley A. Mitchell Title Regulatory Analyst Date: 08/20/2008

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

T. Paddock	3	T. Simpson	T.	T. Menefee T. Point Lookout T. Mancos T. Gallup			T. McCracken T. Ignacio Otzte
T. Blinebry		T. Ellenburger	Ba	Base Greenhorn T. Dakota			T. Granite T_Raton Top <u>Surface</u>
T. Blinebry T. Tubb			1.	I. Morrison			Trinidad 1,922'
T. Drinkard T. Abo		T. Bone Springs T	T.	T. Entrada T. Wingate			_ T T.
T. Wolfcamp T. Penn T. Cisco (Bough C)		T	T.	T. Chinle T. Permian			_ T. T.
							OIL OR GAS SANDS OR ZONES
No. 1, from. No. 2, from.		to] FANT WAT	No. 4, f	rom		to
No. 1, from. No. 2, from.		r inflow and elevation to which to the inflow and elevation to the inflormation to the	•••••		· · · · · · · · · · · · · · · · · · ·	feet	•••••
	- Long Control	LITHOLOGY REC	CORD (A	Attach a	dditiona		ssary)
From To	Thickness In Feet	Lithology		From	То	Thickness In Feet	Lithology