

Submit To Appropriate District Office State Lease - 6 copies Fee Lease - 5 copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 Revised June 10, 2003
		WELL API NO. 30-007-20960
		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
		State Oil & Gas Lease No.
WELL COMPLETION OR RECOMPLETION REPORT AND LOG		
1a. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> OTHER <u>CBM - NIOBRARA</u> b. Type of Completion: NEW <input checked="" type="checkbox"/> WORK <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG <input type="checkbox"/> DIFF. WELL OVER BACK RESVR. <input type="checkbox"/> OTHER		7. Lease Name or Unit Agreement Name VPR D
2. Name of Operator EL PASO E & P COMPANY, L.P.		8. Well No. 95A
3. Address of Operator PO BOX 190 RATON, NEW MEXICO 87740		9. Pool name or Wildcat <u>NIOBRARA</u> Castle Rock Park - Vermejo Gas
4. Well Location Unit Letter <u>J</u> : <u>1597</u> Feet From The <u>South</u> Line and <u>1592</u> Feet From The <u>East</u> Line Section <u>34</u> Township <u>31N</u> Range <u>17E</u> NMPM Colfax County Bottom Hole Location: Unit P, Section 33, T 31N, R 17E, 679 FSL, 451 FEL, Colfax County		
10. Date Spudded 05/01/2008	11. Date T.D. Reached 06/20/2008	12. Date Compl. (Ready to Prod.) 08/05/2008
13. Elevations (DF& RKB, RT, GR, etc.) 8,324'		14. Elev. Casinghead 8,324'
15. Total Depth 8,586'	16. Plug Back T.D.	17. If Multiple Compl. How Many Zones?
18. Intervals Drilled By		Rotary Tools 0 - TD
19. Producing Interval(s), of this completion - Top, Bottom, Name 5,222' - 8,036' Niobrara Formation		20. Was Directional Survey Made
21. Type Electric and Other Logs Run Platform Express, Sonic Imager, FMI, and Cement Bond Log		22. Was Well Cored No
23. CASING RECORD (Report all strings set in well)		
CASING SIZE	WEIGHT LB./FT.	DEPTH SET
13 3/8"	48#	390'
9 5/8"	40#	2,029'
7"	26#	4,724'
4 1/2" Liner		3,672' - 8,465' TMD
24. LINER RECORD		
SIZE	TOP	BOTTOM
SACKS CEMENT		SCREEN
25. TUBING RECORD		
SIZE	DEPTH SET	PACKER SET
Production	Test	
26. Perforation record (interval, size, and number)		
Frac Port Locations: 8,034' - 8,036' 8 Holes Niobrara Formation 7,158' - 7,160' 8 Holes 6,121' - 6,123' 8 Holes 5,222' - 5,224' 8 Holes		
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.		
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	
	222,000 40/70 sand	
5,222' - 8,036'	7,610,983 70% quality N2 w/ 21 CP linear gel	
28. PRODUCTION		
Date First Production 07/27/2008		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing gas up casing.
		Well Status (Prod. or Shut-in) Production
Date of Test 07/27/2008	Hours Tested 24 Hours	Choke Size Full 2"
Prod'n For Test Period	Oil - Bbl N/A	Gas - MCF 437
Flow Tubing Press.	Casing Pressure 0 psi	Calculated 24-Hour Rate 560 psi
Oil - Bbl N/A	Gas - MCF 677	Water - Bbl. 729
Oil Gravity - API - (Corr.) N/A		
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold, used for fuel.		Test Witnessed By Eddie Carter
30. List Attachments		
31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief		
Signature <u>Shirley Mitchell</u> Printed Name Shirley A. Mitchell Title Regulatory Analyst Date 08/19/2008 E-mail Address shirley.mitchell@elpaso.com		

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T. <u>Raton Surface'</u>
T. Blinebry	T. Gr. Wash	T. Morrison	T. <u>Vermejo 1,258'</u>
T. Tubb	T. Delaware Sand	T. Todilto	T. <u>Trinidad 1,583'</u>
T. Drinkard	T. Bone Springs	T. Entrada	T. <u>Niobrara A 3,460'</u>
T. Abo	T.	T. Wingate	T. <u>Niobrara B 4,497'</u>
T. Wolfcamp	T.	T. Chinle	T. <u>Niobrara C 4,762'</u>
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology