	Submit 3 Copies To Appropriate District Office	State of New Mexico	Form C-103		
	District L	Energy, Minerals and Natural Resources	May 27, 2004 WELL API NO.		
*	1625 N. French Dr., Hobbs, NM 88240 District II	ON GONGERNATION BUYERON	30-007-20390		
	C1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION	5. Indicate Type of Lease		
ì	District. III V - D NM 87410 NM 87410	1220 South St. Francis Dr.	STATE ☐ FEE ⊠		
2008	District IV 10340 \$1.55 Fra k(\$1 D 1, 2 an 32 c. NM 87505	Santa Fe, NM 87505	6. State Oil & Gas Lease No.		
	SUNDRY NOT	ICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name		
		DSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A CATION FOR PERMIT" (FORM C-101) FOR SUCH	VPR D		
		Gas Well Other Coalbed Methane	8. Well Number 103		
* ·	2. Name of Operator		9. OGRID Number 180514		
		ASO E & P COMPANY, L.P.			
	3. Address of Operator PO 1	BOX 190, RATON, NM 87740	10. Pool name or Wildcat Castle Rock Park – Vermejo		
	4. Well Location	NORTH			
	Unit Letter <u>F</u> :		458 feet from the West line		
	Section 11 Town		Colfax County		
		11. Elevation (Show whether DR, RKB, RT, GR, etc. 8,456' (GL)			
	Pit or Below-grade Tank Application				
	Pit typeDepth to Groundy	waterDistance from nearest fresh water wellDis			
	Pit Liner Thickness: mil		onstruction Material		
	12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data				
			SSEQUENT REPORT OF:		
	PERFORM REMEDIAL WORK		_		
	TEMPORARILY ABANDON DULL OR ALTER CASING	_	ILLING OPNS. □ PANDA □ □ IT JOB □		
	FOLE ON ALTEN CASING	MOETH EL COMI E	11 00b		
	OTHER:		rkover 🛛		
	 Describe proposed or completed SEE RULE 1103. For Multiple C 	operations. (Clearly state all pertinent details, and give pertinent date Completions: Attach wellbore diagram of proposed completion or rec	es, including estimated date of starting any proposed work), completion.		
	09/30/08 MIRU Animas Well Service	ee. Pull Rods, Tubing, Production Equipment.			
	10/01/08 MIRU Superior and Re-pe	rforate the following Coal Intervals: 1752'-1755', 1757'-1	766',1840'-1842', 1907'-1909', 1939'-1941',		
	1988'-1998' (135 Holes) 10/04/08 MIRU Well Enhancement	Services. Jet 1"x 300' laterals (38° azimuth) @ the followi	ing depths:		
	1997', 1996', 1995', 1994', 1993', 1992', 1991', 1990'.				
		packer and plug. Swab test each interval. is. Test well and put back on production.			
	I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines . a general permit . or an (attached) alternative OCD-approved plan .				
	SIGNATURE Shirly mitchell TITLE Regulatory Analyst DATE 10/13/2008				
	Type or print name Shirley & M	<u> </u>			
	ADDROVED BY:	Martin TITLE DISTRICT SU	PERVISOR DATE 10/17/08		
	APPROVED BY: Conditions of Approval (if any):	/ IIILE	DATE 10/11/08		

District I 1625 N. Freich Dr., Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

July 21, 2008 For closed-loop systems that only use above ground steel tanks or haul-off bins and propose

Form C-144 CLEZ

to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

Santa Fe, NM 87505

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordin

environment. Nor does approval refleve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.				
Operator: EL PASO E & P COMPANY, L.P. OGRID #: 180514				
Address: PO BOX 190 RATON, NEW MEXICO 87740				
Facility or well name: VPR D 103				
API Number: 30-007-20390 OCD Permit Number:				
U/L or Qtr/Qtr NWSE Section 11 Township 30N Range 17E County: Colfax				
Center of Proposed Design: Latitude N 36.851974 Longitude W 105.110795 NAD: \(\times 1927 \square 1983 \)				
Surface Owner: Federal State Private Tribal Trust or Indian Allotment				
2. Closed-loop System: Subsection H of 19.15.17.11 NMAC Operation: Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) P&A				
Above Ground Steel Tanks or Haul-off Bins				
Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24". 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.3.103 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. □ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC □ Previously Approved Design (attach copy of design) API Number: □ Previously Approved Operating and Maintenance Plan API Number:				
5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.				
Disposal Facility Name: VPR D 25 WDW (Water) Disposal Facility Permit Number: API 30-007-20152				
Disposal Facility Name: Midway Landfill - Pueblo, Colorado (Frac Sand) Disposal Facility Permit Number: Case # CD-89-003 Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No				
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.				
Name (Print): Mike Granger Title: Sr. Staff Production Engineer				
Signature: Mike Granger / SAM Date: 10/14/08				
e-mail address:				

OCD Approval: Permit Application (including closure plan) Close	•			
OCD Representative Signature:	Approval Date: 10/17/08			
Title: DISTRICT SUPERVISOR	OCD Permit Number:			
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:				
Olosure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.				
Disposal Facility Name:	Disposal Facility Permit Number: API			
Disposal Facility Name:	Disposal Facility Permit Number:			
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) \sum No				
Required for impacted areas which will not be used for future service and op Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	erations:			
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. Name (Print):				
Signature:	Date:			
e-mail address:	Telephone:			

FORM C-144 CLEZ ATTACHMENT EL PASO E & P COMPANY, L.P. RATON BASIN ABOVE GROUND STEEL TANKS

Closed-Looped Design Plan

In accordance with Rule 19.15.17 NMAC, the following describes the design of a closed-looped system for El Paso E & P Company, L.P. The following describes El Paso E & P Company's standard procedures for a closed-looped system; a separate plan will be submitted for any closed-loop system, which does not conform to this plan.

El Paso E & P Company's closed-loop system will not require a drying pad, temporary pit, below grade tank or a sump. It will include an above ground steel tank suitable for holding the solids and fluids for rig operations. The tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from the rig operations.

- Fencing is not required for an above ground closed-loop system.
- El Paso E & P Company will post a well sign in compliance with 19.15.3.103 NMAC.
- El Paso E & P Company will place a frac tank on location to store fresh water.

Operating and Maintenance Plan (O & M)

El Paso E & P Company's closed-loop system will be operated and maintained to contain liquids and solids to prevent contamination of fresh water sources, to protect public health, and the environment. El Paso E & P Company's O & M plan will include the following steps:


- El Paso E & P Company, will vacuum out the liquids, which will be disposed At one of our nearest Salt Water Disposals located on the Vermejo Park Ranch.
- Solids in the closed-loop tank will be vacuumed out, stored in 55 gallon drums at the mine Warehouse yard, and hauled off by Waste Management, to the Midway Landfill, Pueblo, Colorado, Case Number CD-89-003, (Certificate attached)
- No hazardous waste, miscellaneous solid waste, or debris will be stored in the tank. Only fluids or cuttings, used or generated by rig operations, will be placed or stored in the tank.
- El Paso E & P Company will notify the Santa Fe District Office within 48 hours, if a discovery of the closed-loop system's integrity is compromised in any way. Upon a discovery of a compromised tank, repairs will be made immediately.
- During rig operations, a daily inspection will be conducted, which will be logged, signed, and dated.

Closure Plan


The closed-loop system will be hauled off within 60 days of completion, and in accordance with Subsection D of 19.15.17.13. This will be done by transporting the liquids to the nearest Salt Water Disposal on the Vermejo Park Ranch; and the solids will be transported by Waste Management to the Midway Landfill. The tank will be removed from the location as part of the rig mob. If any equipment is set off location, El Paso E & P Company will re-seed the disturbed area. Also as part of the abandonment of the well, the location will be re-contoured and revegetated to pre-existing conditions when possible.

(Steel Tank Design and Photos attached)

ABOVE GROUND STEEL TANKS DESIGN DIMENSIONS 7' Wide, 8' Height, 32' Length




ABOVE GROUND STEEL TANKS DESIGN DIMENSIONS 7' Wide, 8' Height, 32' Length



ABOVE GROUND STEEL TANKS

DESIGN DIMENSIONS

7' Wide, 8' Height, 32' Length





WASTE MANAGEMENT Industrial Waste Sales 7780 E. 96th Ave. Henderson, CO 80640 (800) 963-4776 (866) 365-0175 Fax www.wmdisposal.com

Per Section 5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:

The "Paraffin Impacted Soils" were disposed of at:

Midway Landfill
8925 Rancho Colorado Boulevard
Pueblo, Colorado 81008
Certificate of Designation – El Paso County, Colorado, Case #CD-89-003

The "Tank Bottom Liquids and Sludges" were disposed of at:

Conservation Services, Inc. 41800 East 88th Avenue Bennett, Colorado 80102

Certificate of Designation - Adams County, Colorado, Case #86-88-CD

7671 MOSE Post-it Fax Note

SY AUTHUMITTUR THE BOOMEN OF CONTROL TO CHIMBESTONE AS OFFICE PASSICINATY, COLONIA OF THE PASSICINATION OF THE PAS

SOLID WASTES DISPOSAL SITE AND FACILITY CERTIFICATE OF DESIGNATION

in accordance with the provisions of the Colorado Solid Wastes Disposal Sites and Facilities Act, Colorado Revised Statutes, Title 30, Article 20, the Board of County Commissioners of El Paso County, Cotorado, hereby designates the following site for a solid wastes disposal site and facility:

WASTE MANAGEMENT OF COLORADO, INC.

Location of Site.

02:00 9469 1 %

ccy,co

201

PORTIONS OF SECTIONS 20, 22, 27, 28 and 29 IN TOWNSHIP 17 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO

SOLID WASTES DISPOSAL SITE AND FACILITY

Type of Site or Facility:

こうこうこうこうこうこうこうこうこうこうこうこう

Cartificate of Designation Holder: WASTE MANAGEMENT OF COLORADO, INC., 8310 SOUTH VALLEY HIGHWAY, SUTE 200,

This Certificate is issued subject to the Laws of the State of Colorado and especially under the provisions of Title 30, Article 20, Colorado Revised Statutes as well as Resolution No. 98-459, LAND USE-159 (recorded under reception number 201134239), adopted by the Board of County Commissioners on November 19, 1998, in accordance with Chapter VI of the El Paso County Land Development Cods.

. This Certificate of Designation is not transferable or assigneble without express consent and exproval by the Board of County Commissionera.

- This Certificate of Designation may be temporarity suspended or revoked, after reasonabbe notice and public hearing, for faiture of this site and facility to comply with the provisions of C.P.S. Title 30, Article 20 or any rule, all applicable laws, resolutions, and approved operational plans and plot plans for the facility, or to comply with the provisions of C.P.S. Title 30, Article 20 or any rule, regulation, or resolution accepted pursuant therefo.

Any change in operating procedure, or deviation from the Operational Pran, Engineering Design and Operations Report as approved by the Board of County Commissloners requires County approval prior to truplementing such change or davialion.

IN TESTIMONY WHEREOF, The Board of Courty Commissioners has hereunfo subscribed its name by its officers duly authorized this 7th day of September, 2001, nunc protunc, November 12, 1898

sioners, El Paso County The Board of Cour 齑

7, 10,000

Chelingo, Board of County Commutationers

Deputy County Clark

TO BE POSTED IN A CONSPICUOUS PLACE WITH A COPY OF THE APPROVED ENGINEERING DESIGN AND OPERATIONS REPORT.

MIDWAY LADFILL

увс

00,0\$

09/19/2001 09/19/2001

03/17/5004 10:28 PAX 3825787

1 10 7