Submit 3 Copies To Appropriate District Office	State of New Me		Form C-103	
<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natu	iral Resources	WELL API NO.	
District II	OIL CONSERVATION	DIVICION	30-007-20221	
1301 W. Grand Ave., Artesia, NM 88210 District III	1220 South St. Fran		5. Indicate Type of Lease	
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87		STATE FEE S	
District IV 1220 S. St. Francis Dr., Santa Fe, NM	Santa 1 c, 1 vivi o	, 505	6. State Oil & Gas Lease No.	
	CES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement Name	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			VDD D	
PROPOSALS.)			VPR D  8. Well Number 42	
	Gas Well Other Coalbed M	lethane	9. OGRID Number 180514	
2. Name of Operator EL PA	SO E & P COMPANY, L.P.		9. OGRID Number 180514	
3. Address of Operator			10. Pool name or Wildcat	
PO BOX 190, RATON, NM 87740			Castle Rock Park – Vermejo	
4. Well Location				
	feet from the South	line and <u>16</u>	77 feet from the <u>East</u> line	
Section 9 Townsh			Colfax County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)  8,201' (GL)  Pit or Below-grade Tank Application  or Closure				
	aterDistance from nearest fresh w	vater well Dist.	ance from nearest surface water	
Pit Liner Thickness: mil	Below-Grade Tank: Volume	<del></del>	nstruction Material	
	Appropriate Box to Indicate N			
12. CHECK F	appropriate Box to indicate in	lature of Notice,	Report of Other Data	
NOTICE OF IN		l .	SEQUENT REPORT OF:	
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WOR				
TEMPORARILY ABANDON DULL OR ALTER CASING	CHANGE PLANS   MULTIPLE COMPL	COMMENCE DRI	<del>_</del>	
, occ on the letter of tolling	WOLTH LE COM L	O/ (OII (O/OEIWEIT)		
	completion 🛛	OTHER:		
	perations. (Clearly state all pertinent details ompletions: Attach wellbore diagram of pro		<ul> <li>including estimated date of starting any proposed work)</li> </ul>	
•			, , , , , , , , , , , , , , , , , , ,	
<ol> <li>MIRU Animas Well Service. PU</li> <li>MIRU Weatherford and Hallibur</li> </ol>	Rods, Tubing, Production Equipmen ton and Perforate and Stimulate the		Intervals	
Stage 1 - 1211'-1214', 1242'-	1244', 1310'-1313', 1331'-1337' 64	4 Holes		
	itions, pump 73,712 gal 70 Quality N	itrogen foam with 59.	,500 lbs 20/40 mesh sand.	
<ol> <li>MIRU Completion Unit.</li> <li>Retrieve WRBP at +/- 1400. Clea</li> </ol>	n hole out to PBTD.			
5. Turn well over to the Production	Supervisor and run pump, tubing, ar	nd rods. Test well ar	nd put back on production.	
I hereby certify that the information	above is true and complete to the b	est of my knowledge	e and belief. I further certify that any pit or below-	
			or an (attached) alternative OCD-approved plan .	
SIGNATURE Shirley &	itchell TITLE	Regulatory A	nalyst DATE 10/03/2008	
Type or print name Shirley A Min	tchell E-mail address: shirley.r			
For State Use Only			!*\>	
APPROVED BY:  Conditions of Approval (if any):	Martin TITLE	DISTRICT SU	JPERVISOR DATE 5/17/08	
			- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
			<b>→</b> ○	
			Pm V	
			2	

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

# Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Santa Fe, NM 87505

Type of action: Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. OGRID #: 180514 Operator: EL PASO E & P COMPANY, L.P. Address: PO BOX 190 RATON, NEW MEXICO 87740 Facility or well name: **VPR D 42** API Number: \_ OCD Permit Number: 30-007-20221 U/L or Qtr/Qtr SWSE Section 9 Township 30N Range 18E County: Colfax NAD: ⊠1927 🔲 1983 Center of Proposed Design: Latitude N 36 50 47.9930 Longitude W 105 01 52.9366 Surface Owner: ☐ Federal ☐ State ☒ Private ☐ Tribal Trust or Indian Allotment ☑ Closed-loop System: Subsection H of 19.15.17.11 NMAC Operation: Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) P&A Above Ground Steel Tanks or Haul-off Bins Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☑ Signed in compliance with 19.15.3.103 NMAC Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required. Disposal Facility Name: VPR D 25 WDW (Water) Disposal Facility Permit Number: API 30-007-20152 Disposal Facility Name: Midway Landfill - Pueblo, Colorado (Frac Sand) Disposal Facility Permit Number: Case # CD-89-003 Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?  $\square$  Yes (If yes, please provide the information below)  $\boxtimes$  No Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications - - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC **Operator Application Certification:** I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief. Name (Print): Sr. Staff Production Engineer Dranger / SAM

e-mail address:

Telephone:

7.  OCD Approval: Permit Application (including closure plan) Closure				
OCD Representative Signature:	Approval Date:			
Title: DISTRICT SUPERVISÓR	OCD Permit Number:			
8.  Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report.  The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:				
9. Closure Report Regarding Waste Removal Closure For Closed-loop Syste Instructions: Please indentify the facility or facilities for where the liquids, a two facilities were utilized.				
Disposal Facility Name:	Disposal Facility Permit Number: API			
Disposal Facility Name:	Disposal Facility Permit Number:			
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below) \( \subseteq \text{No} \)				
Required for impacted areas which will not be used for future service and ope  Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	rations:			
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.  Name (Print):				
Signature:				
e-mail address:	Telephone:			

# FORM C-144 CLEZ ATTACHMENT EL PASO E & P COMPANY, L.P. RATON BASIN ABOVE GROUND STEEL TANKS

### **Closed-Looped Design Plan**

In accordance with Rule 19.15.17 NMAC, the following describes the design of a closed-looped system for El Paso E & P Company, L.P. The following describes El Paso E & P Company's standard procedures for a closed-looped system; a separate plan will be submitted for any closed-loop system, which does not conform to this plan.

El Paso E & P Company's closed-loop system will not require a drying pad, temporary pit, below grade tank or a sump. It will include an above ground steel tank suitable for holding the solids and fluids for rig operations. The tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from the rig operations.

- Fencing is not required for an above ground closed-loop system.
- El Paso E & P Company will post a well sign in compliance with 19.15.3.103 NMAC.
- El Paso E & P Company will place a frac tank on location to store fresh water.

## Operating and Maintenance Plan (O & M)

El Paso E & P Company's closed-loop system will be operated and maintained to contain liquids and solids to prevent contamination of fresh water sources, to protect public health, and the environment. El Paso E & P Company's O & M plan will include the following steps:

- El Paso E & P Company, will vacuum out the liquids, which will be disposed At one of our nearest Salt Water Disposals located on the Vermejo Park Ranch.
- Solids in the closed-loop tank will be vacuumed out, stored in 55 gallon drums at the mine Warehouse yard, and hauled off by Waste Management, to the Midway Landfill, Pueblo, Colorado, Case Number CD-89-003, (Certificate attached)
- No hazardous waste, miscellaneous solid waste, or debris will be stored in the tank.
   Only fluids or cuttings, used or generated by rig operations, will be placed or stored in the tank.
- El Paso E & P Company will notify the Santa Fe District Office within 48 hours, if a discovery of the closed-loop system's integrity is compromised in any way. Upon a discovery of a compromised tank, repairs will be made immediately.
- During rig operations, a daily inspection will be conducted, which will be logged, signed, and dated.


### Closure Plan

The closed-loop system will be hauled off within 60 days of completion, and in accordance with Subsection D of 19.15.17.13. This will be done by transporting the liquids to the nearest Salt Water Disposal on the Vermejo Park Ranch; and the solids will be transported by Waste Management to the Midway Landfill. The tank will be removed from the location as part of the rig mob. If any equipment is set off location, El Paso E & P Company will re-seed the disturbed area. Also as part of the abandonment of the well, the location will be re-contoured and revegetated to pre-existing conditions when possible.


(Steel Tank Design and Photos attached)

# ABOVE GROUND STEEL TANKS DESIGN DIMENSIONS

7' Wide, 8' Height, 32' Length




# ABOVE GROUND STEEL TANKS DESIGN DIMENSIONS 7' Wide, 8' Height, 32' Length



ABOVE GROUND STEEL TANKS

DESIGN DIMENSIONS

7' Wide, 8' Height, 32' Length





### Waste Wanagement

Industrial Waste Sales 7780 E. 96<sup>th</sup> Ave. Henderson, CO 80640 (800) 963-4776 (866) 365-0175 Fax www.wmdisposal.com

Per Section 5. <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u>

The "Paraffin Impacted Soils" were disposed of at:

Midway Landfill
8925 Rancho Colorado Boulevard
Pueblo, Colorado 81008
Certificate of Designation – El Paso County, Colorado, Case #CD-89-003

The "Tank Bottom Liquids and Sludges" were disposed of at:

Conservation Services, Inc.
41800 East 88<sup>th</sup> Avenue
Bennett, Colorado 80102
Certificate of Designation - Adams County, Colorado, Case #86-88-CD

1292 Post-it\* Fax Note BY AUTHORITION IN BIGGRAND OF COMPINSSIONERS DEEL PASCICOUNTY COLOBAND

# SOLID WASTES DISPOSAL SITE AND FACILITY CERTIFICATE OF DESIGNATION

In accordance with the provisions of the Colorado Solid Wastes Disposal Sites and Facilities Act, Colorado Revised Statutes, Title 30, Article 20, the Board of County Commissioners of El Paso County, Colorado, hereby designates the following site for a solid wastes disposal site and facility:

# WASTE MANAGEMENT OF COLORADO, INC.

Location of Site:

00:20

CT PASO CRY, CO

50

PORTIONS OF SECTIONS 20, 22, 27, 28 and 29 IN TOWNSHIP 17 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO

SOLID WASTES DISPOSAL SITE AND FACILITY

ype of Site or Facility:

CHICANAGE COCCOMPATED COCCOCAC

. This Certificate is issued subject to the Laws of the State of Colorado and especially under the provisions of Title 30, Anticle 20, Colorado Revised Statutes as well as Resolution No. 98-459, LAND USE 159 (recorded under reception number 2011 34 239 ) adopted by the Brand of Craim Colorado Revised Statutes as well 1998, in accordance with Chapter VI of the El Paso County <u>Land Development Code.</u>

TMs Certilicate of Designation is not transferable or assignable without express consent and approval by the Board of County Commissioners.

This Certificate of Designation may be temporanily suspended or revoked, after reasonable notice and public hearing, for failure of this site and facility to comply with all applicable laws, resolutions, and approved operational plans and plot plans for the facility, or to comply with the provisions of C.R.S. Title 30, Article 20 or any rule, regulation, or resolution adopted pursuant thereto.

Any change in operating procedure, or deviation from the Operational Plan, Engineering Design and Operations Report as approved by the Board of County Commissioners requires County approvat prior to implementing such change or deviation.

IN TESTIMONY WHEREOF, The Board of Cournty Commissioners has hereunto subscribed its name by its officers duly authorized this 7th day of September, 2001, nunc pro tune, November 12, 199

igsioners, El Paso County The Board of Coupt ð

Puching

for Board of County Commissioners

Deputy County Clerk

TO BE POSTED IN A CONSPICUOUS PLACE WITH A COPY OF THE APPROVED ENGINEERING DESIGN AND OPERATIONS REPORT.

WIDAVA CADEILL

1005/19/2000 00.0\$ 00.00 00.0\$ psA