

Submit to Appropriate District Office  
Five Copies  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-105

July 17, 2008

1. WELL API NO.

30-021-20379

2. Type Of Lease

☒ STATE ☐ FEE ☐ FED/INDIAN

3. State Oil & Gas Lease No. LG4608

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing:

☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)

☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name

Bravo Dome Carbon Dioxide Gas 1832

6. Well Number

031

9. Type of Completion

☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER

8. Name of Operator

OXY USA Inc.

9. OGRID Number

16696

10. Address of Operator

P.O. Box 4294 Houston, TX 77210-4294

11. Pool name or Wildcat

Bravo Dome Carbon Dioxide Gas 640

12. Location	Unit Letter	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	G	3	18N	32E		1700	N	1700	E	Harding
BH:										

13. Date Spudded 09/07/07	14. Date T.D. Reached 09/09/07	15. Date Rig Released 09/09/07	16. Date Completed (Ready to Produce) 02/09/08	17. Elevations (DF & RKB, RT, GR, etc.) 4673' GR
18. Total Measured Depth of Well 2470'	19. Plug Back Measured Depth 2449'	20. Was Directional Survey Made No	21. Type Electric and Other Logs Run DLL\MSFL\CN\GR\CCL	

22. Producing Interval(s), of this completion - Top, Bottom, Name

2310-2360' - Tubb

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	24#	706'	12-1/4"	400 SX	N/A
5-1/2"	5.9#FG/15.5#	2460'	7-7/8"	550 SX	N/A

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					---	---	---

25. TUBING RECORD

26. Perforation record (interval, size, and number)

2310-2360' - 4 SPF (204 Total Holes)

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
2310-2360'	13094g CO2 gel frac w/461 sx snd

28. PRODUCTION

Date First Production 02/09/08		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing					Well Status (Prod. or Shut-in) Prod	
Date of Test 02/14/08	Hours Tested 24	Choke Size 3-or-f	Prod'n For Test Period	Oil - Bbl. 0	Gas - MCF 5475	Water - Bbl. 0	Gas - Oil Ratio ---	
Flow Tubing Press. ---	Casing Pressure 97	Calculated 24- Hour Rate	Oil - Bbl. 0	Gas - MCF 5475	Water - Bbl. 0	Oil Gravity - API -(Corr.) ---		

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

30. Test Witnessed By

Automation

31. List Attachments

C-104, Deviation Svy, Log (1 set)

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:

Latitude

Longitude

NAD: 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Kimberly Long	Printed Name Kimberly Long	Title Sr. Reg Analyst	Date 09/03/09
E-mail address kimberly.long@oxy.com			

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy			T. Canyon	T. Ojo Alamo	T. Penn "A"
T. Salt			T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt			T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates			T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers			T. Devonian	T. Cliff House	T. Leadville
T. Queen			T. Silurian	T. Menefee	T. Madison
T. Grayburg			T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	1481		T. Simpson	T. Mancos	T. McCracken
T. Glorieta	1800		T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock			T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry			T. Gr. Wash	T. Dakota	
T. Tubb	2301		T. Delaware Sand	T. Morrison	
T. Drinkard			T. Bone Springs	T. Todilto	
T. Abo		1071	T.Santa Rosa	T. Entrada	
T. Wolfcamp		1898	T.Yeso	T. Wingate	
T. Penn		2283	T.Cimarron	T. Chinle	
T. Cisco (Bough C)			T.	T. Permian	

## OIL OR GAS SANDS OR ZONES

No. 1, from \_\_\_\_\_ to \_\_\_\_\_

No. 3, from ----- to -----

No. 2, from \_\_\_\_\_ to \_\_\_\_\_

No. 4, from \_\_\_\_\_ to \_\_\_\_\_

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ feet \_\_\_\_\_

No. 2, from \_\_\_\_\_ to \_\_\_\_\_ feet \_\_\_\_\_

No. 3. from \_\_\_\_\_ to \_\_\_\_\_ feet \_\_\_\_\_

## LITHOLOGY RECORD ( Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology
0	706	706	redbed
706	2470	1764	sandstone/shale