Submit 1 Copy To Appropriate District Office	State of New Mexico Energy, Minerals and Natural Resources			Form C-103 October 13, 2009		
<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240				WELL APLNO		
District II	OIL CONSERVATION DIVISION			30-021-20504		
1301 W. Grand Ave., Artesia, NM 88210 District III	1220 South St. Francis Dr.			5. Indicate Type of Lease		
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505			STATI	E FEE Gas Lease No.	x
<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505	- ,			o. State On 6	c das Lease No.	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH				7. Lease Name or Unit Agreement Name Mitchell		
PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☒ Other CO2 SUPPLY				8. Well Number 191J		
2. Name of Operator HESS Corporation				9. OGRID Number 495		
3. Address of Operator PO Box 840 Seminole TX 79360				10. Pool name or Wildcat (96387) West Bravo Dome CO2 Gas		
4. Well Location	1000	COLUMN	1.0	F 0	DA CI	
Unit Letter J:	1980 feet from	_	mic and		from the EAST	Lline HARDING
Section 19	Township 11. Elevation (Shov			NMPM	County	HARDING
	4460				200 mg/s	
12. Check A	Appropriate Box to	Indicate N	ature of Notice, F	Report or Ot	her Data	
NOTICE OF IN	TENTION TO:		SUBS	EQUENT	REPORT OF	·:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING						
TEMPORARILY ABANDON						
PULL OR ALTER CASING DOWNHOLE COMMINGLE	MULTIPLE COMPL	. 🗆	CASING/CEMENT	JOB []	
OTHER: Request Approval Tu	bingless Complet	ion K	OTHER:			
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date						
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of						
proposed completion or recompletion. Requesting approval for the tubingless completion.						
requesting approval for the tubingless completion. This well will have fiberglass casing from surface to the productive interval (GRANITE WASH).						
Steel casing will be used across the GRANITE WASH.						
The fiberglass casing must penetrate the Cimarron at a minimum.						
The optimum point for the setting the fiberglass casing is at						
the midpoint of the GRANITE WASH formation.						
Paramana di Ganadaniana						
Proposed Completion: MIRU on well.						
Swab well						
TIH and perf 4.5" csg	J					
RD						
Spud Date:	R	tig Release Da	te:			
I hereby certify that the information	above is true and com	plete to the be	st of my knowledge	and belief.		
\bigcirc						
SIGNATURE (Smith 1	TITLE_ENGI	NEERING TECH	<u> </u>	DATE 1/12/	2010
Type of print name	SMITH H	E-mail address	rsmith@hess	s.com	PHONE: 432-	758-6726
For State Use Only	1 1'	RIA	TRIAT ALIAF	Allaar	,	_
APPROVED BY: Conditions of Approval (if any):	artin T	ITLE UIS	TRICT SUPE	KVI5OK	DATE <u>//2/</u>	/10