


**WESTATES
PETROLEUM
COMPANY**

SUITE 2360, 1600 BROADWAY

DENVER, COLORADO 80202

(303) 825-2854

Address Replies To: Westates Petroleum Company, Box SS,
Jal, New Mexico 88252



April 26, 1972

DHC-113

due May 18

Oil Conservation Commission
State of New Mexico
State Land Office Building
Box 2088
Santa Fe, New Mexico 87501

Attention: A. L. Porter, Jr., Secretary-Director

Re: Westates Petroleum Company -
Carlson B-25 #2, "P", 25-25S-37E,
Lea County, New Mexico
Blinebry-Tubb Dual Well

Gentlemen:

In accordance with Rule 303-C, "Down-Hole Commingling", Westates respectfully requests approval of an exception to Rule 303-A to permit the commingling in the well bore of Blinebry and Tubb production in the captioned well. The following data are in compliance with Section 2 of the above-mentioned Rule 303-C:

- a) Westates Petroleum Company, Box SS, Jal, New Mexico 88252.
- b) Carlson B-25 #2, "P", 25-25S-37E, Lea County, New Mexico.
- c) Justis-Tubb-Drinkard and Justis-Blinebry, as authorized by Commission Order DC-844 dated 11-25-59.
- d) Blinebry 19 BOPD, 1 BWPD, 100 MCFPD. Tubb-Drinkard 2 BOPD, 1 BWPD, 58 MCFPD.
- e) Production Decline Curve, attached hereto.
- f) Estimated bottom hole pressure for each zone is 920 psi.

- g) The Blinebry gravity is 37.5^o API, and the crude is classed as sour. The Tubb gravity is 37.6^o API, and the crude is classed as sweet.
- h) The two crudes are currently commingled in a common tank battery, therefore, there will be no difference in the relative values.
- i) Copies of this application are being sent to the following:

Amoco Production Company
Box 68
Hobbs, New Mexico 88240

Gulf Oil Company
Drawer 669
Roswell, New Mexico 88201

Union Texas Petroleum
1300 Wilco Building
Midland, Texas 79701.

Very truly yours,




WILBUR F. STULL, SUPERINTENDENT

WFS-BCD:bjm
Enclosure

cc: Oil Conservation Commission
Box 1980
Hobbs, New Mexico 88240
Attention: R. D. Ramey, Supervisor &
Oil and Gas Inspector

BOPD (Test)



WESTATES - CARLSON B 25-2 (032579E)