


Gulf Oil Exploration and Production Company

R. C. Anderson
PRODUCTION MANAGER, HOBBS AREA

February 10, 1982



Re: J. F. Janda (NCT-F) #7
Unit K, Section 4-T22S-R36E
Lea County, New Mexico

Mr. Joe D. Ramey, Director
New Mexico Oil Conservation Division
P. O. Box 2088
Santa Fe, New Mexico 87501

Dear Sir:

Your administrative approval is requested for an exception to Rule No. 303-C to permit down-hole commingling of Jalmat Tansill Yates Seven Rivers (Pro. Gas) and Eunice Seven Rivers Queen, South production in the subject well.

Please find enclosed all pertinent data regarding this application as outlined in Rule No. 303-C.

Yours very truly,


R. C. ANDERSON

JNC/skj
Enclosures

cc: C. F. Kalteyer-Midland



A DIVISION OF GULF OIL CORPORATION

Re: J. F. Janda (NCT-F) #7
Unit K, Section 4-T22S-R36E
Lea County, New Mexico

Approval is requested for an exception to Rule No. 303-C to permit downhole commingling of Jalmat Tansill Yates Seven Rivers (Pro. Gas) and Eunice Seven Rivers Queen, South production in the subject well.

The J. F. Janda (NCT-F) #7 was dually completed in the Jalmat Gas and Eunice South under Administrative Order DC-483, dated August 4, 1957. Production from the two zones is currently commingled above ground under Commingling Order R1767 dated 9-9-60.

The fluids show no evidence of incompatibility; therefore, downhole commingling is not expected to result in reservoir damage. Ownership in the two pools is common and correlative rights will not be violated.

Currently, the Eunice South is being pumped and the Jalmat Gas was flowing. The Jalmat Gas Zone was temporarily abandoned as a frequent need for swabbing water made the zone uneconomical to produce. If an exception is approved, the existing pumping equipment will be used to produce both zones.

Should secondary recovery operation become practical in the future, the two zones could be separated at that time without damaging either reservoir.

OFFSET OPERATORS

ARCO
P. O. Box 1610
Midland, TX 79701

Texas Pacific Oil Co.
P. O. Box 4067
Midland, TX 79701

1. Operator: Gulf Oil Corporation, P. O. Box 670, Hobbs, New Mexico 88240
2. Lease, Well and Location: J. F. Janda (NCT-F) #7, Unit K, 1980' FSL and 1980' FWL, Section 4-T22S-R36E, Lea County, New Mexico.
3. Producing Zones: Currently producing the Eunice Seven Rivers Queen, South Pool, which is to be commingled with the Jalmat Gas Pool, if approved. The Jalmat has not been produced since December, 1978.
4. Decline Curve: See Attached Sheet
5. Bottom Hole Pressures: See Attached Sheet
6. Fluid Characteristics: The Eunice South and Jalmat are currently commingled in surface facilities located on the J. F. Janda (NCT-F) Lease per commingling order R1767, dated 9-9-60. To date, there has been no evidence of fluid incompatibility.
7. Well History: The well was spudded 10-21-56 and drilled to a total depth of 3885'. Five and one-half inch production casing was set at 3885' with top of cement at 640'.

11-5-56, the gross interval 3812-3854' was perforated with 4½" JHPF. Squeezed formation with 250 gallons of mud acid and fractured with 10,000 gallons of refined oil containing 1# SPG. (Eunice South Zone)

8-15-57, the interval 3784-3808' was perforated with 4½" JHPF (Eunice South Zone) Squeezed 250 gallons of mud acid into formation and fractured with 10,000 gallons of refined oil containing 1# SPG.

8-20-57, Jalmat Gas Zone perforated in the gross interval 3185-3320' with 2½" JHPF. Squeezed 500 gallons mud acid into perfs 3185-3320' and fractured the Jalmat with 20,000 gallons refined oil containing 1# SPG.

12-17-57, treated Jalmat Zone with 80 gallons of Aquaness 6/26.

3-31-64, equipped Eunice South to pump.

10-6-64, squeezed 1000 gallons 15% NEA into Jalmat perfs 3185-3320'.


1-18-65, treated Jalmat perfs with 2000 gallons of 15% NEA.

4-15-80, treated Eunice South perfs with 750 gallons of 15% NEA double inhibited HCl.
8. Value of Commingled Fluids: Eunice South and Jalmat Gas production is being commingled in surface storage facilities on the subject lease per order R1767 dated 9-9-60; therefore, downhole commingling will not effect the price.
9. Current Production: See Attached C-116


Suggested allocation of production

	<u>Oil</u>	<u>Gas</u>
Jalmat	0%	97%
Eunice South	100%	3%

The suggested allocation of produced hydrocarbons is based on the percentages of oil and gas produced on the latest C-116.



Section 4



J.F. Janda (NCT-F) #7
1980' FSL and 1980' FWL
Sec 4-T22S-R36E

J.F. JANDA (NCT-F) #7 EUNICE South Oil - Gas - Water -

46 6690


KE 5 YEARS BY MONTHS x 3 LOG CYCLES
KEUFFEL & ESSER CO. MADE IN U.S.A.



Oil - BO/month
Gas - MCF/month

46 6690

10,000 J.F. JANDA (NCT-F) #7 Jalmat Oil - Gas —



Gas - MCF/month

5

GAS-OIL RATIO TESTS

Operator		Pool		County											
Gulf Oil Corporation		Eunice 7 Rivers Queen South		Lea											
Address		TYPE OF TEST - (X)		Completion ☐ Scheduled ☐											
Box 670, Hobbs, N.M. 88240		TEST - (X)		Special ☒											
LEASE NAME	WELL NO.	LOCATION			DATE OF TEST	CHOKE SIZE	TBG. PRESS.	DAILY ALLOW. ABLE	LENGTH OF TEST HOURS	PROD. DURING TEST			GAS - OIL RATIO CU.FT./BBL		
		U	S	T						R	WATER BBLs.	GRAV. OIL		OIL BBLs.	GAS M.C.F.
J.F. Janda (NCT-F)	7	K	4	22	36	1-1-82	P	2"W.O.	28	2	0	35.2	7	4.0	571
* Request Allowable Increase															

No well will be assigned an allowable greater than the amount of oil produced on the official test.

During gas-oil ratio test, each well shall be produced at a rate not exceeding the top unit allowable for the pool in which well is located by more than 25 percent. Operator is encouraged to take advantage of this 25 percent tolerance in order that well can be assigned increased allowable when authorized by the Division.

Gas volumes must be reported in MCF measured at a pressure base of 15.023 psia and a temperature of 60° F. Specific gravity base will be 0.60.

Report casing pressure in lieu of tubing pressure for any well producing through casing.

Well original and one copy of this report to the district office of the New Mexico Oil Conservation Division in accordance with Rule 301 and appropriate pool rules.

I hereby certify that the above information is true and complete to the best of my knowledge and belief.

A. C. Graham
(Signature)

Well Tester

(Title)

1-7-82

(Date)

TYPE OF REPORT - (X)
Initial Completion
Special ☒
General Survey

NEW MEXICO OIL CONSERVATION COMMISSION
RESERVOIR PRESSURE REPORT

Operator Gulf Oil Exploration & Production Co. Address Box 670 Hobbs, New Mexico 88240		County Lea		Date 12/23/81
Produced by Formation Queen Penrose		Well Identification —		Bottom Flow (-226)*
Oil/Gas Ratio .347		Gravity .002		

LEASE	WELL NO.	LOCATION			ELEV. (ft)	DATE TESTED	SHUT-IN 24 HOURS	BOMB TEST DATA			SONIC INSTRUMENT TEST DATA*					PRESS. AT DATE
		U	S	T	R			TEST DEPTH	B.H. TEMP. °F	OB. SERVED PRESS.	PROD. TEST (BBL./DAY)	LIQUID LEVEL	LIQUID GRADIENT PSI/FT.	WT. OF LIQUID COL. PSI	WT. OF GAS COL. PSI	
J.F. JANDA (NCT-F)	7	K	4	22	36	3593	0	3725	95	155		3300'				188
* MIDPOINT OF CASING PERFORATIONS																

All depths plus or minus sea level; all pressures psi; Bomb shall be calibrated frequently enough against a dead weight tester to ensure an accuracy of one per cent; gas gravity shall be determined by analysis; liquid level shall be feet above datum plane. SEE RULE 302.

* Well shall be produced at least 24 hours prior to shutting in for sonic test.

I hereby certify that the above information is true and complete to the best of my knowledge and belief.
JABREL SERVICES, INC.

Joe A. Penrose
(Signature)

Agent

(Title)

December 23, 1981

(Date)

JARREL SERVICES, INC.

POST OFFICE BOX 1654

PHONES 505 393-5396 — 393-8274

HOBBS, NEW MEXICO 88240


OPERATOR Gulf Oil Exploration & Production Co.

BOTTOM HOLE PRESSURE RECORD

FIELD South Eunice
 FORMATION Queen Penrose
 LEASE Janda F (NCT-F) WELL # 7
 COUNTY Lea STATE New Mexico
 DATE 12/20/81 TIME 12:30 PM
 Status Shut in
 Test Depth 3725'
 Time S. I. 24.0 hrs. Last test date -
 Tub Pres. 5 BHP last test -
 Cas. Pres. Dual BHP change -
 Elev. 3593' KB Fluid top 3300'
 Datum (-226)** Water top None
 Temp. @ 97 Run by JSI #13
 Cal. No. A4586N Chart No. 1

Depth	Pressure	Gradient
0	5	-
1250	6	.001
1750	7	.002
2250	8	.002
2750	9	.002
3250	10	.002
3500	77	.268
3725	155	.347
3819 (-226)	188 * **	(.347)

* EXTRAPOLATED PRESSURE
 ** MIDPOINT OF CASING PERFORATIONS



GAS-OIL RATIO TESTS

Operator Gulf Oil Corporation		Pool Jalmat Gas		County Lea											
Address Box 670, Hobbs, NM 88240		TYPE OF TEST - (X) ☐ Scheduled ☐ Completion		Special ☒											
LEASE NAME	WELL NO.	LOCATION			DATE OF TEST	CHOKE SIZE	TBG. PRESS.	DAILY ALLOW-ABLE	LENGTH OF TEST HOURS	PROD. DURING TEST				GAS - OIL RATIO CU.FT/BBL	
		U	S	T						R	WATER BBLs.	GRAV. OIL	OIL BBLs.		GAS M.C.F.
J. F. Janda (NCT-F)	7	K	4	22	36	1-16-82	F 2" WO	70	0	24	0	-	0	157.0	-
Prior to CDH															

No well will be assigned an allowable greater than the amount of oil produced on the official test.

During gas-oil ratio test, each well shall be produced at a rate not exceeding the top unit allowable for the pool in which well is located by more than 25 percent. Operator is encouraged to take advantage of this 25 percent tolerance in order that well can be assigned increased allowables when authorized by the Division.

Gas volumes must be reported in MCF measured at a pressure base of 15.025 psia and a temperature of 60° F. Specific gravity base will be 0.60.

Report casing pressure in lieu of tubing pressure for any well producing through casing.

Mail original and one copy of this report to the district office of the New Mexico Oil Conservation Division in accordance with Rule 301 and appropriate pool rules.

I hereby certify that the above information is true and complete to the best of my knowledge and belief.

A. C. Graham
(Signature)

Well Tester

(Title)
January 19, 1982

TYPE OF REPORT - (X)
Initial Completion
Special
General Survey

NEW MEXICO OIL CONSERVATION COMMISSION

Form O-24
Revised 12-77

RESERVOIR PRESSURE REPORT

Gulf Oil Exploration & Production Co.		Jalmat Gas		County		Lea		Date		12/23/81	
Box 670		Producing Formation		Oil Gradient		Water Gradient		Air Gravity		Temperature	
Hobbs, New Mexico 88240		Yates-Seven Rivers		- psi/ft.		- psi/ft.		0.14		(1340)*	

LEASE	WELL NO.	LOCATION			ELEV. (O) OR GAS (G)	DATE TESTED	Z SHUT-IN HOURS	BOMB TEST DATA			SONIC INSTRUMENT TEST DATA*					PRESS. AT DATUM
		U	S	T	R			TEST DEPTH	B.H. TEMP. °F	OB-SERVED PRESS.	PROD. TEST (BBL./DAY)	LIQUID LEVEL	LIQUID GRAD-IENT PSI/FT.	WT. OF LIQUID COL. PSI	WT. OF GAS COL. PSI	
J.F. Janda (NCT-F)	7	K	4	22	36	3593 G	12/22/81 24	73	90	117		None				117

All depths plus or minus sea level; all pressures psi; Bomb shall be calibrated frequently enough against a dead weight tester to ensure an accuracy of one per cent; gas gravity shall be determined by analysis; liquid level shall be feet above datum plane. SEE RULE 302.

* Well shall be produced at least 24 hours prior to shutting in for sonic test.

I hereby certify that the above information is true and complete to the best of my knowledge and belief.

JARREL SERVICES, INC.

Joe Alstina
(Signature)

Agent

(Title)

December 23, 1981

(Date)

JARREL SERVICES, INC.

POST OFFICE BOX 1654

PHONES 505 393-5396 — 393-8274

HOBBS, NEW MEXICO 88240

OPERATOR Gulf Oil Exploration & Production Co.

FIELD Jalmat Gas

FORMATION Y-SA

LEASE Janda F (NCT-F) WELL #7

COUNTY Lea STATE New Mexico

DATE 12/22/81 TIME 11:00 AM

Status Shut in

Test Depth 3253'

Time S. I. 24.0 hrs Last test date -

Tub Pres. 73 BHP last test -

Cas. Pres. Dual BHP change -

Elev. 3593' KB Fluid top None

Datum (+340)** Water top None


Temp. @ 90° F Run by JSI #13

Cal. No. A4586N Chart No. 1

BOTTOM HOLE PRESSURE RECORD

Depth	Pressure	Gradient
0	73	-
1250	89	.013
1750	96	.014
2250	103	.014
2750	110	.014
3253 (+340)	117 **	.014

** MIDPOINT OF CASING PERFORATIONS



WELL DATA SHEET

LEASE J.F. Janda (NCT-F) Well No. 7 Pool Jalmar Gas, Eunice S.Location: 1980' FS + WL County Lea State NM
Sec 4-T22S-R36E

GLE:

KDB:

H =

Initial Comp. Date: 11/5/56

Producing Formation: _____

Zone	Comp. Date	Date Abnd.

Treatment History: (Current Zone)

8 7/8 "OD 24 # Grade JSS
Set @ 299 ' w/ 225 sx
Top of Cmt @ Surface by:
circ.

2 3/8 " 4.7# BRD JSS Btm@:
3863' SN@ 3843'

= 3185'-3210'
= 3230'-3250' } Jalmar Gas
= 3285'-3320' } perfed w/ 4 (1/2") JHPF

Producing History:

Formation: _____

Month or Year	Oil	Water	Gas

Eunice South
Last Test Dated: _____

BOPD _____ BWPD _____ MCFGPD _____

FL: _____ Calc. Ppg. Eff: _____

Cu. Oil _____ Cum. Gas _____

PBTD 3881'

5 1/2 "OD 14 # Grade JSS

Remarks:

Set @ 3885' w/ 1200 sxTD 3885' Top of Cmt @ 640' by: TS

Propose commingle downhole by
removing Baker Model D packer
@ 3740'


PREPARED BY: J.N. Clement 11/8/81



Gulf Oil Exploration and Production Company

R. C. Anderson
PRODUCTION MANAGER, HOBBS AREA

April 19, 1982



Re: J. F. Janda (NCT-F) #7
Unit K, Section 4-T22S-R36E
Lea County, New Mexico

Mr. Joe D. Ramey, Director
New Mexico Oil Conservation Division
P. O. Box 2088
Santa Fe, New Mexico 87501

Dear Sir:

Your administrative approval is requested for an exception to Rule No. 303-C to permit down-hole commingling of Jalmat Transill Yates Seven Rivers (Pro. Gas) and Eunice Seven Rivers Queen, South production in the subject well. This request was previously submitted under a cover letter dated February 10, 1982.

Please find enclosed all pertinent data regarding this application as outlined in Rule No. 303-C.

Yours very truly,

R. C. Anderson
R. C. ANDERSON

JNC/skc
Enclosures

*As the ownership,
working interest, royalty, and
overriding royalty common for both
zones.*

M. Stogner
5/20/82




A DIVISION OF GULF OIL CORPORATION

OIL CONSERVATION DIVISION
DISTRICT I

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

DATE March 3, 1982

RE: Proposed MC
Proposed DHC X
Proposed NSL
Proposed NSP
Proposed SWD
Proposed WFX
Proposed PMX



Gentlemen:

I have examined the application for the:

Gulf Oil Corp.	J. F. Janda "F"	No. 7-K	4-22-36
Operator	Lease and Well No.	Unit, S - T - R	

and my recommendations are as follows:

O.K.----J.S.

Yours very truly,

/mc