

Production Department Hobbs Division North American Production Conoco Inc. P.O. Box 460 726 East Michigan Hobbs, NM 88240 (505) 393-4141

June 5, 1984

New Mexico Oil Conservation Division P. O. Box 2088
Santa Fe, New Mexico 87501

Attention Mr. Gilbert Quintana

Gentlemen:

Conoco respectfully requests an exception to Division Rule 303-A to allow downhole commingling of the Warren Tubb and Blinebry Oil and Gas pools in 26 wells in the Warren Unit. Prior to this time, the Tubb and Blinebry had different windfall profit tax tiers; it was not possible for us to downhole commingle even though we had several wells which were candidates. Recently, the tax tiers for these pools have become the same; thus, we are submitting these 26 wells together in one application. The wells and their locations are listed on Table No. 1. Also, the following items are attached for each well.

- a) A lease plat.
- b) C-116's showing tests. Due to the large number of wells, all tests are not within a 30 day period; however, they are as recent as possible and will be representative of current and past production rates.
- c) Decline curves for both zones.
- d) Existing and proposed wellbore diagrams.

Bottom-hole pressure tests for these wells were discussed with Jerry Sexton of the Hobbs District Office. He suggested that if reasonably consistent bottom-hole pressures were recorded in each well tested, we could group the wells and get a bottom-hole pressure test from one well in each group. Table No. 2 gives the actual bottom-hole pressures and the attached map shows the wells tested and their groups.

The fluids from the Tubb and Blinebry will not be incompatible in the well-bore. Oil gravity for all wells is 40° API. Also, an analysis was made of the water from each zone to test their compatibility. The results of these tests are attached for your review. Because there is a possibility of downhole scaling indicated, the Tubb will be chemically inhibited to prevent any problems.

The value of the production will not be reduced by the commingling because the oil from both zones is sweet and valued at \$30.00 per bbl.

NMOCD June 5, 1984 Page 2

Our proposed formulas for allocating production to each zone are listed on Table No. 3. These formulas are based on the ratio of production reflected by the wells tests.

By copy of this letter we are notifying the BLM and all offset operators (see attached address list).

Yours very truly,

Donald W. Johnson Division Manager

DDP:cyp

TABLE I
WARREN UNIT WELLS
PROPOSED FOR DOWNHOLE COMMINGLING
TOWNSHIP 20S, RANGE 38E

| Well No. | Unit | Section | Well No. | Unit | Section |
|-----------------|------|---------|------------------|------|---------|
| -3 1 | 0 | 27 | 50 | В | 29 |
| 32 | P | 27 | - 5 1 | A | 29 |
| 34 | С | 34 | 52 | I | 29 |
| - 36 | D | 27 | 54 | E | 26 |
| - 37 | J | 27 | 55 | G | 26 |
| - 40 | G | 27 | 56 | В | 26 |
| _43 | N | 21 | - 57 | D | 26 |
| _44 | M | 26 | ~ 62 | P | 20 |
| 4 5 | N | 26 | 63 | O | 20 |
| -4 6 | K | 26 | 68 | A | 27 |
| 4 7 | н | 29 | 77 | J | 20 |
| - 48 | F | 26 | 78 | I | 20 |
| 49 | J | 26 | ~ 81 | L | 21 |

TABLE NO. 2 BOTTOM-HOLE PRESSURES WARREN UNIT

| Wells # | Measured BHP at Mid-point of perfs TUBB BLINEBRY | Over/Underbalance of Blinebry BHP corrected to midpoint of Tubb Perforations |
|---------|--|--|
| 31 | 540 psi 448 psi | +213 psi |
| 40 | 474 psi 409 psi | +135 psi |
| 45 | 1011 psi 735 psi | - 60 psi |
| 47 | 604 psi 370 psi | + 69 psi |
| 48 | 941 psi 584 psi | - 78 psi |
| 62 | 791 psi 367 psi | -164 psi |

Preserves are surfacts under the surface on wells are a surped area.

TABLE 3 RECOMMENDED PRODUCTION ALLOCATION WARREN UNIT

Percent Total Production

| | Bli: | nebry | Tu | ıbb |
|-------------|------------|-------|------------|-----|
| Well No. | <u>0i1</u> | Gas | <u>0i1</u> | Gas |
| 31 | 24 | 34 | 76 | 66 |
| 32 | 58 | 62 | 42 | 38 |
| 34 | 62 | 76 | 38 | 24 |
| 36 | 23 | 0 | 77 | 100 |
| 37 | 53 | 52 | 47 | 48 |
| 40 | 55 | 33 | 45 | 67 |
| 43 | 86 | 38 | 14 | 62 |
| 44 | 48 | 84 | 52 | 16 |
| 45 | 11 | 55 | 89 | 45 |
| 46 | 47 | 66 | 53 | 34 |
| 47 | 56 | 66 | 44 | 34 |
| 48 | 49 | 31 | 51 | 69 |
| 49 | 39 | 70 | 61 | 30 |
| 50 🗸 | 50 | 45 | 50 | 55 |
| 51 | 21 | 32 | 79 | 68 |
| 52 | 81 | 89 | 19 | 11 |
| 54 | 50 | 100 | 50 | 0 |
| 55 | 58 | 100 | 42 | 0 |
| 56 V | 47 | 100 | 53 | 0 |
| 57 🗸 | 54 | 99 | 46 | 1 |
| 62 | 29 | 35 | 71 | 65 |
| 63 | 22 | 18 | 78 | 82 |
| 68 | 55 | 80 | 45 | 20 |
| 77 | 81 | 82 | 19 | 18 |
| 78 | 41 | 40 | 59 | 60 |
| 81 | 86 | 100 | 14 | 0 |

Address List

Tamarack Petroleum Co. P. O. Box 2046 Midland, TX 79701

Adobe Oil & Gas Corp. 1100 Western United Life Bldg. Midland, TX 79701

Amerada Hess P. O. Box 840 Seminole, TX 79360

Bureau of Land Mangagement P. O. Box 1778 Carlsbad, NM 88220

NEW MEXICO OIL CONSERVATION COMMISSION **GAS-OIL RATIO TESTS**

Operator

and reliboration

Revised 1-1-65

County

Address Ρ. Warren Unit Conoco Inc. Warren Unit Warren Warren Unit Warren 0 Box 460, Unit Unit LEASE NAME Hobbs, New Mexico 88240 WELL 49 48 46 45 44 6 37 31 50 Z O 36 0 c Z G Ъ 26 29 26 26 26 27 27 27 27 29 29 26 34 LOCATION s Warren Tubb 0il 20 20 20 20 20 20 20 20 20 20 20 20 20 4 38 38 38 38 38 38 38 38 38 38 38 38 38 38 38 38 IJ 3-09-84 3-07-84 4-09-84 4-03-84 3-04-84 3-18-84 4-01-84 4-14-84 3-23-84 4-07-84 3-04-84 4-19-84 3-28-84 3-23-84 3 - 19 - 843-20-84 DATEOF TEST TEST TYPE OF STATUS Н ч ч ч Ъ ч ч Ч ч Ы ч ч Ъ Ч Ч Ħ CHOKE SIZE ı X PRESS TBG. NA K NA K K NA NA NA NA NA Scheduled ALLOW-DAILY ABLE 13 10 11 16 19 1 12 9 Lea TEST LENGTH HOURS 24 24 WATER BBL S. Completion PROD. DURING GRAV. 임 40 40 40 BBL S. 16 19 10 10 TEST 255 GAS Special X CU.FT/BBL 13,421 19,600 GAS - OIL 10,500 7,286 38,500 9,200 5,500 2,727 2,857 2,727 1,474 3,375 7,100 2,667 1,600 1,250 RATIO

No well will be assigned an allowable greater than the amount of oil produced on the official test.

increased allowables when authorized by the Commission. During gas-oil ratio test, each well shall be produced at a rate not exceeding the top unit allowable for the pool in which well is located by more than 25 percent. Operator is encouraged to take advantage of this 25 percent tolerance in order that well can be assigned.

will be 0.60. Gas volumes must be reported in MCF measured at a pressure base of 15.025 psia and a temperature of 60° F. Specific gravity base

Report casing pressure in lieu of tubing pressure for any well producing through casing.

Rule 301 and appropriate pool rules. Mail original and one copy of this report to the district office of the New Mexico Oil Conservation Commission in accordance with

> is true and complete to the best of my knowledge and belief. I hereby certify that the above information

Administrative Supervisor

June

(Date)

| Operator | | | [Pool | 2 | | | | | | Cot | County | | | | | |
|-------------------------|---------------|-------|-------|--------------|----------|----------------------|------|-------|--------------|-----------|---------------|----------------|------------|--------------|-------------|-----------|
| Conoco Inc. | | | | <u>Bline</u> | bry 0 | Blinebry 011 and Gas | | | | | Lea | | | | ; | |
| P. O. Box 460 Hobbs New | New Mey 100 | 887/0 | | | | | TSBT |) (X | <u>s</u> | Scheduled | | Comp | Completion | ٺ | N D D | Special X |
| | WELL | | L0C | LOCATION | | DATEOF | | CHOKE | TBG. | DAILY | LENGTH | ס | ROD. [| PROD. DURING | TEST | GAS - OIL |
| LEASE NAME | <u>х</u> 0 | c | s | 4 | , | TEST | STAT | SIZE | | ALLOW- | TEST HOURS | WATER BBLS. | GRAV. | STAB | M.C.F. | CU.FT/BBL |
| | | | | | | | | | | | | < | | • | | |
| Warren Unit | 52 | Н | 29 | 20 | 38 | 3-08-84 | ъ | ı | NA | 21 | 24 | 10/ | 40 | 13 | 67. | 5,154 |
| Warren Unit | 54 | Ħ | 26 | 20 | 38 | 4-02-84 | Ħ | ı | NA | 2 | 24 | ω, | 40 | . 5 ~ | 98 | 19,600 |
| Warren Unit | 55 | G | 26 | 20 | 38 | 4-03-84 | P | ı | NA | 9 | 24 | °, | 40 | ر ک | 70 | 10,000 |
| Warren Unit | 56 | В | 26 | 20 | 38 | 3-22-84 | ъ | 1 | NA | w | 24 | 17 / | 40 | 8 | 50 | 6,250 |
| Warren Unit | 57 | Đ | 26 | 20 | 38 | 3-21-84 | ъ | 1 | NA | 6 | 24 | 534 | 40 | 20 < | 141 | 7,050 |
| Warren Unit | 62 | ъ | 20 | 20 | ა ა | 3-24-84 | Þ | 1 | NA | 21 | 24 | 2 / | 40 | 7 < | 22 | 3,143 |
| Warren Unit | 63 | 0 | 20 | 20 | 38 | 3-11-84 | ъ | ı | NA | 11 | 24 | 1, | 40 | 5 | 13 | 2,600 |
| Warren Unit | 68 | Α | 27 | 20 | 38 | 4-03-84 | של | ι | NA | % | 24 | 2 | 40 | 6 | , 20 | 3,333 |
| Warren Unit | 77 | ٦ | 20 | 20 | 38 | 3-13-84 | ъ | I | NA | 54 | 24 | \"\ | 40 | 22 | 81 | 3,682 |
| Warren Unit | 78 | Н | 20 | 20 | 38 | 3-01-84 | ъ | | NA | 10 | 24 | ш, | 40 | 7 | , 17 | 2,429 |
| Warren Unit | 81 | H | 21 | 20 | 38 | 3-04-84 | שי | i | NA | 52 | 24 | 22/ | 40 | 18 | 35 | 1,944 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

No well will be assigned an allowable greater than the amount of oil produced on the official test.

During gas-oil ratio test, each well shall be produced at a rate not exceeding the top unit allowable for the pool in which well is located by more than 25 percent. Operator is encouraged to take advantage of this 25 percent tolerance in order that well can be assigned increased allowables when authorized by the Commission.

will be 0.60. Gas volumes must be reported in MCF measured at a pressure base of 15.025 psia and a temperature of 60° F. Specific gravity base

Report casing pressure in lieu of tubing pressure for any well producing through casing.

Mail original and one copy of this report to the district office of the New Mexico Oil Conservation Commission in accordance with Rule 301 and appropriate pool rules.

I hereby certify that the above information is true and complete to the best of my knowledge and belief.

Administrative Supervisor
(Tide)

June 1, 1984
(Date)

NEW MEXICO OIL CONSERVATION COMMISSION GAS-OIL RATIO TESTS

Revised 1-1-65 9119

| Operator | | | Pool | | | | | | | County | nty | | | | | |
|---|--------------|-----|------|-----------------|----------|----------|------|--------|--------|--------------|---------------|----------------|--------------|-----------------|--------|-----------|
| Conoco Inc. | | | | Warren Tubb Oil | Tubb | 011 | | | | | Lea | | | | | |
| Address | | | | | | | BUYT | OF | |] | | |] | l | | |
| P. O. Box 460, Hobbs, New | Mexico 88240 | 882 | 40 | | | 71 | TEST | ı X | Sch | Scheduled | | Compl | Completion | | Spec | Special 🗓 |
| | | | LOC, | LOCATION | | DATEOF | | CHOKE | TBG. | | LENGTH | P | PROD. DURING | _1 | TEST | GAS - OIL |
| F F A S C F F F F F F F F F F F F F F F F F F | NO. | С | s | 4 | , | TEST | STA | SIZE | PRESS. | ABLE ABLE | TEST HOURS | WATER BBLS. | OIL | OIL BBLS. | M.C.F. | CU.FT/BBL |
| Warren Unit | 54 | Ħ | 26 | 20 | 38 | 4-02-84 | d. | ı | NA | لم ا | 24 | 0 | 40 | 5 | TSTM | ı |
| Warren IInit | л Л | בי | 36 | 3 — | ည စ | /8-20-1/ | ರ | Ì | N A | ת | ٧, | | ` `` | اگر | Mation | |
| | | - | | - | | 1 00 | | | - CAN | | 1 | , | | ر ' | TUL | |
| Warren Unit | 56 | В | 26 | 20 | 38 | 3-22-84 | ъ | ı | NA | 25 | 24 | 71 | , 40 | ્ર | MIST | ı |
| Warren Unit | 57 | D | 26 | 20 | 38 | 3-05-84 | ٦ | 1 | NA | 14 | 24 | | 40 | 17 | , 2 | 118 |
| Warren Unit | 62 | ъ | 20 | 20 | 38 | 3-10-84 | P | 1 | NA | 24 | 24 | 0, | 40 | 17 | , 40 | 2,353 |
| Warren Unit | 63 | 0 | 20 | 20 | 38 | 3-13-84 | ъ | ı | NA | 28 | 24 | 6 | 40 | 18 🗸 | 61 | 3,389 |
| Warren Unit | 68 | ₽ | 27 | 20 | . 38 | 3-17-84 | P | 1 | NA | 10 | 24 | 2' | 40 | ر ح | 5 | 1,000 |
| Warren Unit | 77 | ۲ | 20 | 20 | 38 | 3-14-84 | P | ı | NA | 15 | 24 | 0 | 40 | 5 ر د | 18 | 3,600 |
| Warren Unit | 78 | H | 20 | 20 | 38 | 4-06-84 | Ą | 1 | NA | 10 | 24 | | 40 | 10 | 25 | 2,500 |
| Warren Unit | 81 | ۲ | 21 | 20 | 38 | 3-09-84 | שי | ţ | NA | 7 | 24 | 0 | 40 | ٠٠ ٤ | MIST | ı |
| | | | 1 + | | | | | | | | | · | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | , | | | | |
| | | | | | | | ŀ | | | | 1 | | | | | |

No well will be assigned an allowable greater than the amount of oil produced on the official test.

During gas-oil ratio test, each well shall be produced at a rate not exceeding the top unit allowable for the pool in which well is located by more than 25 percent. Operator is encouraged to take advantage of this 25 percent tolerance in order that well can be assigned increased allowables when authorized by the Commission.

will be 0.60. Gas volumes must be reported in MCF measured at a pressure base of 15.025 psia and a temperature of 60° F. Specific gravity base

Report casing pressure in lieu of tubing pressure for any well producing through casing.

Mail original and one copy of this report to the district office of the New Mexico Oll Conservation Commission in accordance with Rule 301 and appropriate pool rules.

is true and complete to the best of my knowledge and belief. I hereby certify that the above information

June 1, 1984 (Title)

Administrative Supervisor

(Date)

| Operator | | | Pool | 01 | | | | | | County | Pto | | | | | |
|-------------------------|------------------|-----|------|--------------|-------|-----------|------|----------|--------|----------------|---------------|----------------|---------|------------|---------------|--------------------|
| Conoco Inc. | | | | Blinebry 011 | ry Of | 1 and Gas | | | | | Lea | | | | | |
| Address | | | | | | | ЭЧҮТ | 0F | | | | | | | | |
| P. O. Box 460 Hobbs New | New Mexico 88240 | 882 | 0 | | | 7. | TEST | - (×) | Sch | Scheduled | | Completion | etion [| · | Speci | Special X |
| , | WELL | | Loc | LOCATION | | DATEOF | | CHOKE | TBG. | | LENGTH | - PR | õb. | ଦ | TEST | GAS - OIL |
| L LANGE A SWE | NO | c | s | Ŧ | 20 | TEST | STA | SIZE | PRESS. | ABLE ALLOW- | TEST HOURS | WATER BBLS. | GRAV. | OIL | GAS M.C.F. | RATIO CU.FT/BBL |
| Warren Unit | 31 | 0 | 27 | 20 | 38 | 3-30-84 | Ħ | <u>,</u> | NA | 10 | 24 | 0 | 40 | ر ا | 71 | 14,200 |
| Warren Unit | 32 | ъ | 27 | 20 | 38 | 3-28-84 | שי | ł | NA | 11 | 24 | 1 | 40 | 11 | 72 | 6,545 |
| Warren Unit | 34 | C | 34 | 20 | 38 | 3-23-84 | ש | ı | NA | 10 | 24 | | 40 | <u>«</u> ر | , 149 | 18,625 |
| Warren Unit | 36 | ש | 27 | 20 | 38 | 3-04-84 | שי | 1 | NA | 2, | 24 | °, | 40 | 32 | /TSTM | í |
| Warren Unit | 37 | ٦ | 27 | 20 | 38 | 3-17-84 | ъ | ı | NA | 6 | 24 | | 40 | <u>«</u> | 56 | 7,000 |
| Warren Unit | 40 | G. | 27 | 20 | 38 | 4-08-84 | Ā | 1 | NA | l | 24 | | 40 | 6 | 49 | 8,167 |
| Warren Unit | 43 | z | 21 | 20 | 38 | 3-05-84 | Ą | 1 | NA | ∞ | 24 | 7 | 40 | 12 | 13 | 1,083 |
| Warren Unit | 44 | × | 26 | 20 | 38 | 3-01-84 | P | ı | NA | 8 | 24 | Ŝ | 40 | 10 🖍 | 154 | 15,400 |
| Warren Unit | 45 | z | 26 | 20 | 38 | 3-17-84 | ъ | 1 | NA | 9 | 24 | ° | 40 | 1 | , 12 | 12,000 |
| Warren Unit | 46 | × | 26 | 20 | 38 | 3-19-84 | Þ | ı | NA | 5 | 24 | 7 | 40 | ۔ ک | 52 | 7,429 |
| Warren Unit | 47 | н | 29 | 20 | 38 | 4-25-84 | ъ | 1 · | NA | 13 | 24 | 21 | 40 | 9 🗸 | 38 | 4,222 |
| Warren Unit | 48 | 坩 | 26 | 20 | 38 | 3-23-84 | ъ | ı | NA | 17 | 24 | ° | 40 | 18 | 114 | 6,333 |
| Warren Unit | 49 | ۲, | 26 | 20 | 38 | 4-03-84 | ъ | 1 | NA | 16 | 24 | - | 40 | 7 < | 70 | 10,000 |
| Warren Unit | 50 | ᄧ | 29 | 20 | 38 | 3-06-84 | Þ | ı | NA | ۲. | 24 | 2 | 40 | 10 | 13 | 1,300 |
| Warren Unit | 51 | A | 29 | 20 | 38 | 3-07-84 | P | 1 | NA | 21 | 24 | 3/ | 40 | 5 € | 13 | 2,600 |
| | | | | | | | | | | | | | | | | |

No well will be assigned an allowable greater than the amount of oil produced on the official test.

During gas-oil ratio test, each well shall be produced at a rate not exceeding the top unit allowable for the pool in which well is located by more than 25 percent. Operator is encouraged to take advantage of this 25 percent tolerance in order that well can be assigned increased allowables when authorized by the Commission.

will be 0.60. Gas volumes must be reported in MCF measured at a pressure base of 15,025 psia and a temperature of 60° F. Specific gravity base

Report casing pressure in lieu of tubing pressure for any well producing through casing.

Mail original and one copy of this report to the district office of the New Mexico Oll Conservation Commission in accordance with Rule 301 and appropriate pool rules.

ledge and belief. is true and complete to the best of my know-I hereby certify that the above information

Administrative Supervisor (Tide) June 1, 1984

(Date)



(505) 393-7726

March 30, 1984

Conoco, Inc.
Post Office Box 460
Hobbs, New Mexico 88240
Attn: Elma Winter

Dear Ms. Winter:

Water samples of the Warren Unit #55 from the Tubb and Blinebry were mixed at 3 ratios. The production figures indicate that the waters will mix close to half and half.

The waters were combined at 75-25, 50-50, and 25-75%; Tubb and Blinebry respectively. The water mixtures were observed immediately after mixing and showed no haziness.

Millipores were run on each mixture and the 2 separate waters after 2 weeks. The results follow:

| | Tubb | Blinebry | 75-25 | 50-50 | 25-75 |
|-------------|------|----------|-------|-------|-------|
| CaCO3 | 77% | 82.5% | 87% | 67% | 70.5% |
| Acid Insol. | 23% | 8% | 0% | 9.6% | 0% |

These numbers show that the co-mingling of the two at the above ratios should not cause any worse conditions as the each water separate.

If you have any questions, please contact us.

Regards,

Joe Edwards

Tech Service Representative



(505) 393-7726

April 9, 1984

Conoco, Inc.
Post Office Box 460
Hobbs, New Mexico 88240
Attention: Elma Winter

Dear Ms. Winter:

Attached are the results of the water compatibility study on the Warren Unit #55 Tubb-Blinebry. The waters were caught, mixed and analyzed in the field initially. They were then brought to the lab and kept at 120°F for 72 hours. At 24, 48, and 72 hours, the waters were again analyzed. At the end of the 72 hour period, a millipore was run on each water.

These results are comparable to the first millipore run on March 30, 1984. It appears there will be no significant change in the scaling tendency by co-mingling the two waters.

If you have any questions, please contact us.

Regards,

Joe Edwards

Come Election

Technical Services Representative

JE/gr

attachments

WATER ANALYSIS REPORT

CONOCO, INC. HOBBS DIVISION HOBBS, NEW MEXICO

| IDENT | TIFICATION | War | ren Unit #55 | | · | | _ |
|--------|-------------------------|--|---------------------------------------|--------------|-------|-------------------|---------------|
| POOL | | | FOR | MATION | Tubb | • | |
| SAMPI | E POINT | . · | · · · · · · · · · · · · · · · · · · · | DEPTH | | | |
| DATE | COLLECTED | | | ON SITE ANAL | YSIS_ | Partial | • |
| BOTTO | M HOLE TEMP * | F | | ANALYSIS BY | | | |
| | | | ANALYSIS RE | SULTS | Chai | npion Chemic | als, Inc. |
| SPECI | FIC GRAVITY_ | 1. | 109 | рН | 7.12 | | |
| RESIS | TIVITY AT_ | ······································ | | •F | : | онм м | ETER |
| | • | Meq/l | Mg/1 | | | Meq/l | Mg/1 |
| TOTAL | SALTS | | 152,548 | SODIUM (Na) | | 2,046 | 47,063 |
| HYDRO | GEN SULFIDE | 0.3. | 5.1 | MAGNESIUM (M | (g) | 179 | 2,187 |
| CHLOR | IDE (C1) | 2.620 | 93,000 | CALCIUM (Ca) | | 430 | 8,600 |
| Sulfa | TE (SO ₄) | 34 | 1,625 | BARIUM (Ba) | | | |
| CARBO | NATE (CO ₃) | · · · · · · · · · · · · · · · · · · · | | IRON (Mg/1) | TOTAL | DIS | s. 10.5 |
| BICAR | BONATE (HCO3) | 12 | 73_ | SUSPENDED SO | LIDS | _ | |
| EYDRO: | XYL (OH) | | | . • | | | |
| | | <u>s</u> | CALING TENDE | ENCIES | - | | |
| I'F | CaCO3 INTERPRETATION | <u>1</u> | CaSO _Z *F INTERPRE | | T°F | BaSO ₄ | rion . |
| 60 _ | +0.38 | yes | | es | 60 | | |
| 80 _ | +0.60 | yes | | es | 80 | | • |
| 100 _ | +0.85 | yes 1 | 00 <u>n</u> | o · | 100 | | |
| .40 _ | +1.49 | yes 1 | 40 <u>y</u> | es | 140 | | |
| 60 | +1.87 | yes 1 | 50 ^y | es | 160 | | |

WATER ANALYSIS REPORT

CONOCO, INC. HOBBS DIVISION HOBBS, NEW MEXICO

| IDEN | TIFICATION | Warren | Unit | #55 | | | | |
|------|------------------------|--------|---------------------------------------|-------------------------------|--------------|------------|---------------------------------|--|
| POOL | | | | FORM | AATION | Blinet | ory . | |
| SAME | LE POINT | | | | DEPTH | | · | |
| DATE | COLLECTED | | | | ON SITE ANAL | | | |
| BOTI | OM HOLE TEMP . | F | | | ANALYSIS BY | Joe Edv | vards fine Chemicals | |
| • | | | AN. | ALYSIS RES | | criamp i c | | s, inc. |
| SPEC | IFIC GRAVITY | 1.10 | · · · · · · · · · · · · · · · · · · · | | рн | 7.44 | ļ | |
| RESI | STIVITY AT | | | | *F | · | OHM | METER |
| | | Meq/ | l | Mg/l | | | Meq/l | Mg/1 |
| TOTA | L SALTS | | | 139,249 | SODIUM (Na) | • | 1,899 | 43.682 |
| HYDR | OGEN SULFIDE | 0.3 | 3 | 5 | MAGNESIUM (M | g) | 191 | 2,333 |
| CHLO | RIDE (C1) | 2,366 | | 84,000 | CALCIUM (Ca) | • | 330 | 6,600 |
| SULF | ATE (SO ₄) | 52 | | 2,500 | BARIUM (Ba) | ٠. | | 0 |
| CARB | ONATE (CO3) | | | | IRON (Mg/1) | TOTAL | DI | ss. <u>3</u> |
| BICA | RBONATE (HCO3) | 2.2 | | 134 | SUSPENDED SO | LIDS | | |
| HYDR | OXYL (OH) | | , | | | • | | |
| | | , | SCAI | ING TENDE | NCIES | | | |
| T*F | CaCO3 INTERPRETATION | N | T°F | CaSO ₄ INTERPRE | TATION | <u>T*F</u> | Baso ₄ Interpreta | ATION |
| 60 | +0.74 | yes | 60 | ye | S | 60 | | · |
| 80 | +0.94 | yes | 80 | ye | S | 80 | | • |
| 100 | +1.17 | yes | 100 | уе | <u>S</u> | 100 | | ************************************** |
| 140 | +1.80 | yes | 140 | уе | S | 140 | | |
| 160 | +2.17 | yes | 160 | уе | S | 160 | | |





TECH SERVICE LABORATORY: Odessa, Texas Phone (915) 337-0055 & 563-0863 RESEARCH LABORATORY: Houston, Texas Phone (713) 431-2561

PLANT: Odessa, Texas Phone (915) 337-0055

| ORT FOR | Elma Winter | DATE SAMPLED 4/2/84 |
|----------------|----------------|--|
| cc | Jerry Skidmore | DATE REPORTED. 4/9/84 |
| cc | | FIELD, LEASE, OR WELL Blinebry/Tubb: 50/50 |
| cc | | COUNTYSTATEN.M. |
| MPANY | Conoco,Inc. | FORMATION |
| DRESS | <u> </u> | DEPTH |
| :VICE ENGINEER | Jay Brown | submitted by Jay Brown |

| | ! | | | ase, or Well | | |
|---------------------------------------|--|---------|------------|--------------|---------|--|
| | | | Field, Let | ase, or well | · | ······································ |
| Chemical Component | Theoretical B/T 50/50 | Initial | 24 hrs. | 48 hrs. | 72 hrs. | |
| ride (CI) | 88,500 | 88,000 | 84,000 | 88,000 | 90.000 | |
| (Fe) | | | | | | |
| Hardness (Ca CO ₃) | | | | | | |
| um (Ca) | 7,600 | 6.880 | 6.640 | 6.520 | 6.960 | |
| esium (Mg) | 2,260 | 2.309 | 2.697 | 2.673 | 2,600 | |
| ponate (HCO3) | 104 | 12.2 | 24 | 1 24 | 24 | |
| onate (CO ₃) | | | | | | |
| ite (SO ₄) | 2.063 | 7.450 | 1.175 | 1,425 | 1,925 | |
| ogen Sulfide (H ₂ S) | | | | | | |
| ific Gravity | 1. 10 | _1_10 | 1.10 | 1.10 | 1.11 | |
| ity, Ib./gal. | | | | | | |
| Beckman [] Strip [] | | 7 00 . | 6.8 | 6.6 | 7.0 | |
| DS | 145,899 | 144,104 | 136,796 | 143,823 | 147,840 | |
| | | | | | | |
| · · · · · · · · · · · · · · · · · · · | | · | | 1 | | |
| | | | | | | |





TECH SERVICE LABORATORY: Odessa, Texas Phone (915) 337-0055 & 563-0863 RESEARCH LABORATORY: Houston, Texas Phone (713) 431-2561 PLANT: Odessa, Texas Phone (915) 337-0055

| ORT FOR | Elma Winter | DATE SAMPLED 4/2/84 | |
|---------------|----------------|--------------------------------------|------------|
| cc | Jerry Skidmore | DATE REPORTED 4/9/84 | |
| cc | | FIELD, LEASE, OR WELL Blinebry/Tubb: | |
| cc | • | COUNTY | STATE_N.M. |
| MPANY | Conoco, Inc. | FORMATION | |
| DRESS | | DEPTH | |
| NICE ENGINEER | Jay Brown | SUBMITTED BY Jay Brown | |
| | | | |

| | | CHEMICAL | INALYSIS (ASPARIS) | PER WILLION) | | |
|----------------------------------|--------------------------|----------|--------------------|--------------|---------|-------------|
| | | | | ase, or We | | |
| Chemical Component | Theoretical B/T 10/90 | Initial | 24 hrs. | 48 hrs. | 72 hrs. | |
| ride (CI) | 92,100 | 91,000 | 89,000 | 92,000 | 96,000 | |
| (Fe) | | | | | | |
| Hardness (Ca CO ₃) | | | | | | |
| um (Ca) | 8,400 | 8,400 | 7,200 | 7,040 | 7,160 | |
| nesium (Mg) | 2,202 | 1,823 | 2,527 | 2,843 | 2,697 | |
| rbonate: (mCO ₃) | 79 | 24 | 37 | 24 | 24 | |
| onate (CO ₃) | | | | | | |
| ste (SO ₄) | 1,713 | 1,750 | 1.250 | 1,375 | 1.725 | |
| rogen Sulfide (H ₂ S) | · | | | | | |
| lfic Gravity | 1.10 | 1.11 | 1.10 | 1.71 | 1.11 | |
| ilty, Ib./ġal. | | | | | | |
| Beckman [] Strip [] | | 7.00 | 6.7 | 6.8 | 6.8 | |
| TDS | 151,218 | 149,696 | 145,246 | 150,119 | 157,318 | |
| | | | | | | |
| | | | | | | |





TECH SERVICE LABORATORY: Odessa, Texas Phone (915) 337-0055 & 563-0663 RESEARCH LABORATORY: Houston, Texas Phone (713) 431-2561 PLANT: Odessa, Texas Phone (915) 337-0055

| FOR | Elma Winter | DATE SAMPLED 4/2/84 | |
|-------------|----------------|------------------------------|-------------------|
| cc | Jerry Skidmore | DATE REPORTED 4/9/84 | |
| | | FIELD, LEASE, OR WELL Warren | Unit #55 Klinebry |
| сс | | COUNTY | STATE N.M. |
| ~~ <u> </u> | Conoco, Inc. | FORMATION | |
| s | | DEPTH | 4 |
| FNGINFF | Jay Brown | SUBMITTED BY Jay Brown | |

| | | | NALYSIS (AS PARTS) | ase, or Wei | |
|---------------------------------|---------|---------|---------------------|-------------|---------------------------------------|
| | 1 | | Tiera, set | -, | · · · · · · · · · · · · · · · · · · · |
| Chemical Component | 24 hrs. | 48 brs. | 72 hrs. | | |
| ioe (CI) | 78,500 | 83,000 | 86,000 | | |
| (Fe) | | | | | · |
| marchess (Ca COg) | | | | | |
| rm (Ca) | 6,280 | 6,240 | 6,320 | | |
| esium (Mg) | 2,381 | 2,381 | 2,527 | | |
| conste (HCO3) | 24 | 37 | 18 | | |
| onate (CO3) | | | | | |
| te (SO ₄) | 1,600 | 1,525 | 1,600 | | · |
| ogen Sulfide (H ₂ S) | | | | | |
| fic Gravity | 1.09 | 1.10 | 1.10 | | |
| ty, lb./gal. | | | | | |
| Beckman [] Strip [] | 7.2 | 7.0 | 7.05 | | |
| S | 128,699 | 136.046 | 140.931 | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |





TECH SERVICE LABORATORY: Odessa, Texas Phone (915) 337-0055 & 563-0963
RESEARCH LABORATORY: Houston, Texas Phone (713) 431-2561

PLANT: Odessa, Texas Phone (915) 337-0055

| PORT FOR | Elma Winter | DATE SAMPLED. 4/2/84 |
|----------------|----------------|---|
| cc | Jerry Skidmore | DATE REPORTED 4/9/84 |
| cc | | HELD, LEASE, OR WELL Warren Unit #55 Tubb |
| cc | • | COUNTYSTATESTATE |
| MPANY | Conoco, Inc. | FORMATION |
| DRESS | | DEPTH |
| RVICE ENGINEER | Jay Brown | SUBMITTED BY Jay Brown |
| | | |

| | | CHEMICAL | ANALYSIS (AS PARTS) | PER MILLION) | <i>""</i> |
|---------------------------------------|---------|----------|---------------------|--------------|-----------|
| | | | Field, Le | ase, or Well | • |
| Chemical Component | 24 hrs. | 48 hrs. | 72 hrs. | | |
| ride (CI) | 88,000 | 95,000 | 96,000 | | |
| (Fe) | | · | | | |
| i Hardness (Ca CO ₃) | | | | | |
| ium (Ca) | 7,240 | 7,240 | 7.320 | | |
| nesium (Mg) | 2,527 | 2,527 | 2,649 | | |
| rbonate (HCO ₃) | 31 | 24 | 18 | | |
| onate (CO ₃) | | · | | | |
| ste (SO ₄) | 1,125 | 1.425 | 1.875 | | |
| rogen Sulfide (H ₂ S) | | | | | |
| ific Gravity | 1.10 | 1.11 | 1.11 | | |
| ilty, Ib./gal. | | | | | |
| Beckman [] Strip [] | 6.6 | 6.6 | 6.9 | | |
| TDS | 143,394 | 155,376 | 157,549 | | |
| · · · · · · · · · · · · · · · · · · · | | | | | · |
| | | | | | |
| | | | | | |
| | | | | | |





TECH SERVICE LABORATORY: Odessa, Texas Phone (915) 337-0055 & 563-0863 RESEARCH LABORATORY: Houston, Texas Phone (713) 431-2561 PLANT: Odessa, Texas Phone (915) 337-0055

| er for Elma | Winter / Skidmore | DATE SAMPLED | 4/2/84 | | |
|-------------|----------------------|-----------------------|---------------|---------|------|
| Jerry | / Skidmore | DATE REPORTED | 4/9/84 | | |
| cc | | FIELD, LEASE, OR WELL | Blinebry/Tubb | : 90/10 | |
| cc | | COUNTY | <u> </u> | STATE | N.M. |
| Cono | co, Inc. | FORMATION | | | |
| ESS | • | DEPTH | | | |
| Jay | Brown | Ja SUBMITTED BY | y Brown | | |

| | | EHEMICAL | NALYSIS AAS PARTS | PIRAJULION) | | Y (18 |
|----------------------------------|--------------------------|-----------------|-------------------|-------------|---------|-------|
| | | | | ase, or Wel | | • |
| Chemical Component | Theoretical B/T 90/10 | Initial | 24 hrs. | 48 hrs. | 72 hrs. | |
| >='ae (Ci) · | 84,900 | 86,000 | 81,500 | 84,000 | 89,000 | |
| (Fe) | 3.75 | 2 | | | | |
| s. Hardness (Ca CO3) | | | | | | |
| ium (Ca' | 6,159 | 7,200 | 6,200 | 6,640 | 7.240 | |
| nesium (Mg) | 2,318 | 1,920 | 2.333 | 2,309 | 2,187 | |
| rponate (HCO3) | 128 | 122 | 12.2 | 30 | 24 | |
| onate (CO ₃) | | | | | | |
| ate (SO ₄) | 2.413 | 1.850 | 1.450 | 1.625 | 2.025 | |
| rogen Sulfine (H ₂ S) | | | | | | |
| ific Gravity | 7.10 | 1.70 | 1.095 | 1.099 | 1.10 | |
| sity, 15./gal. | | • | | | | |
| Beckman [] Strip [] | | 7.21 . | 6.8 | 6.95 | 6.9 | |
| DS | 140,579 | 141,862 | 133,475 | 137,833 | 146,669 | |
| | | | | | | |
| | | | | | | |
| | | | | | | |





TECH SERVICE LABORATORY: Odessa, Texas Phone (915) 337-0055 & 563-0863 RESEARCH LABORATORY: Houston, Texas Phone (713) 431-2561 PLANT: Odessa, Texas Phone (915) 337-0055

| ORT FOR | Elma Winter | DATE SAMPLED 4/2/84 | | |
|---------------|----------------|--|-------|------|
| cc <u> </u> | Jerry Skidmore | DATE REPORTED 4/9/84 | | |
| cc | | HELD, LEASE, OR WELL Blinebry/Tubb : 7 | 70/30 | |
| cc | • | COUNTY | STATE | N.M. |
| APANY | Conoco, Inc. | PORMATION | | |
| DRESS | | DEPTH | | |
| /ICE ENGINEER | Jay Brown | SUBMITTED BY Jay Brown | | |

| | | en e | | PER MULION) | | |
|----------------------------------|--------------------------|--|------------|-------------|----------|----------|
| | | · | Field, Led | ase, or Wei | <u> </u> | · |
| Chemical Component | Theoretical B/T J0/30 | Initial | 24 hrs. | 48 hrs. | 72 hrs. | , |
| ride (CI) | 86,700 | 87,000 | 82.000 | 85,000 | 89,000 | |
| (Fe) | 5.2 | 4 | | | | |
| I Hardness (Ca CO3) | ` | | | | | |
| ium (Ca) | 7.200 | 7,600 | 6.480 | 6,600 | 6.520 | |
| nesium (Mg) | 2.289 | 7.580 | 2.552 | 2.527 | 2.697 | |
| rbonate (HCO3) | 116 | 134 | 24 | 37 | 24 | |
| onate (CO3) | | · | | | | |
| ste (SO ₄) | 2,238 | 1.900 | 1,475 | 1,475 | 1,875 | |
| rogen Suffide (H ₂ S) | | | | | | |
| ific Gravity | 1 10 | 7 10 | 1.10 | 1.10 | 1.10 | <u> </u> |
| ity, Ib./gal. | | | | | | |
| Beckman [] Strip [] | | 7.19 | 6.7 | 6.8 | 6.8 | |
| DŞ | 143,239 | 143,828 | 134,124 | 137,433 | 146,117 | |
| | | · | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | 1 | | | |





TECH SERVICE LABORATORY: Odessa, Texas Phone (915) 337-0055 & 563-0863 RESEARCH LABORATORY: Houston, Texas Phone (713) 431-2561

PLANT: Odessa, Texas Phone (915) 337-0055

| | | , | |
|----------------|----------------|--|--|
| DRT FOR | Elma Winter | DATE SAMPLED | |
| cc | Jerry Skidmore | DATE REPORTED 4/9/84 | |
| | | FIELD, LEASE, OR WELL Blinebry/lubb: 30//0 | |
| cc | | COUNTYSTATE_N_M_ | |
| MPANY | Conoco, Inc. | FORMATION | |
| DRESS | | DEPTH | |
| VICE ENGINEER_ | Jay Brown | Jay Brown submitted by Jay Brown | |

| | | | Field, Le | ase, or Wel | · | • |
|---------------------------------|--|---------|--|-------------|---------|-------------|
| Chemical Component | Theoretical B/T 30/70 | Initial | 24 hrs. | 48 hrs. | 72 hrs. | |
| ride (CI) | 90,300 | 90.,000 | 87,500 | 91,000 | 93,000 | |
| (Fe) | | | | | | |
| Hardness (Ca CO ₃) | | | | | | |
| um (Ca) | 8,000 | 7,640 | 7,040 | 7,000 | 7.000 | |
| esium (Mg) | 2,231 | 2,211 | 2,454 | 2,552 | 2,673 | |
| ponate (HCO3) | 91 | 37 | 24 | 37 | 12.2 | |
| onate (CO ₃) | | | | | | |
| te (SO ₄) | 1.888 | 1.525 | 1.250 | 1.250 | 1.925 | |
| ogen Sulfide (H ₂ S) | | | | | | |
| fic Gravity | 1.11 | 1.11 | 1.10 | 1.11 | 1 11 | |
| ty, lb./gsl. | | , | | | | |
| Beckman [] Strip [] | | 7.13 | 6.7 | 6.75 | 6.8 | |
| 25 | 148,558 | 147,528 | 142,851 | 148,543 | 152,708 | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



SERVICE LABORATORY: Odessa, Texas . Ph.: 362-2353 & 563-0863 RESEARCH LABORATORY: Houston, Texas . Ph.: (713) 433-6771 PLANT: Odessa, Texas • Ph.: 362-2353 & 563-0863



CHEMICAL WITH SERVICE

| Elma Winter | 4/2/84 DATE SAMPLED |
|----------------|--|
| Jerry Skidmore | DATE REPORTED4/6/84 |
| | FIELD, LEASE OR WELL Warren Unit #55 Tubb and Blinebry |
| | COUNTYSTATE_N_M |
| Conoco, Inc. | FORMATION |
| • | DEPTH |
| Jay Brown | SUBMITTED BY Joe Edwards |
| | Jerry Skidmore Conoco, Inc. |


.. OTHER DESCRIPTION

Millipore analysis of 5 ratio blends of the waters from the ${\bf Trabb}$ and ${\bf Blinebry}$ formations from Warren Unit #55

PAGE #1

| | CHEMICAL JANALYSIS HAS INFLICHT PERCENT! | | | | | | | |
|-------------------------|--|-------|----------------|----------------|----------------|--|--|--|
| SCALE COMPONENT | Field, Lease, or Well | | | | | | | |
| | Blinebry | Tubb | B/T 90%/10% | B/T 70%/30% | B/T 50%/50% | | | |
| CaCO3 | 50% | 57.2% | 68.3% | 69.9% | 73.4% | | | |
| FeS | 18.4% | 42.8% | 28.3% | 25.8% | 26.6% | | | |
| Acid Insolubles | 31.6% | 0 | 3.4% | 4.3% | 0 | | | |
| Suspended Solids (Mg/L) | 213 | 180 | 145 | 186 | 194 | | | |
| · | · | | | | | | | |
| TOTAL | 100% | 100% | 100% | 100% | 100% | | | |

REMARKS AND RECOMMENDATIONS



CHEMICALS. INC.

CHEMICALS. INC.

CHEMICAL WITH SERVICE

SERVICE LABORATORY: Odessa, Texas • Ph.: 362-2353 & 563-0863 RESEARCH LABORATORY: Houston, Texas • Ph.: (713) 433-6771

PLANT: Odessa, Texas • Ph.: 362-2353 & 563-0863

| Winter | DATE SAMPLED | 4/2/84 | |
|------------|---------------|---|---|
| y Skidmore | | 4/6/84 | |
| | | Warren Unit | #55 Tubb and |
| | | | STATE N.M. |
| co, Inc. | FORMATION | | |
| | DEPTH | <u>}</u> | |
| Jay Brown | ALABA ANTONIA | | |
| | y Skidmore | y Skidmore DATE REPORTED FIELD, LEASE OR WELL COUNTY CO, Inc. FORMATION DEPTH Jay Brown | y Skidmore DATE SAMPLED y Skidmore DATE REPORTED Warren Unit of Blinebry COUNTY CO, Inc. FORMATION DEPTH Joe Edwards |


OTHER DESCRIPTION


Millipore analysis of 5 ratiox blends of the waters from the Tubb and Blinebry formations from Warren Unit #55

PAGE #2


| | FAGE #2 | | | | | | |
|-----------------------|-----------------------|----------------|-------------|--|--|--|--|
| SCALE COMPONENT | Field, Lease, or Well | | | | | | |
| | B/T 30%/70% | B/T 10%/90% | | | | | |
| CaCO3 | 67.1% | 52.4% | | | | | |
| FeS | 32.9% | 47.6% | | | | | |
| Acid Insolubles | 0 | 0 | | | | | |
| Suspended Solids (Mg/ | _) 146 | 145 | | | | | |
| | | | | | | | |
| TOTAL | 100% | 100% | | | | | |

REMARKS AND RECOMMENDATIONS





GOOGEN INCHUE



TD: 6775'