



DCP Midstream
370 17th Street, Suite 2500
Denver, CO 80202
303-595-3331
303-605-2226 FAX

September 18, 2013

Mr. Leonard Lowe
Environmental Engineer
New Mexico Oil Conservation Division
1220 S. St. Francis Dr.
Santa Fe, NM 87505

**RE: 2nd Quarter 2013 Groundwater Monitoring Results
Hobbs Booster Station, Lea County New Mexico (AP-114)
Unit C and D, Section 4, Township 19 South, Range 38 East**

Dear Mr. Lowe:

DCP Midstream, LP (DCP), is pleased to submit for your review, a one copy of the 2nd Quarter 2013 Groundwater Monitoring Report for the DCP Hobbs Booster Station located in Hobbs, New Mexico (Unit C and D Section 4, T19S, R38E (32.696 degrees North, 103.156 degrees West).

If you have any questions regarding the report, please call me at 303-605-1718 or email me at swweathers@dcpmidstream.com.

Sincerely

DCP Midstream, LP

A handwritten signature in black ink, appearing to read "Stephen Weathers", followed by a long horizontal line.

Stephen Weathers, P.G.
Principal Environmental Specialist

cc: Geoffrey Leking, Hobbs District (Copy on CD)
Environmental Files

Second Quarter 2013 Groundwater Monitoring and Activities Summary Report

Hobbs Booster Station
Lea County, New Mexico
AP-114

Prepared for:



370 17th St., Suite 2500
Denver, CO 80202

Prepared by:



6899 Pecos Street, Unit C
Denver, Colorado 80221

August 20, 2013

Table of Contents

1. Introduction	1
2. Site Location and Background.....	1
3. Groundwater Monitoring.....	2
3.1 Groundwater and LNAPL Elevation Monitoring.....	2
3.2 Groundwater Quality Monitoring.....	2
3.3 Data Quality Assurance / Quality Control	3
4. Remediation System Performance	3
4.1 Remediation System Layout	4
4.2 SVE Performance Evaluation.....	4
4.3 Recovery System Performance Evaluation	4
4.4 Air Sparge Performance Evaluation	6
5. Conclusions	6
6. Recommendations	7

Tables

- | | |
|---|---|
| 1 | Second Quarter 2013 Summary of Groundwater Elevation Data |
| 2 | Second Quarter 2013 Summary of BTEX Concentrations in Groundwater |

Figures

- | | |
|---|--|
| 1 | Site Location |
| 2 | Site Map With Monitoring Well Locations |
| 3 | Second Quarter 2013 Groundwater Elevation Contour Map – June 3, 2013 |
| 4 | Second Quarter 2013 Analytical Results Map |

Appendices

- | | |
|---|-------------------------------|
| A | Laboratory Analytical Results |
| B | Historical Analytical Results |

1. Introduction

This report summarizes the remediation system activities and results of groundwater monitoring activities conducted during the second quarter of 2013, at the Hobbs Booster Station (Site) in Lea County, New Mexico (Figure 1). Tasman Geosciences, LLC (Tasman) conducted these activities on behalf of DCP Midstream, LP (DCP). The purpose of the groundwater monitoring activities described herein were to: a) determine the presence of light non-aqueous phase liquid (LNAPL) hydrocarbons; b) measure groundwater levels; c) obtain groundwater samples for chemical analysis; and d) evaluate and present groundwater flow and quality conditions. The field data and laboratory analytical results collected during the reporting period were used to develop a groundwater elevation contour map and an analytical results map to evaluate current conditions at the Site.

2. Site Location and Background

The Site is located in New Mexico Oil Conservation Division (OCD) designated Units C and D, Section 4, Township 19 South, Range 38 East (Figure 1). The facility coordinates are 32.696 degrees north and 103.156 degrees west. This facility is no longer used as an active gas compression facility or product transfer site; currently the Site is primarily used as a DCP field office and as an overhaul shop. All ancillary equipment and buildings associated with the former Booster Station have been decommissioned and/or demolished.

The Site currently has 30 groundwater monitoring wells, which are illustrated on Figure 2. Twenty-seven of the wells are located on the Site property while the other three wells, MW-23, MW-24, and MW-25, are located to the southeast of the property boundary on land currently owned by Occidental Permian.

An LNAPL recovery and soil vapor extraction (SVE) system are present at the Site. There are 28 extraction wells (Figure 2) located on-Site including MW-4, MW-8, MW-11, and MW-13 which were previously converted from monitoring wells due to the historically high levels of LNAPL observed in those wells. Additionally, the Site operates an air-sparge (AS) cut-off system that was installed along the south-central Site boundary and includes 21 AS injection wells connected in series (Figure 2). LNAPL, AS, and SVE system operation and performance are described in Section 4.

3. Groundwater Monitoring

This section describes the field groundwater monitoring activities performed during the second quarter 2013 monitoring event conducted on June 3rd 2013. Monitoring activities included Site-wide groundwater gauging, LNAPL measurements, groundwater purging and sampling, and subsequent packaging and shipping of the samples to the laboratory for chemical analyses. Figure 2 illustrates the groundwater monitoring network utilized to perform these activities at the Site.

3.1 Groundwater and LNAPL Elevation Monitoring

Groundwater and LNAPL levels were measured in order to evaluate hydraulic characteristics and provide information regarding fluctuations in groundwater and LNAPL elevations at the Site. In addition, wells that did not have LNAPL present were measured for total depth and recorded for subsequent use to estimate groundwater purge volumes. During the second quarter 2013 monitoring event groundwater and LNAPL levels, if present, were measured at 24 monitoring well locations.

The wells were gauged on the north side of the well casing to the nearest 0.01-foot using an oil-water interface probe (IP). Groundwater levels were subsequently converted to elevations (feet above mean sea level [AMSL]).

Groundwater elevations collected during the second quarter 2013 monitoring event are presented in Table 1 and a groundwater elevation contour map is illustrated on Figure 3. Groundwater elevations ranged from 3566.93 feet AMSL in monitoring wells MW-19D to 3577.04 feet AMSL at monitoring well MW-7. There was an average decrease in groundwater elevation of 0.16 feet from the previous quarter across the site. As illustrated on Figure 3, groundwater flow at the Site generally trends to the east with a gradient of approximately 0.004 foot per foot between monitoring wells MW-6 and MW-21.

LNAPL was detected in nine of the measured groundwater monitoring wells with thicknesses ranging between 0.03-feet in MW-18 to 6.55-feet in MW-12. Calculated groundwater elevation data in these wells were corrected to account for LNAPL thickness and density.

3.2 Groundwater Quality Monitoring

Prior to collecting groundwater samples, groundwater levels, the presence of LNAPL, and the total depth of the wells (in wells without LNAPL) were measured as previously described. A minimum of three well casing volumes of groundwater (calculated from total depth of the well and groundwater level measurements) was then purged using dedicated polyethylene bailers from the subject well prior to the collection of groundwater samples. Groundwater samples were collected using dedicated polyethylene bailers, placed in clean laboratory supplied containers specific to the selected analytical methods and packed in an ice-filled cooler and maintained at approximately four (4) degrees Celsius (⁰C) for

transportation. Groundwater samples were then shipped under chain-of-custody procedures to Accutest Laboratories (Accutest) in Wheat Ridge, Colorado, for analysis.

Water quality samples were collected from 11 monitoring wells during the second quarter 2013 monitoring event conducted on June 3, 2013. MW-1, MW-2, MW-9, MW-10, MW-12, MW-17, MW-18, TW-K, and TW-N were not sampled due to the presence of measurable LNAPL detected in these wells. Water quality samples were submitted to Accutest for benzene, toluene, ethylbenzene, and xylene (BTEX) analyses by United States Environmental Protection Agency (USEPA) Method 8260B.

Table 2 summarizes BTEX concentrations in groundwater samples collected during the June 3, 2013 event. Analytical results are also summarized on Figure 4. Laboratory analytical reports for the event are included in Appendix A and historical analytical results up to and including the June 2013 event are contained in Appendix B.

Water quality parameters were collected during the second quarter 2013 monitoring event and were used to confirm groundwater stabilization prior to sample collection. The Site monitoring wells did not require collection of more than three purge volumes to achieve parameter stabilization. As such, the analytical data are considered to be representative of Site conditions in that a minimum 3 purge volumes were evacuated from all sampled monitoring wells during the second quarter 2013 event.

3.3 Data Quality Assurance / Quality Control

A trip blank, matrix spike or matrix spike duplicate (MS/MSD) and one field duplicate sample (MW-14) were collected during the sampling event. The data were reviewed for compliance with the analytical method and the associated quality assurance/quality control (QA/QC) procedures. All samples were analyzed using the correct analytical methods and within the correct holding times. Chain of custody forms were in order and properly executed and indicate that samples were received at the proper temperature with no headspace. All data were reported using the correct method number and reporting units. The trip blank was fully in control, having no detections of targets.

Duplicate sample was in compliance with QA/QC standards. MW-14 and associated duplicate sample returned results for benzene of 0.0461 mg/l and 0.0306 mg/l, respectively.

The overall QA/QC assessment of the data, based on the data review, indicate that both field precision and overall data precision and accuracy are acceptable.

4. Remediation System Performance

Remediation system activities are described in this section. The performance sections for the LNAPL, SVE, and AS systems are based on historic data as well as data collected during the reporting period.

4.1 Remediation System Layout

The System consists of 28-extraction wells that can be used for liquid or vapor recovery. The extraction wells are currently used for LNAPL recovery. In addition to the extraction well network, there are 22 AS wells aligned west and east to create an 870-foot long dissolved phase hydrocarbon boundary control feature. Groundwater at the Site is typically encountered at 50 feet below ground surface (bgs) and wells are generally completed to approximately 65 feet bgs. The well array spans an area that is approximately 1,000 feet east to west and 800 feet north to south (estimated 15 acres of surface area).

4.2 SVE Performance Evaluation

The soil vapor extraction system was shut down during the second quarter 2012 to allow for equilibration and gauging of LNAPL and groundwater fluid levels at the Site recovery wells. The SVE system remains off as LNAPL recovery from the extraction wells is currently the primary remediation goal at the Site.

4.3 Recovery System Performance Evaluation

During the reporting period, 26 Magnum Spill Buster units, manufactured by Clean Earth Technology were installed at each well in the extraction well network and the full scale LNAPL extraction system (LNAPL System), including units that were previously installed at PW-JJ and PW-G, were made operational on May 1, 2013. The new recovery units were integrated into the existing LNAPL infrastructure which includes conveyance lines and a 100 barrel steel holding tank where recovered LNAPL is accumulated. Additionally, a solar powered spill buster unit was installed at monitoring well MW-10 with a 500-gallon poly tank that was previously used at extraction well PW-G.

Prior to LNAPL System construction, between March 25 and April 29, 2013, the spill buster unit at extraction well PW-JJ removed 48.88 gallons of LNAPL and the unit at PW-G removed 1.51 gallons of LNAPL. Between May 1 and June 24, 2013, the full scale LNAPL System recovered 2,439.98 gallons of LNAPL with an average extraction rate of 44.36 gallons per day (gpd). The total volume of LNAPL recovered since remediation at the Site began in January 2005 is 34,159.77 gallons.


Prior to installation of the solar powered Spill Buster unit at MW-10, the measured LNAPL thickness was greater than 2-feet. Spill buster operation was initiated at MW-10 on May 2, 2013 and the unit successfully evacuated the LNAPL from the well. Since operation began, the LNAPL thickness has remained below 0.20 inches through the reporting period. However, no detectable amount of LNAPL has been observed within the 500-gallon poly tank at that well. The LNAPL thickness and the tank volume will continue to be monitored at MW-10 during the third quarter 2013.

Incremental and cumulative recovery volumes from April of 2010 through the second quarter 2013 are summarized in the table and graph below. The recovery data indicates that the LNAPL recovery rate was significantly higher than those observed during previous reporting periods (through April of 2010) and incidental groundwater extraction has been eliminated.

Liquid Recovery Summary

Date	Volume of Water Extracted (Gallons)	Total Water (Gallons)	Volume of Product Extracted (Gallons)	Cumulative LNAPL Recovery (Gallons)
26-Apr-10	1,908.5	1,908.5	466.2	466.2
5-Aug-10	1,966.3	3,874.8	439.9	906.1
18-Oct-10	2,000.1	5,874.9	360.9	1,267.0
20-Dec-10	1,770.8	7,645.7	308.3	1,575.3
23-May-11	349.6	7,995.3	2,146.7	3,722.0
21-Nov-11	11.3	8,006.6	1,966.3	5,688.3
20-Feb-12	1,736.9	9,743.5	853.4	6,823.8
28-Jun-12	3,334.8	13,078.3	473.7	7,915.4
25-Sep-12	289.5	13,367.8	363.5	8,278.9
5-Dec-12	-	13,367.8	400.2	8,679.1
25-Mar-13	616.6	13,984.4	290.3	8,969.4
24-Jun-13	-	13,984.4	2,488.9	11,458.3

Figure A
Totalized Recovered Groundwater and LNAPL Volumes
Hobbs Booster Station



4.4 Air Sparge Performance Evaluation

The AS system has continued to operate on a 24-hour per day basis with minor down time due to routine scheduled equipment maintenance. The primary evaluation criteria for AS performance is tied to the dissolved phase hydrocarbon concentrations present in groundwater downgradient to the AS well alignment. Monitoring wells MW-14, MW-15, and MW-23, located immediately downgradient from the sparge curtain, provide ideal monitoring locations for observing effects the AS system has on impacted groundwater as it passes through the treatment zone. On the east end of the AS system, monitoring well MW-14 continues to exhibit low dissolved benzene concentrations, however, MW-23 which is located immediately downgradient to MW-14, continues to have no detectable concentrations of benzene or other dissolved petroleum hydrocarbons. On the west end of the AS system, lab data indicates that no dissolved phase hydrocarbon impacts are present in the vicinity of MW-15.

5. Conclusions

This section of the report presents conclusions from the findings of second quarter 2013 groundwater monitoring and remediation system O&M activities.

- Of the eleven monitoring wells sampled this quarter, only one sample location (MW-14) exhibited benzene concentrations in exceedance of the New Mexico Water Quality Control Commission standards. Concentrations in this well continue to decrease over time as evidenced during the second quarter 2013. Additionally, constituent concentrations in down-gradient point of compliance wells remain below laboratory detection limits indicating the dissolved phase petroleum hydrocarbon plume is stable;
- LNAPL recovery rates have increased significantly following installation of the LNAPL System and incidental groundwater recovery has been eliminated;
- Following the installation of the Spill Buster at MW-10 during the second quarter 2013, very little recharge of LNAPL has occurred in the well indicating significant depletion of the LNAPL volume in the vicinity of the recovery location;
- BTEX concentrations in the vicinity of the AS trench remain below NMWQCC standards demonstrating that the cut off system remains effective in preventing the advancement of the dissolved and free phase hydrocarbon plumes, and;
- Based on constituent concentrations in the vicinity of the AS trench, the cut off system appears to be addressing dissolved phase hydrocarbon concentrations in groundwater along the alignment of the trench.

6. Recommendations

Based on evaluation of current and historical data, recommendations have been developed for future activities, as described below:

- Ongoing quarterly groundwater monitoring and sampling activities will provide for continued monitoring of dissolved phase BTEX concentration and LNAPL trends;
- Continue operation, monitoring, and maintenance of the 29 Spill Buster pumps;
- Should it be determined that the spill buster unit at MW-10 is no longer able to extract LNAPL from the well due to decreased LNAPL volume in the subsurface, removal of the unit will be evaluated;
- The effect of LNAPL recovery on the effective hydraulic capture zone will be evaluated as the system continues to operate. In addition, operational data such as LNAPL recovery and well recharge rates will continue to be evaluated to optimize system operation, and;
- AS system operation and maintenance will continue.

Tables

TABLE 1
SECOND QUARTER 2013
SUMMARY OF GROUNDWATER ELEVATION DATA
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location	Date	Depth to Groundwater (1) (feet)	Depth to Product (1) (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (2) (feet)	TOC Elevation (feet amsl)	Groundwater Elevation (feet amsl)	Change in Groundwater Elevation Since Previous Event (3) (feet)
MW-1*	6/6/2012	56.22	51.20	5.02	NM	3626.06	3573.61	-0.32
MW-1*	9/6/2012	56.36	51.34	5.02	NM	3626.06	3573.47	-0.14
MW-1*	12/5/2012	56.45	51.58	4.87	NM	3626.06	3573.26	-0.20
MW-1*	2/19/2013	56.65	51.88	4.77	NM	3626.06	3572.99	-0.28
MW-1*	6/3/2013	56.81	52.19	4.62	NM	3626.06	3572.72	-0.27
MW-2*	6/6/2012	49.76	46.30	3.46	NM	3623.14	3575.98	-0.65
MW-2*	9/6/2012	50.90	46.40	4.50	NM	3623.14	3575.62	-0.36
MW-2*	12/5/2012	50.03	46.63	3.40	NM	3623.14	3575.66	0.05
MW-2*	2/19/2013	50.25	46.95	3.30	NM	3623.14	3575.37	-0.30
MW-2*	6/3/2013	50.52	47.31	3.21	NM	3623.14	3575.03	-0.34
MW-3	6/6/2012	47.43			55.80	3623.01	3575.58	-0.33
MW-3	9/6/2012	47.55			55.80	3623.01	3575.46	-0.12
MW-3	12/5/2012	47.71			55.80	3623.01	3575.30	-0.16
MW-3	2/19/2013	48.04			55.80	3623.01	3574.97	-0.33
MW-3	6/3/2013	48.27			55.80	3623.01	3574.74	-0.23
MW-5	6/6/2012	54.80			59.20	3629.16	3574.36	-0.38
MW-5	9/6/2012	54.95			59.20	3629.16	3574.21	-0.15
MW-5	12/5/2012	55.08			59.20	3629.16	3574.08	-0.13
MW-5	2/19/2013	55.42			59.20	3629.16	3573.74	-0.34
MW-5	6/3/2013	55.49			59.20	3629.16	3573.67	-0.07
MW-6	6/6/2012	50.53			56.46	3626.93	3576.40	-0.37
MW-6	9/6/2012	50.60			56.46	3626.93	3576.33	-0.07
MW-6	12/5/2012	50.75			56.46	3626.93	3576.18	-0.15
MW-6	2/19/2013	51.06			56.46	3626.93	3575.87	-0.31
MW-6	6/3/2013	51.19			56.46	3626.93	3575.74	-0.13
MW-7	6/6/2012	44.60			46.21	3621.40	3576.80	-0.29
MW-7	9/6/2012	DRY			46.21	3621.40	NM	NM
MW-7	12/5/2012	NM			46.21	3621.40	NM	NM
MW-7	2/19/2013	45.10			46.21	3621.40	3576.30	-0.50
MW-7	6/3/2013	44.36			46.21	3621.40	3577.04	0.74
MW-9*	6/6/2012	59.08	52.90	6.18	NM	3625.21	3570.77	-0.27
MW-9*	9/6/2012	59.30	52.99	6.31	NM	3625.21	3570.64	-0.12
MW-9*	12/5/2012	59.48	53.15	6.33	NM	3625.21	3570.48	-0.16
MW-9*	2/19/2013	59.66	53.44	6.22	NM	3625.21	3570.22	-0.26
MW-9*	6/3/2013	59.90	53.72	6.18	NM	3625.21	3569.95	-0.27
MW-10*	6/6/2012	49.46	47.85	1.61	58.28	3621.07	3572.82	-0.41
MW-10*	9/6/2012	50.75	47.74	3.01	58.28	3621.07	3572.58	-0.24
MW-10*	12/5/2012	51.14	47.82	3.32	58.28	3621.07	3572.42	-0.16
MW-10*	2/19/2013	51.53	48.07	3.46	58.28	3621.07	3572.14	-0.29
MW-10*	6/3/2013 ⁽¹⁾	49.33	49.18	0.15	58.28	3621.07	3571.85	-0.28
MW-12*	6/6/2012	60.34	52.61	7.73	NM	3626.60	3572.06	-0.22
MW-12*	9/6/2012	59.41	52.81	6.60	NM	3626.60	3572.14	0.08
MW-12*	12/5/2012	60.08	53.05	7.03	NM	3626.60	3571.79	-0.35
MW-12*	2/19/2013	60.19	53.38	6.81	NM	3626.60	3571.52	-0.28
MW-12*	6/3/2013	60.26	53.71	6.55	NM	3626.60	3571.25	-0.27
MW-14	6/6/2012	50.45			62.94	3621.42	3570.97	-0.40
MW-14	9/6/2012	50.65			62.94	3621.42	3570.77	-0.20
MW-14	12/5/2012	50.75			62.94	3621.42	3570.67	-0.10
MW-14	2/19/2013	51.07			62.94	3621.42	3570.35	-0.32
MW-14	6/3/2013	51.52			62.94	3621.42	3569.90	-0.45

TABLE 1
SECOND QUARTER 2013
SUMMARY OF GROUNDWATER ELEVATION DATA
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location	Date	Depth to Groundwater (1) (feet)	Depth to Product (1) (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (2) (feet)	TOC Elevation (feet amsl)	Groundwater Elevation (feet amsl)	Change in Groundwater Elevation Since Previous Event (3) (feet)
MW-15	6/6/2012	46.26			58.17	3619.39	3573.13	-0.40
MW-15	9/6/2012	46.42			58.17	3619.39	3572.97	-0.16
MW-15	12/5/2012	46.54			58.17	3619.39	3572.85	-0.12
MW-15	2/19/2013	46.95			58.17	3619.39	3572.44	-0.41
MW-15	6/3/2013	47.10			58.17	3619.39	3572.29	-0.15
MW-16	6/6/2012	46.32			56.35	3621.87	3575.55	-0.27
MW-16	9/6/2012	46.53			56.35	3621.87	3575.34	-0.21
MW-16	12/5/2012	46.68			56.35	3621.87	3575.19	-0.15
MW-16	2/19/2013	47.00			56.35	3621.87	3574.87	-0.32
MW-16	6/3/2013	47.22			56.35	3621.87	3574.65	-0.22
MW-17*	6/6/2012	55.70	54.72	0.98	NM	3623.94	3568.98	-0.24
MW-17*	9/6/2012	55.65	54.88	0.77	NM	3623.94	3568.87	-0.11
MW-17*	12/5/2012	55.84	55.03	0.81	NM	3623.94	3568.71	-0.16
MW-17*	2/19/2013	56.17	55.34	0.83	NM	3623.94	3568.39	-0.32
MW-17*	6/3/2013	56.29	55.55	0.74	NM	3623.94	3568.21	-0.19
MW-18*	6/6/2012	55.81	55.61	0.20	NM	3624.30	3568.64	-0.30
MW-18*	9/6/2012	56.10	55.94	0.16	NM	3624.30	3568.32	-0.32
MW-18*	12/5/2012	56.13	56.10	0.03	NM	3624.30	3568.19	-0.13
MW-18*	2/19/2013	56.40	56.36	0.04	NM	3624.30	3567.93	-0.26
MW-18*	6/3/2013	56.68	56.65	0.03	NM	3624.30	3567.64	-0.29
MW-19	6/6/2012	56.25			65.15	3624.12	3567.87	-0.40
MW-19	9/6/2012	56.36			65.15	3624.12	3567.76	-0.11
MW-19	12/5/2012	56.48			65.15	3624.12	3567.64	-0.12
MW-19	2/19/2013	56.78			65.15	3624.12	3567.34	-0.30
MW-19	6/3/2013	56.95			65.15	3624.12	3567.17	-0.17
MW-19D	6/6/2012	56.09			78.75	3623.79	3567.70	-0.27
MW-19D	9/6/2012	56.30			78.75	3623.79	3567.49	-0.21
MW-19D	12/5/2012	56.38			78.75	3623.79	3567.41	-0.08
MW-19D	2/19/2013	56.75			78.75	3623.79	3567.04	-0.37
MW-19D	6/3/2013	56.86			78.75	3623.79	3566.93	-0.11
MW-20	6/6/2012	53.79			60.80	3621.49	3567.70	-0.34
MW-20	9/6/2012	53.91			60.80	3621.49	3567.58	-0.12
MW-20	12/5/2012	54.06			60.80	3621.49	3567.43	-0.15
MW-20	2/19/2013	54.36			60.80	3621.49	3567.13	-0.30
MW-20	6/3/2013	54.52			60.80	3621.49	3566.97	-0.16
MW-21	6/6/2012	55.67			62.75	3624.25	3568.58	-0.37
MW-21	9/6/2012	55.84			62.75	3624.25	3568.41	-0.17
MW-21	12/5/2012	55.96			62.75	3624.25	3568.29	-0.12
MW-21	2/19/2013	56.27			62.75	3624.25	3567.98	-0.31
MW-21	6/3/2013	56.47			62.75	3624.25	3567.78	-0.20
MW-22	6/6/2012	57.29			62.00	3625.16	3567.87	-0.43
MW-22	9/6/2012	57.37			62.00	3625.16	3567.79	-0.08
MW-22	12/5/2012	57.46			62.00	3625.16	3567.70	-0.09
MW-22	2/19/2013	57.80			62.00	3625.16	3567.36	-0.34
MW-22	6/3/2013	57.86			62.00	3625.16	3567.30	-0.06
MW-23	6/6/2012	50.10			56.21	3621.16	3571.06	-0.45
MW-23	9/6/2012	50.22			56.21	3621.16	3570.94	-0.12
MW-23	12/5/2012	50.36			56.21	3621.16	3570.80	-0.14
MW-23	2/19/2013	50.70			56.21	3621.16	3570.46	-0.34
MW-23	6/3/2013	50.91			56.21	3621.16	3570.25	-0.21

TABLE 1
SECOND QUARTER 2013
SUMMARY OF GROUNDWATER ELEVATION DATA
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location	Date	Depth to Groundwater (1) (feet)	Depth to Product (1) (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (2) (feet)	TOC Elevation (feet amsl)	Groundwater Elevation (feet amsl)	Change in Groundwater Elevation Since Previous Event (3) (feet)
MW-24	6/6/2012	48.15			56.77	3619.27	3571.12	-0.40
MW-24	9/6/2012	48.35			56.77	3619.27	3570.92	-0.20
MW-24	12/5/2012	48.51			56.77	3619.27	3570.76	-0.16
MW-24	2/19/2013	48.77			56.77	3619.27	3570.50	-0.26
MW-24	6/3/2013	48.96			56.77	3619.27	3570.31	-0.19
MW-25	6/6/2012	49.11			56.29	3619.73	3570.62	-0.38
MW-25	9/6/2012	49.31			56.29	3619.73	3570.42	-0.20
MW-25	12/5/2012	49.44			56.29	3619.73	3570.29	-0.13
MW-25	2/19/2013	49.73			56.29	3619.73	3570.00	-0.29
MW-25	6/3/2013	49.95			56.29	3619.73	3569.78	-0.22
TW-H	6/6/2012	NM			NM	3622.30	NM	NM
TW-H	9/6/2012	NM			NM	3622.30	NM	NM
TW-H	12/5/2012	NM			NM	3622.30	NM	NM
TW-H	2/19/2013	NM			NM	3622.30	NM	NM
TW-H	6/3/2013	NM			NM	3622.30	NM	NM
TW-K*	6/6/2012	62.21	56.71	5.50		3628.95	3570.87	0.71
TW-K*	9/6/2012	62.10	56.90	5.20		3628.95	3570.75	-0.11
TW-K*	12/5/2012	62.07	57.07	5.00		3628.95	3570.63	-0.12
TW-K*	2/19/2013	62.10	57.38	4.72		3628.95	3570.39	-0.24
TW-K*	6/3/2013	62.14	57.41	4.73		3628.95	3570.36	-0.03
TW-N*	6/6/2012	59.31	54.52	4.79		3631.98	3576.26	-0.22
TW-N*	9/6/2012	59.27	54.71	4.56		3631.98	3576.13	-0.13
TW-N*	12/5/2012	59.14	54.92	4.22		3631.98	3576.01	-0.13
TW-N*	2/19/2013	59.21	55.15	4.06		3631.98	3575.82	-0.19
TW-N*	6/3/2013	59.28	55.20	4.08		3631.98	3575.76	-0.06
Average change in groundwater elevation since the previous monitoring event								-0.16

Notes:
1- Depths measured from the north edge of the well casing.
2- Total depths were collected and recorded during the second quarter 2013 monitoring event. Total depths were not collected in wells that contained LNAPL.
3- Changes in groundwater elevation calculated by subtracting the measurement collected during the previous monitoring event from the measurement collected during the most recent monitoring event.
4 - A remediation Spill Buster was installed during the second quarter 2013 at MW-10 resulting in increased LNAPL recovery and decreased thickness.
Data presented for all well locations includes previous four sampling events, when available. Historic groundwater analytical results for these locations may be found in Appendix B.
Sample locations are shown on Figure 2 and a groundwater elevation contour map is shown on Figure 3.
amsl - feet above mean sea level.
TOC - top of casing.
NM - Not Measured.

* Groundwater elevation was corrected for product thickness using the following calculation:

$$\text{Groundwater elevation} = (\text{TOC Elevation} - \text{Measured Depth to Water}) + (\text{LNAPL Thickness in Well} * \text{LNAPL Density})$$

LNAPL density was assumed to be approximately 0.75 grams per cubic centimeter

TABLE 2
SECOND QUARTER 2013
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	
MW-3	6/6/2012	NS	NS	NS	NS	
MW-3	9/6/2012	<0.001	<0.002	0.0022	0.0023	
MW-3	12/5/2012	NS	NS	NS	NS	
MW-3	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-3	6/3/2013	NS	NS	NS	NS	
MW-5	6/6/2012	NS	NS	NS	NS	
MW-5	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-5	12/5/2012	NS	NS	NS	NS	
MW-5	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-5	6/3/2013	NS	NS	NS	NS	
MW-6	6/6/2012	NS	NS	NS	NS	
MW-6	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-6	12/5/2012	NS	NS	NS	NS	
MW-6	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-6	6/3/2013	NS	NS	NS	NS	
MW-7	6/6/2012	NS	NS	NS	NS	
MW-7	9/6/2012	NS	NS	NS	NS	
MW-7	12/5/2012	NS	NS	NS	NS	
MW-7	2/19/2013	NS	NS	NS	NS	Insufficient water for sample collection
MW-7	6/3/2013	NS	NS	NS	NS	
MW-10	6/6/2012	NS	NS	NS	NS	
MW-10	9/6/2012	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	12/5/2012	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	2/19/2013	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	6/3/2013	LNAPL	LNAPL	LNAPL	LNAPL	
MW-14	6/6/2012	0.0335	<0.002	0.00064	<0.003	
MW-14	9/6/2012	0.105	<0.002	0.0012	<0.003	
MW-14	12/5/2012	0.129	<0.002	0.00081	<0.003	
MW-14	2/19/2013	0.0603	<0.002	0.00084	<0.003	
MW-14	6/3/2013	0.0461	<0.002	0.0012	<0.003	Duplicate sample collected
MW-15	6/6/2012	0.0041	<0.002	<0.002	<0.003	Duplicate sample collected
MW-15	9/6/2012	0.0033	<0.002	<0.002	<0.003	Duplicate 1 sample collected
MW-15	12/5/2012	0.0027	<0.002	<0.002	<0.003	Duplicate sample collected
MW-15	2/19/2013	0.0020	<0.002	<0.002	<0.003	Duplicate A sample collected
MW-15	6/3/2013	0.0019	<0.002	<0.002	<0.003	
MW-16	6/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-16	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-16	12/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-16	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-16	6/3/2013	<0.001	<0.002	<0.002	<0.003	
MW-19	6/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-19	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-19	12/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-19	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-19	6/3/2013	<0.001	<0.002	<0.002	<0.003	

TABLE 2
SECOND QUARTER 2013
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	
MW-19D	6/6/2012	0.00079	<0.002	<0.002	<0.003	
MW-19D	9/6/2012	0.00072	<0.002	<0.002	<0.003	Duplicate 2 sample collected
MW-19D	12/5/2012	0.0030	<0.002	0.00069	<0.003	
MW-19D	2/19/2013	0.0086	<0.002	0.0045	<0.003	Duplicate B sample collected
MW-19D	6/3/2013	0.00073	<0.002	0.0064	<0.003	
MW-20	6/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-20	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-20	12/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-20	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-20	6/3/2013	<0.001	<0.002	<0.002	<0.003	
MW-21	6/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-21	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-21	12/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-21	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-21	6/3/2013	<0.001	<0.002	<0.002	<0.003	
MW-22	6/6/2012	0.0031	<0.002	0.00045	<0.003	
MW-22	9/6/2012	0.0021	<0.002	<0.002	<0.003	
MW-22	12/5/2012	0.0033	<0.002	0.00055	0.0031	
MW-22	2/19/2013	0.0046	<0.002	0.0011	0.0043	
MW-22	6/3/2013	0.0054	<0.002	0.0010	0.0046	
MW-23	6/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-23	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-23	12/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-23	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-23	6/3/2013	<0.001	<0.002	<0.002	<0.003	
MW-24	6/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-24	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-24	12/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-24	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-24	6/3/2013	<0.001	<0.002	<0.002	<0.003	
MW-25	6/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-25	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-25	12/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-25	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-25	6/3/2013	<0.001	<0.002	<0.002	<0.003	

Notes:

The environmental cleanup standards for groundwater that are applicable to this Site are the New Mexico Water Quality Control Commission (NMWQCC) Groundwater Standards.

Data presented for all other well locations includes previous four sampling events, when available. Historic groundwater analytical results for these locations may be found in Appendix B.

Bold red values indicate an exceedance of the NMWQCC groundwater standards for the Site.


Sample locations are shown on Figure 2 and analytical results are illustrated on Figure 4.

LNAPL = Light non aqueous phase liquid

NS = Not sampled.

mg/L = milligrams per liter.

Figures



DESIGNED BY: C. Wasko

DRAWN BY: J. Clonts

SHEET CHK'D BY: _____

CROSS CHK'D BY: _____

APPROVED BY: _____

APPROVED BY: _____




Tasman Geosciences, LLC
6899 Pecos Street - Unit C
Denver, CO 80221
303 487 1228

HOBBS BOOSTER STATION

SITE LOCATION

FIGURE
1





DESIGNED BY: C. Wasko
 DRAWN BY: J. Clonts
 SHEET CHK'D BY: _____
 CROSS CHK'D BY: _____
 APPROVED BY: _____
 APPROVED BY: _____




Tasman Geosciences, LLC
 6899 Pecos Street - Unit C
 Denver, CO 80221
 303 487 1228

HOBBS BOOSTER STATION

Second Quarter 2013 Groundwater Monitoring Summary Report

GROUNDWATER ELEVATION
 CONTOUR MAP
 (JUNE 3, 2013)

FIGURE
 3



DESIGNED BY: C. Wasko
DRAWN BY: J. Clonts
SHEET CHK'D BY: _____
CROSS CHK'D BY: _____
APPROVED BY: _____
APPROVED BY: _____

TASMAN GEOSCIENCES
Tasman Geosciences, LLC
6899 Pecos Street - Unit C
Denver, CO 80221
303 487 1228

HOBBS BOOSTER STATION

Second Quarter 2013 Groundwater Monitoring Summary Report

ANALYTICAL RESULTS MAP

Appendix A

Laboratory Analytical Report



06/13/13

Technical Report for

DCP Midstream, LP

TASMCOA:DCP Hobbs Booster Station

RC-GN00 Project-4001280005

Accutest Job Number: D46878

Sampling Date: 06/03/13

Report to:

Tasman Geoscience LLC
5690 Webster Street
Arvada, CO 80002
swweathers@dcpmidstream.com; cwasko@tasman-geo.com
ATTN: Christine Wasko

Total number of pages in report: **35**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

A handwritten signature in black ink, appearing to read 'Scott Heideman'.

Scott Heideman
Laboratory Director

Client Service contact: Shea Greiner 303-425-6021

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	5
Section 3: Summary of Hits	6
Section 4: Sample Results	8
4.1: D46878-1: MW-14	9
4.2: D46878-2: MW-15	10
4.3: D46878-3: MW-16	11
4.4: D46878-4: MW-19	12
4.5: D46878-5: MW-19D	13
4.6: D46878-6: MW-20	14
4.7: D46878-7: MW-21	15
4.8: D46878-8: MW-22	16
4.9: D46878-9: MW-23	17
4.10: D46878-10: MW-24	18
4.11: D46878-11: MW-25	19
4.12: D46878-12: DUP	20
4.13: D46878-13: TRIP BLANK	21
Section 5: Misc. Forms	22
5.1: Chain of Custody	23
Section 6: GC/MS Volatiles - QC Data Summaries	26
6.1: Method Blank Summary	27
6.2: Blank Spike Summary	30
6.3: Matrix Spike/Matrix Spike Duplicate Summary	33

Sample Summary

DCP Midstream, LP

Job No: D46878

TASMCOA:DCP Hobbs Booster Station

Project No: RC-GN00 Project-4001280005

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
D46878-1	06/03/13	09:55 CW	06/06/13	AQ	Ground Water	MW-14
D46878-2	06/03/13	10:20 CW	06/06/13	AQ	Ground Water	MW-15
D46878-3	06/03/13	10:55 CW	06/06/13	AQ	Ground Water	MW-16
D46878-3D	06/03/13	10:55 CW	06/06/13	AQ	Water Dup/MSD	MW-16
D46878-3M	06/03/13	10:55 CW	06/06/13	AQ	Water Matrix Spike	MW-16
D46878-4	06/03/13	12:20 CW	06/06/13	AQ	Ground Water	MW-19
D46878-5	06/03/13	12:15 CW	06/06/13	AQ	Ground Water	MW-19D
D46878-6	06/03/13	12:40 CW	06/06/13	AQ	Ground Water	MW-20
D46878-7	06/03/13	11:45 CW	06/06/13	AQ	Ground Water	MW-21
D46878-8	06/03/13	12:30 CW	06/06/13	AQ	Ground Water	MW-22
D46878-9	06/03/13	09:35 CW	06/06/13	AQ	Ground Water	MW-23
D46878-10	06/03/13	09:15 CW	06/06/13	AQ	Ground Water	MW-24
D46878-11	06/03/13	09:25 CW	06/06/13	AQ	Ground Water	MW-25



Sample Summary
(continued)

DCP Midstream, LP

Job No: D46878

TASMCOA:DCP Hobbs Booster Station
Project No: RC-GN00 Project-4001280005

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
D46878-12	06/03/13	00:00	CW	06/06/13	AQ Ground Water	DUP
D46878-13	06/03/13	00:00	CW	06/06/13	AQ Ground Water	TRIP BLANK



CASE NARRATIVE / CONFORMANCE SUMMARY

Client: DCP Midstream, LP

Job No D46878

Site: TASMCOA:DCP Hobbs Booster Station

Report Date 6/13/2013 10:28:10 AM

On 06/06/2013, 13 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 2.1 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D46878 was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Volatiles by GCMS By Method SW846 8260B

Matrix AQ

Batch ID: V3V1458

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D46874-8MS, D46874-8MSD were used as the QC samples indicated.

Matrix AQ

Batch ID: V3V1459

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D46878-3MS, D46878-3MSD were used as the QC samples indicated.
- D46878-9: The pH of the sample aliquot for VOA analysis was >2 at time of analysis.
- D46878-8: The pH of the sample aliquot for VOA analysis was >2 at time of analysis.
- D46878-10: The pH of the sample aliquot for VOA analysis was >2 at time of analysis.

Matrix AQ

Batch ID: V6V1072

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D46879-5MS, D46879-5MSD were used as the QC samples indicated.
- D46878-11: The pH of the sample aliquot for VOA analysis was >2 at time of analysis.

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

Summary of Hits

Page 1 of 2

Job Number: D46878
Account: DCP Midstream, LP
Project: TASMCOA:DCP Hobbs Booster Station
Collected: 06/03/13



Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
---------------	------------------	-----------------	----	-----	-------	--------

D46878-1 MW-14

Benzene	0.0461	0.0010	0.00027	mg/l	SW846 8260B
Ethylbenzene	0.00085 J	0.0020	0.00033	mg/l	SW846 8260B

D46878-2 MW-15

Benzene	0.0019	0.0010	0.00027	mg/l	SW846 8260B
---------	--------	--------	---------	------	-------------

D46878-3 MW-16

No hits reported in this sample.

D46878-4 MW-19

No hits reported in this sample.

D46878-5 MW-19D

Benzene	0.00073 J	0.0010	0.00027	mg/l	SW846 8260B
Ethylbenzene	0.0064	0.0020	0.00033	mg/l	SW846 8260B

D46878-6 MW-20

No hits reported in this sample.

D46878-7 MW-21

No hits reported in this sample.

D46878-8 MW-22

Benzene ^a	0.0054	0.0010	0.00027	mg/l	SW846 8260B
Ethylbenzene ^a	0.0010 J	0.0020	0.00033	mg/l	SW846 8260B
Xylene (total) ^a	0.0046	0.0030	0.0020	mg/l	SW846 8260B

D46878-9 MW-23

No hits reported in this sample.

D46878-10 MW-24

No hits reported in this sample.

Summary of Hits

Page 2 of 2

Job Number: D46878
Account: DCP Midstream, LP
Project: TASMCOA:DCP Hobbs Booster Station
Collected: 06/03/13



Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
---------------	------------------	-----------------	----	-----	-------	--------

D46878-11 **MW-25**

No hits reported in this sample.

D46878-12 **DUP**

Benzene	0.0306	0.0010	0.00027	mg/l	SW846 8260B
Ethylbenzene	0.0012 J	0.0020	0.00033	mg/l	SW846 8260B

D46878-13 **TRIP BLANK**

No hits reported in this sample.

(a) The pH of the sample aliquot for VOA analysis was > 2 at time of analysis.

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	MW-14		
Lab Sample ID:	D46878-1	Date Sampled:	06/03/13
Matrix:	AQ - Ground Water	Date Received:	06/06/13
Method:	SW846 8260B	Percent Solids:	n/a
Project:	TASMCOA:DCP Hobbs Booster Station		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3V24704.D	1	06/07/13	BR	n/a	n/a	V3V1458
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	0.0461	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	0.00085	0.0020	0.00033	mg/l	J
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	108%		62-130%
2037-26-5	Toluene-D8	104%		70-130%
460-00-4	4-Bromofluorobenzene	96%		69-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

Client Sample ID:	MW-15						
Lab Sample ID:	D46878-2					Date Sampled:	06/03/13
Matrix:	AQ - Ground Water					Date Received:	06/06/13
Method:	SW846 8260B					Percent Solids:	n/a
Project:	TASMCOA:DCP Hobbs Booster Station						

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3V24712.D	1	06/07/13	BR	n/a	n/a	V3V1459
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	0.0019	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	104%		62-130%
2037-26-5	Toluene-D8	105%		70-130%
460-00-4	4-Bromofluorobenzene	95%		69-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-16	Date Sampled:	06/03/13
Lab Sample ID:	D46878-3	Date Received:	06/06/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP Hobbs Booster Station		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3V24713.D	1	06/07/13	BR	n/a	n/a	V3V1459
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	101%		62-130%
2037-26-5	Toluene-D8	100%		70-130%
460-00-4	4-Bromofluorobenzene	95%		69-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-19	Date Sampled:	06/03/13
Lab Sample ID:	D46878-4	Date Received:	06/06/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP Hobbs Booster Station		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3V24716.D	1	06/07/13	BR	n/a	n/a	V3V1459
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	99%		62-130%
2037-26-5	Toluene-D8	101%		70-130%
460-00-4	4-Bromofluorobenzene	98%		69-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-19D	Date Sampled:	06/03/13
Lab Sample ID:	D46878-5	Date Received:	06/06/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP Hobbs Booster Station		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3V24717.D	1	06/07/13	BR	n/a	n/a	V3V1459
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	0.00073	0.0010	0.00027	mg/l	J
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	0.0064	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	102%		62-130%
2037-26-5	Toluene-D8	100%		70-130%
460-00-4	4-Bromofluorobenzene	95%		69-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

Client Sample ID:	MW-20	Date Sampled:	06/03/13
Lab Sample ID:	D46878-6	Date Received:	06/06/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP Hobbs Booster Station		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3V24718.D	1	06/07/13	BR	n/a	n/a	V3V1459
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	102%		62-130%
2037-26-5	Toluene-D8	98%		70-130%
460-00-4	4-Bromofluorobenzene	95%		69-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-21	Date Sampled:	06/03/13
Lab Sample ID:	D46878-7	Date Received:	06/06/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP Hobbs Booster Station		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	3V24719.D	1	06/07/13	BR	n/a	n/a	V3V1459
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	102%		62-130%
2037-26-5	Toluene-D8	99%		70-130%
460-00-4	4-Bromofluorobenzene	95%		69-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-22	Date Sampled:	06/03/13
Lab Sample ID:	D46878-8	Date Received:	06/06/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP Hobbs Booster Station		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	3V24720.D	1	06/07/13	BR	n/a	n/a	V3V1459
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	0.0054	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	0.0010	0.0020	0.00033	mg/l	J
1330-20-7	Xylene (total)	0.0046	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	107%		62-130%
2037-26-5	Toluene-D8	102%		70-130%
460-00-4	4-Bromofluorobenzene	98%		69-130%

(a) The pH of the sample aliquot for VOA analysis was > 2 at time of analysis.

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-23	Date Sampled:	06/03/13
Lab Sample ID:	D46878-9	Date Received:	06/06/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP Hobbs Booster Station		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	3V24721.D	1	06/07/13	BR	n/a	n/a	V3V1459
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	102%		62-130%
2037-26-5	Toluene-D8	101%		70-130%
460-00-4	4-Bromofluorobenzene	95%		69-130%

(a) The pH of the sample aliquot for VOA analysis was > 2 at time of analysis.

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-24	Date Sampled:	06/03/13
Lab Sample ID:	D46878-10	Date Received:	06/06/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP Hobbs Booster Station		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	3V24722.D	1	06/07/13	BR	n/a	n/a	V3V1459
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	104%		62-130%
2037-26-5	Toluene-D8	100%		70-130%
460-00-4	4-Bromofluorobenzene	93%		69-130%

(a) The pH of the sample aliquot for VOA analysis was > 2 at time of analysis.

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	MW-25	Date Sampled:	06/03/13
Lab Sample ID:	D46878-11	Date Received:	06/06/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP Hobbs Booster Station		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	6V19330.D	1	06/07/13	BR	n/a	n/a	V6V1072
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	127%		62-130%
2037-26-5	Toluene-D8	103%		70-130%
460-00-4	4-Bromofluorobenzene	94%		69-130%

(a) The pH of the sample aliquot for VOA analysis was > 2 at time of analysis.

ND = Not detected MDL - Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	DUP	Date Sampled:	06/03/13
Lab Sample ID:	D46878-12	Date Received:	06/06/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP Hobbs Booster Station		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6V19331.D	1	06/07/13	BR	n/a	n/a	V6V1072
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	0.0306	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	0.0012	0.0020	0.00033	mg/l	J
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	119%		62-130%
2037-26-5	Toluene-D8	108%		70-130%
460-00-4	4-Bromofluorobenzene	97%		69-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	TRIP BLANK	Date Sampled:	06/03/13
Lab Sample ID:	D46878-13	Date Received:	06/06/13
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Method:	SW846 8260B		
Project:	TASMCOA:DCP Hobbs Booster Station		

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	6V19332.D	1	06/07/13	BR	n/a	n/a	V6V1072
Run #2							

	Purge Volume
Run #1	5.0 ml
Run #2	

Purgeable Aromatics

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	0.0010	0.00027	mg/l	
108-88-3	Toluene	ND	0.0020	0.0010	mg/l	
100-41-4	Ethylbenzene	ND	0.0020	0.00033	mg/l	
1330-20-7	Xylene (total)	ND	0.0030	0.0020	mg/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
17060-07-0	1,2-Dichloroethane-D4	126%		62-130%
2037-26-5	Toluene-D8	102%		70-130%
460-00-4	4-Bromofluorobenzene	92%		69-130%

ND = Not detected MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Misc. Forms

5

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody

ED-EX	Bottle Of	D46878
Account	Account	
Requ	Matrix Codes	
	DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment CI - Oil LIQ - Other Liquids AIR - Air SOL - Other Solids WIP - Wipes FB - Field Blank EB - Equipment Blank RB - Room Blank TB - Trip Blank	
	LAB USE ONLY	
8260 BTEX		01
V82		02
X		03
X		04
X		05
X		06
X		07
X		08
X		09
X		10
X		11
	Comm	
Email results to Steve Weathers		
please CC 0		
Date Tim	Revised	4/16/18
Date Tim	Revised	10/10
Present	On the	Coiler T
Not 100%	2	21

5.1

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: D46878

Client: TASMAN

Immediate Client Services Action Required: No

Date / Time Received: 6/6/2013 10:10:00 AM

No. Coolers: 1

Client Service Action Required at Login: No

Project: HOBBS

Airbill #'s: FX

Cooler Security

Y or N

Y or N

- | | | | | | |
|---------------------------|-------------------------------------|--------------------------|-----------------------|-------------------------------------|--------------------------|
| 1. Custody Seals Present: | ☒ | ☐ | 3. COC Present: | ☒ | ☐ |
| 2. Custody Seals Intact: | ☒ | ☐ | 4. Smpl Dates/Time OK | ☒ | ☐ |

Cooler Temperature

Y or N

- | | | |
|------------------------------|-------------------------------------|--------------------------|
| 1. Temp criteria achieved: | ☒ | ☐ |
| 2. Cooler temp verification: | Infrared gun | |
| 3. Cooler media: | Ice (bag) | |

Quality Control Preservation

Y or N

N/A

- | | | | |
|---------------------------------|-------------------------------------|--------------------------|--------------------------|
| 1. Trip Blank present / cooler: | ☒ | ☐ | |
| 2. Trip Blank listed on COC: | ☒ | ☐ | |
| 3. Samples preserved properly: | ☒ | ☐ | |
| 4. VOCs headspace free: | ☒ | ☐ | ☐ |

Sample Integrity - Documentation

Y or N

- | | | |
|--|-------------------------------------|--------------------------|
| 1. Sample labels present on bottles: | ☒ | ☐ |
| 2. Container labeling complete: | ☒ | ☐ |
| 3. Sample container label / COC agree: | ☒ | ☐ |

Sample Integrity - Condition

Y or N

- | | | |
|----------------------------------|-------------------------------------|--------------------------|
| 1. Sample recvd within HT: | ☒ | ☐ |
| 2. All containers accounted for: | ☒ | ☐ |
| 3. Condition of sample: | Intact | |

Sample Integrity - Instructions

Y or N N/A

- | | | | |
|---|-------------------------------------|-------------------------------------|-------------------------------------|
| 1. Analysis requested is clear: | ☒ | ☐ | |
| 2. Bottles received for unspecified tests | ☐ | ☒ | |
| 3. Sufficient volume rec'd for analysis: | ☒ | ☐ | |
| 4. Compositing instructions clear: | ☐ | ☐ | ☒ |
| 5. Filtering instructions clear: | ☐ | ☐ | ☒ |

Comments

Accutest Laboratories
V:(303) 425-6021

4036 Youngfield Street
F: (303) 425-6854

Wheat Ridge, CO
www.accutest.com

GC/MS Volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Page 1 of 1

Job Number: D46878
Account: DCPMCOA DCP Midstream, LP
Project: TASMCOA:DCP Hobbs Booster Station

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3V1458-MB	3V24686.D	1	06/06/13	BR	n/a	n/a	V3V1458

The QC reported here applies to the following samples:

Method: SW846 8260B

D46878-1

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.27	ug/l	
100-41-4	Ethylbenzene	ND	2.0	0.33	ug/l	
108-88-3	Toluene	ND	2.0	1.0	ug/l	
1330-20-7	Xylene (total)	ND	3.0	2.0	ug/l	

CAS No.	Surrogate Recoveries	Limits
17060-07-0	1,2-Dichloroethane-D4	98% 62-130%
2037-26-5	Toluene-D8	100% 70-130%
460-00-4	4-Bromofluorobenzene	93% 69-130%

Method Blank Summary

Page 1 of 1

Job Number: D46878
Account: DCPMCOA DCP Midstream, LP
Project: TASMCOA:DCP Hobbs Booster Station

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6V1072-MB	6V19317.D	1	06/07/13	BR	n/a	n/a	V6V1072

The QC reported here applies to the following samples:

Method: SW846 8260B

D46878-11, D46878-12, D46878-13

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.27	ug/l	
100-41-4	Ethylbenzene	ND	2.0	0.33	ug/l	
108-88-3	Toluene	ND	2.0	1.0	ug/l	
1330-20-7	Xylene (total)	ND	3.0	2.0	ug/l	

CAS No.	Surrogate Recoveries	Limits
17060-07-0	1,2-Dichloroethane-D4	105% 62-130%
2037-26-5	Toluene-D8	103% 70-130%
460-00-4	4-Bromofluorobenzene	98% 69-130%

Method Blank Summary

Page 1 of 1

Job Number: D46878
Account: DCPMCOA DCP Midstream, LP
Project: TASMCOA:DCP Hobbs Booster Station

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3V1459-MB	3V24710.D	1	06/07/13	BR	n/a	n/a	V3V1459

The QC reported here applies to the following samples:

Method: SW846 8260B

D46878-2, D46878-3, D46878-4, D46878-5, D46878-6, D46878-7, D46878-8, D46878-9, D46878-10

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.27	ug/l	
100-41-4	Ethylbenzene	ND	2.0	0.33	ug/l	
108-88-3	Toluene	ND	2.0	1.0	ug/l	
1330-20-7	Xylene (total)	ND	3.0	2.0	ug/l	

CAS No.	Surrogate Recoveries	Limits
17060-07-0	1,2-Dichloroethane-D4	99% 62-130%
2037-26-5	Toluene-D8	100% 70-130%
460-00-4	4-Bromofluorobenzene	96% 69-130%

Blank Spike Summary

Page 1 of 1

Job Number: D46878
Account: DCPMCOA DCP Midstream, LP
Project: TASMCOA:DCP Hobbs Booster Station

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3V1458-BS	3V24687.D	1	06/06/13	BR	n/a	n/a	V3V1458

The QC reported here applies to the following samples:

Method: SW846 8260B

D46878-1

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
71-43-2	Benzene	50	49.1	98	70-130
100-41-4	Ethylbenzene	50	48.9	98	70-130
108-88-3	Toluene	50	48.5	97	70-130
1330-20-7	Xylene (total)	150	147	98	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
17060-07-0	1,2-Dichloroethane-D4	97%	62-130%
2037-26-5	Toluene-D8	99%	70-130%
460-00-4	4-Bromofluorobenzene	104%	69-130%

* = Outside of Control Limits.

Blank Spike Summary

Page 1 of 1

Job Number: D46878
Account: DCPMCOA DCP Midstream, LP
Project: TASMCOA:DCP Hobbs Booster Station

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V6V1072-BS	6V19318.D	1	06/07/13	BR	n/a	n/a	V6V1072

The QC reported here applies to the following samples:

Method: SW846 8260B

D46878-11, D46878-12, D46878-13

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
71-43-2	Benzene	50	50.2	100	70-130
100-41-4	Ethylbenzene	50	52.6	105	70-130
108-88-3	Toluene	50	54.3	109	70-130
1330-20-7	Xylene (total)	150	153	102	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
17060-07-0	1,2-Dichloroethane-D4	97%	62-130%
2037-26-5	Toluene-D8	106%	70-130%
460-00-4	4-Bromofluorobenzene	100%	69-130%

* = Outside of Control Limits.

Blank Spike Summary

Page 1 of 1

Job Number: D46878
Account: DCPMCOA DCP Midstream, LP
Project: TASMCOA:DCP Hobbs Booster Station

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
V3V1459-BS	3V24711.D	1	06/07/13	BR	n/a	n/a	V3V1459

The QC reported here applies to the following samples:

Method: SW846 8260B

D46878-2, D46878-3, D46878-4, D46878-5, D46878-6, D46878-7, D46878-8, D46878-9, D46878-10

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	Limits
71-43-2	Benzene	50	52.5	105	70-130
100-41-4	Ethylbenzene	50	52.5	105	70-130
108-88-3	Toluene	50	51.9	104	70-130
1330-20-7	Xylene (total)	150	154	103	70-130

CAS No.	Surrogate Recoveries	BSP	Limits
17060-07-0	1,2-Dichloroethane-D4	99%	62-130%
2037-26-5	Toluene-D8	99%	70-130%
460-00-4	4-Bromofluorobenzene	104%	69-130%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: D46878
Account: DCPMCOA DCP Midstream, LP
Project: TASMCOA:DCP Hobbs Booster Station

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
D46874-8MS	3V24697.D	1	06/06/13	BR	n/a	n/a	V3V1458
D46874-8MSD	3V24698.D	1	06/07/13	BR	n/a	n/a	V3V1458
D46874-8	3V24696.D	1	06/06/13	BR	n/a	n/a	V3V1458

The QC reported here applies to the following samples:

Method: SW846 8260B

D46878-1

CAS No.	Compound	D46874-8 ug/l	Spike Q	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	ND	50	54.5	109	53.9	108	1	62-130/30
100-41-4	Ethylbenzene	ND	50	52.9	106	53.3	107	1	63-130/30
108-88-3	Toluene	ND	50	52.9	106	52.5	105	1	60-130/30
1330-20-7	Xylene (total)	ND	150	159	106	157	105	1	67-130/30

CAS No.	Surrogate Recoveries	MS	MSD	D46874-8	Limits
17060-07-0	1,2-Dichloroethane-D4	102%	100%	103%	62-130%
2037-26-5	Toluene-D8	98%	98%	98%	70-130%
460-00-4	4-Bromofluorobenzene	99%	102%	92%	69-130%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: D46878
Account: DCPMCOA DCP Midstream, LP
Project: TASMCOA:DCP Hobbs Booster Station

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
D46879-5MS	6V19323.D	1	06/07/13	BR	n/a	n/a	V6V1072
D46879-5MSD	6V19324.D	1	06/07/13	BR	n/a	n/a	V6V1072
D46879-5	6V19322.D	1	06/07/13	BR	n/a	n/a	V6V1072

The QC reported here applies to the following samples:

Method: SW846 8260B

D46878-11, D46878-12, D46878-13

CAS No.	Compound	D46879-5 ug/l	Spike Q ug/l	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	ND	50	50.2	100	49.9	100	1	62-130/30
100-41-4	Ethylbenzene	ND	50	53.0	106	52.6	105	1	63-130/30
108-88-3	Toluene	ND	50	53.9	108	53.3	107	1	60-130/30
1330-20-7	Xylene (total)	ND	150	156	104	154	103	1	67-130/30

CAS No.	Surrogate Recoveries	MS	MSD	D46879-5	Limits
17060-07-0	1,2-Dichloroethane-D4	99%	102%	112%	62-130%
2037-26-5	Toluene-D8	106%	106%	102%	70-130%
460-00-4	4-Bromofluorobenzene	100%	100%	96%	69-130%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: D46878
Account: DCPMCOA DCP Midstream, LP
Project: TASMCOA:DCP Hobbs Booster Station

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
D46878-3MS	3V24714.D	1	06/07/13	BR	n/a	n/a	V3V1459
D46878-3MSD	3V24715.D	1	06/07/13	BR	n/a	n/a	V3V1459
D46878-3	3V24713.D	1	06/07/13	BR	n/a	n/a	V3V1459

The QC reported here applies to the following samples:

Method: SW846 8260B

D46878-2, D46878-3, D46878-4, D46878-5, D46878-6, D46878-7, D46878-8, D46878-9, D46878-10

CAS No.	Compound	D46878-3 ug/l	Spike Q ug/l	MS ug/l	MS %	MSD ug/l	MSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	ND	50	54.9	110	52.7	105	4	62-130/30
100-41-4	Ethylbenzene	ND	50	53.9	108	52.1	104	3	63-130/30
108-88-3	Toluene	ND	50	53.8	108	51.7	103	4	60-130/30
1330-20-7	Xylene (total)	ND	150	158	105	153	102	3	67-130/30

CAS No.	Surrogate Recoveries	MS	MSD	D46878-3	Limits
17060-07-0	1,2-Dichloroethane-D4	96%	95%	101%	62-130%
2037-26-5	Toluene-D8	100%	101%	100%	70-130%
460-00-4	4-Bromofluorobenzene	100%	103%	95%	69-130%

* = Outside of Control Limits.

Appendix B

Historical Analytical Results

**APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	
MW-1	9/15/2005	0.017	<0.54	0.047	0.066	
MW-3	6/21/2006	0.0018	<0.54	0.14	0.089	
MW-3	9/21/2009	<0.00050	<0.00043	0.0123	0.0031	
MW-3	9/14/2005	0.0025	<0.54	0.24	0.17	
MW-3	6/27/2007	0.0012	<0.00054	0.207	0.0977	
MW-3	9/14/2010	<0.00030	<0.0010	0.0134	-	
MW-3	3/29/2011	NS	NS	NS	NS	
MW-3	9/16/2011	<0.001	<0.002	0.0246	0.0135	
MW-3	12/6/2011	NS	NS	NS	NS	
MW-3	3/9/2012	<0.001	<0.002	0.0019	<0.004	
MW-3	6/6/2012	NS	NS	NS	NS	
MW-3	9/6/2012	<0.001	<0.002	0.0022	0.0023	
MW-3	12/5/2012	NS	NS	NS	NS	
MW-3	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-3	6/3/2013	NS	NS	NS	NS	
MW-5	9/14/2005	<0.47	<0.54	<0.48	<2.0	
MW-5	6/21/2006	<0.23	<0.54	<0.48	<1.1	
MW-5	6/27/2007	<0.00023	<0.00054	<0.00048	<0.0011	
MW-5	9/21/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-5	9/14/2010	<0.00030	<0.0010	<0.00030	-	
MW-5	3/29/2011	NS	NS	NS	NS	
MW-5	9/15/2011	<0.001	<0.002	<0.002	<0.004	
MW-5	12/6/2011	NS	NS	NS	NS	
MW-5	3/9/2012	<0.001	<0.002	<0.002	<0.004	
MW-5	6/6/2012	NS	NS	NS	NS	
MW-5	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-5	12/5/2012	NS	NS	NS	NS	
MW-5	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-5	6/3/2013	NS	NS	NS	NS	
MW-6	6/21/2006	<0.23	<0.54	<0.48	<1.1	
MW-6	9/21/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-6	9/14/2005	<0.47	<0.54	<0.48	<2.0	
MW-6	6/27/2007	<0.00023	<0.00054	<0.00048	<0.0011	
MW-6	9/14/2010	<0.00030	<0.0010	<0.00030	-	
MW-6	3/29/2011	NS	NS	NS	NS	
MW-6	9/16/2011	<0.001	<0.002	<0.002	<0.004	
MW-6	12/6/2011	NS	NS	NS	NS	
MW-6	3/9/2012	<0.001	<0.002	<0.002	<0.004	
MW-6	6/6/2012	NS	NS	NS	NS	
MW-6	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-6	12/5/2012	NS	NS	NS	NS	
MW-6	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-6	6/3/2013	NS	NS	NS	NS	

**APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	
MW-7	6/21/2006	<0.23	<0.54	<0.48	<1.1	
MW-7	6/27/2007	<0.00023	<0.00054	<0.00048	<0.0011	
MW-7	3/9/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-7	9/21/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-7	9/29/2010	<0.00030	<0.0010	<0.00030	-	
MW-7	3/29/2011	NS	NS	NS	NS	
MW-7	9/16/2011	NS	NS	NS	NS	
MW-7	12/6/2011	NS	NS	NS	NS	
MW-7	3/9/2012	<0.001	<0.002	<0.002	<0.004	
MW-7	6/6/2012	NS	NS	NS	NS	
MW-7	9/6/2012	NS	NS	NS	NS	
MW-7	12/5/2012	NS	NS	NS	NS	
MW-7	2/19/2013	NS	NS	NS	NS	Insufficient water for sample collection
MW-7	6/3/2013	NS	NS	NS	NS	
MW-10	6/21/2006	0.62	0.02	0.19	0.26	
MW-10	6/27/2007	0.42	0.0037	0.221	0.31	
MW-10	9/21/2009	0.0813	<0.0022	0.343	0.0115	
MW-10	9/14/2010	0.123	<0.0050	0.274	-	
MW-10	3/29/2011	NS	NS	NS	NS	
MW-10	9/16/2011	0.213	<0.01	0.135	<0.02	Duplicate sample collected
MW-10	12/6/2011	NS	NS	NS	NS	
MW-10	3/9/2012	NS	NS	NS	NS	
MW-10	6/6/2012	NS	NS	NS	NS	
MW-10	9/6/2012	NS	NS	NS	NS	
MW-10	12/5/2012	NS	NS	NS	NS	
MW-10	2/19/2013	LNAPL	LNAPL	LNAPL	LNAPL	
MW-10	6/3/2013	LNAPL	LNAPL	LNAPL	LNAPL	

APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	
MW-14	3/29/2011	0.0901	0.0041	<0.002	<0.002	
MW-14	6/21/2011	0.187	<0.002	<.0043	<0.004	
MW-14	3/29/2011	<0.001	<0.002	0.0039	<0.002	
MW-14	6/21/2011	0.0048	<0.002	0.0012	<0.004	
MW-14	3/23/2005	0.085	<0.40	0.024	0.0043	
MW-14	3/28/2006	0.022	<0.54	0.0068	0.0026	
MW-14	6/21/2006	0.014	0.00095	0.005	0.0042	
MW-14	9/27/2006	0.18	0.013	0.015	0.026	
MW-14	12/20/2006	0.5	0.021	0.029	0.059	
MW-14	9/6/2007	0.603	0.00088	0.0194	0.0243	
MW-14	11/28/2007	0.431	<0.0027	0.0155	0.0075	
MW-14	3/6/2008	0.627	<0.0024	0.0372	0.0228	
MW-14	12/2/2008	0.38	<0.00048	0.0172	<0.0014	
MW-14	3/9/2009	0.341	<0.00048	0.017	<0.0014	
MW-14	5/26/2009	0.285	<0.0024	0.0104	<0.0068	
MW-14	9/21/2009	0.205	<0.00043	0.008	<0.0017	
MW-14	12/20/2009	0.165	<0.00043	0.0037	<0.0017	
MW-14	6/8/2005	0.48	0.0041	0.073	0.013	
MW-14	9/14/2005	0.077	<0.54	0.0088	<2.0	
MW-14	12/13/2005	0.045	<0.54	0.0099	0.003	
MW-14	3/29/2007	0.881	0.0116	0.0368	0.0809	
MW-14	6/27/2007	1.11	0.0112	0.0421	0.104	
MW-14	9/14/2010	0.11	<0.0010	0.0024	-	
MW-14	3/9/2010	<0.40	<1.0	<1.0	-	
MW-14	6/14/2010	0.081	<1.0	0.0017	-	
MW-14	12/7/2010	0.118	<0.0010	0.002	-	
MW-14	3/29/2011	0.0901	<0.0010	0.0041	0.0011	
MW-14	3/29/2011	0.0901	0.0041	<0.002	<0.002	
MW-14	6/21/2011	0.187	<0.0010	0.0043	<0.0020	
MW-14	6/21/2011	0.187	<0.002	<.0043	<0.004	
MW-14	9/15/2011	0.15	<0.002	0.0024	<0.004	
MW-14	12/6/2011	0.0787	<0.002	0.0017	<0.004	Duplicate sample collected
MW-14	3/9/2012	0.0523	<0.002	0.00066	<0.004	
MW-14	6/6/2012	0.0335	<0.002	0.00064	<0.003	
MW-14	9/6/2012	0.105	<0.002	0.0012	<0.003	
MW-14	12/5/2012	0.129	<0.002	0.00081	<0.003	
MW-14	2/19/2013	0.0603	<0.002	0.00084	<0.003	
MW-14	6/3/2013	0.0461	<0.002	0.0012	<0.003	Duplicate sample collected

APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	
MW-15	3/23/2005	<0.40	<0.40	<0.40	<0.80	
MW-15	6/8/2005	<0.40	0.0048	0.0034	<0.80	
MW-15	9/14/2005	<0.47	<0.54	0.0022	<2.0	
MW-15	12/13/2005	<0.47	<0.54	<0.48	<2.0	
MW-15	3/28/2006	<0.23	<0.54	0.0049	<1.1	
MW-15	6/21/2006	<0.23	<0.54	0.02	0.0038	
MW-15	9/27/2006	0.002	<0.54	<0.48	<1.1	
MW-15	12/20/2006	<0.23	<0.54	<0.48	<1.1	
MW-15	3/29/2007	0.0012	<0.00054	0.0045	<0.0011	
MW-15	6/27/2007	0.00042	<0.00054	0.0014	<0.0011	
MW-15	9/6/2007	<0.00023	<0.00054	<0.00048	<0.0011	
MW-15	11/28/2007	<0.0012	<0.0027	<0.0024	<0.0055	
MW-15	3/6/2008	<0.00046	<0.00048	<0.00045	<0.0014	
MW-15	12/2/2008	<0.00046	<0.00048	<0.00045	<0.0014	
MW-15	3/9/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-15	5/26/2009	0.0024	<0.00048	0.0413	<0.0014	
MW-15	9/21/2009	0.0033	<0.00043	0.0501	<0.0017	
MW-15	12/20/2009	0.00093	<0.00043	0.0137	<0.0017	
MW-15	9/14/2010	0.00075	<0.0010	0.0015	-	
MW-15	3/9/2010	0.0041	<1.0	0.099	-	
MW-15	6/14/2010	0.0055	<1.0	0.16	-	
MW-15	12/7/2010	<0.00030	<0.0010	0.0011	-	
MW-15	3/29/2011	0.00035	<0.0010	0.0039	0.0012	
MW-15	3/29/2011	<0.001	<0.002	0.0039	<0.002	
MW-15	6/21/2011	0.0048	<0.0010	0.0012	<0.0020	
MW-15	6/21/2011	0.0048	<0.002	0.0012	<0.004	
MW-15	9/15/2011	0.0054	<0.002	0.0124	<0.004	
MW-15	12/6/2011	0.0053	<0.002	0.0106	<0.004	
MW-15	3/9/2012	0.0059	<0.002	0.0097	<0.004	Duplicate-1 sample collected
MW-15	6/6/2012	0.0041	<0.002	<0.002	<0.003	Duplicate sample collected
MW-15	9/6/2012	0.0033	<0.002	<0.002	<0.003	Duplicate-1 sample collected
MW-15	12/5/2012	0.0027	<0.002	<0.002	<0.003	Duplicate sample collected
MW-15	2/19/2013	0.0020	<0.002	<0.002	<0.003	Duplicate A sample collected
MW-15	6/3/2013	0.0019	<0.002	<0.002	<0.003	

APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	
MW-16	3/23/2005	<0.40	<0.40	<0.40	<0.80	
MW-16	3/28/2006	<0.23	<0.54	<0.48	<1.1	
MW-16	6/21/2006	<0.23	<0.54	<0.48	<1.1	
MW-16	9/27/2006	<0.23	<0.54	<0.48	<1.1	
MW-16	12/20/2006	<0.23	<0.54	<0.48	<1.1	
MW-16	9/6/2007	<0.00023	<0.00054	<0.00048	<0.0011	
MW-16	11/28/2007	<0.0012	<0.0027	<0.0024	<0.0055	
MW-16	3/6/2008	<0.00046	<0.00048	<0.00045	<0.0014	
MW-16	12/2/2008	<0.00046	<0.00048	<0.00045	<0.0014	
MW-16	3/9/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-16	5/26/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-16	9/21/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-16	12/20/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-16	6/8/2005	<0.40	0.013	<0.40	<0.80	
MW-16	9/14/2005	<0.47	<0.54	<0.48	<2.0	
MW-16	12/13/2005	<0.47	<0.54	<0.48	<2.0	
MW-16	3/29/2007	0.00043	<0.00054	<0.00048	<0.0011	
MW-16	6/27/2007	<0.00023	<0.00054	<0.00048	<0.0011	
MW-16	9/14/2010	<0.00030	<0.0010	<0.00030	-	
MW-16	3/9/2010	0.15	<1.0	0.0028	-	
MW-16	6/14/2010	<0.30	<1.0	<0.30	-	
MW-16	12/7/2010	<0.00030	<0.0010	<0.00030	-	
MW-16	3/29/2011	<0.00030	<0.0010	<0.00030	0.0012	
MW-16	3/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-16	6/21/2011	<0.00025	<0.0010	<0.00050	<0.0020	
MW-16	6/21/2011	<0.001	<0.002	<0.002	<0.004	
MW-16	9/15/2011	<0.001	<0.002	<0.002	<0.004	
MW-16	12/6/2011	<0.001	<0.002	<0.002	<0.004	
MW-16	3/9/2012	<0.001	<0.002	<0.002	<0.004	
MW-16	6/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-16	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-16	12/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-16	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-16	6/3/2013	<0.001	<0.002	<0.002	<0.003	
MW-18	6/21/2006	0.013	0.0017	0.031	0.023	
MW-18	12/2/2008	0.0216	<0.00048	0.0221	0.0183	
MW-18	9/21/2009	0.0445	0.0026	0.0297	0.0264	
MW-18	6/27/2007	0.0214	0.0016	0.0475	0.0178	

**APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	
MW-19	3/23/2005	0.0019	<0.40	<0.40	<0.80	
MW-19	3/28/2006	<0.23	<0.54	<0.48	<1.1	
MW-19	6/21/2006	<0.23	<0.54	<0.48	<1.1	
MW-19	12/20/2006	0.0007	<0.54	<0.48	<1.1	
MW-19	9/6/2007	0.00053	<0.00054	<0.00048	<0.0011	
MW-19	11/28/2007	0.00054	<0.00054	<0.00048	<0.0011	
MW-19	3/6/2008	0.00054	<0.00048	<0.00045	<0.0014	
MW-19	12/2/2008	<0.00046	<0.00048	<0.00045	<0.0014	
MW-19	3/9/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-19	5/26/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-19	9/21/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-19	12/20/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-19	6/8/2005	0.0012	0.00072	<0.40	<0.80	
MW-19	9/14/2005	<0.47	<0.54	<0.48	<2.0	
MW-19	12/13/2005	<0.47	<0.54	<0.48	<2.0	
MW-19	3/29/2007	0.00075	<0.00054	<0.00048	<0.0011	
MW-19	6/27/2007	0.00071	<0.00054	<0.00048	<0.0011	
MW-19	9/14/2010	0.00036	<0.0010	<0.00030	-	
MW-19	3/9/2010	0.00051	<1.0	<1.0	-	
MW-19	6/14/2010	<0.30	<1.0	<0.30	-	
MW-19	12/7/2010	<0.00030	<0.0010	0.00068	-	
MW-19	3/29/2011	<0.00030	<0.0010	<0.00030	0.0008	
MW-19	3/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-19	6/21/2011	<0.00025	<0.0010	<0.00050	<0.0020	
MW-19	6/21/2011	<0.001	<0.002	<0.002	<0.004	
MW-19	9/15/2011	<0.001	<0.002	<0.002	<0.004	
MW-19	12/6/2011	<0.001	<0.002	<0.002	<0.004	
MW-19	3/9/2012	<0.001	<0.002	<0.002	<0.004	
MW-19	6/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-19	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-19	12/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-19	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-19	6/3/2013	<0.001	<0.002	<0.002	<0.003	

**APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	
MW-19D	6/21/2006	0.0011	<0.54	<0.48	<1.1	
MW-19D	3/23/2005	0.00073	<0.40	<0.40	<0.80	
MW-19D	3/28/2006	<0.23	<0.54	<0.48	<1.1	
MW-19D	9/27/2006	<0.23	<0.54	<0.48	<1.1	
MW-19D	12/20/2006	0.0018	<0.54	0.00074	<1.1	
MW-19D	9/6/2007	0.00072	<0.00054	<0.00048	<0.0011	
MW-19D	11/28/2007	0.00093	<0.00054	<0.00048	<0.0011	
MW-19D	3/6/2008	0.001	<0.00048	<0.00045	<0.0014	
MW-19D	12/2/2008	0.0016	<0.00048	<0.00045	<0.0014	
MW-19D	3/9/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-19D	5/26/2009	0.00074	<0.00048	<0.00045	<0.0014	
MW-19D	9/21/2009	0.0011	<0.00043	<0.00055	<0.0017	
MW-19D	12/20/2009	0.0009	<0.00043	<0.00055	<0.0017	
MW-19D	6/8/2005	0.0011	0.0012	<0.40	<0.80	
MW-19D	9/14/2005	<0.47	<0.54	<0.48	<2.0	
MW-19D	3/29/2007	0.0007	<0.00054	<0.00048	<0.0011	
MW-19D	6/27/2007	0.00074	<0.00054	<0.00048	<0.0011	
MW-19D	12/13/2005	<0.47	<0.54	<0.48	<2.0	
MW-19D	9/14/2010	0.00086	<0.0010	<0.00030	-	
MW-19D	3/9/2010	0.0009	<1.0	<1.0	-	
MW-19D	6/14/2010	0.00037	<1.0	<0.30	-	
MW-19D	12/7/2010	0.00085	<0.0010	<0.00030	-	
MW-19D	3/29/2011	0.00091	<0.0010	<0.00030	0.00074	
MW-19D	3/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-19D	6/21/2011	0.00056	<0.0010	<0.00050	<0.0020	
MW-19D	6/21/2011	.0006 J	<0.002	<0.002	<0.004	
MW-19D	9/15/2011	0.0014	<0.002	<0.002	<0.004	
MW-19D	12/6/2011	0.0015	<0.002	<0.002	<0.004	
MW-19D	3/9/2012	0.0015	<0.002	<0.002	<0.004	Duplicate-2 sample collected
MW-19D	6/6/2012	0.00079	<0.002	<0.002	<0.003	
MW-19D	9/6/2012	0.00072	<0.002	<0.002	<0.003	Duplicate-2 sample collected
MW-19D	12/5/2012	0.0030	<0.002	0.00069	<0.003	
MW-19D	2/19/2013	0.0086	<0.002	0.0045	<0.003	Duplicate B sample collected
MW-19D	6/3/2013	0.00073	<0.002	0.0064	<0.003	
MW-19S	9/27/2006	<0.23	<0.54	<0.48	<1.1	

**APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	
MW-20	3/23/2005	<0.40	<0.40	<0.40	<0.80	
MW-20	3/28/2006	<0.23	<0.54	<0.48	<1.1	
MW-20	6/21/2006	<0.23	<0.54	<0.48	<1.1	
MW-20	9/27/2006	<0.23	<0.54	<0.48	<1.1	
MW-20	12/20/2006	0.00028	<0.54	<0.48	<1.1	
MW-20	9/6/2007	<0.00023	<0.00054	<0.00048	<0.0011	
MW-20	11/28/2007	<0.00023	<0.00054	<0.00048	<0.0011	
MW-20	3/6/2008	<0.00046	<0.00048	<0.00045	<0.0014	
MW-20	12/2/2008	<0.00046	<0.00048	<0.00045	<0.0014	
MW-20	3/9/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-20	5/26/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-20	9/21/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-20	12/20/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-20	6/8/2005	<0.40	<0.40	<0.40	<0.80	
MW-20	9/14/2005	<0.47	<0.54	<0.48	<2.0	
MW-20	12/13/2005	<0.47	<0.54	<0.48	<2.0	
MW-20	3/29/2007	<0.00023	<0.00054	<0.00048	<0.0011	
MW-20	6/27/2007	0.00033	<0.00054	<0.00048	<0.0011	
MW-20	9/14/2010	<0.00030	<0.0010	<0.00030	-	
MW-20	3/9/2010	<0.40	<1.0	<1.0	-	
MW-20	6/14/2010	<0.30	<1.0	<0.30	-	
MW-20	12/7/2010	<0.00030	<0.0010	<0.00030	-	
MW-20	3/29/2011	<0.00030	<0.0010	<0.00030	0.0006	
MW-20	3/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-20	6/21/2011	<0.00025	<0.0010	<0.00050	<0.0020	
MW-20	6/21/2011	<0.001	<0.002	<0.002	<0.004	
MW-20	9/15/2011	<0.001	<0.002	<0.002	<0.004	
MW-20	12/6/2011	<0.001	<0.002	<0.002	<0.004	
MW-20	3/9/2012	0.00033	<0.002	<0.002	<0.004	
MW-20	6/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-20	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-20	12/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-20	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-20	6/3/2013	<0.001	<0.002	<0.002	<0.003	

**APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	
MW-21	3/23/2005	<0.40	<0.40	<0.40	<0.80	
MW-21	3/28/2006	<0.23	<0.54	<0.48	<1.1	
MW-21	6/21/2006	<0.23	<0.54	<0.48	<1.1	
MW-21	9/27/2006	<0.23	<0.54	<0.48	<1.1	
MW-21	12/20/2006	<0.23	<0.54	<0.48	<1.1	
MW-21	9/6/2007	<0.00023	<0.00054	<0.00048	<0.0011	
MW-21	11/28/2007	<0.00023	<0.00054	<0.00048	<0.0011	
MW-21	3/6/2008	<0.00046	<0.00048	<0.00045	<0.0014	
MW-21	12/2/2008	<0.00046	<0.00048	<0.00045	<0.0014	
MW-21	3/9/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-21	5/26/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-21	9/21/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-21	12/20/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-21	6/8/2005	<0.40	<0.40	<0.40	<0.80	
MW-21	9/14/2005	<0.47	<0.54	<0.48	<2.0	
MW-21	12/13/2005	<0.47	<0.54	<0.48	<2.0	
MW-21	3/29/2007	<0.00023	<0.00054	<0.00048	<0.0011	
MW-21	6/27/2007	<0.00023	<0.00054	<0.00048	<0.0011	
MW-21	9/14/2010	<0.00030	<0.0010	<0.00030	-	
MW-21	3/9/2010	<0.40	<1.0	<1.0	-	
MW-21	6/14/2010	<0.30	<1.0	<0.30	-	
MW-21	12/7/2010	<0.00030	<0.0010	<0.00030	-	
MW-21	3/29/2011	<0.00030	<0.0010	<0.00030	0.00076	
MW-21	3/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-21	6/21/2011	<0.00025	<0.0010	<0.00050	<0.0020	
MW-21	6/21/2011	<0.001	<0.002	<0.002	<0.004	
MW-21	9/15/2011	<0.001	<0.002	<0.002	<0.004	
MW-21	12/6/2011	<0.001	<0.002	<0.002	<0.004	
MW-21	3/9/2012	<0.001	<0.002	<0.002	<0.004	
MW-21	6/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-21	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-21	12/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-21	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-21	6/3/2013	<0.001	<0.002	<0.002	<0.003	

**APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	
MW-22	3/23/2005	0.0013	<0.40	<0.40	<0.80	
MW-22	6/8/2005	<0.40	0.0025	0.00073	0.0021	
MW-22	9/14/2005	0.0066	<0.54	<0.48	<2.0	
MW-22	12/13/2005	0.0059	<0.54	<0.48	<2.0	
MW-22	3/28/2006	0.006	<0.54	<0.48	<1.1	
MW-22	6/21/2006	0.0034	<0.54	0.00054	<1.1	
MW-22	9/27/2006	<0.23	<0.54	<0.48	<1.1	
MW-22	12/20/2006	0.00089	<0.54	<0.48	<1.1	
MW-22	3/29/2007	0.00067	<0.00054	<0.00048	<0.0011	
MW-22	6/27/2007	0.00076	<0.00054	<0.00048	<0.0011	
MW-22	9/6/2007	<0.00023	<0.00054	<0.00048	<0.0011	
MW-22	11/28/2007	0.001	<0.00054	<0.00048	<0.0011	
MW-22	3/6/2008	0.0015	<0.00048	<0.00045	<0.0014	
MW-22	12/2/2008	0.0064	<0.00048	<0.00045	<0.0014	
MW-22	3/9/2009	0.0048	<0.00048	<0.00045	0.0043	
MW-22	5/26/2009	0.0046	<0.00048	0.00069	0.002	
MW-22	9/21/2009	0.0026	<0.00043	<0.00055	<0.0017	
MW-22	12/20/2009	0.0028	<0.00043	<0.00055	<0.0017	
MW-22	3/29/2011	0.0034	<0.002	<0.002	0.0022	
MW-22	6/21/2011	0.0041	<0.002	.0005 J	<0.004	
MW-22	9/15/2011	0.0037	<0.002	<0.002	<0.004	
MW-22	12/6/2011	0.0028	<0.002	<0.002	<0.004	
MW-22	3/9/2012	0.0034	<0.002	0.00046	<0.004	
MW-22	6/6/2012	0.0031	<0.002	0.00045	<0.003	
MW-22	9/6/2012	0.0021	<0.002	<0.002	<0.003	
MW-22	12/5/2012	0.0033	<0.002	0.00055	0.0031	
MW-22	2/19/2013	0.0046	<0.002	0.0011	0.0043	
MW-22	6/3/2013	0.0054	<0.002	0.0010	0.0046	
MW-23	12/2/2008	<0.00046	<0.00048	<0.00045	<0.0014	
MW-23	3/9/2009	0.00049	<0.00048	<0.00045	<0.0014	
MW-23	5/26/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-23	9/21/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-23	12/20/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-23	9/14/2010	<0.00030	<0.0010	<0.00030	-	
MW-23	3/9/2010	<0.40	<1.0	<1.0	-	
MW-23	6/14/2010	<0.30	<1.0	<0.30	-	
MW-23	12/7/2010	<0.00030	<0.0010	<0.00030	-	
MW-23	3/29/2011	<0.00030	<0.0010	<0.00030	0.00063	
MW-23	3/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-23	6/21/2011	<0.00025	<0.0010	<0.00050	<0.0020	
MW-23	6/21/2011	<0.001	<0.002	<0.002	<0.004	
MW-23	9/15/2011	<0.001	<0.002	<0.002	<0.004	
MW-23	12/6/2011	<0.001	<0.002	<0.002	<0.004	
MW-23	3/9/2012	<0.001	<0.002	<0.002	<0.004	
MW-23	6/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-23	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-23	12/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-23	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-23	6/3/2013	<0.001	<0.002	<0.002	<0.003	

APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	
MW-24	12/2/2008	<0.00046	<0.00048	<0.00045	<0.0014	
MW-24	3/9/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-24	5/26/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-24	9/21/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-24	12/20/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-24	9/14/2010	<0.00030	<0.0010	<0.00030	-	
MW-24	3/9/2010	<0.40	<1.0	<1.0	-	
MW-24	6/14/2010	<0.30	<1.0	<0.30	-	
MW-24	12/7/2010	<0.00030	<0.0010	<0.00030	-	
MW-24	3/29/2011	<0.00030	<0.0010	<0.00030	<0.00060	
MW-24	3/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-24	6/21/2011	<0.00025	<0.0010	<0.00050	<0.0020	
MW-24	6/21/2011	<0.001	<0.002	<0.002	<0.004	
MW-24	9/15/2011	<0.001	<0.002	<0.002	<0.004	
MW-24	12/6/2011	<0.001	<0.002	<0.002	<0.004	
MW-24	3/9/2012	<0.001	<0.002	<0.002	<0.004	
MW-24	6/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-24	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-24	12/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-24	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-24	6/3/2013	<0.001	<0.002	<0.002	<0.003	
MW-25	12/2/2008	<0.00046	<0.00048	<0.00045	<0.0014	
MW-25	3/9/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-25	5/26/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-25	9/21/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-25	12/20/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-25	9/14/2010	<0.00030	<0.0010	<0.00030	-	
MW-25	3/9/2010	<0.40	<1.0	<1.0	-	
MW-25	6/14/2010	<0.30	<1.0	<0.30	-	
MW-25	12/7/2010	<0.00030	<0.0010	<0.00030	-	
MW-25	3/29/2011	<0.00030	<0.0010	<0.00030	0.00099	
MW-25	3/29/2011	<0.001	<0.002	<0.002	<0.002	
MW-25	6/21/2011	<0.00025	<0.0010	<0.00050	<0.0020	
MW-25	6/21/2011	<0.001	<0.002	<0.002	<0.004	
MW-25	9/15/2011	<0.001	<0.002	<0.002	<0.004	
MW-25	12/6/2011	<0.001	<0.002	<0.002	<0.004	
MW-25	3/9/2012	<0.001	<0.002	<0.002	<0.004	
MW-25	6/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-25	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-25	12/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-25	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-25	6/3/2013	<0.001	<0.002	<0.002	<0.003	

**APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	
MW-A	6/25/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-A	9/1/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-A	11/17/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-A	3/25/2010	<0.00050	<0.00043	<0.00055	<0.0017	
MW-A	6/8/2010	<0.00050	<0.00043	<0.00055	<0.0017	
MW-A	9/21/2010	<0.00050	<0.00043	<0.00055	<0.0017	
MW-A	12/16/2010	<0.00050	<0.00043	<0.00055	<0.0017	
MW-A	3/11/2011	<0.00050	<0.00043	<0.00055	<0.0017	
MW-A	6/14/2011	<0.00025	<0.00026	<0.00025	<0.00071	
MW-A	9/27/2011	<0.00025	<0.00026	<0.00025	<0.00071	
MW-A	12/13/2011	<0.00025	<0.00026	<0.00025	<0.00071	
MW-A	6/19/2012	<0.00025	<0.00026	<0.00025	<0.00071	
MW-A	3/27/2012	<0.00025	<0.00026	<0.00025	<0.00071	
MW-B	6/25/2009	1.49	0.27	0.411	2.75	
MW-B	9/1/2009	1.42	0.195	0.38	2.93	
MW-B	11/17/2009	0.199	0.0029	0.0685	0.159	
MW-B	3/25/2010	0.199	0.0078	0.112	0.375	
MW-B	6/8/2010	0.438	0.0202	0.161	0.836	
MW-B	9/21/2010	0.572	0.0217	0.167	0.885	
MW-B	12/16/2010	0.154	0.0146	0.0528	0.239	
MW-B	3/11/2011	0.36	0.0199	0.175	0.742	
MW-B	6/14/2011	0.295	0.0092	0.135	0.584	
MW-B	9/27/2011	0.225	0.0008	0.147	0.464	
MW-B	12/13/2011	0.357	0.01	0.157	0.581	
MW-C	6/25/2009	0.0543	0.00072	0.0119	0.053	
MW-C	9/1/2009	0.0828	0.0013	0.0231	0.132	
MW-C	11/17/2009	0.03	<0.00043	0.0093	0.053	
MW-C	3/25/2010	0.0482	0.003	0.0169	0.141	
MW-C	6/8/2010	0.0204	0.0011	0.0085	0.0523	
MW-C	9/21/2010	0.124	0.0031	0.0504	0.276	
MW-C	12/16/2010	0.0107	0.00059	0.0051	0.0252	
MW-C	3/11/2011	0.0958	0.0057	0.0424	0.235	
MW-C	6/14/2011	0.066	0.0028	0.0298	0.145	
MW-C	9/27/2011	0.0403	0.00073	0.0199	0.0944	
MW-C	12/13/2011	0.112	0.0043	0.0298	0.2	
MW-C	6/19/2012	0.0668	0.0019	0.0201	0.135	
MW-C	3/27/2012	0.037	0.0012	0.0114	0.0758	

**APPENDIX B
HISTORICAL DATA
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
HOBBS BOOSTER STATION
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
New Mexico Water Quality Control Commission Groundwater Standards (mg/L)		0.01	0.75	0.75	0.62	
MW-D	6/25/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-D	9/1/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-D	11/17/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-D	3/25/2010	<0.00050	<0.00043	<0.00055	<0.0017	
MW-D	6/8/2010	<0.00050	<0.00043	<0.00055	<0.0017	
MW-D	9/21/2010	<0.00050	<0.00043	<0.00055	<0.0017	
MW-D	12/16/2010	<0.00050	<0.00043	<0.00055	<0.0017	
MW-D	3/11/2011	<0.00050	<0.00043	<0.00055	<0.0017	
MW-D	6/14/2011	<0.00025	<0.00026	<0.00025	<0.00071	
MW-D	9/27/2011	<0.00025	<0.00026	<0.00025	<0.00071	
MW-D	12/13/2011	<0.00025	<0.00026	<0.00025	<0.00071	
MW-D	6/19/2012	<0.00025	<0.00026	<0.00025	<0.00071	
MW-D	3/27/2012	<0.00025	<0.00026	<0.00025	<0.00071	
MW-F	6/25/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-F	9/1/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-F	11/17/2009	<0.00050	<0.00043	<0.00055	<0.0017	
MW-F	3/25/2010	<0.00050	<0.00043	<0.00055	<0.0017	
MW-F	6/8/2010	<0.00050	<0.00043	<0.00055	<0.0017	
MW-F	9/21/2010	<0.00050	<0.00043	<0.00055	<0.0017	
MW-F	12/16/2010	<0.00050	<0.00043	<0.00055	<0.0017	
MW-F	3/11/2011	<0.00050	<0.00043	<0.00055	<0.0017	
MW-F	6/14/2011	<0.00025	<0.00026	<0.00025	<0.00071	
MW-F	9/27/2011	<0.00025	<0.00026	<0.00025	<0.00071	
MW-F	12/13/2011	<0.00025	<0.00026	<0.00025	<0.00071	
MW-F	6/19/2012	<0.00025	<0.00026	<0.00025	<0.00071	
MW-F	3/27/2012	<0.00025	<0.00026	<0.00025	<0.00071	
SP-1	3/19/2008	0.00075	<0.00048	<0.00045	<0.0014	
SP-2	3/19/2008	0.0042	0.005	<0.00045	<0.0014	
SP-3	3/19/2008	0.0012	0.0015	<0.00045	<0.0014	

Notes:

- 1.) The environmental cleanup standards for groundwater that are applicable to this Site are the New Mexico Water Quality Control Commission
- 2.) Data presented for all other well locations includes previous four sampling events, when available. Historic groundwater analytical results for these **Bold red** values indicate an exceedance of the NMWQCC groundwater standards for the Site.

Sample locations are shown on Figure 2 and analytical results are illustrated on Figure 4.

LNAPL = Light Non-Aqueous Phase Liquid

NS = Not sampled.

mg/L = milligrams per liter.