

NM1 - _____3_____

MONITORING REPORT

YEAR(S):

_____2013-2015_____


RECEIVED 00D

7/15/13 4:13 PM


2013 MONITOR WELL REPORT

SUNDANCE SERVICES, INC.


FLUID LEVELS 18	1ST QUARTER 2013	0
COLLAPSED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 23	1ST QUARTER 2013	0
COLLAPSED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 24	1ST QUARTER 2013	0
COLLAPSED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 33	1ST QUARTER 2013	28.1
	2ND QUARTER 2013	18.6
	3RD QUARTER 2013	16.6
	4TH QUARTER 2013	14.8




FLUID LEVELS 34	1ST QUARTER 2013	24.11
	2ND QUARTER 2013	25.3
	3RD QUARTER 2013	29.9
	4TH QUARTER 2013	21.9




FLUID LEVELS 35	1ST QUARTER 2013	0
COVERED BY	2ND QUARTER 2013	0
WALLACH	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 36	1ST QUARTER 2013	0
COVERED BY	2ND QUARTER 2013	0
WALLACH	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 37	1ST QUARTER 2013	0
COVERED BY	2ND QUARTER 2013	0
WALLACH	3RD QUARTER 2013	0
	4TH QUARTER 2013	0



FLUID LEVELS 38	1ST QUARTER 2013	0
COVERED BY	2ND QUARTER 2013	0
WALLACH	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 39	1ST QUARTER 2013	0
COVERED BY	2ND QUARTER 2013	0
WALLACH	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 40	1ST QUARTER 2013	0
	2ND QUARTER 2013	20.7
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 29	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 30	1ST QUARTER 2013	0
COLLAPSED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 31	1ST QUARTER 2013	0
COLLAPSED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 63	1ST QUARTER 2013	0
COLLAPSED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 52	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 77	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 78	1ST QUARTER 2013	0
COVERED BY WALLACH	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 79	1ST QUARTER 2013	0
COVERED BY	2ND QUARTER 2013	0
WALLACH	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 80	1ST QUARTER 2013	0
COVERED BY	2ND QUARTER 2013	0
WALLACH	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 81	1ST QUARTER 2013	0
COVERED BY	2ND QUARTER 2013	0
WALLACH	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 82	1ST QUARTER 2013	0
COVERED BY	2ND QUARTER 2013	0
WALLACH	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 83	1ST QUARTER 2013	0
COVERED BY	2ND QUARTER 2013	0
WALLACH	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




CHLORIDES 84	1ST QUARTER 2013	0
	2ND QUARTER 2013	18.3
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-18	1ST QUARTER 2013	0
COVERED BY	2ND QUARTER 2013	0
WALLACH	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




CHLORIDES 85-17	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-16	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




CHLORIDES 85-15	1ST QUARTER 2013	20.9
	2ND QUARTER 2013	22.1
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-14	1ST QUARTER 2013	20.6
	2ND QUARTER 2013	21.2
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-13	1ST QUARTER 2013	20
	2ND QUARTER 2013	21.3
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85C	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85B	1ST QUARTER 2013	0
COLLAPSED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85C-1	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85A	1ST QUARTER 2013	18.8
	2ND QUARTER 2013	18.4
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85	1ST QUARTER 2013	19.5
	2ND QUARTER 2013	19.6
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85H	1ST QUARTER 2013	17.6
	2ND QUARTER 2013	17.1
	3RD QUARTER 2013	17.5
	4TH QUARTER 2013	21.4




FLUID LEVELS 85D	1ST QUARTER 2013	17.9
	2ND QUARTER 2013	18.1
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85E	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-9	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-8	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-10	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-6	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-7	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 86	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-21	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-20	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-11	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-5	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-3	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-2	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-4	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 85-19	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 87A	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 87	1ST QUARTER 2013	0
WCS	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 68	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 68A	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 69	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 70	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 71	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS A	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS Q	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS P	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS X	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS W	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS KK	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS OO	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS NN	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS II	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS HH	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS GG	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS FF	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS EE	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS LL	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS MM	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS N	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS M	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS L	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS S	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS T	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS U	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 71F	1ST QUARTER 2013	24.3
	2ND QUARTER 2013	0
	3RD QUARTER 2013	25
	4TH QUARTER 2013	24.4




FLUID LEVELS 71G	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 71H	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 71I	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 71J	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 72	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 72A	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 73	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 74	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 75	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 76	1ST QUARTER 2013	7.9
	2ND QUARTER 2013	7.9
	3RD QUARTER 2013	8.7
	4TH QUARTER 2013	7.2




FLUID LEVEL 61B	1ST QUARTER 2013	0
PLUGGED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 61C	1ST QUARTER 2013	0
PLUGGED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 61D	1ST QUARTER 2013	0
PLUGGED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 61E	1ST QUARTER 2013	0
PLUGGED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 61F	1ST QUARTER 2013	0
PLUGGED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 61	1ST QUARTER 2013	0
PLUGGED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 2B	1ST QUARTER 2013	13.4
	2ND QUARTER 2013	16.1
	3RD QUARTER 2013	17.3
	4TH QUARTER 2013	11.1




FLUID LEVELS 2A	1ST QUARTER 2013	13.7
	2ND QUARTER 2013	16.6
	3RD QUARTER 2013	18.4
	4TH QUARTER 2013	12.4




FLUID LEVELS 2	1ST QUARTER 2013	12.2
	2ND QUARTER 2013	12.5
	3RD QUARTER 2013	14.4
	4TH QUARTER 2013	7.6




FLUID LEVELS 3A	1ST QUARTER 2013	17.4
	2ND QUARTER 2013	17.1
	3RD QUARTER 2013	19.2
	4TH QUARTER 2013	14.3




FLUID LEVELS 3B	1ST QUARTER 2013	17.1
	2ND QUARTER 2013	18.3
	3RD QUARTER 2013	19
	4TH QUARTER 2013	13.8



FLUID LEVELS 3C	1ST QUARTER 2013	16.2
	2ND QUARTER 2013	17.3
	3RD QUARTER 2013	17.7
	4TH QUARTER 2013	14




FLUID LEVELS 3D	1ST QUARTER 2013	14.3
	2ND QUARTER 2013	14.2
	3RD QUARTER 2013	15.3
	4TH QUARTER 2013	11.3




FLUID LEVELS 3E	1ST QUARTER 2013	12.4
	2ND QUARTER 2013	12.7
	3RD QUARTER 2013	14
	4TH QUARTER 2013	9.7




FLUID LEVELS 3 DRY	1ST QUARTER 2013	0
	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 4	1ST QUARTER 2013	8.3
	2ND QUARTER 2013	9.7
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 5 COLLAPSED	1ST QUARTER 2013	0
	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 6	1ST QUARTER 2013	11.2
	2ND QUARTER 2013	12.2
	3RD QUARTER 2013	13
	4TH QUARTER 2013	11.1




FLUID LEVELS 7	1ST QUARTER 2013	7.8
	2ND QUARTER 2013	9.2
	3RD QUARTER 2013	9
	4TH QUARTER 2013	6.2




FLUID LEVELS 8	1ST QUARTER 2013	0
COLLAPSED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 9	1ST QUARTER 2013	0
COLLAPSED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 10	1ST QUARTER 2013	0
COLLAPSED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 11	1ST QUARTER 2013	0
COLLAPSED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 12	1ST QUARTER 2013	0
COLLAPSED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 13	1ST QUARTER 2013	8
	2ND QUARTER 2013	28.1
	3RD QUARTER 2013	27.4
	4TH QUARTER 2013	27.8




FLUID LEVELS 41	1ST QUARTER 2013	34
	2ND QUARTER 2013	0
	3RD QUARTER 2013	33.2
	4TH QUARTER 2013	32.4




FLUID LEVELS 42	1ST QUARTER 2013	0
COLLAPSED	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 51	1ST QUARTER 2013	27.11
	2ND QUARTER 2013	28.9
	3RD QUARTER 2013	27.5
	4TH QUARTER 2013	26.4




FLUID LEVELS 44	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 45	1ST QUARTER 2013	0
COVERED BY	2ND QUARTER 2013	0
WALLACH	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 46	1ST QUARTER 2013	23.9
	2ND QUARTER 2013	22.7
	3RD QUARTER 2013	24
	4TH QUARTER 2013	23




FLUID LEVELS 47	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0



FLUID LEVELS 48	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




FLUID LEVELS 49	1ST QUARTER 2013	0
DRY	2ND QUARTER 2013	0
	3RD QUARTER 2013	0
	4TH QUARTER 2013	0




CHLORIDES 33

1ST QUARTER 2013	1700
2ND QUARTER 2013	776.3
3RD QUARTER 2013	50000
4TH QUARTER 2013	12000




CHLORIDES 34

1ST QUARTER 2013	2300
2ND QUARTER 2013	29576
3RD QUARTER 2013	110000
4TH QUARTER 2013	170000




CHLORIDES 85-14

1ST QUARTER 2013	70000
2ND QUARTER 2013	70286
3RD QUARTER 2013	0
4TH QUARTER 2013	0




CHLORIDES 85-15

1ST QUARTER 2013	58000
2ND QUARTER 2013	72894
3RD QUARTER 2013	0
4TH QUARTER 2013	0




CHLORIDES 85-13

1ST QUARTER 2013	52000
2ND QUARTER 2013	60392
3RD QUARTER 2013	0
4TH QUARTER 2013	0




CHLORIDES 85A

1ST QUARTER 2013	57000
2ND QUARTER 2013	74835.8
3RD QUARTER 2013	0
4TH QUARTER 2013	0




CHLORIDES 85

1ST QUARTER 2013	48000
2ND QUARTER 2013	78524
3RD QUARTER 2013	0
4TH QUARTER 2013	0




CHLORIDES 85H

1ST QUARTER 2013	7500
2ND QUARTER 2013	2771.6
3RD QUARTER 2013	61000
4TH QUARTER 2013	0




CHLORIDES 85D

1ST QUARTER 2013	66000
2ND QUARTER 2013	73555
3RD QUARTER 2013	0
4TH QUARTER 2013	0




CHLORIDES 71F

1ST QUARTER 2013	170000
2ND QUARTER 2013	0
3RD QUARTER 2013	190000
4TH QUARTER 2013	250000




CHLORIDES 76

1ST QUARTER 2013	87000
2ND QUARTER 2013	85102
3RD QUARTER 2013	97000
4TH QUARTER 2013	76000




CHLORIDES 28


1ST QUARTER 2013	94000
2ND QUARTER 2013	99123
3RD QUARTER 2013	89000
4TH QUARTER 2013	95000




CHLORIDES 2A	1ST QUARTER 2013	94000
	2ND QUARTER 2013	90167
	3RD QUARTER 2013	130000
	4TH QUARTER 2013	88000




CHLORIDES 2	1ST QUARTER 2013	100000
	2ND QUARTER 2013	114250
	3RD QUARTER 2013	120000
	4TH QUARTER 2013	76000




CHLORIDES 3A	1ST QUARTER 2013	36000
	2ND QUARTER 2013	89061
	3RD QUARTER 2013	79000
	4TH QUARTER 2013	63000




CHLORIDES 3B	1ST QUARTER 2013	64000
	2ND QUARTER 2013	186787
	3RD QUARTER 2013	110000
	4TH QUARTER 2013	130000



CHLORIDES 3C	1ST QUARTER 2013	40000
	2ND QUARTER 2013	69278
	3RD QUARTER 2013	45000
	4TH QUARTER 2013	70000




CHLORIDES 3D	1ST QUARTER 2013	66000
	2ND QUARTER 2013	118966
	3RD QUARTER 2013	120000
	4TH QUARTER 2013	98000




CHLORIDES 3E

1ST QUARTER 2013	54000
2ND QUARTER 2013	115480
3RD QUARTER 2013	0
4TH QUARTER 2013	98000




CHLORIDES 4

1ST QUARTER 2013	26000
2ND QUARTER 2013	115336
3RD QUARTER 2013	0
4TH QUARTER 2013	0




CHLORIDES 6

1ST QUARTER 2013	53000
2ND QUARTER 2013	106881
3RD QUARTER 2013	38000
4TH QUARTER 2013	95000




CHLORIDES 7

1ST QUARTER 2013	59000
2ND QUARTER 2013	86606.5
3RD QUARTER 2013	110000
4TH QUARTER 2013	95000




CHLORIDES 13

1ST QUARTER 2013	42000
2ND QUARTER 2013	83974
3RD QUARTER 2013	75000
4TH QUARTER 2013	69000




CHLORIDES 41

1ST QUARTER 2013	13000
2ND QUARTER 2013	0
3RD QUARTER 2013	22000
4TH QUARTER 2013	24000




CHLORIDES 51

1ST QUARTER 2013	52000
2ND QUARTER 2013	99641
3RD QUARTER 2013	98000
4TH QUARTER 2013	0




CHLORIDES 46

1ST QUARTER 2013	17000
2ND QUARTER 2013	17518.4
3RD QUARTER 2013	19000
4TH QUARTER 2013	17000




CHLORIDES 40

1ST QUARTER 2013	0
2ND QUARTER 2013	28813
3RD QUARTER 2013	0
4TH QUARTER 2013	0




CHLORIDES 84

1ST QUARTER 2013	0
2ND QUARTER 2013	28812.6
3RD QUARTER 2013	0
4TH QUARTER 2013	0



CHLORIDES 15

1ST QUARTER 2013	0
2ND QUARTER 2013	0
3RD QUARTER 2013	0
4TH QUARTER 2013	77000



CHLORIDES 85-11

1ST QUARTER 2013	0
2ND QUARTER 2013	0
3RD QUARTER 2013	0
4TH QUARTER 2013	79000

