

3R - 447

Q1 2012 GWMR

06 / 15 / 2012



Animas Environmental Services, LLC

www.animasenvironmental.com

624 E. Comanche
Farmington, NM 87401
505-564-2251

Durango, Colorado
970-403-3274

RECEIVED OGD

JUN 15 2012 2:20

June 15, 2012

Glenn von Gonten
Oil Conservation Division
1220 S. St. Francis Drive
Santa Fe, NM 87505

Re: Periodic Progress Report for 1st Quarter 2012 for the Benson-Montin-Greer Highway 537 Llaves Pipeline 2008 Oil Release, Rio Arriba County, New Mexico

Dear Mr. von Gonten:

On behalf of Benson-Montin-Greer Drilling Corporation (BMG), Animas Environmental Services, LLC (AES) has prepared this Periodic Progress Report detailing remedial activities at the BMG Highway 537 Llaves Pipeline 2008 release location detailing remediation activities and groundwater monitoring and sampling between January and March 2012. Remediation activities were conducted in accordance with recommendations presented in the Corrective Action Plan (CAP) prepared by AES and submitted to the New Mexico Oil Conservation Division (NMOCD) on January 11, 2011. Groundwater monitoring and sampling was conducted in accordance with recommendations presented in the Site Investigation Report prepared by AES and submitted in June 2008.

The 2008 release originated on the Schmitz Ranch, on the south side of Highway 537, within the NW¼ NE¼ of Section 18, T25N, R3W (latitude and longitude recorded as N36°24.214' and W107°11.053') and flowed south and southwest through a small unnamed arroyo for a distance of approximately 920 linear feet. A topographic site location map is presented as Figure 1, and a general site plan is presented as Figure 2.

1.0 Release History

On December 31, 2007, a Western Refining truck driver discovered the Llaves pipeline leak and immediately contacted BMG. BMG personnel confirmed the release and shut down the Llaves pipeline pumps and block valve located about one mile upstream. BMG contracted with TNT Excavating to remove the oil that had pooled along the surface of the small arroyo. Approximately 40 barrels (bbls) of oil were recovered and placed in storage tanks at the BMG Hwy 537 Transfer Station. A total of 3,932 cubic yards of contaminated soils were excavated and transported to the TNT Landfarm facility for disposal.

On January 9, 2008, the Llaves pipeline was repaired. BMG notified the National Response Center of the spill on January 23, 2008, and the release was given identification number 860429.

AES conducted a site investigation during April and May 2008, which included the installation of nine groundwater monitoring wells (MW-1 through MW-9). Details of the investigation were presented in the AES Site Investigation Report submitted to NMOCD and dated June 23, 2008.

2.0 Groundwater Monitoring and Sampling - February 2012

AES personnel conducted groundwater monitoring and sampling at the project area on February 21, 2012. Groundwater samples collected from MW-8 were laboratory analyzed for benzene, toluene, ethylbenzene, and xylene (BTEX) and total petroleum hydrocarbons (TPH) per EPA Methods 8021/8015 at Hall Environmental Analysis Laboratory (Hall), Albuquerque, New Mexico.

2.1 Groundwater Measurements and Water Quality Data

During the February 2012 sampling event, groundwater measurements were recorded for MW-1 through MW-4 and MW-6 through MW-8. A groundwater measurement was not recorded for MW-5 because the well was dry, and water quality measurements were not collected from MW-9 because the well contained non-aqueous phase liquid (NAPL or "free product"). Groundwater elevations were measured with a Keck water level (with accuracy to 0.01 foot) and ranged from 7,049.26 feet above mean sea level (AMSL) in MW-2 to 7,050.84 feet AMSL in MW-7. Groundwater gradient was calculated to be 0.004 ft/ft in a southwest direction, which is consistent with historical site data.

Water quality measurements were made with an YSI Water Quality Meter in MW-8 prior to sample collection. Water quality measurements for MW-8 were recorded as 10.21°C temperature, 7.74 pH, 2.46 mg/L dissolved oxygen (DO), -85.2 mV oxidation reduction potential (ORP), and 1.377 mS/cm conductivity. Depth to groundwater measurements and water quality data are presented in Table 1. Groundwater elevation contours for February 2012 are presented on Figure 3, and Water Sample Collection Forms are included in Appendix A.

2.2 Non-Aqueous Phase Liquid (NAPL)

NAPL or "free product" was first observed in MW-9 during the January 2010 sampling event, with a measured thickness of 2.37 feet. Free product was once again observed in MW-9

during the February 2012 sampling event with a measured thickness of 1.92 feet. Note that remediation wells MPE-1 through MPE-7 were installed around MW-9 in order to remove free product.

2.3 Groundwater Analytical Results

Groundwater samples were collected from MW-8 for laboratory analysis of BTEX and TPH. BTEX concentrations were reported below applicable New Mexico Water Quality Control Commission (WQCC) standards, and PH concentrations for gasoline, diesel and motor oil range organics were also below laboratory detection limits in MW-8. Tabulated laboratory analytical results are included in Table 2, and laboratory analytical reports are presented in Appendix A.

3.0 Measurement of Groundwater and Free Product in MPE Wells

AES personnel measured depth to groundwater and measured free product thickness in the recently installed multi-phase extraction (MPE) wells on February 21, 2012. Free product thicknesses ranged from 0.01 feet in MPE-7 up to 2.46 feet in MPE-1. MPE well data are included in Table 1, and free product thickness contours from February 2012 are presented on Figure 4.

4.0 MPE System Operation & Maintenance

The MPE unit was installed in May 2011 and operated until October 2011, when it was removed for the winter season. An estimated 26,250 lbs of petroleum hydrocarbons have been removed via the MPE system to date. AES anticipates re-activating the unit in the summer of 2012 for continued remedial operations.

5.0 Conclusions and Recommendations


AES conducted a groundwater monitoring and sampling event on February 21, 2012. MW-8, the only sampled well during this event, remained below the applicable WQCC standards for contaminants of concern.

Free product was observed in MW-9 in February 2012 (1.92 feet). The MPE system operated between May and October 2011 and is scheduled to be re-activated in June 2012 for continued operations.

Based on recent laboratory analytical results, AES recommends continued quarterly monitoring and sampling of MW-8 and MW-9, and the 2nd Quarter 2012 sampling event was conducted on May 25, 2012. The 2nd Quarterly progress report is currently in progress and will include details on re-activation of the MPE system.

If you have any questions regarding this report or site conditions, please do not hesitate to contact me or Ross Kennemer at (505) 564-2281.

Sincerely,



Elizabeth McNally, P.E.

Tables

Table 1. Summary of Groundwater Measurement Data

Table 2. Summary of Groundwater Laboratory Analytical Results

Figures

Figure 1. Topographic Site Location Map

Figure 2. General Site Plan

Figure 3. Groundwater Elevation Contours, February 2012

Figure 4. Free Product Thickness Contours, February 2012

Appendices

Appendix A. Water Sample Collection Forms
Laboratory Groundwater and Air Analytical Results

cc: Mike Dimond
Benson-Montin-Greer Drilling Corp.
4900 College Blvd
Farmington NM 87402

Brandon Powell
New Mexico Oil Conservation Division
1000 Rio Brazos Rd.
Aztec, NM 87410

Craig Schmitz
#70 CR 405
Lindrith, NM 87029

Private Landowner
C/O Mike Dimond
Benson-Montin-Greer Drilling Corp.

S:\Animas 2000\2012 Projects\BMG\Hwy 537 2008 Release\Workplans and Reports\Periodic Progress Report
061512.docx

TABLE 1
SUMMARY OF GROUNDWATER MEASUREMENT AND WATER QUALITY DATA
BMG HWY 537 LLAVES PIPELINE 2008 OIL RELEASE
Rio Arriba County, New Mexico

Well ID	Date Sampled	Surveyed TOC (ft)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	GW Elev. (ft)	pH	Cond. (mS)	DO (mg/L)	Temp. (C)	ORP (mV)
MW-1	05-May-08	7082.57		31.45		7051.12	7.62	4.051	1.48	15.57	141.9
MW-1	24-Sep-08	7082.57		31.91		7050.66	6.80	3.588	2.97	15.32	18.1
MW-1	02-Jan-09	7082.57		31.90		7050.67			NM		
MW-1	07-Apr-09	7082.57		31.92		7050.65	7.31	4.536	3.19	13.86	16.8
MW-1	07-Jul-09	7082.57		31.95		7050.62	7.31	3.161	1.48	16.43	52.6
MW-1	12-Oct-09	7082.57		32.20		7050.37	7.43	2.553	5.91	13.97	293.3
MW-1	12-Jan-10	7082.57		32.41		7050.16	7.72	4.035	3.35	11.12	-11.2
MW-1	13-Oct-10	7082.57		32.62		7049.95	7.38	3.596	0.50	14.60	-75.8
MW-1	20-Jan-11	7082.57		32.64		7049.93	7.48	3.726	1.50	11.89	44.6
MW-1	09-May-11	7082.57		32.27		7050.30	7.61	3.543	1.69	13.38	-5.4
MW-1	15-Aug-11	7082.57		33.07		7049.50	NM	NM	NM	NM	NM
MW-1	21-Nov-11	7082.57		32.98		7049.59	NM	NM	NM	NM	NM
MW-1	21-Feb-12	7082.57		32.98		7049.59	NM	NM	NM	NM	NM
MW-2	05-May-08	7079.94		29.01		7050.93	7.59	2.276	2.21	16.43	90.8
MW-2	24-Sep-08	7079.94		29.61		7050.33	6.93	2.073	2.75	14.93	36.0
MW-2	02-Jan-09	7079.94		29.52		7050.42			NM		
MW-2	07-Apr-09	7079.94		29.50		7050.44	6.93	2.560	1.93	13.38	21.5
MW-2	07-Jul-09	7079.94		29.65		7050.29	7.22	2.067	1.07	15.28	45.9
MW-2	12-Oct-09	7079.94		29.93		7050.01	7.37	1.665	5.63	14.10	178.1
MW-2	12-Jan-10	7079.94		30.01		7049.93	7.51	2.297	2.82	10.88	-2.9
MW-2	13-Oct-10	7079.94				7079.94			NM - Well Filled with Roots		
MW-2	20-Jan-11	7079.94		30.33		7049.61			NM - Well Filled with Roots		
MW-2	09-May-11	7079.94		29.99		7049.95	7.62	2.134	2.54	13.64	-34.1
MW-2	15-Aug-11	7079.94		30.81		7049.13	NM	NM	NM	NM	NM
MW-2	21-Nov-11	7079.94		29.79		7050.15	NM	NM	NM	NM	NM
MW-2	21-Feb-12	7079.94		30.68		7049.26	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF GROUNDWATER MEASUREMENT AND WATER QUALITY DATA
BMG HWY 537 LLAVES PIPELINE 2008 OIL RELEASE
Rio Arriba County, New Mexico

Well ID	Date Sampled	Surveyed TOC (ft)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	GW Elev. (ft)	pH	Cond. (mS)	DO (mg/L)	Temp. (C)	ORP (mV)
MW-3	05-May-08	7081.10		29.49		7051.61	7.79	4.083	2.42	15.91	75.7
MW-3	24-Sep-08	7081.10		30.07		7051.03	6.85	2.778	2.80	14.44	18.5
MW-3	02-Jan-09	7081.10		30.01		7051.09			NM		
MW-3	07-Apr-09	7081.10		30.02		7051.08	6.86	4.596	2.08	12.19	24.7
MW-3	07-Jul-09	7081.10		30.16		7050.94		NM - FILLED WITH SEDIMENT			
MW-3	12-Oct-09	7081.10		30.41		7050.69	7.23	2.316	2.24	13.88	8.3
MW-3	12-Jan-10	7081.10		30.50		7050.60	7.35	2.985	2.87	11.75	-27.2
MW-3	13-Oct-10	7081.10		30.84		7050.26	7.51	3.973	1.71	13.71	-49.8
MW-3	20-Jan-11	7081.10		30.85		7050.25	7.43	3.528	3.30	10.48	53.4
MW-3	10-May-11	7081.10		30.54		7050.56	7.55	3.270	2.06	13.47	-69.3
MW-3	15-Aug-11	7081.10		31.23		7049.87	NM	NM	NM	NM	NM
MW-3	21-Nov-11	7081.10		31.19		7049.91	NM	NM	NM	NM	NM
MW-3	21-Feb-12	7081.10		31.19		7049.91	NM	NM	NM	NM	NM
MW-4	05-May-08	7084.79		32.74		7052.05	7.70	2.699	2.36	14.62	-37.5
MW-4	24-Sep-08	7084.79		33.21		7051.58	6.98	2.163	3.04	13.70	42.9
MW-4	02-Jan-09	7084.79		33.29		7051.50			NM		
MW-4	07-Apr-09	7084.79		33.27		7051.52	6.91	2.779	1.35	11.90	21.1
MW-4	07-Jul-09	7084.79		33.32		7051.47	7.20	2.124	0.80	17.17	-41.5
MW-4	12-Oct-09	7084.79		33.56		7051.23	7.29	1.792	2.00	13.70	43.7
MW-4	12-Jan-10	7084.79		33.68		7051.11	7.36	2.374	2.03	11.53	-26.7
MW-4	13-Oct-10	7084.79		33.93		7050.86	7.42	2.233	1.18	14.11	-56.8
MW-4	20-Jan-11	7084.79		34.01		7050.78	7.55	2.292	2.14	11.57	126.2
MW-4	09-May-11	7084.79		33.79		7051.00	7.65	2.234	1.85	13.05	-20.0
MW-4	15-Aug-11	7084.79		34.37		7050.42	NM	NM	NM	NM	NM
MW-4	21-Nov-11	7084.79		34.33		7050.46	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF GROUNDWATER MEASUREMENT AND WATER QUALITY DATA
BMG HWY 537 LLAVES PIPELINE 2008 OIL RELEASE
Rio Arriba County, New Mexico

Well ID	Date Sampled	Surveyed TOC (ft)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	GW Elev. (ft)	pH	Cond. (mS)	DO (mg/L)	Temp. (C)	ORP (mV)
MW-4	21-Feb-12	7084.79		34.35		7050.44	NM	NM	NM	NM	NM
MW-5	05-May-08	7087.98				NA			NM - WELL DRY		
MW-5	24-Sep-08	7087.98				NA			NM - WELL DRY		
MW-5	02-Jan-09	7087.98				NA			NM - WELL DRY		
MW-5	07-Apr-09	7087.98				NA			NM - WELL DRY		
MW-5	07-Jul-09	7087.98				NA			NM - WELL DRY		
MW-5	12-Oct-09	7087.98				NA			NM - WELL DRY		
MW-5	12-Jan-10	7087.98				NA			NM - WELL DRY		
MW-5	13-Oct-10	7087.98				NA			NM - WELL DRY		
MW-5	20-Jan-11	7087.98				NA			NM - WELL DRY		
MW-5	09-May-11	7087.98				NA			NM - WELL DRY		
MW-5	15-Aug-11	7087.98				NA			NM - WELL DRY		
MW-5	21-Nov-11	7087.98				NA			NM - WELL DRY		
MW-5	21-Feb-12	7087.98				NA			NM - WELL DRY		
MW-6	05-May-08	7088.43		36.03		7052.40	7.73	1.764	2.43	13.95	87.3
MW-6	24-Sep-08	7088.43		36.44		7051.99	7.00	1.464	3.95	14.19	50.3
MW-6	02-Jan-09	7088.43		36.50		7051.93			NM		
MW-6	07-Apr-09	7088.43		36.46		7051.97	7.00	1.854	2.21	11.98	22.2
MW-6	07-Jul-09	7088.43		36.67		7051.76	7.27	1.557	1.35	17.51	57.8
MW-6	12-Oct-09	7088.43		36.78		7051.65	7.43	1.297	2.06	13.11	66.0
MW-6	12-Jan-10	7088.43		36.92		7051.51	7.44	1.615	2.24	11.82	-19.2
MW-6	13-Oct-10	7088.43		37.19		7051.24	7.54	1.502	1.68	14.44	57.9
MW-6	20-Jan-11	7088.43		37.18		7051.25	7.85	1.539	1.83	11.52	174.9
MW-6	09-May-11	7088.43		37.05		7051.38	7.80	1.526	3.31	13.01	31.9
MW-6	15-Aug-11	7088.43		37.59		7050.84	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF GROUNDWATER MEASUREMENT AND WATER QUALITY DATA
BMG HWY 537 LLAVES PIPELINE 2008 OIL RELEASE
Rio Arriba County, New Mexico

Well ID	Date Sampled	Surveyed TOC (ft)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	GW Elev. (ft)	pH	Cond. (mS)	DO (mg/L)	Temp. (C)	ORP (mV)
MW-6	21-Nov-11	7088.43		37.65		7050.78	NM	NM	NM	NM	NM
MW-6	21-Feb-12	7088.43		37.61		7050.82	NM	NM	NM	NM	NM
MW-7	05-May-08	7090.15		37.71		7052.44	NM - LOW YIELD				
MW-7	24-Sep-08	7090.15		38.16		7051.99	7.08	1.572	6.11	13.99	36.3
MW-7	02-Jan-09	7090.15		38.21		7051.94	NM				
MW-7	07-Apr-09	7090.15		38.16		7051.99	6.87	1.955	1.46	12.80	22.0
MW-7	07-Jul-09	7090.15		38.29		7051.86	7.06	1.599	2.27	16.48	92.6
MW-7	12-Oct-09	7090.15		38.49		7051.66	7.18	1.365	4.64	13.48	77.0
MW-7	12-Jan-10	7090.15		38.64		7051.51	7.22	1.679	1.97	11.02	-6.5
MW-7	13-Oct-10	7090.15		38.89		7051.26	7.57	2.227	1.68	16.25	66.3
MW-7	20-Jan-11	7090.15		38.92		7051.23	8.20	2.569	2.63	10.71	193.4
MW-7	09-May-11	7090.15		38.72		7051.43	7.67	2.066	2.19	14.93	86.8
MW-7	15-Aug-11	7090.15		39.26		7050.89	NM	NM	NM	NM	NM
MW-7	21-Nov-11	7090.15		39.27		7050.88	NM	NM	NM	NM	NM
MW-7	21-Feb-12	7090.15		39.31		7050.84	NM	NM	NM	NM	NM
MW-8	05-May-08	7085.20		33.71		7051.49	NM - LOW YIELD				
MW-8	24-Sep-08	7085.20		34.20		7051.00	6.88	1.672	3.06	15.24	-9.6
MW-8	05-Jan-09	7085.20		34.21		7050.99	NM				
MW-8	07-Apr-09	7085.20		34.28		7050.92	6.98	2.061	1.81	13.30	-108.8
MW-8	07-Jul-09	7085.20		34.31		7050.89	7.11	1.811	1.17	16.26	-74.0
MW-8	12-Oct-09	7085.20		34.54		7050.66	7.00	1.416	1.48	13.27	-102.1
MW-8	12-Jan-10	7085.20		34.69		7050.51	7.02	1.699	1.73	11.13	-159.8
MW-8	13-Oct-10	7085.20		34.92		7050.28	7.32	1.786	0.77	14.65	-126.5
MW-8	20-Jan-11	7085.20		34.99		7050.21	7.40	1.776	1.32	11.42	-71.1
MW-8	20-Jan-11	7085.20		34.99		7050.21	7.40	1.776	1.32	11.42	-71.1

TABLE 1
SUMMARY OF GROUNDWATER MEASUREMENT AND WATER QUALITY DATA
BMG HWY 537 LLAVES PIPELINE 2008 OIL RELEASE
Rio Arriba County, New Mexico

Well ID	Date Sampled	Surveyed TOC (ft)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	GW Elev. (ft)	pH	Cond. (mS)	DO (mg/L)	Temp. (C)	ORP (mV)
MW-8	10-May-11	7085.20		34.67		7050.53	7.44	1.698	1.06	12.74	-52.5
MW-8	15-Aug-11	7085.20		35.33		7049.87	7.42	1.717	3.67	17.56	-124.4
MW-8	21-Nov-11	7085.20		35.25		7049.95	7.38	1.430	1.83	11.77	95.8
MW-8	21-Feb-12	7085.20		35.30		7049.90	7.74	1.377	2.46	10.21	-85.2
MW-9	05-May-08	7083.64		31.81		7051.83	7.85	1.955	2.59	15.01	-37.9
MW-9	24-Sep-08	7083.64		32.26		7051.38	7.08	1.515	2.84	14.03	43.3
MW-9	05-Jan-09	7083.64				7083.64	NM - WELL DRY				
MW-9	07-Apr-09	7083.64		32.34		7051.30	6.89	1.876	1.11	12.85	7.0
MW-9	07-Jul-09	7083.64		32.41		7051.23	7.19	1.672	1.14	16.77	-9.7
MW-9	12-Oct-09	7083.64		32.63		7051.01	7.22	1.352	2.10	13.78	72.9
MW-9	12-Jan-10	7083.64	32.43	34.80	2.37	7050.68	NM - 2.37 feet of Crude oil or Free Product				
MW-9	13-Oct-10	7083.64	32.63	35.29	2.66	7050.42	NM - 2.66 feet of Crude oil or Free Product				
MW-9	20-Jan-11	7083.64	32.71	35.21	2.50	7050.38	NM - 2.50 feet of Crude oil or Free Product				
MW-9	09-May-11	7083.64	32.43	34.96	2.53	7050.65	NM - 2.53 feet of Crude oil or Free Product				
MW-9	15-Aug-11	7083.64	33.11	35.33	2.22	7050.04	NM - 2.22 feet of Crude oil or Free Product				
MW-9	07-Oct-11	7083.64	33.14	35.23	2.09	7050.04	NM - 2.09 feet of Crude oil or Free Product				
MW-9	21-Nov-11	7083.64	33.25	35.37	2.12	7049.92	NM - 2.12 feet of Crude oil or Free Product				
MW-9	21-Feb-12	7083.64	33.14	35.06	1.92	7050.07	NM - 1.92 feet of Crude oil or Free Product				
MPE-1	09-May-11	TBS	33.87	36.87	3.00	NA	NM - 3.00 feet of Crude oil or Free Product				
MPE-1	15-Aug-11	TBS	34.68	36.47	1.79	NA	NM - 1.79 feet of Crude oil or Free Product				
MPE-1	07-Oct-11	TBS	34.87	35.81	0.94	NA	NM - 0.94 feet of Crude oil or Free Product				
MPE-1	21-Nov-11	TBS	34.60	36.85	2.25	NA	NM - 2.25 feet of Crude oil or Free Product				
MPE-1	21-Feb-12	TBS	34.57	37.03	2.46	NA	NM - 1.92 feet of Crude oil or Free Product				
MPE-2	09-May-11	TBS	32.50	33.73	1.23	NA	NM - 1.23 feet of Crude oil or Free Product				

TABLE 1
SUMMARY OF GROUNDWATER MEASUREMENT AND WATER QUALITY DATA
BMG HWY 537 LLAVES PIPELINE 2008 OIL RELEASE
Rio Arriba County, New Mexico

Well ID	Date Sampled	Surveyed TOC (ft)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	GW Elev. (ft)	pH	Cond. (mS)	DO (mg/L)	Temp. (C)	ORP (mV)
MPE-2	15-Aug-11	TBS	33.28	33.69	0.41	NA	NM - 0.41 feet of Crude oil or Free Product				
MPE-2	07-Oct-11	TBS	33.33	33.34	0.01	NA	NM - 0.01 feet of Crude oil or Free Product				
MPE-2	21-Nov-11	TBS	33.28	33.41	0.13	NA	NM - 0.13 feet of Crude oil or Free Product				
MPE-2	21-Feb-12	TBS	33.24	33.66	0.42	NA	NM - 2.46 feet of Crude oil or Free Product				
MPE-3	09-May-11	TBS	32.43	34.65	2.22	NA	NM - 2.22 feet of Crude oil or Free Product				
MPE-3	15-Aug-11	TBS	33.25	34.51	1.26	NA	NM - 1.26 feet of Crude oil or Free Product				
MPE-3	07-Oct-11	TBS	33.40	33.74	0.34	NA	NM - 0.34 feet of Crude oil or Free Product				
MPE-3	21-Nov-11	TBS	33.28	34.13	0.85	NA	NM - 0.85 feet of Crude oil or Free Product				
MPE-3	21-Feb-12	TBS	33.18	34.83	1.65	NA	NM - 1.65 feet of Crude oil or Free Product				
MPE-4	09-May-11	TBS	33.45	35.74	2.29	NA	NM - 2.29 feet of Crude oil or Free Product				
MPE-4	15-Aug-11	TBS	34.26	35.85	1.59	NA	NM - 1.59 feet of Crude oil or Free Product				
MPE-4	07-Oct-11	TBS	34.46	34.67	0.21	NA	NM - 0.21 feet of Crude oil or Free Product				
MPE-4	21-Nov-11	TBS	34.20	35.92	1.72	NA	NM - 1.72 feet of Crude oil or Free Product				
MPE-4	21-Feb-12	TBS	34.16	36.17	2.01	NA	NM - 2.01 feet of Crude oil or Free Product				
MPE-5	09-May-11	TBS	34.93	37.70	2.77	NA	NM - 2.77 feet of Crude oil or Free Product				
MPE-5	15-Aug-11	TBS	35.68	37.80	2.12	NA	NM - 2.12 feet of Crude oil or Free Product				
MPE-5	07-Oct-11	TBS	35.69	37.82	2.13	NA	NM - 2.13 feet of Crude oil or Free Product				
MPE-5	21-Nov-11	TBS	35.58	38.16	2.58	NA	NM - 2.58 feet of Crude oil or Free Product				
MPE-5	21-Feb-12	TBS	35.61	38.03	2.42	NA	NM - 2.42 feet of Crude oil or Free Product				
MPE-6	09-May-11	TBS		33.05		NA	NM - DUE TO HIGH CONTAMINATION OF CRUDE OIL				
MPE-6	15-Aug-11	TBS	33.72	33.81	0.09	NA	NM - 0.09 feet of Crude Oil or Free Product				
MPE-6	07-Oct-11	TBS	33.67	34.05	0.38	NA	NM - 0.38 feet of Crude Oil or Free Product				
MPE-6	21-Nov-11	TBS	33.51	34.64	1.13	NA	NM - 1.13 feet of Crude Oil or Free Product				

TABLE 1
SUMMARY OF GROUNDWATER MEASUREMENT AND WATER QUALITY DATA
BMG HWY 537 LLAVES PIPELINE 2008 OIL RELEASE
Rio Arriba County, New Mexico

Well ID	Date Sampled	Surveyed TOC (ft)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	GW Elev. (ft)	pH	Cond. (mS)	DO (mg/L)	Temp. (C)	ORP (mV)
MPE-6	21-Feb-12	TBS	33.46	35.02	1.56	NA	NM - 1.56 feet of Crude Oil or Free Product				
MPE-7	09-May-11	TBS	30.87	30.88	0.01	NA	NM - 0.01 feet of Crude oil or Free Product				
MPE-7	15-Aug-11	TBS		31.59		NA	NM	NM	NM	NM	NM
MPE-7	07-Oct-11	TBS		31.60		NA	NM	NM	NM	NM	NM
MPE-7	21-Nov-11	TBS	31.54	31.55	0.01	NA	NM - 0.01 feet of Crude oil or Free Product				
MPE-7	21-Feb-12	TBS	31.54	31.55	0.01	NA	NM - 0.01 feet of Crude Oil or Free Product				

NOTE: NS = NOT SAMPLED
 NM = NOT MEASURED
 NA = NOT AVAILABLE
 TBS = TO BE SURVEYED

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
BMG HWY 537 LLAVES PIPELINE 2008 OIL RELEASE
Rio Arriba County, New Mexico

Well ID	Date Sampled	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	GRO (mg/L)	DRO (mg/L)	MRO (mg/L)
Analytical Method		8021B	8021B	8021B	8021B	8015B	8015B	8015B
New Mexico WQCC		10	750	750	620	NE	NE	NE
MW-1	05-May-08	<1.0	<1.0	<1.0	<2.0	0.092	<1.0	<5.0
MW-1	24-Sep-08	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-1	02-Jan-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-1	07-Apr-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-1	07-Jul-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-1	12-Oct-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-1	12-Jan-10	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-1	13-Oct-10	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-1	20-Jan-11	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-1	10-May-11	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-2	05-May-08	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-2	24-Sep-08	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-2	02-Jan-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-2	07-Apr-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-2	07-Jul-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-2	12-Oct-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-2	12-Jan-10	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-2	13-Oct-10	NS - Well filled with Roots						
MW-2	20-Jan-11	NS - Well filled with Roots						
MW-2	10-May-11	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-3	05-May-08	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-3	24-Sep-08	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-3	02-Jan-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-3	07-Apr-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-3	07-Jul-09	NS - Well filled with sediment						
MW-3	12-Oct-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-3	12-Jan-10	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-3	13-Oct-10	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-3	20-Jan-11	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-3	10-May-11	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-4	05-May-08	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-4	24-Sep-08	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-4	02-Jan-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-4	07-Apr-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
BMG HWY 537 LLAVES PIPELINE 2008 OIL RELEASE
Rio Arriba County, New Mexico

Well ID	Date Sampled	Benzene	Toluene	Ethyl- benzene	Total Xylenes	GRO	DRO	MRO
		(µg/L)	(µg/L)	(µg/L)	(µg/L)	(mg/L)	(mg/L)	(mg/L)
Analytical Method		8021B	8021B	8021B	8021B	8015B	8015B	8015B
New Mexico WQCC		10	750	750	620	NE	NE	NE
MW-4	07-Jul-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-4	12-Oct-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-4	12-Jan-10	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-4	13-Oct-10	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-4	20-Jan-11	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-4	09-May-11	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-5	05-May-08	NS - Well Dry						
MW-5	24-Sep-08	NS - Well Dry						
MW-5	02-Jan-09	NS - Well Dry						
MW-5	07-Apr-09	NS - Well Dry						
MW-5	07-Jul-09	NS - Well Dry						
MW-5	12-Oct-09	NS - Well Dry						
MW-5	12-Jan-10	NS - Well Dry						
MW-5	13-Oct-10	NS - Well Dry						
MW-5	20-Jan-11	NS - Well Dry						
MW-5	09-May-11	NS - Well Dry						
MW-6	05-May-08	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-6	24-Sep-08	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-6	02-Jan-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-6	07-Apr-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-6	07-Jul-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-6	12-Oct-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-6	12-Jan-10	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-6	13-Oct-10	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-6	20-Jan-11	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-6	09-May-11	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-7	05-May-08	2.8	<1.0	<1.0	<2.0	0.40	<1.0	<5.0
MW-7	24-Sep-08	<1.0	<1.0	<1.0	<2.0	0.069	<1.0	<5.0
MW-7	02-Jan-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-7	07-Apr-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-7	07-Jul-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-7	12-Oct-09	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-7	12-Jan-10	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-7	13-Oct-10	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
BMG HWY 537 LLAVES PIPELINE 2008 OIL RELEASE
Rio Arriba County, New Mexico


Well ID	Date Sampled	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	GRO (mg/L)	DRO (mg/L)	MRO (mg/L)
Analytical Method		8021B	8021B	8021B	8021B	8015B	8015B	8015B
New Mexico WQCC		10	750	750	620	NE	NE	NE
MW-7	20-Jan-11	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-7	09-May-11	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-8	05-May-08	26	10	<1.0	<2.0	1.10	<1.0	<5.0
MW-8	24-Sep-08	65	26	<1.0	<2.0	0.90	<1.0	<5.0
MW-8	05-Jan-09	45	25	<1.0	2.2	1.0	<1.0	<5.0
MW-8	07-Apr-09	25	20	<1.0	2.9	0.89	<1.0	<5.0
MW-8	07-Jul-09	7.5	4.5	<1.0	<2.0	0.21	<1.0	<5.0
MW-8	12-Oct-09	15	11	<1.0	<2.0	0.52	<1.0	<5.0
MW-8	12-Jan-10	<1.0	<1.0	<1.0	<2.0	0.088	<1.0	<5.0
MW-8	13-Oct-10	12	<1.0	1.7	16	0.25	<1.0	<5.0
MW-8	20-Jan-11	35	<1.0	6.5	6.3	0.16	<1.0	<5.0
MW-8	10-May-11	<1.0	<1.0	<1.0	<2.0	<0.050	<1.0	<5.0
MW-8	15-Aug-11	<2.0	<2.0	<2.0	<4.0	<0.10	<1.0	<5.0
MW-8	21-Nov-11	<2.0	<2.0	<2.0	<4.0	<0.10	2.2	<5.0
MW-8	21-Feb-12	<2.0	<2.0	<2.0	<4.0	<0.10	<1.0	<5.0
MW-9	05-May-08	6.2	7.5	<1.0	2.3	0.90	<1.0	<5.0
MW-9	24-Sep-08	17	12	<1.0	<2.0	0.32	<1.0	<5.0
MW-9	05-Jan-09	NS - Well Dry						
MW-9	07-Apr-09	12	6.2	<1.0	<2.0	0.32	<1.0	<5.0
MW-9	07-Jul-09	7.0	5.3	<1.0	<2.0	0.28	<1.0	<5.0
MW-9	12-Oct-09	26	2.0	<1.0	<2.0	0.31	<1.0	<5.0
MW-9	12-Jan-10	NS - 2.37 FEET OF CRUDE OIL						
MW-9	13-Oct-10	NS - 2.66 FEET OF CRUDE OIL						
MW-9	20-Jan-11	NS - 2.50 FEET OF CRUDE OIL						
MW-9	09-May-11	NS - 2.53 FEET OF CRUDE OIL						
MW-9	15-Aug-11	NS - 2.22 FEET OF CRUDE OIL						
MW-9	21-Nov-11	NS - 2.12 FEET OF CRUDE OIL						
MW-9	21-Feb-12	NS - 1.92 FEET OF CRUDE OIL						

NOTE: NS = Not Sampled

GRO = Gasoline Range Organics

DRO = Diesel Range Organics

MRO = Motor Oil Range Organics



Animas Environmental Services, LLC

DRAWN BY:

N. Willis

DATE DRAWN:

April 4, 2011

REVISIONS BY:

C. Lameman

DATE REVISED:

December 13, 2011

CHECKED BY:

E. McNally

DATE CHECKED:

May 29, 2012

APPROVED BY:

E. McNally


DATE APPROVED:

May 30, 2012

FIGURE 1

TOPOGRAPHIC SITE LOCATION MAP

BMG HIGHWAY 537
LLAVES 2008 PIPELINE OIL RELEASE
NW¼, NE¼, SEC. 18, T25N, R3W
SCHMITZ RANCH
RIO ARriba COUNTY, NEW MEXICO
N 36°24.214', W 107°11.053'



Animas Environmental Services, LLC

DRAWN BY:
N. Willis

REVISIONS BY:
N. Willis

CHECKED BY:
D. Watson

APPROVED BY:
E. McNally

DATE DRAWN:
April 4, 2011

DATE REVISED:
May 23, 2012


DATE CHECKED:
May 29, 2012

DATE APPROVED:
May 30, 2012

FIGURE 2

GENERAL SITE PLAN

BMG HIGHWAY 537
LLAVES 2008 PIPELINE OIL RELEASE
NW¼, NE¼, SEC. 18, T25N, R3W
SCHMITZ RANCH
RIO ARriba COUNTY, NEW MEXICO
N 36°24.214', W 107°11.053'



Animas Environmental Services, LLC

DRAWN BY:
N. Willis

REVISIONS BY:
N. Willis

CHECKED BY:
D. Watson


APPROVED BY:
E. McNally

DATE DRAWN:
April 4, 2011

DATE REVISED:
May 23, 2012

DATE CHECKED:
May 29, 2012

DATE APPROVED:
May 30, 2012



DRAWN BY:

N. Willis

DATE DRAWN:

April 4, 2011

REVISIONS BY:

N. Willis

DATE REVISED:

May 23, 2012

CHECKED BY:

D. Watson

DATE CHECKED:

May 29, 2012

APPROVED BY:

E. McNally

DATE APPROVED:

May 30, 2012

FIGURE 4

FREE PRODUCT THICKNESS CONTOURS, FEBRUARY 2012

BMG HIGHWAY 537
LLAVES 2008 PIPELINE OIL RELEASE
NW¼, NE¼, SEC. 18, T25N, R3W
SCHMITZ RANCH, RIO ARRIBA COUNTY, NEW MEXICO
N 36°24.214', W 107°11.053'

Animas Environmental Services

624 E. Comanche, Farmington NM 87401
Tel. (505) 564-2281 Fax (505) 324-2022

Project No.:	AES 080101
Date:	2-21-12
Arrival Time:	1035
Air Temp:	34°F
O.C. Elev. (ft):	7085.2
Well Depth (ft):	39.15
(taken at initial gauging of all wells)	
(taken prior to purging well)	
(taken after sample collection)	
Thickness:	Time:

Water Quality Parameters - Recorded During Well Purging

[illegible]**Analytical Parameters (include analysis method and number and type of sample containers)**

BTEX per EPA Method 8021 (3 40mL Vials w/ HCl preserve)

TPH C6-C36 per EPA Method 8015B (2 40mL Vials w/ HCl preserve)

TPH C6-C36 per EPA Method 8015B (40mL Vial w/ no preservative)

Disposal of Purged Water: 

Collected Samples Stored on Ice in Cooler: Yes

Chain of Custody Record Complete: Yes

Analytical Laboratory: Hall Environmental Analysis Laboratory, Albuquerque, NM

Equipment Used During Sampling: Keck Water Level or Keck Interface Level, YSI Water Quality Meter
and New Disposable Bailer

Notes/Comments:

If it is necessary to calculate the volume of the monitoring well to determine what volume of groundwater will need to be purged from the well prior to collecting the samples, use the following equation:

$$\text{Well Volume} = (h)(cf)$$

where:

h = height of water column (feet)

cf = gallons/foot based on well diameter shown below

The gallons/foot for common size monitoring wells are as follows:

Well Diameter (inches)	2"	3"	4"	6"
Volume (gallons/foot)	0.1632	0.3672	0.6528	1.4688

The well volume is typically tripled to determine the volume to be purged.

Show purge volume calculation below:

$$h = \text{Total Well Depth} - \text{Depth To Water} = 39.15 - 35.30 = 3.85$$

$$\text{Well Volume} = (h)(cf) = (3.85)(0.1632) =$$

$$\text{Total Purge Volume} = 3 * (\text{Well Volume}) =$$

Monitor Well No: **MW-9**

Tel. (505) 564-2281 Fax (505) 324-2022

If it is necessary to calculate the volume of the monitoring well to determine what volume of groundwater will need to be purged from the well prior to collecting the samples, use the following equation:

$$\text{Well Volume} = (h)(cf)$$

where:

h = height of water column (feet)

cf = gallons/foot based on well diameter shown below

The gallons/foot for common size monitoring wells are as follows:

Well Diameter (inches)	2"	3"	4"	6"
Volume (gallons/foot)	0.1632	0.3672	0.6528	1.4688

The well volume is typically tripled to determine the volume to be purged.

Show purge volume calculation below: _____

$$h = \text{Total Well Depth} - \text{Depth To Water} = \underline{\hspace{2cm}} - \underline{\hspace{2cm}} =$$

$$\text{Well Volume} = (h)(cf) = (\underline{\hspace{2cm}})(0.1632) =$$

$$\text{Total Purge Volume} = 3 * (\text{Well Volume}) = \underline{\hspace{2cm}}$$



*Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com*

February 29, 2012

Debbie Watson

Animas Environmental Services
624 East Comanche
Farmington, NM 87401
TEL: (505) 564-2281
FAX (505) 324-2022

RE: BMG HWY 537 2008 SPILL

OrderNo.: 1202829

Dear Debbie Watson:

Hall Environmental Analysis Laboratory received 2 sample(s) on 2/24/2012 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1202829

Date Reported: 2/29/2012

CLIENT: Animas Environmental Services

Client Sample ID: MW-8

Project: BMG HWY 537 2008 SPILL

Collection Date: 2/21/2012 11:00:00 AM

Lab ID: 1202829-001

Matrix: AQUEOUS

Received Date: 2/24/2012 10:05:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANGE						Analyst: JMP
Diesel Range Organics (DRO)	ND	1.0		mg/L	1	2/28/2012 11:58:17 AM
Motor Oil Range Organics (MRO)	ND	5.0		mg/L	1	2/28/2012 11:58:17 AM
Surr: DNOP	102	61.3-164		%REC	1	2/28/2012 11:58:17 AM
EPA METHOD 8015B: GASOLINE RANGE						Analyst: RAA
Gasoline Range Organics (GRO)	ND	0.050		mg/L	1	2/25/2012 4:30:03 AM
Surr: BFB	98.6	69.3-120		%REC	1	2/25/2012 4:30:03 AM
EPA METHOD 8021B: VOLATILES						Analyst: RAA
Benzene	ND	1.0		µg/L	1	2/25/2012 4:30:03 AM
Toluene	ND	1.0		µg/L	1	2/25/2012 4:30:03 AM
Ethylbenzene	ND	1.0		µg/L	1	2/25/2012 4:30:03 AM
Xylenes, Total	ND	2.0		µg/L	1	2/25/2012 4:30:03 AM
Surr: 4-Bromofluorobenzene	109	76.5-115		%REC	1	2/25/2012 4:30:03 AM

Qualifiers: */X Value exceeds Maximum Contaminant Level.
E Value above quantitation range
J Analyte detected below quantitation limits
R RPD outside accepted recovery limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
RL Reporting Detection Limit

Analytical Report

Lab Order 1202829

Date Reported: 2/29/2012

Hall Environmental Analysis Laboratory, Inc.**CLIENT:** Animas Environmental Services**Client Sample ID:** Trip Blank**Project:** BMG HWY 537 2008 SPILL**Collection Date:****Lab ID:** 1202829-002**Matrix:** TRIP BLANK**Received Date:** 2/24/2012 10:05:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8021B: VOLATILES						Analyst: RAA
Benzene	ND	1.0		µg/L	1	2/25/2012 4:58:46 AM
Toluene	ND	1.0		µg/L	1	2/25/2012 4:58:46 AM
Ethylbenzene	ND	1.0		µg/L	1	2/25/2012 4:58:46 AM
Xylenes, Total	ND	2.0		µg/L	1	2/25/2012 4:58:46 AM
Surr: 4-Bromofluorobenzene	106	76.5-115		%REC	1	2/25/2012 4:58:46 AM

Qualifiers:

- * / X Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1202829

29-Feb-12

Client: Animas Environmental Services

Project: BMG HWY 537 2008 SPILL

Sample ID	MB-854		SampType: MBLK		TestCode: EPA Method 8015B: Diesel Range					
Client ID:	PBW		Batch ID: 854		RunNo: 1148					
Prep Date:	2/27/2012		Analysis Date: 2/28/2012		SeqNo: 32739		Units: mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	1.0								
Motor Oil Range Organics (MRO)	ND	5.0								
Surr: DNOP	1.0		1.000		102	61.3	164			

Sample ID	LCS-854		SampType:	LCS		TestCode:	EPA Method 8015B: Diesel Range				
Client ID:	LCSW		Batch ID:	854		RunNo:	1148				
Prep Date:	2/27/2012		Analysis Date:	2/28/2012		SeqNo:	32915		Units: mg/L		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Diesel Range Organics (DRO)	5.0	1.0	5.000	0	101	74	157				
Surr: DNOP	0.51		0.5000		102	61.3	164				

Sample ID	LCSD-854		SampType:	LCSD		TestCode:	EPA Method 8015B: Diesel Range				
Client ID:	LCSS02		Batch ID:	854		RunNo:	1148				
Prep Date:	2/27/2012		Analysis Date:	2/28/2012		SeqNo:	32916		Units: mg/L		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Diesel Range Organics (DRO)	6.1	1.0	5.000	0	123	74	157	19.5	23		
Surr: DNOP	0.51		0.5000		102	61.3	164	0	0		

Qualifiers:

* / X Value exceeds Maximum Contaminant Level.
E Value above quantitation range
J Analyte detected below quantitation limits
R RPD outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1202829

29-Feb-12

Client: Animas Environmental Services

Project: BMG HWY 537 2008 SPILL

Sample ID	5ML-RB	SampType:	MBLK	TestCode:	EPA Method 8015B: Gasoline Range					
Client ID:	PBW	Batch ID:	R1140	RunNo:	1140					
Prep Date:		Analysis Date:	2/24/2012	SeqNo:	32520	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	0.050								
Surr: BFB	19		20.00		97.4	69.3	120			

Sample ID	2.5UG GRO LCS	SampType:	LCS	TestCode:	EPA Method 8015B: Gasoline Range					
Client ID:	LCSW	Batch ID:	R1140	RunNo:	1140					
Prep Date:		Analysis Date:	2/24/2012	SeqNo:	32524	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	0.57	0.050	0.5000	0	114	101	123			
Surr: BFB	21		20.00		105	69.3	120			

Sample ID	1202820-001A MS	SampType:	MS	TestCode:	EPA Method 8015B: Gasoline Range					
Client ID:	BatchQC	Batch ID:	R1140	RunNo:	1140					
Prep Date:		Analysis Date:	2/24/2012	SeqNo:	32525	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	0.53	0.050	0.5000	0	106	75.4	121			
Surr: BFB	21		20.00		106	69.3	120			

Sample ID	1202820-001A MSD	SampType:	MSD	TestCode:	EPA Method 8015B: Gasoline Range					
Client ID:	BatchQC	Batch ID:	R1140	RunNo:	1140					
Prep Date:		Analysis Date:	2/24/2012	SeqNo:	32526	Units:	mg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	0.53	0.050	0.5000	0	107	75.4	121	0.338	10.5	
Surr: BFB	21		20.00		107	69.3	120	0	0	

Qualifiers:

* / X Value exceeds Maximum Contaminant Level.
E Value above quantitation range
J Analyte detected below quantitation limits
R RPD outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1202829

29-Feb-12

Client: Animas Environmental Services

Project: BMG HWY 537 2008 SPILL

Sample ID	5ML-RB	SampType:	MBLK	TestCode:	EPA Method 8021B: Volatiles					
Client ID:	PBW	Batch ID:	R1140	RunNo:	1140					
Prep Date:		Analysis Date:	2/24/2012	SeqNo:	32619	Units:	µg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	1.0								
Toluene	ND	1.0								
Ethylbenzene	ND	1.0								
Xylenes, Total	ND	2.0								
Surr: 4-Bromofluorobenzene	21		20.00		107	76.5	115			

Sample ID	100NG BTEX LCS	SampType:	LCS	TestCode:	EPA Method 8021B: Volatiles					
Client ID:	LCSW	Batch ID:	R1140	RunNo:	1140					
Prep Date:		Analysis Date:	2/24/2012	SeqNo:	32623	Units:	µg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	20	1.0	20.00	0	99.2	80	120			
Toluene	20	1.0	20.00	0	102	80	120			
Ethylbenzene	20	1.0	20.00	0	102	80	120			
Xylenes, Total	61	2.0	60.00	0	102	80	120			
Surr: 4-Bromofluorobenzene	22		20.00		110	76.5	115			

Sample ID	1202820-001A MS	SampType:	MS	TestCode:	EPA Method 8021B: Volatiles					
Client ID:	BatchQC	Batch ID:	R1140	RunNo:	1140					
Prep Date:		Analysis Date:	2/24/2012	SeqNo:	32624	Units:	µg/L			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	20	1.0	20.00	0	97.7	70.1	118			
Toluene	20	1.0	20.00	0	100	72.3	117			
Ethylbenzene	20	1.0	20.00	0	100	73.5	117			
Xylenes, Total	61	2.0	60.00	0	101	73.1	119			
Surr: 4-Bromofluorobenzene	22		20.00		112	76.5	115			

Sample ID	1202820-001A MSD	SampType:	MSD	TestCode: EPA Method 8021B: Volatiles						
Client ID:	BatchQC	Batch ID:	R1140	RunNo: 1140						
Prep Date:		Analysis Date:	2/24/2012	SeqNo: 32625		Units: µg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	18	1.0	20.00	0	91.7	70.1	118	6.35	16.4	
Toluene	19	1.0	20.00	0	94.4	72.3	117	6.01	13.9	
Ethylbenzene	19	1.0	20.00	0	94.4	73.5	117	5.97	13.5	
Xylenes, Total	56	2.0	60.00	0	94.1	73.1	119	6.96	12.9	
Surr: 4-Bromofluorobenzene	22		20.00		112	76.5	115	0	0	

Qualifiers:

* / X Value exceeds Maximum Contaminant Level.
 E Value above quantitation range
 J Analyte detected below quantitation limits
 R RPD outside accepted recovery limits

B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 ND Not Detected at the Reporting Limit
 RL Reporting Detection Limit



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87105
TEL: 505-345-3975 FAX: 505-345-4101
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name:	Animas Environmental		Work Order Number:	1202829
Received by/date:	AG 2/24/12			
Logged By:	Lindsay Mangin	2/24/2012 10:05:00 AM		
Completed By:	Lindsay Mangin	2/24/2012 1:09:59 PM		
Reviewed By:	IO 2/24/12			

Chain of Custody

1. Were seals intact? Yes ☐ No ☐ Not Present ☒
2. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
3. How was the sample delivered? Courier

Log In

4. Coolers are present? (see 19. for cooler specific information) Yes ☒ No ☐ NA ☐
5. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
6. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
7. Sample(s) in proper container(s)? Yes ☒ No ☐
8. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
9. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
10. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
11. VOA vials have zero headspace? Yes ☒ No ☐ No VOA Vials ☐
12. Were any sample containers received broken? Yes ☐ No ☒
13. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
14. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
15. Is it clear what analyses were requested? Yes ☒ No ☐
16. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved bottles checked for pH:
(<2 or >12 unless noted)
Adjusted? _____
Checked by: _____

Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:	_____	Date:	_____
By Whom:	_____	Via:	☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:	_____		
Client Instructions:	_____		

18. Additional remarks:

19. Cooler Information

Cooler No	Temp $^{\circ}\text{C}$	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	1.1	Good	Yes			

**HALL ENVIRONMENTAL
ANALYSIS LABORATORY**

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

[illegible]

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.