SWD

Initial

Application

Received: 09/05/19

This application is placed in file for record. It MAY or MAY NOT have been reviewed to be determined Administratively Complete

Received by OCD: 9/5/2019 9:37:24 AM

TP3GL-190905-C-1080

RECEIVE	^{ED:} 09/05/19	REVIEWER:	TYPE: SWD	APP NO:	pLEL1925440855
	1:	NEW MEXICO OII - Geological & 220 South St. Francis	CONSERVATION CONSERVATION Engineering Bure Drive, Santa Fe,	I DIVISION ≥au – NM 87505	
	THIS CHECKLIST F	ADMINISTRATIVE	E APPLICATION C IISTRATIVE APPLICATIONS FO ROCESSING AT THE DIVISION	HECKLIST OR EXCEPTIONS N LEVEL IN SANT	TO DIVISION RULES AND A FE
Applica Well Na Pool: <u>Pro</u>	me: <u>Guadalupe SWD #1</u> posed: SWD, Devonian, Fussel	man, Montoya		OGF API: Pool	RID Number: 328805 Code:
SUBM 1) TYPI A	E OF APPLICATIO	D COMPLETE INFORM/ IND N: Check those which cing Unit – Simultaneo	ATION REQUIRED TO ICATED BELOW apply for [A] us Dedication		
В	Check one only [1] Comminglir DHC [1] Injection – WFX	y for [1] or [1] ng – Storage – Measure CTB PLC [Disposal – Pressure Inc PMX SWD	ement PC OLS rease – Enhanced IPI EOR		ery FOR OCD ONLY
2) NO A. B. C D. E. F. G H.	 Offset opera Offset opera Royalty, ove Application Notification Notification Surface own For all of the No notice res 	IRED TO: Check those tors or lease holders rriding royalty owners, requires published not and/or concurrent ap and/or concurrent ap her above, proof of notified	which apply. revenue owners ice proval by SLO proval by BLM cation or publicat	ion is attac	Notice Complete Application Content Complete
3) CER	TIFICATION: I her	eby certify that the inf	ormation submitte	ed with this	application for

administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

Randy Hicks (agent)

Print or Type Name

09/05/2019 Date

505 238 9515

Phone Number

r@rthicksconsult.com e-mail Address

Signature

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 FORM C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

1	API Number	•		² Pool Code		³ Pool Name				
⁴ Property Co	ode			⁵ Property Name				⁶ Well Number		
					GUADALUF	PE SWD				1
⁷ OGRID N	0.				⁸ Operator 1	Name				⁹ Elevation
32880	5			A	AWR DISPOSAL, LLC				3420'	
	¹⁰ Surface Location									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/	/West line	County
E	29	23–S	35-E	-	1753'	NORTH	879'	WES	т	LEA
	¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East	/West line	County
¹² Dedicated Acres	¹³ Joint or 1	or Infill ¹⁴ Consolidation Code ¹⁵ Order No.			-					

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

K=830334.89 Y=467909.21	X=832975.15 Y=467917.21		X=835615.40 Y=467940.51	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
879'	SURFACE LOCATION NEW MEXICO EAST NAD 1983			Signature Date Printed Name E-mail Address
X=830361.13 Y=465255.30	X=831231 Y=466159 LAT.: N 32.2780612 LONG.: W 103.3953333		X=835642.21 Y=465299.32	¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.
/ / / X=830387.06 / Y=462613.31		X=833024.00 Y=462636.22	X=835667.08 Y=462659,53/	Signature and Seal or Protestilation Surveyor Company Seal of Protestilation Surveyor Company Seal of Protestilation States Stat

S:\SURVEY\ACCELERATED_WATER_RESOURCES_LPILIMESTONE\FINAL_PRODUCTS\LO_GUADALUPE_SWD_1.DWG 8/28/2019 6:32:12 AM hperezgomez

LOCATION & ELEVATION VERIFICATION MAP



AWR DISPOSAL, LLC

LEASE NAME & \	VELL NO.:	GUADA	LUPE SWD 1
SECTION <u>29</u> COUNTY <u></u> DESCRIPTION _	TWP <u>23-S</u> ST	RGE <u>35-E</u> ATE <u>NM</u> 1753' FNL & 879'	SURVEY <u>N.M.P.M.</u> ELEVATION <u>3420'</u> FWL
LATITUDE	N 32.2780612		W 103.3953333



 Image: With State State
 Image: With State State
 Image: With Stat

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY ACCELERATED WATER RESOURCES, LP. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM, EAST ZONE OF THE NORTH AMERICAN DATUM 1983, U.S. SURVEY FEET.



AWR DISPOSAL, LLC

LEASE NAME & W	ELL NO.:	GUADALUPE SWD 1			
SECTION 29	_ TWP23-S	_ RGE_	35-E	SURVEY	N.M.P.M.
COUNTY	LEA		STATE	Ν	IM
DESCRIPTION _		1753' F	NL & 879	' FWL	

DISTANCE & DIRECTION

FROM INT. OF NM-128 & DELAWARE BASIN RD., GO NORTH ON DELAWARE BASIN RD. ±14.4 MILES, THENCE GO EAST (RIGHT) ON LEASE RD. ±3.3 MILES, TO A POINT ±4810 FEET NORTHEAST OF THE LOCATION.

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY AWR DISPOSAL, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM, EAST ZONE OF THE NORTH AMERICAN DATUM 1983, U.S. SURVEY FEET.







EXHIBIT 2B AWR DISPOSAL, LLC

SECTION 29, TOWNSHIP 23-S, RANGE 35-E, N.M.P.M. LEA COUNTY, NEW MEXICO





ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM, EAST ZONE OF THE NORTH AMERICAN DATUM 1983, U.S. SURVEY FEET

THIS PROPOSED PAD SITE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY AWR DISPOSAL, LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.
 Image: Text Construction
 Text Construction
 Legacy

 1400 EVERMAN PARKWAY, Sie. 146 • FT. WORTH. NEXAS 76140
 LEGACY

 1400 EVERMAN PARKWAY, Sie. 146 • FT. WORTH. EXAS 76140
 LELEPHONE: (817) 744-7512 • FAX (817) 744-7551

 12903 NORTH BIG SPRING • MIDLAND, TEXAS 79705
 ELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743

 WWW.TOPOGRAPHIC.COM
 WWW.TOPOGRAPHIC.COM

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL **RESOURCES DEPARTMENT**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

	APPLICATION FOR AUTHORIZATION TO INJECT				
I.	PURPOSE: Secondary Recovery Pressure Maintenance X Disposal Storage Application qualifies for administrative approval? X Yes No				
II.	OPERATOR:AWR Disposal, LLC				
	ADDRESS:3300 N. A Street, Ste 220, Midland, Texas 79705				
	CONTACT PARTY:				
III.	WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.				
IV.	Is this an expansion of an existing project? Yes Yes No If yes, give the Division order number authorizing the project:				
V.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.				
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.				
VII.	Attach data on the proposed operation, including:				
	 Whether the system is open or closed; Proposed average and maximum injection pressure; Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and, If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.). 				
*VIII.	Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.				
IX.	Describe the proposed stimulation program, if any.				
*X.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted)				
*XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.				
XII.	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.				
XIII.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.				
XIV.	Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief. NAME:Randall HicksTITLE:Agent				
	SIGNATURE:				

* If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal:

III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
 - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
 - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
 - (3) A description of the tubing to be used including its size, lining material, and setting depth.
 - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
 - (1) The name of the injection formation and, if applicable, the field or pool name.
 - (2) The injection interval and whether it is perforated or open-hole.
 - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
 - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
 - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

INJECTION WELL DATA SHEET

OPERATOR:	AWR Disposal, LLC				
WELL NAME & NUM	IBER: _Guadalupe SWD #1				
WELL LOCATION:	1,753' FNL & 879' FWL	E	29	23S	35E
	FOOTAGE LOCATION	UNITLETTER	SECTION	TOWNSHIP	RANGE
<u>WELL</u>	<u>BORE SCHEMATIC</u>		<u>WELL CO</u> Surface	NSTRUCTION DAT Casing	<u>"A</u>
		Hole Size:See att	tachments	Casing Size:	
		Cemented with:	SX.	or	ft ³
		Top of Cement:		Method Determine	ed:
			<u>Intermedia</u>	te Casing	
		Hole Size:		Casing Size:	
		Cemented with:	SX.	0r	ft ³
		Top of Cement:		Method Determine	ed:
			Productio	<u>n Casing</u>	
		Hole Size:		Casing Size:	
		Cemented with:	SX.	0r	ft ³
		Top of Cement:		Method Determine	ed:
		Total Depth:			
			Injection	Interval	
			fee	t to	

(Perforated or Open Hole; indicate which)

Side 1

INJECTION WELL DATA SHEET

Tub	ing Size:See attachmentsLining Material:
Тур	De of Packer:
Pac	ker Setting Depth:
Oth	er Type of Tubing/Casing Seal (if applicable):
	Additional Data
1.	Is this a new well drilled for injection?YesNo
	If no, for what purpose was the well originally drilled?
2.	Name of the Injection Formation:
3.	Name of Field or Pool (if applicable): _Proposed: SWD, Devonian, Fusselman, Montoya
4.	Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e. sacks of cement or plug(s) usedNo
5.	Give the name and depths of any oil or gas zones underlying or overlying the proposed injection zone in this area: See attachments

Attachments to C-108

Copy of well bore diagram Section III-XII Written descriptions to supplement C-108 Plates referenced in written descriptions Tables referenced in written descriptions OSE well logs referenced in written descriptions Section XIII Proof of Notice



III. WELL DATA

determined

A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include

1. Lease name; Well No.; Location by Section, Township and Range; and footage location within the section

Lease Name: Guadalupe SWD #1 Unit Letter E, Section 29, T23S R35E, 1,753' FNL, 879 FWL

Limestone Basin Prop Ranch, LLC owns the surface upon which the SWD is located.

2. Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was AWR 212 Guadalupe Sec 29 Twp

The attached Wellbore Data Sheet provides all of the design specifics required and a tabulation of these data are shown on the diagram. The formation tops for the Guadalupe SWD #1 were established by Geologist Herb Wacker TBPG license #4517.

For the deepest formations, we used the log from the Shell Oil Co Antelope Ridge Unit #1 (30-325-20444) that has a total depth of 17,895 feet in the Granite Wash Formation. This well is about 4.8 miles southwest of the Guadalupe SWD #1 location.

For picking tops of more shallow formations, we used the log from the Bass Bros Inc. North Custer TN Unit #1 (30-025-21601) with a total depth of 16,000 feet in the Devonian. This well is about 1.25 miles east of the Guadalupe SWD #1 location.

3. A description of the tubing to be used including its size, lining material, and setting depth

5-1/2" (20#) internal plastic coated tubing swaged down to 5" (18#) with setting depth of 15,301'.

AWR 212 Guadalup	e Sec 29 Twp	23S Rge 35E
	GL	3420
Geologist	KB	3450
H. Wacker	MD	SS
Dockum	422	3028
Santa Rosa	708	2742
Dewey Lake	1141	2309
Rustler	1585	1865
Salt	1873	1577
Capitan Reef	4908	-1458
Delaware	5522	-2072
Bell Canyon	5622	-2172
Cherry Canyon	6274	-2824
Brushy Canyon	7718	-4268
Bone Spring	8755	-5305
Avalon	9115	-5665
1st Bone Spring	9802	-6352
2nd Bone Spring	10454	-7004
3rd Bone Spring	11295	-7845
Wolfcamp	11538	-8088
Strawn	12299	-8849
Atoka	12512	-9062
Morrow	13322	-9872
Barnett	14099	-10649
Miss Limestone	14585	-11135
Woodford	15183	-11733
Devonian	15371	-11921
Fusselman	16720	-13270
Montoya	17299	-13849
Simpson	17671	-14221
Top of Interval	15401'	Devonian +30'
Bottom of Interval	17641'	Simpson -30'
TD	17641'	
Thickness of In	jection Interval	= 2240'

4. The name, model, and setting depth of the packer used or a description of any other seal system or assembly used

Tryton Tools, 7" Arrow Set 1-X Nickel Plated Injection Packer will be set at 15,301'.

B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.

(1) The name of the injection formation and, if applicable, the field or pool name

The proposed injection intervals include the Devonian, Fusselman and Montoya in an open-hole interval.

(2) The injection interval and whether it is perforated or open-hole.

The depth interval of the open-hole injection interval is 15,401-17,641 (2,240 feet).

(3) State if the well was drilled for injection or, if not, the original purpose of the well.

The well will be drilled for disposal.

(4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations

There are no perforated intervals, only the open-hole completion described above.

(5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

Overlying Oil & Gas Zone (Using GL of 3,420'):

Bone Spring	8725
Bone Spring Lm.	
Avalon	9085
1st BS Sand	9772
2nd BS Sand	10424
3rd BS Sand	11265
Wolfcamp	11508
Strawn	12269
Atoka	12482
Morrow	13292

Underlying Oil & Gas Zones:

Devonian 15341

IV. Is this an expansion of an existing project $_{\rm No.}$

V. Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review

Plate 1a identifies all OCD listed wells and API numbers and shows circles with radii of 0.5, 1.0, and 2.0 miles. Note that where numerous wells are closely spaced, the API number may not be labeled for clarity. New wells, active wells, plugged wells, and canceled wells have color-coded symbols. Plate 1b shows only new and active wells and circles with radii of 0.5 and 1.0 miles.

Plate 2 identifies the leases within 2-miles of the proposed SWD as well as leases within the 1-mile area of review.

- Plate 2a presents the lease numbers for the SLO and BLM oil and gas leases. Also shown are mineral rights owned by the U.S. that are unleased at this time.
- Plate 2b presents land ownership for the same area and identifies the oil and gas mineral rights ownership.

Table 1 and Table 2 identify all affected persons within the 1 mile area of review

- Table 1 lists all of the Oil and Gas Well Operators shown on Plate 1a within the circle having a 1.0 mile radius.
- Table 2 lists all leasees, leassors/mineral interests and surface owners (affected persons) within the 1-mile AOR presented on Plate 2a.
- VI. Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail

Table 1 shows that there are no wells that penetrate the proposed injection zone.

VII. Attach data on the proposed operation, including:

1. Proposed average and maximum daily rate and volume of fluids to be injected

Proposed Maximum Injection Rate: 40,000 bbl/day Proposed Average Injection Rate: 30,000 bbl/day

2. Whether the system is open or closed

This is will be an open system. All AWR Disposal, LLC SWDs may receive produced water from recycling storage facilities, such as in-ground containments or above-ground steel-walled containments, which are registered or permitted under Rule 34.

3. Proposed average and maximum injection pressure

Proposed Maximum Injection Pressure: 3,000 psi Proposed Average Injection Rate: 2,000 psi

4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water

The attached Table 3 "Produced Water Chemistry of Nearby Wells" provides the requisite analyses. The Delaware and Bone Spring Formations are the subjects of the analyses. These formations and the Wolfcamp will provide most of the produced water to the proposed SWD. At the time of writing, we are unaware of any problems associated with disposal of produced water derived from any Formations into the Devonian, Fusselman and Montoya injection zone.

5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).

Table 4 presents formational water quality data from the Go-Tech site for Devonian-Fusselman-Montoya producing wells. As stated above, we are unaware of any problems associated with disposal of produced water derived from the Delaware, Avalon, Bone Spring, and Wolfcamp Formations into the Devonian, Fusselman and Montoya injection zone.

*VIII. Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth.

The proposed injection intervals include the Devonian, Fusselman and Montoya in an open-hole interval. The proposed injection intervals in the Pre-Mississippian Carbonates are well cemented and will provide the necessary open hole integrity while allowing salt water to be injected. Because of the competency of the rock, the open hole section has very little chance of collapsing.

As indicated in Section III.A.2, the approximate depths to the top of the Devonian and the base of the Montoya are 15,371 and 17,671 respectively. The depth interval of the injection interval is 15,401 - 17,641 (2,240 feet), within the Devonian, Fusselman and Montoya Formations.

Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with

total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.

In southwestern Lea County and southeastern Eddy County, the Chinle yields water to wells from 100-200 feet below the ground surface (bgs) to a depth of about 600 feet and the upper portion of the Rustler Formation is a potential source of fresh water at depths of about 1300 to 1400 feet.

More than two miles north of the Guadalupe SWD location, the axis of the San Simon Swale runs from northwest to southeast. The southwestern edge of this basin feature is about a mile north of the Guadalupe SWD location. Along the basin axis, the bottom of the Santa Rosa Formation is as much as 1,800 feet lower compared to the area of the Guadalupe SWD location.

Plates 3a shows that in the immediate area of the Guadalupe SWD #1, the closest water well (Misc-181) is associated with a stock tank, about 0.5 miles south of the Guadalupe SWD #1 site (Plate 3a). In December, 1970, a depth to water of 326 feet was recorded. The well USGS-14708 is about 0.3 miles further south with a depth to water of 329 in 1986.

About 0.8 miles east-northeast of the Guadalupe SWD #1 location is the well USGS-15053. It is not visible in historical Google Earth images. A depth to water of 234 feet was recorded in March, 1996. Four other wells approximately 0.3 miles further east have depths to water of 230 feet to 479 feet.

The OSE database contains no well information (e.g. driller's logs) for nearby wells. Based upon the depth to water data, we conclude that the nearby water supply wells are completed in the Chinle.

The locations of all water supply wells listed in public databases are shown in Plate 3b. As stated above, there is one active water supply well about 1/2 mile south of the proposed location. The closest mapped surface water bodies are three lake/ponds and an intermittent stream bed between 1.25 and 1.75 miles southwest of the Guadalupe SWD location (see Plate 4). There is a lake/pond about 1.1 miles to the east. No mapped surface water exists within a one-mile radius of the location.

IX. Describe the proposed stimulation program, if any

A cleanup acid job may be used to remove mud and drill cuttings from the formation. However, no other formation stimulation is currently planned.

*X. Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted)

Logs will be submitted to OCD upon completion of the well.

*XI. Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken

No active water supply wells with water chemistry data were identified within one mile of the proposed SWD. Data from various sources permit a conclusion that groundwater within the Chinle Formation is potable. In this area, groundwater in the underlying Rustler formation may be relatively brackish.

XII. Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water

Randall T. Hicks, a Professional Geologist with decades of experience in hydrogeology, affirms, on behalf of AWR Disposal, LLC, that

- The USGS has mapped quaternary faults in New Mexico and no such faults are mapped in the area of the proposed Guadalupe SWD #1¹
- The Texas Bureau of Economic Geology has mapped older faults (e.g. basement and Woodford) in New Mexico and the closest mapped fault is more than 2 miles to the west²
- With respect to migration of produced water from the injection zone to underground sources of drinking water via faults or other natural conduits, the following conditions were considered
 - The lowest underground source of drinking water is the middle and upper Rustler Formation.
 - More than 11,000 feet of sedimentary rock separates the bottom of the Rustler Formation and the top of the injection zone. Many of the formations that lie between the injection zone and the lowermost aquifer are permeable and contain oil, gas or water at various pressures. Any excursion of injected fluids from the Devonian disposal zone would undoubtedly enter these permeable formations prior to moving into the Rustler Formation.
 - There is no evidence that the pressure regime in the oil and gas reservoirs is sufficient to cause the upward migration of formation water through the bedded salt and into the Rustler or Chinle aquifers.
- There is no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water

 $[\]label{eq:linear} {}^{1} \underline{https://usgs.maps.arcgis.com/apps/webappviewer/index.html?id=5a6038b3a1684561a9b0aadf88412fcf}$

² Bureau of Economic Geology (Accessed April 2019). University of Texas at Austin. Basement Faults (Ewing 1990, Tectonic Map of Texas); Precambrian Faults (Frenzel et al. 1988, Figure 6); Woodord Faults (Comer 1991, plate 1). <u>Http://www.beg.utexas.edu/resprog/permianbasin/gis.htm</u>

Plates

Plates 1 Plate 1a	OCD wells within the area of review Oil and Gas Wells within 2 Miles Oil and Gas Wells within 1 mile (active and new only)
Plate 2	Mineral leases within the area of review
Plate 2a	Oil and Gas Leases with Mineral Ownership within 2 miles
Plate 2b	Surface and Mineral Ownership within 2 Miles
Plates 3	Water supply wells within the area of review
Plate 3a	Water Wells with Potentiometric and Geology
Plate 3b	Nearby OSE Water Wells
Plate 4	Surface water within the area of review















16; T23S.R35E

21; T23S.R35E

LIMESTONE BASIN PROP RANCH LLC 28; T23S.R35E

LIMESTONE BASIN PROP RANCH LLC

04; T24S.R35E

33; T23S.R35E

15; T23S.R35E DEEP WELLS RANCH INC

> 14; T23S.R35E DEEP WELLS RANCH INC

> DEEP WELLS RANCH INC DEEP WELLS RANCH INC

22; T23S.R35E

23; T23S.R35E DEEP WELLS RANCH INC DEEP WELLS RANCH INC

> 27; T23S.R35E 26; T23S.R35E

DEEP WELLS RANCH INC

DEEP WELLS RANCH INC

34: T23S.R35E

35; T23S.R35E

03; T24S.R35E JAL PUBLIC LIBRARY TRUST 02; T24S.R35E

Surface and Mineral Ownership

AWR Disposal, LLC Guadalupe SWD #1

Plate 2b

09/01/2019









Tables

Table 1	Oil&Gas Well Operators (Affected Persons) within 1-mile
Table 2	Oil&Gas Mineral Interests & Affected Persons within 1-mile
Table 3	Produced Water Chemistry of Nearby Wells
Table 4	Formational water quality data

~~	124	12040
Uδ	131.	/2019

API	OGRID	OGRID Name	Well Type	Status	Well Name	District	UL-S-T-R	Total Depth	Pool ID
30-025-12740	214263	PRE-ONGARD WELL OPERATOR	0	Р	PRE-ONGARD WELL #001	1	M-20-23S-35E	3947	
30-025-38026	6137	DEVON ENERGY PRODUCTION COMPANY, LP	G	Р	RED BULL 32 STATE COM #001	1	C-32-23S-35E	14400	[96602] CINTA ROJA, MORROW, WEST (GAS)
20 025 40220	7777		0	^		1	D 20 220 2EE	11550	[96403] WILDCAT, BONE SPRING; [97958] WC-025
30-023-40220	1311	EOG RESOURCES INC	0	A	WARRIOR BRW STATE CON #001H	1	D-20-233-33E	11550	G-08 S233528D, LWR BONE SPRIN
30-025-40428	6137	DEVON ENERGY PRODUCTION COMPANY, LP	0	Α	RED BULL 31 STATE #004H	1	A-31-23S-35E	8634	[96341] CINTA ROJO, DELAWARE
30-025-40628	6137	DEVON ENERGY PRODUCTION COMPANY, LP	0	Α	RED BULL 29 FEDERAL #001H	1	D-29-23S-35E	8722	[96341] CINTA ROJO, DELAWARE
30-025-41265	228937	MATADOR PRODUCTION COMPANY	0	Α	BILL FEDERAL COM #001H	1	O-19-23S-35E	8635	[96341] CINTA ROJO, DELAWARE
30-025-41864	6137	DEVON ENERGY PRODUCTION COMPANY, LP	0	Α	SWEETNESS 30 STATE FED COM #001H	1	G-30-23S-35E	8585	[96341] CINTA ROJO, DELAWARE
30-025-45119	228937	MATADOR PRODUCTION COMPANY	0	N	DR IRELAND FEDERAL COM #112H	1	N-19-23S-35E	0	[2200] ANTELOPE RIDGE, BONE SPRING
30-025-45120	228937	MATADOR PRODUCTION COMPANY	0	Ν	DR IRELAND FEDERAL COM #113H	1	P-19-23S-35E	0	[2200] ANTELOPE RIDGE, BONE SPRING
30-025-45121	228937	MATADOR PRODUCTION COMPANY	0	Ν	DR IRELAND FEDERAL COM #114H	1	P-19-23S-35E	0	[2200] ANTELOPE RIDGE, BONE SPRING
30-025-45123	228937	MATADOR PRODUCTION COMPANY	0	Ν	DR IRELAND FEDERAL COM #122H	1	N-19-23S-35E	0	[2200] ANTELOPE RIDGE, BONE SPRING
30-025-45125	228937	MATADOR PRODUCTION COMPANY	0	Ν	DR IRELAND FEDERAL COM #132H	1	N-19-23S-35E	0	[2200] ANTELOPE RIDGE, BONE SPRING
30-025-45126	228937	MATADOR PRODUCTION COMPANY	0	Ν	DR IRELAND FEDERAL COM #134H	1	P-19-23S-35E	0	[2200] ANTELOPE RIDGE, BONE SPRING
30-025-45145	228937	MATADOR PRODUCTION COMPANY	0	Ν	DR IRELAND FEDERAL COM #212H	1	N-19-23S-35E	0	[2200] ANTELOPE RIDGE, BONE SPRING
20.025 45146	220027		0	N		1	D 10 226 255	0	[2200] ANTELOPE RIDGE, BONE SPRING; [98242]
30-025-45146 228937		MATADOR PRODUCTION COMPANY	0	IN .	DR IRELAND FEDERAL COWI #213H	1	F-19-233-33E	0	WC-025 G-06 S233423N, WOLFCAMP
30-025-45147	228937	MATADOR PRODUCTION COMPANY	0	Ν	DR IRELAND FEDERAL COM #214H	1	P-19-23S-35E	0	[2200] ANTELOPE RIDGE, BONE SPRING
30-025-45518	228937	MATADOR PRODUCTION COMPANY	0	Ν	DR IRELAND FEDERAL COM #123H	1	P-19-23S-35E	0	[2200] ANTELOPE RIDGE, BONE SPRING
30-025-45519	228937	MATADOR PRODUCTION COMPANY	0	N	DR IRELAND FEDERAL COM #124H	1	P-19-23S-35E	0	[2200] ANTELOPE RIDGE, BONE SPRING
30-025-45520	228937	MATADOR PRODUCTION COMPANY	0	N	DR IRELAND FEDERAL COM #133H	1	P-19-23S-35E	0	[2200] ANTELOPE RIDGE, BONE SPRING

Township	Range	Section	Unit Letter	Lease Number	Leasee (0 & G Minerals)	Leassor	Surface Owner	UPC		
235	35E	19	G	NMNM 113422	REGENERATION ENERGY CORP	BLM	Bureau of Land Management	4204136264200		
235	35E	10	<u></u> н	NMNM 113422		BLM	Bureau of Land Management	4204136264200		
235	35E	19	1	NMNM 113422	REGENERATION ENERGY CORP	BLM	Bureau of Land Management	4204136264200		
235	35E	19		NMNM 113422	REGENERATION ENERGY CORP	BLM	Bureau of Land Management	4204136264200		
235	35E	19	ĸ	NMNM 113422	REGENERATION ENERGY CORP	BLM	Bureau of Land Management	4204136264200		
235	35E	19	M	NMNM 113422	REGENERATION ENERGY CORP	BLM		4204136266463		
235	35E	19	N	NMNM 113422	REGENERATION ENERGY CORP	BLM	LIMESTONE BASIN PROP BANCH LLC	4204136266463		
	001				FOG Y RESOURCES INC 40%	BEIII		1201100200100		
					EOG A RESOURCES INC 20%					
23S	35E	19	0	NMNM 115426	EOG M RESOURCES INC 20%	BLM	LIMESTONE BASIN PROP RANCH LLC	4204136266463		
					OXY Y-1 COMPANY 20%					
					EOG Y RESOURCES INC 40%.					
			_		EOG A RESOURCES INC 20%.					
23S	35E	19	Р	NMNM 115426	EOG M RESOURCES INC 20%.	BLM	LIMESTONE BASIN PROP RANCH LLC	4204136266463		
					OXY Y-1 COMPANY 20%					
23S	35E	20	E	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	LIMESTONE BASIN PROP RANCH LLC	4205136182351		
23S	35E	20	F	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	Bureau of Land Management	4205136332199		
23S	35E	20	G	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	Bureau of Land Management	4205136332199		
23S	35E	20	I	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	Bureau of Land Management	4205136332199		
23S	35E	20	J	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	Bureau of Land Management	4205136332199		
23S	35E	20	K	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	Bureau of Land Management	4205136332199		
23S	35E	20	L	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	LIMESTONE BASIN PROP RANCH LLC	4205136182351		
23S	35E	20	М	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	LIMESTONE BASIN PROP RANCH LLC	4205136182351		
23S	35E	20	N	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	LIMESTONE BASIN PROP RANCH LLC	4205136182351		
23S	35E	20	0	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	LIMESTONE BASIN PROP RANCH LLC	4205136182351		
23S	35E	20	Р	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	LIMESTONE BASIN PROP RANCH LLC	4205136182351		
23S	35E	21	M	VB22520001	EOG Y RESOURCES, INC.	State	LIMESTONE BASIN PROP RANCH LLC	4206136266266		
23S	35E	28	D	VB10730001	EOG Y RESOURCES, INC.	State	LIMESTONE BASIN PROP RANCH LLC	4206137266266		
23S	35E	28	E	VB10730001	EOG Y RESOURCES, INC.	State	LIMESTONE BASIN PROP RANCH LLC	4206137266266		
23S	35E	28	L	VB10500000	DEVON ENERGY PRODUCTION COMPANY, LP	State	LIMESTONE BASIN PROP RANCH LLC	4206137266266		
23S	35E	28	М	VB10500000	DEVON ENERGY PRODUCTION COMPANY, LP	State	LIMESTONE BASIN PROP RANCH LLC	4206137266266		
23S	35E	29	A	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	LIMESTONE BASIN PROP RANCH LLC	4205137180181		
23S	35E	29	В	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	LIMESTONE BASIN PROP RANCH LLC	4205137180181		
23S	35E	29	С	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	LIMESTONE BASIN PROP RANCH LLC	4205137180181		
23S	35E	29	D	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	LIMESTONE BASIN PROP RANCH LLC	4205137180181		
23S	35E	29	E	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	LIMESTONE BASIN PROP RANCH LLC	4205137180181		
23S	35E	29	F	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	Bureau of Land Management	4205137333331		
23S	35E	29	G	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	Bureau of Land Management	4205137333331		
23S	35E	29	Н	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	Bureau of Land Management	4205137333331		
23S	35E	29	1	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	Bureau of Land Management	4205137333331		
23S	35E	29	J	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	Bureau of Land Management	4205137333331		
23S	35E	29	K	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	Bureau of Land Management	4205137333331		
23S	35E	29	L	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	LIMESTONE BASIN PROP RANCH LLC	4205137180181		
23S	35E	29	M	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	LIMESTONE BASIN PROP RANCH LLC	4205137180181		
23S	35E	29	N	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	Bureau of Land Management	4205137333331		
23S	35E	29	0	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	Bureau of Land Management	4205137333331		
23S	35E	29	Р	NMNM 117558	DEVON ENERGY PROD CO LP	BLM	Bureau of Land Management	4205137333331		
					EOG Y RESOURCES INC 40%.					
23S	35E	30	А	NMNM 115426	EOG A RESOURCES INC 20%.	BLM	LIMESTONE BASIN PROP RANCH LLC	4204137263682		
					EOG M RESOURCES INC 20%.					
					OXY Y-1 COMPANY 20%					

Township	Range	Section	Unit Letter	Lease Number		Leassor	Surface Owner	UPC
					EOG X RESOLIRCES INC 40%	(O & G Minerais)		
23S	35E	30	В	NMNM 115426	EOG M RESOLIRCES INC 20%	BLM	LIMESTONE BASIN PROP RANCH LLC	4204137263682
					OXY Y-1 COMPANY 20%			
					EOG Y RESOURCES INC 40%			
					EOG A RESOURCES INC 20%.			
23S	35E	30	С	NMNM 115426	EOG M RESOURCES INC 20%.	BLM	LIMESTONE BASIN PROP RANCH LLC	4204137263682
					OXY Y-1 COMPANY 20%			
					EOG Y RESOURCES INC 40%.			
000	255	20	P		EOG A RESOURCES INC 20%.	DIM		400440700000
235	35E	30	D	NIVINIVI 115426	EOG M RESOURCES INC 20%.	BLIN	LIMESTONE BASIN PROP RANCH LLC	4204137263682
					OXY Y-1 COMPANY 20%			
235	355	30	F	NIMNIM 111071	DEVON ENERGY PROD CO LP 65%.	RIM	Bureau of Land Management	4204137266332
233	55L	30	L		CHEVRON USA INC 35%	DLIVI	Buleau of Land Management	4204137200332
235	35E	30	F	NMNM 111971	DEVON ENERGY PROD CO LP 65%.	BLM	Bureau of Land Management	4204137266332
200	UUL	00	•		CHEVRON USA INC 35%	DEIW	Buiedu of Earla Management	4204101200002
235	35E	30	G	NMNM 111971	DEVON ENERGY PROD CO LP 65%.	BLM	Bureau of Land Management	4204137266332
200	002	00	Ű		CHEVRON USA INC 35%	DEM	Baload of Earla Managomonic	1201101200002
					EOG Y RESOURCES INC 40%.			
235	35E	30	н	NMNM 115426	EOG A RESOURCES INC 20%.	BLM	Bureau of Land Management	4204137266332
					EOG M RESOURCES INC 20%.			
	0.55				OXY Y-1 COMPANY 20%	51.14		100110700000
238	35E	30	1		Not leased	BLM	Bureau of Land Management	4204137266332
23S	35E	30	J	NMNM 111971	DEVON ENERGY PROD CO LP 65%.	BLM	Bureau of Land Management	4204137266332
					CHEVRON USA INC 35%			
23S	35E	30	К	NMNM 111971		BLM	Bureau of Land Management	4204137266332
23S	35E	30	L	NMNM 111971	CHEVPON LISA INC 35%	BLM	Bureau of Land Management	4204137266332
23S	35E	30	N	NMNM 111971	CHEVRON LISA INC 35%	BLM	Bureau of Land Management	4204137266332
					DEVON ENERGY PROD CO LP 65%			
23S	35E	30	0	NMNM 111971	CHEVRON USA INC 35%	BLM	Bureau of Land Management	4204137266332
235	35F	30	Р		Not leased	BLM	Bureau of Land Management	4204137266332
235	35E	31	A	VA24780000	DEVON ENERGY PRODUCTION COMPANY 1 P	State	LIMESTONE BASIN PROP RANCH LLC	4206137114659
235	35E	31	В	VA24780000	DEVON ENERGY PRODUCTION COMPANY, LP	State	LIMESTONE BASIN PROP RANCH LLC	4206137114659
23S	35E	31	C	VA24780000	DEVON ENERGY PRODUCTION COMPANY, LP	State	LIMESTONE BASIN PROP RANCH LLC	4206137114659
23S	35E	31	Н	VA24780000	DEVON ENERGY PRODUCTION COMPANY, LP	State	LIMESTONE BASIN PROP RANCH LLC	4206137114659
23S	35E	32	A	V081000002	MRC PERMIAN COMPANY	State	LIMESTONE BASIN PROP RANCH LLC	4205138266265
23S	35E	32	В	V081000002	MRC PERMIAN COMPANY	State	LIMESTONE BASIN PROP RANCH LLC	4205138266265
23S	35E	32	С	V081000002	MRC PERMIAN COMPANY	State	LIMESTONE BASIN PROP RANCH LLC	4205138266265
23S	35E	32	D	V081000002	MRC PERMIAN COMPANY	State	LIMESTONE BASIN PROP RANCH LLC	4205138266265
23S	35E	32	E	V081000002	MRC PERMIAN COMPANY	State	LIMESTONE BASIN PROP RANCH LLC	4205138266265
23S	35E	32	F	V081000002	MRC PERMIAN COMPANY	State	LIMESTONE BASIN PROP RANCH LLC	4205138266265
23S	35E	32	G	V081000002	MRC PERMIAN COMPANY	State	LIMESTONE BASIN PROP RANCH LLC	4205138266265

September 2019

wellname	api	latitude	longitude	section	township	range	unit	ftgns	ftgew	county	state	sampledate	ph	tds_mgL	resistivity_ohm_cm	sodium_mgL	calcium_mgL	iron_mgL	magnesium_mgL	manganese_mgL	chloride_mgL	bicarbonate_mgL	sulfate_mgL	co2_mgL
RED BULL 31 STATE #002	3002537069	322.565.650.997	-1.034.023.438	31	235	35E	Р	9835	1298E	LEA	NM	10/15/2015 12:00:00 AM	6.9	258268.6	0.025	73826.2	19030	31.6	4042	3.31	159864	73.2	490	300
SWEETNESS 30 STATE FED COM #001H	3002541864	322.783.470.003	-1.034.042.511	30	235	35E	G	1650N	1887E	LEA	NM	10/15/2015 12:00:00 AM	8.5	67516.1	0.095	23558.7	2923.2	0.1	401	0.03	39091.2	732	740	200
NORTH CUSTER MOUNTAI #001	3002521601	322.810.210.996	-103.374.641.401	28	235	35E	С	660N	1980W	LEA	NM			39074							23980	488	465	
SWEETNESS 30 STATE FED COM #001H	3002541864	322.783.470.003	-1.034.042.511	30	235	35E	G	1650N	1887E	LEA	NM	41709	5.5			57782	18114	29	2755	3.3	130601	122	920	300
RED BULL 31 STATE #001	3002536798	322.574.463.004	-1.034.067.612	31	235	35E	N	1300S	2610W	LEA	NM	2/13/2006 12:00:00 AM	5.69	280094		78620	21967	62	4035		173149	87	385	
RED BULL 31 STATE #002	3002537069	322.565.650.997	-1.034.023.438	31	235	35E	Р	9835	1298E	LEA	NM	06/12/2006 0:00	5.52	271366.2		85907.7	14750	39	2346	4	166106	24	778	280
KELLER 4 STATE #001	3002536643	323.318.176.002	-1.033.762.283	4	235	35E	К	1980S	1475W	LEA	NM	8/27/2007 12:00:00 AM	6.9	182379.5		68450.6	846	54	104	1	100659	292.8	10609	
SWEETNESS 30 STATE FED COM #001H	3002541864	322.783.470.003	-1.034.042.511	30	235	35E	G	1650N	1887E	LEA	NM	11/21/2014 12:00:00 AM	5.5			53792	19065	78	2983	4.34	126850	122	690	220
RED BULL 29 FEDERAL #001H	3002540628	322.818.451.002	-1.033.969.345	29	235	35E	D	375N	375W	LEA	NM	42217	6.3			71207	35626	28	5417	6.2	190774	61	90	120
SWEETNESS 30 STATE FED COM #001H	3002541864	322.783.470.003	-1.034.042.511	30	235	35E	G	1650N	1887E	LEA	NM	42217	6			75025	29081	22	4416	4.9	178278	37	380	520
SWEETNESS 30 STATE FED COM #001H	3002541864	322.783.470.003	-1.034.042.511	30	235	35E	G	1650N	1887E	LEA	NM	5/13/2015 12:00:00 AM	5.8			65779	26380	23	5455	5.6	164000	49	269	269

wellname	api	section	township	range	unit	county	state	field	formation	depth	samplesource	sampledate	ph	specificgravity	specificgravity_temp_F	tds_mgL	resistivity_ohm_cm	resistivity_ohm_cm_temp_F	conductivity	conductivity_temp_F	sodium_mgL	calcium_mgL	magnesium_mgL	chloride_mgL	bicarbonate_mgL	sulfate_mgL
MCKITTRICK FED #1	3001500135	25	225	25E	G	EDDY	NM		DEVONIAN		DST					16200								8762	290	1175
MCKITTRICK FED #1	3001500135	25	225	25E	G	EDDY	NM		DEVONIAN		DST					17510								9389	664	982
CARNERO PEAK UT #001	3001510053	31	225	25E	A	EDDY	NM		DEVONIAN		DST					14601								7236	515	1487
CARNERO PEAK UT #001	3001510053	31	225	25E	A	EDDY	NM		DEVONIAN		DST					15780								8126	336	1467
CARNERO PEAK UT #001	3001510053	31	225	25E	A	EDDY	NM		DEVONIAN		DST					15580								7853	487	1488
BANDANA POINT UT #001	3001500044	13	235	23E	0	EDDY	NM	BANDANA POINT	DEVONIAN		DST					15500								8020	500	1190
TORTOISE ASB COM #001	3001510490	29	235	24E	G	EDDY	NM		DEVONIAN		DST					17861								7760	490	3100
TORTOISE ASB COM #001	3001510490	29	235	24E	G	EDDY	NM	0514104	DEVONIAN		DST					15601								7780	476	1600
REMUDA BASIN UNIT #001	3001503691	24	235	29E	1	EDDY	NM	REMUDA	DEVONIAN		SWAB					64582								37500	610	1/00
REMIDDA BASIN UNIT #001	3001503691	24	235	29E	1	EDDY	NIVI		DEVONIAN		SWAB		7			71079								29000	1/40	4980
ANTELOPE PIDGE LINIT #002	2002506465	24	255	246	V V		NIM		DEVONIAN			14/11/1967 0:00	60			90197								42200	476	1000
ANTELOPE RIDGE UNIT #003	3002521082	34	235	34L 34F	K		NM	ANTELOPE RIDGE	DEVONIAN			14/11/1967 0:00	6.9			80187								47900	470	900
CLINE EEDERAL #001	3002521002	14	235	37F	ĸ	I FA	NM	CLINE	DEVONIAN		PRODUCTION TEST	14/11/1507 0.00	0,5			118979								71280	462	2593
E C HILL B FEDERAL #001	3002510945	34	235	37F	A	I FA	NM	TEAGUE	DEVONIAN		UNKNOWN					112959								67390	288	2765
E C HILL D FEDERAL #001	3002510947	34	235	37E	н	LEA	NM	TEAGUE	DEVONIAN		UNKNOWN					35639										
E C HILL D FEDERAL #004	3002510950	34	235	37E	A	LEA	NM	TEAGUE	DEVONIAN		UNKNOWN					236252								147000	129	781
HUAPACHE #003	3001500020	22	245	22E	F	EDDY	NM		DEVONIAN		DST					3110								48	246	2020
JURNEGAN POINT #001	3001510280	5	24S	25E	м	EDDY	NM	WILDCAT	DEVONIAN		DST	14/12/1964 0:00	7			229706								136964	198	2511
JURNEGAN POINT #001	3001510280	5	24S	25E	М	EDDY	NM	WILDCAT	DEVONIAN		DST	14/12/1964 0:00	7			203100								121100	175	2220
WHITE CITY PENN GAS COM UNIT 1 #001	3001500408	29	24S	26E	A	EDDY	NM		DEVONIAN		DST	01/03/1960 0:00	7	1,012	60		0,36	75	25596	64	6072	1002	132	10120	653	1336
STATE B COM #001	3002509716	36	24S	36E	С	LEA	NM	CUSTER	DEVONIAN		UNKNOWN					176234								107400	128	1004
ELLIOTT H FEDERAL #001	3002512272	31	245	38E	н	LEA	NM	DOLLARHIDE	DEVONIAN		WELLHEAD					58687										<u> </u>
ELLIOTT H FEDERAL #001	3002512272	31	245	38E	H	LEA	NM	DOLLARHIDE	DEVONIAN		WELLHEAD					57018										
WEST DOLLARHIDE DEVONIAN UNIT #104	3002512297	32	245	38E	1	LEA	NM	DOLLARHIDE	DEVONIAN		WELLHEAD	17/05/1051.0.00	6			50858								30200	183	980
WESTATES FEDERAL #004	3002511389	1	255	37E	E	LEA	NM	JUSTIS NORTH	FUSSELMAN		DSI	17/06/1961 0:00	6			80880								46200	340	3050
WESTATES FEDERAL #004	3002511389	1	255	37E	E	LEA	NIM		FUSSELIVIAN		DST					84900								48600	840	2650
WESTATES FEDERAL #004	2002511389	1	255	275	с с		NIM				DST					20000								41000	2/0	2900
WESTATES FEDERAL #004	3002511389	1	255	37E	F		NM	JUSTIS NORTH	FUSSELMAN		DST					77600								40200	550	3030
WESTATES FEDERAL #004	3002511389	1	255	37F	F	LEA	NM	JUSTIS NORTH	FUSSELMAN		DST					135000								77000	650	5810
WESTATES FEDERAL #004	3002511389	1	255	37E	E	LEA	NM	JUSTIS NORTH	FUSSELMAN		DST					114000								65000	280	5110
WESTATES FEDERAL #004	3002511389	1	25S	37E	E	LEA	NM	JUSTIS NORTH	FUSSELMAN		DST					135000								77000	500	5320
WESTATES FEDERAL #008	3002511393	1	25S	37E	E	LEA	NM	JUSTIS NORTH	FUSSELMAN		UNKNOWN					91058								51020	376	4783
WESTATES FEDERAL #008	3002511393	1	255	37E	E	LEA	NM	JUSTIS NORTH	FUSSELMAN		UNKNOWN					86847								50450	363	2544
STATE NJ A #001	3002511398	2	25S	37E	A	LEA	NM	JUSTIS NORTH	DEVONIAN		DST					105350								59300	660	4950
NEW MEXICO BM STATE #002	3002511407	2	25S	37E	1	LEA	NM	JUSTIS NORTH	MONTOYA		UNKNOWN					77770								45500	1800	2400
HALE STATE #003	3002512581	2	255	37E	н	LEA	NM	JUSTIS NORTH	MONTOYA		WELLHEAD					64916								37000	813	2500
SOUTH JUSTIS UNIT #016F	3002511556	13	255	37E	F	LEA	NM	JUSTIS	FUSSELMAN		UNKNOWN					57675								34030	595	1211
LEARCY MCBUFFINGTON #008	3002511569	13	255	37E	N	LEA	NM	203MNTY, 259FSLM	FUSSELMAN	7052		02/01/1900 0:00	7,6	1,037	78	67909			81429	67		2603	684	38887	742	2489
LEARCY MCBUFFINGTON #008	3002511569	13	255	37E	N	LEA	NM	JUSTIS	MONTOYA		UNKNOWN					67898								38880	742	2489
A B COATES C FEDERAL #014	3002511736	24	255	37E	G	LEA	NM	JUSTIS	MONTOYA							39261								22840	8/1	1030
	3002511760	25	255	37E			NIVI		ELISSELMAN		DST				-	209290								35870	360	3442
STATE V #009	3002511704	25	255	375	Δ		NM		FLISSELMAN		DST	17/03/1061 0:00	7 2		<u> </u>	200200								124000	010	3400
STATE Y #009	3002511777	25	255	375	Δ	LEA	NM		FLISSELMAN		DST	18/03/1961 0:00	6.8			163/130								129000	200	4050
CARLSON B 25 #004	3002511794	23	255	375	P	LEA	NM		FLISSELMAN	-	SEPARATOR	10/03/1901 0.00	0,0		-	184030								112900	68	1806
COPPER #001	3002511818	23	255	37F	ť.	IFA	NM	CROSBY	DEVONIAN	<u> </u>	UNKNOWN				-	27506								15270	1089	1079
ARNOTT RAMSAY NCT-B #003	3002511863	32	255	37F	A	LEA	NM	CROSBY	DEVONIAN	8797		02/01/1900 0:00		1,142	70	2,300						17244	5345	100382	476	
ARNOTT RAMSAY NCT-B #003	3002511863	32	255	37E	A	LEA	NM	CROSBY	DEVONIAN		UNKNOWN	,,				158761										
WEST DOLLARHIDE DEVONIAN UNIT #110	3002512386	5	255	38E	В	LEA	NM	DOLLARHIDE	DEVONIAN		UNKNOWN					56776				1						
FARNSWORTH FEDERAL #006	3002511950	4	26S	37E	A	LEA	NM	CROSBY	DEVONIAN		UNKNOWN					31931								20450	302	591

XIII.Applicants must complete the "Proof of Notice" section on the reverse side of this form.

R. T. HICKS CONSULTANTS, LTD.

901 Rio Grande Blvd NW ▲ Suite F-142 ▲ Albuquerque, NM 87104 ▲ 505.266.5004 ▲ Since 1996 Artesia ▲ Carlsbad ▲ Durango ▲ Midland

August 30, 2019

Hobbs News Sun 201 N. Thorp P.O. Box 850 Hobbs, N.M. 88240

LEGAL NOTICE

AWR Disposal LLC, 3300 N. A Street, Ste. 220, Midland, TX 79705 filed Form C-108 (Application for Authorization to Inject) with the New Mexico Oil Conservation Division seeking administrative approval for a salt water disposal well. The proposed well, the Guadalupe SWD #1 will be located 1,753 feet from the North line and 879 feet from the West line, Section 29, Township 23 South, Range 35 East, Lea County, New Mexico.

Produced water from area production will be commercially disposed into the Devonian, Fusselman and Montoya Formations at a depth of 15,401 feet to 17,641 feet at a maximum surface pressure of 3,000 psi and an average injection rate of 30,000 barrels per day. The proposed SWD well is located approximately 25 miles southwest of Eunice, New Mexico.

Interested parties wishing to object to the proposed application must file with the New Mexico Oil Conservation Division, 1220 S. St. Francis Dr., Santa Fe, NM 87505 (505) 476-3460 within 15 days of the date of this notice.

Additional information can be obtained by contacting Mr. Randall Hicks, agent for Accelerated Water Resources, LP, at 505-238-9515.

Sincerely, R.T. Hicks Consultants

Randall Hicks Principal

Affidavit of Publication

STATE OF NEW MEXICO COUNTY OF LEA

I, Daniel Russell, Publisher of the Hobbs News-Sun, a newspaper published at Hobbs, New Mexico, solemnly swear that the clipping attached hereto was published in the regular and entire issue of said newspaper, and not a supplement thereof for a period of 1 issue(s).

> Beginning with the issue dated August 30, 2019 and ending with the issue dated August 30, 2019.

Publisher

Sworn and subscribed to before me this 30th day of August 2019.

Pack

Business Manager

My commission expires January 29, 2023 (Seat) OFFICIAL SEAL GUSSIE BLACK Notary Public State of New Mexico My Commission Expires (-2.9-2.3)

This newspaper is duly qualified to publish legal notices or advertisements within the meaning of Section 3, Chapter 167, Laws of 1937 and payment of fees for said

LEGAL NOTICE AUGUST 30, 2019

Addust 30, 2019 AWR Disposal LLC, 3300 N. A Street, Ste. 220, Midland, TX 79705 filed Form C-108 (Application for Authorization to Inject) with the New Mexico Oil Conservation Division seeking administrative approval for a salt water disposal well. The proposed well, the Guadalupe SWD #1 will be located 1,753 feet from the North line and 879 feet from the West line, Section 29, Township 23 South, Range 35 East, Lea County, New Mexico.

Mexico. Produced water from area production will be commercially disposed into the Devonian, Fusselman and Montoya Formations at a depth of 15,401 feet to 17,641 feet at a maximum surface pressure of 3,000 psi and an average injection rate of 30,000 barrels per day. The proposed SWD well is located approximately well is located approximately 25 miles southwest of Eunice, New Mexico.

Interested parties wishing to object to the proposed application must file with the New Mexico Oil Conservation Division, 1220 S. St. Francis Dr., Santa Fe, NM 87505 (505) 476-3460 within 15 days of the date of this notice.

Additional information can be obtained by contacting Mr. Randall Hicks, agent for Accelerated Water Resources, LP, at 505-238-9515.

Sincerely, R.T. Hicks Consultants Randall Hicks Principal #34648

67115764

RANDALL HICKS R.T. HICKS CONSULTANTS, LTD 901 RIO GRANDE BLVD NM SUITE F-142 ALBUQUERQUE, NM 87104 00232726

R. T. HICKS CONSULTANTS, LTD.

901 Rio Grande Blvd NW ▲ Suite F-142 ▲ Albuquerque, NM 87104 ▲ 505.266.5004 ▲ Since 1996 Artesia ▲ Carlsbad ▲ Durango ▲ Midland

September 2, 2019

NOTIFICATION TO INTERESTED PARTIES Via U.S. Certified Mail – Return Receipt Requested

To Whom It May Concern:

AWR Disposal, LLC, Midland, Texas, has made application to the New Mexico Oil Conservation Division to drill and complete, for salt water disposal, the Guadalupe SWD #1. The proposed commercial operation will be for produced water disposal from area operators. As indicated in the notice below, the well is in Section 29, Township 23 South, Range 35 East in Lea County, New Mexico.

The published notice states that the interval will be from 15,401-17,641 feet into the Devonian, Fusselman and Montoya Formations.

LEGAL NOTICE

AWR Disposal LLC, 3300 N. A Street, Ste. 220, Midland, TX 79705 filed Form C-108 (Application for Authorization to Inject) with the New Mexico Oil Conservation Division seeking administrative approval for a salt water disposal well. The proposed well, the Guadalupe SWD #1 will be located 1,753 feet from the North line and 879 feet from the West line, Section 29, Township 23 South, Range 35 East, Lea County, New Mexico.

Produced water from area production will be commercially disposed into the Devonian, Fusselman and Montoya Formations at a depth of 15,401 feet to 17,641 feet at a maximum surface pressure of 3,000 psi and an average injection rate of 30,000 barrels per day. The proposed SWD well is located approximately 25 miles southwest of Eunice, New Mexico.

Interested parties wishing to object to the proposed application must file with the New Mexico Oil Conservation Division, 1220 S. St. Francis Dr., Santa Fe, NM 87505 (505) 476-3460 within 15 days of the date of this notice.

You have been identified as a party who may be interested as an offset lessee or operator. IF YOU WOULD LIKE AN ELECTRONIC COPY OF THE ENTIRE PERMIT PACKAGE, PLEASE SEND YOUR REQUEST TO david@rthicksconsult.com (request a read receipt to avoid your email becoming stuck in spam).

Sincerely, R.T. Hicks Consultants

Randall Hicks Principal

OPERATORS, LEASEHOLDERS AND SURFACE OWNERS WITHIN 1 MILE - RADIUS

Bureau of Land Management Guadalupe SWD #1 620 E. Greene Street Carlsbad, NM 88220-6292

EOG A RESOURCES, INC. Guadalupe SWD #1 105 S 4th Street Artesia, NM 88210

EOG Y RESOURCES, INC. Guadalupe SWD #1 104 S 4TH ST ARTESIA, NM 88210

MRC PERMIAN COMPANY Guadalupe SWD #1 5400 LBJ FREEWAY SUITE 1500 DALLAS, TX 75240

New Mexico State Land Office Guadalupe SWD #1 310 Old Santa Fe Trail Santa Fe, NM 87501 CHEVRON U S A INC Guadalupe SWD #1 6301 DEAUVILLE BLVD MIDLAND, TX 79706

EOG M RESOURCES, INC. Guadalupe SWD #1 PO BOX 840 ARTESIA, NM 88211

LIMESTONE BASIN PROP RANCH LLC Guadalupe SWD #1 18 DESTA DRIVE MIDLAND, TX 79705

> OXY Y-1 COMPANY Guadalupe SWD #1 PO BOX 27570 HOUSTON, TX 77227

DEVON ENERGY PRODUCTION CO. Guadalupe SWD #1 333 West Sheridan Ave. Oklahoma City, OK 73102

> EOG RESOURCES INC Guadalupe SWD #1 P.O. Box 2267 Midland, TX 79702

MATADOR PRODUCTION COMPANY Guadalupe SWD #1 One Lincoln Centre 5400 LBJ Freeway, Ste 1500 Dallas, TX 75240

Regeneration Energy Corporation Guadalupe SWD #1 P.O. BOX 210 ARTESIA, NM 88211

94	U.S. Postal Service [™] CERTIFIED MAIL [®] RECEIPT Domestic Mail Only
50	For delivery information, visit our website at www.usps.com®.
	CARLEBADY NO 88220 AL USE
ЗЛЬ	Certified Mail Fee \$3.50 \$ \$2.80 VER PO.5
2000	Extra Services & Fees (check box, add recept pppgchate) Return Receipt (hardcopy) \$ \$11.101 Return Receipt (electronic) \$ \$11.101 Certified Mail Restricted Delivery \$ \$0.000 Adult Signature Restricted Delivery \$ Adult Signature Restricted Delivery \$
LLZD	Postage \$0.55 S Bureau of Land Management 9 Total Postage and Fees
T.	\$ Guadalupe SWD #1
TOL	Street and Apt. No., or PO Box Carlsbad, NM 88220-6292
	City, State, ZIP+4 PS Form 3800, April 2015 PSN 7590-02-000-8047 See Reverse for Instructions





















06	U.S. Postal Service [™] CERTIFIED MAIL [®] RECEIPT Domestic Mail Only
8	For delivery information, visit our website at www.usps.com®.
	ARTESTA PUBBALLE AL USE
ЗЛЬ	Certified Mall Fee \$3.50 \$ 2.80 Services & Fees (check box, add fea.gs.appropriate)
2000	Return Receipt (hardcopy) \$ \$0.100 Return Receipt (electronic) \$ \$0.100 Certified Meil Restricted Delivery \$ \$0.100 Adult Signature Required \$ \$\$0.100 Adult Signature Required \$ \$\$0.100
1,1,20	Postage \$0.55 S Total Postage and Fees Regeneration Energy Corporation \$6.85 Guadalupe SWD #1
Г	Sent To P O BOX 210
701	Street and Apt. No., or PO Box No. ARTESIA, NM 88211
	City, State, ZIP+4*
	PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

11

R. T. HICKS CONSULTANTS, LTD.

901 Rio Grande Blvd NW ▲ Suite F-142 ▲ Albuquerque, NM 87104 ▲ 505.266.5004 ▲ Since 1996 Artesia ▲ Carlsbad ▲ Durango ▲ Midland

September 04, 2019

Mr. Phillip Goetze, P.G. New Mexico Oil Conservation Division 1220 South St. Francis Drive Santa Fe, NM 87505

RE: AWR Disposal, LLC; Guadalupe SWD #1 UL E, Section 29, T23S R35E, Lea County

Dear Mr. Goetze:

On behalf of AWR Disposal LLC, R.T. Hicks Consultants is providing data and an opinion regarding the probability that injection of wastewater in the above referenced well at the proposed rates will cause seismic events of sufficient magnitude to create damage. It is our understanding that OCD is interested in such an opinion as part of the SWD approval process. We elected to provide this opinion as a separate submission as the C-108 does not specifically require such an opinion.

We relied upon the following data to develop our opinion

- State of stress in the Permian Basin, Texas and New Mexico: Implications for induced seismicity, Jens-Erik Lund Snee and Mark D. Zoback, The Leading Edge, February 2018¹
- Plate 5, which is reproduced from the Snee and Zoback publication, which uses the following references
 - Crone, A. J., and R. L. Wheeler, 2000, Data for Quaternary faults, liquefaction features, and possible tectonic features in the Central and Eastern United States, east of the Rocky Mountain front; U.S. Geological Survey Open-File Report.
 - Ewing, T. E., R. T. Budnik, J. T. Ames, and D. M. Ridner, 1990, Tectonic map of Texas: Bureau of Economic Geology, University of Texas at Austin.
 - Green, G. N., and G. E. Jones, 1997, e digital geologic map of New Mexico in ARC/INFO format: U.S. Geological Survey Open-File Report.
 - Ruppel, S. C., R. H. Jones, C. L. Breton, and J. A. Kane, 2005, Preparation of maps depicting geothermal gradient and Precambrian structure in the Permian Basin: USGS Order no. 04CRSA0834 and Requisition no. 04CRPR01474.
 - NMOCD database of oil and gas wells
- Plate 5, which shows the distribution of active and new SWD wells in the area of the proposed AWR Disposal SWD well
- Stratigraphic and lithologic information from two deep wells in the Delaware Basin
- Data on the thickness and lithology of the Simpson Group from the Texas Bureau of Economic Geology²

¹ https://scits.stanford.edu/sites/default/files/3702 tss lundsnee v2.pdf

² <u>http://www.beg.utexas.edu/resprog/permianbasin/PBGSP_members/writ_synth/Simpson.pdf</u>

Plate 5 reproduces Figure 3 of the 2018 publication of Snee and Zoback and shows

- 1. Fault traces based upon the references provided above for which Dr. Snee and Dr. Zoback provide a value of the fault slip potential (FSP)
- 2. Areas of documented seismic activity, and a magnitude 2.0-2.9 earthquake that occurred between 1970-2004 about 11 miles southwest of the proposed Guadalupe SWD #1. A slightly larger magnitude and more recent seismic event is reported about 27 miles west of the Guadalupe SWD #1 well location.
- 3. Although Plate 5 does not show faults that may be identified in confidential seismic data owned by oil and gas operators, the closest mapped basement fault that was re-activated during Woodford time is about 4 miles southwest, exhibits a low FSP (less than 5%) based upon the modeling and analysis of Snee and Zoback referenced above
- 4. Other mapped faults in southern Lea County shown on Plate 5 also show a low FSP, except for part of southwest-northeast trending fault about 16 miles to the north of the Guadalupe SWD #1 well that has a FSP of about 25 33% in the central portion of this fault trace.

Plate 6 reproduces the major elements of Plate 5 in the inset map and also shows that within an 6-mile radius around the proposed Guadalupe SWD #1, the OCD database shows about 2 active and 1 new Devonian SWDs, which translates into an average density of about one SWD for every 37 square miles.

Figure 4 from the referenced Bureau of Economic Geology (The Middle-Upper Ordovician Simpson Group of the Permian Basin: Deposition, Diagenesis, And Reservoir Development) is

attached to this letter and the portion of that figure for the Delaware Basin is shown to the right. In southern Lea County the mapped thickness appears to be 500-1500 feet thick (note one contour line appears to be missing on the map). This unit, which is clay-rich carbonate interbedded with shale and sandstone, provides an excellent permeability/pressure barrier between the injection zone and the basement faults that were re-activated during Woodford time.

Data from the Amoco Federal CW Com 1 (3002528119) show that the thickness of the Simpson in the Antelope Ridge area of Lea County (Section 3 24S 34E) is about 450 feet thick with. This is consistent with Figure 4 of the BEG paper (probably because this well was used to produce the isopach map).



confidential seismic data that AWR Disposal does not possess) near the Guadalupe SWD #1 would be dominantly north-south normal faults, as is common in Lea County. The data on Plate





September 04, 2019 Page 3

6 permit a conclusion that faults near the Guadalupe SWD #1 are also most likely to exhibit a low FSP, like the mapped faults shown on Plate 5.

Given the density of Devonian SWDs (planned/new and active) near the proposed Guadalupe SWD #1 well and the high likelihood that any unmapped faults in the area would exhibit a low FSP, the probability that injection into the Guadalupe SWD #1 would cause an increase in pore pressure to trigger a seismic event of sufficient magnitude to cause damage is very low.

The users of this letter should recognize the uncertainties of using seismic maps of the Permian Basin to determine probability that injection of wastewater into a single SWD well could cause seismic events of sufficient magnitude to cause damage. However, on a regional basis injection by numerous wells into the Devonian/Fusselman/Montoya interval will raise the hydrostatic pressure. If pressure increases sufficiently, fluid could migrate from the injection zone along fault planes, up and down. Downward fluid migration will be intercepted first by the sandstone units of the Simpson Group. After fluid pressure increases in these sandstones, fluid would migrate downward into the Ellenberger Formation, which lies beneath the Simpson Group. This downward migration will next enter the permeable units of the Ellenberger and, over time, increase the fluid pressure. After fluid pressure in the Ellenberger is sufficiently large to cause downward migration along fault planes or other conduits, the migrating fluid will, in some areas, enter a thinner horizon of granite wash. Downward migrating fluids from the injection zone could then enter basement fault planes if the pressure in the granite wash horizon is sufficient, and reduce the frictional resistance (lubricate the faults). Reduction in the frictional force in faults due to fluid invasion can and has caused seismic events. In my opinion, the probability that injection into the Guadalupe SWD #1 will measurably contribute to the events described above and will cause a seismic event resulting in damage is so low as to be nil.

Sincerely, R.T. Hicks Consultants

Randall T. Hicks Principal

Copy: AWR Disposal LLC



🔺 swd Oil and Gas (NMOCD) A Salt Water Injection, Active △ Salt Water Injection, New Loving, Tx Oil and Gas Wells A Injection/Disposal From Gas Injection/Disposal From Oil Injection/Disposal From Oil/Gas Injection/Disposal Well Seismicity: o Mw 2.0-2.9 O Since 2005 O Mw 3.0-3.9 O 1970-2004 O Mw 4.0+ Fault slip potential (%): 10 20 30 40 50+ 0

Seismic and Fault Slip Potential-Ewing et al. (1990), Green and Jones (1997), Ruppel et al. (2005), and the USGS Quaternary Faults and Folds Database (Crone and Wheeler, 2000).

