June 28, 2019

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Subject: Goodnight Midstream Permian, LLC – Express SWD SA 1

Application for Authorization to Inject

To Whom It May Concern,

On behalf of Goodnight Midstream Permian, LLC (Goodnight), ALL Consulting, LLC (ALL) is submitting the enclosed Application for Authorization to Inject for the Express SWD SA 1, a proposed salt water disposal well, in Lea County, NM.

Should you have any questions regarding the enclosed application, please contact Nate Alleman at (918) 382-7581 or nalleman@all-llc.com.

Sincerely,

ALL Consulting

Nate Alleman

Sr. Regulatory Specialist

7/2/2019					pKAM1928246669, 2306
DATEIN	SUSPENSE	ENGINEER	LOGGED IN	TYPE	APP NO.

ABOVE THIS LINE FOR DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION

- Engineering Bureau -1220 South St. Francis Drive, Santa Fe, NM 87505



		ADMINISTRATIVE API	PLICATION CHECKLIST	Τ
TH	IIS CHECKLIST IS M		ICATIONS FOR EXCEPTIONS TO DIVISION RUL IT THE DIVISION LEVEL IN SANTA FE	ES AND REGULATIONS
Applica	[DHC-Dowr [PC-Po	s: dard Location] [NSP-Non-Standard shole Commingling] [CTB-Lease ol Commingling] [OLS - Off-Lease [WFX-Waterflood Expansion] [PN [SWD-Salt Water Disposal]	Proration Unit] [SD-Simultaneous E Commingling] [PLC-Pool/Lease Co e Storage] [OLM-Off-Lease Measu IX-Pressure Maintenance Expansion [IPI-Injection Pressure Increase] cation] [PPR-Positive Production	ommingling] rement]]
[1]	TYPE OF AP [A]	PLICATION - Check Those Which Location - Spacing Unit - Simultan NSL NSP SD		
	Check [B]	One Only for [B] or [C] Commingling - Storage - Measurer DHC CTB PLC		
	[C]	Injection - Disposal - Pressure Incr WFX PMX SWI		
	[D]	Other: Specify		
[2]	NOTIFICAT [A]	ION REQUIRED TO: - Check Tho Working, Royalty or Overriding	se Which Apply, or Does Not Appl ng Royalty Interest Owners	у
	[B]	X Offset Operators, Leaseholder	rs or Surface Owner	
	[C]	X Application is One Which Red	quires Published Legal Notice	
	[D]	Notification and/or Concurrent U.S. Bureau of Land Management - Commission	nt Approval by BLM or SLO oner of Public Lands, State Land Office	
	[E]	\overline{X} For all of the above, Proof of \overline{X}	Notification or Publication is Attached	d, and/or,
	[F]	☐ Waivers are Attached		
[3]		CURATE AND COMPLETE INFO	ORMATION REQUIRED TO PRO	CESS THE TYPE
	al is accurate a		mation submitted with this application edge. I also understand that no action are submitted to the Division.	
	Note:	Statement must be completed by an individ	dual with managerial and/or supervisory cap	acity.
	Alleman	Northern Alleman	Regulatory Specialist - ALL	
Print or	Type Name	Signature	Title	Date

nalleman@all-llc.com Date e-mail Address

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

FORM C-108 Revised June 10, 2003

APPLICATION FOR AUTHORIZATION TO INJECT

I.	PURPOSE:Secondary RecoveryPressure MaintenanceXDisposalStorage Application qualifies for administrative approval?YesNo
II.	OPERATOR: Goodnight Midstream Permian, LLC
	ADDRESS: 5910 N Central Expressway, Suite 850, Dallas, TX 75206
	CONTACT PARTY: Grant Adams PHONE: 214-444-7388(0)
III.	WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.
IV.	Is this an expansion of an existing project?YesXNo If yes, give the Division order number authorizing the project:
V.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
VII.	Attach data on the proposed operation, including:
	 Proposed average and maximum daily rate and volume of fluids to be injected; Whether the system is open or closed; Proposed average and maximum injection pressure; Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and, If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).
*VIII.	Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
IX.	Describe the proposed stimulation program, if any.
*X.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).
*XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
XII.	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
XIII.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.
XIV.	Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and
	NAME: Name: Regulatory Specialist - ALL Consulting
	SIGNATURE: Nate Alleman DATE: 06/28/2019
	E-MAIL ADDRESS:nalleman@all-llc.com
*	If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal:

III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
 - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
 - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
 - (3) A description of the tubing to be used including its size, lining material, and setting depth.
 - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
 - (1) The name of the injection formation and, if applicable, the field or pool name.
 - (2) The injection interval and whether it is perforated or open-hole.
 - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
 - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
 - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

Application for Authorization to Inject

Well Name: Express SWD SA 1

III – Well Data (The Wellbore Diagram is included as **Attachment 1**)

A.

(1) General Well Information:

Operator: Goodnight Midstream Permian, LLC (OGRID No. 372311)

Lease Name & Well Number: Express SWD SA 1 Location Footage Calls: 2,305' FSL & 2,335' FEL Legal Location: Unit Letter J, S22 T22S R36E

Ground Elevation: 3,509'

Proposed Injection Interval: 4,450' – 5,750'

County: Lea

(2) Casing Information:

Туре	Hole Size	Casing Size	Casing Weight	Setting Depth	Sacks of Cement	Estimated TOC	Method Determined
Surface	12-1/4"	9-5/8"	40.0 lb/ft	1,685'	530	Surface	Circulation
Intermediate 1	8-3/4"	7"	26.0 lb/ft	5,800′	760	Surface	Circulation/ CBL
Tubing	6-3/11"	4-1/2"	20.0 lb/ft	4,430'	N/A	N/A	N/A

(3) Tubing Information:

4-1/2" (composite weight string) of fiberglass-coated tubing with setting depth of 4,430'

(4) Packer Information: Lok-set or equivalent packer set at 4,430'

В.

(1) Injection Formation Name: San Andres

Pool Name: SWD; SAN ANDRES

Pool Code: 96121

- (2) Injection Interval: Perforated injection between 4,450′ 5,750′
- (3) Drilling Purpose: New Drill for Salt Water Disposal
- (4) Other Perforated Intervals: No other perforated intervals exist.
- (5) Overlying Oil and Gas Zones: Below are the approximate formation tops for known oil and gas producing zones in the area.
 - Grayburg (3,740')

Underlying Oil and Gas Zones: Below are the approximate formation tops for known oil and gas producing zones in the area.

• Tubb (6,225')

V – Well and Lease Maps

The following maps are included in **Attachment 2**:

- 2-mile Oil & Gas Well Map
- 2-mile Lease Map
- 1/2-mile Well Detail List
- Potash Lease Map

VI – AOR Well List

There are no wells within the 1/2-mile AOR that penetrate the proposed injection zone.

A list of the wells within the 1/2-mile AOR is included in Attachment 2.

VII - Proposed Operation

(1) Proposed Maximum Injection Rate: 25,000 bpd Proposed Average Injection Rate: 17,500 bpd

- (2) A closed system will be used.
- (3) Proposed Maximum Injection Pressure: 890 psi (surface)
 Proposed Average Injection Pressure: approximately 445 psi (surface)
- (4) Source Water Analysis: It is expected that the injectate will consist of produced water from production wells completed in the Wolfcamp and Bone Springs formations. Analysis of water from these formations is included in *Attachment 3*.
- (5) Injection Formation Water Analysis: The proposed SWD will be injecting water into the San Andres formation which is a non-productive zone known to be compatible with formation water from the Wolfcamp and Bone Springs formations. Water analyses from the San Andres formation in the area are included in *Attachment 4*.

VIII - Geologic Description

The proposed injection interval includes the San Andres formations from 4,450 - 5,750 feet. This formation consists of interbedded carbonate rocks including dolomites, siltstones, and sands. Several thick intervals of porous and permeable rock capable of taking water are present within the subject formation in the area.

The freshwater formation is the Rustler at a depth of approximately 1,660 feet. Water well depths in the area range from approximately 22 - 190 feet below ground surface.

IX - Proposed Stimulation Program

A small cleanup acid job may be used to remove mud and drill cuttings from the formation. However, no other formation stimulation is currently planned.

X – Logging and Test Data

Logs will be submitted to the Division upon completion of the well.

XI – Fresh Groundwater Samples

Based on a review of data from the New Mexico Office of the State Engineer, 13 groundwater wells are located within 1 mile of the proposed SWD location; however, state water well data shows that 10 are shallow monitoring wells, 1 was drilled for a cathodic protection ground bed, and 2 that show a use of Domestic and/or Livestock Watering. After numerous attempts, including a search for the owner in People Finder, a water well owner was not able to be contacted. Therefore, no groundwater samples were collected in association with this application.

A water well map, details of water wells within 1-mile, and any associated water analyses are included in *Attachment 5*.

XII – No Hydrologic Connection Statement

No faulting is present in the area that would provide a hydrologic connection between the injection interval and overlying USDWs. Additionally, the casing program has been designed to ensure there will be no hydrologic connection between the injection interval and overlying USDWs.

XIII – Proof of Notice

A Public Notice was filed with the Hobbs News-Sun newspaper and an affidavit is included in **Attachment 6**.

A copy of the application was mailed to the OCD District Office, landowner, and leasehold operators within 1/2-mile of the proposed SWD location. A list of the recipients, as well as delivery confirmations, are included in **Attachment 6**.

Attachments

Attachment 1: Wellbore Diagram

Attachment 2: Area of Review Information:

- 2-mile Oil & Gas Well Map
- 2-mile Lease Map
- 1/2-mile Well Detail List
- Potash Lease Map

Attachment 3: Source Water Analyses


Attachment 4: Injection Formation Water Analyses

Attachment 5: Water Well Map and Well Data

Attachment 6: Public Notice Affidavit and Notice of Application Confirmations

Attachment 1

Wellbore Diagram



A-3 and AL-2 LOK-SET Retrievable Casing Packers

Product Family No. H64630 and H64628

APPLICATION

The A-3™ LOK-SET™ packer combines advantages of a retrievable packer with the features of a permanent packer. An ability to lock down tubing forces makes the A-3 suitable for a broad range of applications, including production, injection, zone isolation, and remedial operations. The AL-2™ LOK-SET packer is similar to the A-3, and has a larger bore.


Advantages

- Holds pressure from above and below, without relying on set-down weight, tubing tension, or hydraulic hold down
- Provides tubing anchoring with tension applied, suitable for pumping wells or injection, controlling tubing forces related to change fluid temperatures
- Opposed, non-transferring, dovetail slips prevent packer movement associated with changing differential pressures, while allowing the landing of the tubing in tension, neutral or compression
- Right-hand tubing rotation controls setting and releasing
- Packing element compression locks in by ratcheting action of lock segments, which restricts rotation to one direction

Accessories

To provide a simple and reliable injection system for retrieving an injection string without having to unseat the packer:

L-10 or L-316 on-off sealing connectors, Product Family Nos. H68420 and H68422. Baker Hughes blanking plug can be used in the seating nipple profile of the on-off sealing connector to provide a means of plugging the lower zone while the tubing is being pulled.



Retrievable Casing Packer Product Family No. H64630

SPECIFICATION GUIDES

A-3™ LOK-SET Retrievable Casing Packer, Product Family No. H64630

	Casing		Packer							
01	D	Weight *	Size	Nom	ID	Max G Ring				
in.	mm	lb/ft		in.	mm	in.	mm			
4	101.6	9.5-12.9	41A2	1.500	38.1	3.244	82.4			
4-1/2	144.3	21.6-23.6	41A2	1.500	38.1	3.244	82.4			
4	101.6	9.5	41A4	1.500	38.1	3.423	112.4			
		18.8	41A4	4.500	38.1	3.423	112.4			
		13.5-17.7	41B	1.500	30.1	3.578	90.9			
4-1/2	114.3	11.6-13.5	43A2		50.0	3.786	96.2			
		9.5-10.5	43A4	1.978	50.2	3.786	96.2			
		15–18	43B		50.0	4.140	105.2			
5	127.0	11.5-15	43C	1.978	50.2	4.265	108.3			
		26	43C		PP 11	4.265	108.3			
	1000	20-23	45A2	1		4.515	114.7			
5-1/2	139.7	15.5 -20	45A4	1.978	50.2	4.656	118.3			
		13-15.5	45B			4.796	121.8			
		26	45B			4.796	121.8			
6	152.4	20-23	45C	1.978	50.2	5.078	129.0			
	IVE	15–18	45D			5.171	131.3			
		34	45E	4.070	50.0	5.421	137.7			
	168.3	24-32	45F	1.978	50.2	5.499	139.7			
6-5/8		24	47A2	2.441	62.0	5.671	144.0			
- 0.0	,,,,,,	17-24	45G	1.978	50.2	5.796	147.2			
		17-20	47A4	2.441	62.0	5.827	148.0			
		38	47A2			5.671	144.0			
		32-35	47A4	1		5.827	148.0			
7	177.8	26-29	47B2	2.441	62.0	5.983	152.0			
	17.55	23-26	4784	1		6.093	154.8			
		17-20	4702			6.281	159.5			
		33.7-39	4704			6.468	164.3			
7-5/8	193.7	24-29.7	47D2	2.441	62.0	6.687	169.9			
		20-24	47D4			6.827	173.4			
		44-49	49A2			7.327	186.1			
8-5/8	219.1	32-40	49A4	3.500	88.9	7.546	191.7			
		20-28	498			7.796	198.0			
		47-53.5	51A2			8.234	209.1			
9-5/8	244.5	40-47	51A4	51A4 3.500	88.9	8.452	214.7			
		29.3-36	51B			8.608	218.6			

AL-2™ Large Bore LOK-SET Retrievable Casing Packer Product Family No. H64628

Cas	ing		Packer								
OD		Weight *	Size	Non	n ID	Max Gage	e Ring OD	Max Diameter of Compressed Drag Block			
in.	mm	lb/ft		in.	mm	in.	mm	in.	mm		
		20	45A2 x 2-3/8			4.562	115.9	4.592	116.6		
5-1/2	139.7	15.5-17	45A4 x 2-3/8 2	45A4 x 2-3/8 2.375	60.3	4.656	118.3	4.750	120.7		
Y		13	45B x 2-3/8			4.796	121.8	4.902	124.5		
6	152.4	26	45B x 2-3/8	2.375	60.3	4.796	121.8	4.902	124.5		


[•] When selecting a packer for a casing weight common to two weight ranges (same OD), choose the packer size shown for the lighter of the two weight ranges. Example: for 7-in. (177.8 mm) OD 26 lb/ft casing use packer size 4784. Under certain circumstances the other packer size may be run, such as when running in mixed casing strings.

Repair kits, including such items as packing elements, seal rings, etc., are available for redressing Baker Retrievable Packers. Contact your Baker Hughes representative. Use only Baker Hughes repair parts.

Attachment 2

Area of Review Information:

- 2-mile Oil & Gas Well Map
- 2-mile Lease Map
- 1/2-mile Well Detail List
- Potash Lease Map




Miles

Legend

- Proposed SWD
- Gas, Active (71)
- Gas, Plugged (61)
- Gas, Temporarily Abandoned (4)
- Injection, Active (42)
- Injection, Plugged (46)
- Injection, Temporarily Abandoned (6)
- Oil, Active (104)
- Oil, Plugged (99)
- Oil, Temporarily Abondoned (4)
- Salt Water Injection, Active (1)




Service Layer Credits: Sources: Esri, HERE, DeLorme, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS



		AOR Tabula	tion for Express SWD SA 1 (Top of Injectio	n Interval:	4,450')		
Well Name	API#	Well Type	Operator	Spud Date	Location (Sec., Tn., Rng.)	Total Vertical Depth (feet)	Penetrate Inj. Zone?
SOUTH EUNICE UNIT #021	30-025-08994	Plugged	BRECK OPERATING CORP	7/25/1956	L-22-22S-36E	Plugged (3832)	No
SOUTH EUNICE UNIT #023	30-025-08997	0	BRECK OPERATING CORP	8/19/1956	J-22-22S-36E	3810	No
SOUTH EUNICE UNIT #008	30-025-09003	0	BRECK OPERATING CORP	2/9/1957	G-22-22S-36E	3868	No
SOUTH EUNICE UNIT #007	30-025-09006	Plugged	BRECK OPERATING CORP	7/17/1957	H-22-22S-36E	Plugged (3870)	No
MEYER B 22 #009	30-025-08996	G	BRECK OPERATING CORP	8/3/1956	N-22-22S-36E	3825	No
MEYER B 22 #012	30-025-08999	Plugged	BRECK OPERATING CORP	9/27/1956	P-22-22S-36E	Plugged (3800)	No
SOUTH EUNICE UNIT #009	30-025-09002	I	BRECK OPERATING CORP	12/23/1956	F-22-22S-36E	3850	No
SOUTH EUNICE UNIT #026	30-025-08993	Plugged	BRECK OPERATING CORP	10/10/1955	O-22-22S-36E	Plugged (3850)	No
SOUTH EUNICE UNIT #022	30-025-08995	0	BRECK OPERATING CORP	7/16/1956	K-22-22S-36E	3825	No
SOUTH EUNICE UNIT #024	30-025-08998	Plugged	BRECK OPERATING CORP	9/5/1956	I-22-22S-36E	Plugged (3825)	No
PEERLESS ET AL COM #001	30-025-09007	G	KEVIN O BUTLER & ASSOC INC	1/2/1954	C-22-22S-36E	3492	No
SOUTH EUNICE UNIT #006	30-025-09004	Plugged	BRECK OPERATING CORP	5/3/1957	B-22-22S-36E	Plugged (3872)	No
H S RECORD #008	30-025-27761	Plugged	BURLINGTON RESOURCES OIL & GAS COMPANY LP	11/29/1985	G-22-22S-36E	Plugged (3680)	No
H S RECORD #009	30-025-29484	G	SPECIAL ENERGY CORP	11/29/1985	B-22-22S-36E	3830	No
H S RECORD #002	30-025-09008	Plugged	BURLINGTON RESOURCES OIL & GAS CO	9/26/1953	E-22-22S-36E	Plugged (3500)	No
PRE-ONGARD WELL #001 (Conoco Inc.)	30-025-08988	Plugged	PRE-ONGARD WELL OPERATOR	4/9/1949	I-22-22S-36E	Plugged (3450)	No
PRE-ONGARD WELL #004 (Conoco Inc.)	30-025-08991	Plugged	PRE-ONGARD WELL OPERATOR	4/27/1955	K-22-22S-36E	Plugged (3445)	No
PRE-ONGARD WELL #002 (Conoco Inc.)	30-025-08989	Plugged	PRE-ONGARD WELL OPERATOR	*Unknown	N-22-22S-36E	Plugged (3851)	No
PRE-ONGARD WELL #003 (Conoco Inc.)	30-025-08990	Plugged	PRE-ONGARD WELL OPERATOR	6/25/1954	L-22-22S-36E	Plugged (3432)	No

Notes: No wells within the 1/2-mile AOR penetrate the injection interval.



Legend





Attachment 3

Source Water Analyses

PRDUCED WATER FROM BONE SPRING, DELAWARE, DEVONIAN, WOLFCAMP

API	SECTION	ECTION TOWNSHIP		FORMATION	tds mgL	chloride mgL	bicarbonate mgL	sulfate mgL
3002502424	11	205	34E	BONE SPRING	29436	16720	634	1142
3002502427	12	205	34E	BONE SPRING	15429			
3002502427	12	205	34E	BONE SPRING	180701	108300	1016	670
3002502429	12	205	34E	BONE SPRING	202606	118100	5196	992
3002502429	12	205	34E	BONE SPRING	121800			
3002502431	12	205	34E	BONE SPRING	147229	89640	108	1038
3002531696	2	205	34E	DELAWARE	152064	102148	404	691
3002532105	2	205	34E	DELAWARE	296822	215237	143	294
3002532466	2	205	34E	DELAWARE	340838	245270	229	147
3002502427	12	205	34E	DELAWARE	214787	132700	208	1816
3002502431	12	205	34E	DEVONIAN	33414	18570	227	1961
3002502432	13	205	34E	DEVONIAN	45778	26440	1145	729
3002501912	16	165	34E	WOLFCAMP	164004	102500	4204	1249
3002501922	20	165	34E	WOLFCAMP	104541	64290	280	541
3002501922	20	165	34E	WOLFCAMP	104033	64080	268	515
3002501922	20	165	34E	WOLFCAMP	105175	65570	207	192
3002501925	21	165	34E	WOLFCAMP	86355	51800	610	665
3002501928	21	165	34E	WOLFCAMP	119102	73300	227	454
3002501928	21	165	34E	WOLFCAMP	35422	19170	979	1949
3002501930	22	165	34E	WOLFCAMP	30015	14800	750	3300
3002501931	22	165	34E	WOLFCAMP	87680	53000	301	681
3002501933	28	165	34E	WOLFCAMP	59960	35100	515	1500
3002501933	28	168	34E	WOLFCAMP	60309	35350	586	1297
3002501940	30	165	34E	WOLFCAMP	82422	49890	361	787
3002501944	30	165	34E	WOLFCAMP	83960	51410	418	641
3002520222	27	165	34E	WOLFCAMP	85457	51020	544	1201
3001542895	2	235	31E	WOLFCAMP	119472	73173		1036


Attachment 4

Injection Formation Water Analyses

									Injection	Formation	Water Ar	alysis						
								Goodnigh	t Midstrear	n Permian,	LLC - San	Andres Formation						
Wellname	API	Latitude	Longitude	Section	Township	Range	Unit	Ftgns	Ftgew	County	State	Company	Field	Formation	Tds_mgL	Chloride_mgL	Bicarbonate_mgL Su	ulfate_mg
STATE AV #001	3002504706	32.470715	-103.297081	19	21S	36E	Α	330N	330E	LEA	NM		EUNICE MONUMENT	GRAYBURG/SAN ANDRES	6334.0	2553.0	1732.0	2.
STATE AV #001	3002504706	32.470715	-103.297081	19	215	36E	Α	330N	330E	LEA	NM		EUNICE MONUMENT	GRAYBURG/SAN ANDRES	8560.0	3600.0	671.0	1330.
EUNICE MONUMENT SOUTH UNIT #409	3002504678	32.47707	-103.2981644	18	215	36E	I	1980S	660E	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	9161.2	4248.7	1360.8	416.
EUNICE MONUMENT SOUTH UNIT #416	3002504670	32.47253	-103.2970886	18	215	36E	Р	330S	330E	LEA	NM		EUNICE MONUMENT	GRAYBURG/SAN ANDRES	9303.0	5218.0	264.0	382.
EUNICE MONUMENT SOUTH UNIT #370	3002504684	32.484352	-103.3024521	18	215	36E	В	660N	1980E	LEA	NM		EUNICE MONUMENT	GRAYBURG/SAN ANDRES	11598.0	6380.0	1380.0	18.
EUNICE MONUMENT SOUTH UNIT #409	3002504678	32.47707	-103.2981644	18	215	36E	I	1980S	660E	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	10943.9	4990.0	1585.6	553.
EUNICE MONUMENT SOUTH UNIT #409	3002504678	32.47707	-103.2981644	18	215	36E	I	1980S	660E	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	14155.7	6186.4	1721.4	982.
EUNICE MONUMENT SOUTH UNIT #404	3002504688	32.477978	-103.2778244	16	21S	36E	L	2310S	330W	LEA	NM		EUNICE MONUMENT	GRAYBURG/SAN ANDRES	20286.0	10900.0	1818.0	231.
EUNICE MONUMENT SOUTH UNIT #388	3002504641	32.480713	-103.2467194	15	21S	36E	Н	1980N	660E	LEA	NM		EUNICE MONUMENT	GRAYBURG/SAN ANDRES	8809.0	3632.0	677.0	1342.
EUNICE MONUMENT SOUTH UNIT #400	3002504653	32.477051	-103.2595901	15	21S	36E	L	1980S	660W	LEA	NM		EUNICE MONUMENT	GRAYBURG/SAN ANDRES	8822.0	2980.0	2197.0	610.
EUNICE MONUMENT SOUTH UNIT #294	3002504562	32.49519	-103.2938995	8	21S	36E	Е	1980N	660W	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	16408.0	8357.3	846.9	1410.
EUNICE MONUMENT SOUTH UNIT #282	3002521902	32.498848	-103.2813873	8	21S	36E	Α	660N	760E	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	17899.1	9016.5	1378.0	1192.
EUNICE MONUMENT SOUTH UNIT #282	3002521902	32.498848	-103.2813873	8	21S	36E	Α	660N	760E	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	13209.4	6315.7	1172.8	1069.
EUNICE MONUMENT SOUTH UNIT #284	3002504561	32.498829	-103.2896271	8	215	36E	С	660N	1980W	LEA	NM		EUNICE MONUMENT	GRAYBURG/SAN ANDRES	149764.0	94400.0	427.0	734.
EUNICE MONUMENT SOUTH UNIT #305	3002504597	32.495224	-103.2467194	10	215	36E	Н	1980N	660E	LEA	NM		EUNICE MONUMENT	GRAYBURG/SAN ANDRES	11739.0	4975.0	2412.0	181.
EUNICE MONUMENT SOUTH UNIT #639	3002531409	32.504314	-103.2830811	5	21S	36E	Q	1330S	1280E	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	15676.5	8807.4	884.5	304.
EUNICE MONUMENT SOUTH UNIT #639	3002531409	32.504314	-103.2830811	5	21S	36E	Q	1330S	1280E	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	14661.2	7176.1	1055.5	1249.
EUNICE MONUMENT SOUTH UNIT #638	3002531426	32.504265	-103.2789612	5	215	36E	Х	1310S	10E	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	15965.1	7859.9	1000.8	1451.
EUNICE MONUMENT SOUTH UNIT #244	3002504497	32.506084	-103.2896271	5	215	36E	S	1980S	1980W	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	11164.9	5067.2	1590.2	623.
EUNICE MONUMENT SOUTH UNIT #244	3002504497	32.506084	-103.2896271	5	215	36E	S	1980S	1980W	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	10814.5	5199.4	1289.5	528.
EUNICE MONUMENT SOUTH UNIT #244	3002504497	32.506084	-103.2896271	5	21S	36E	S	1980S	1980W	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	12315.3	5695.0	1686.4	640.
EUNICE MONUMENT SOUTH UNIT #459	3002529826	32.519482	-103.2845917	5	21S	36E	В	1020N	1740E	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	18030.8	8710.6	524.8	2463.
EUNICE MONUMENT SOUTH UNIT #184	3002504513	32.520489	-103.2810898	5	21S	36E	Α	651N	660E	LEA	NM		EUNICE MONUMENT	GRAYBURG/SAN ANDRES	9090.0	4000.0	1828.0	192.
EUNICE MONUMENT SOUTH UNIT #244	3002504497	32.506084	-103.2896271	5	215	36E	S	1980S	1980W	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	13861.8	5971.5	1855.6	902.
EUNICE MONUMENT SOUTH UNIT #260	3002504463	32.501545	-103.2692261	4	21S	36E	W	330S	2310E	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	13534.0	6519.9	1096.9	1173.
EUNICE MONUMENT SOUTH UNIT #231	3002504464	32.508781	-103.2628021	4	215	36E	Р	2970S	330E	LEA	NM		EUNICE MONUMENT	GRAYBURG/SAN ANDRES	15797.0	6393.0	1889.0	2020.
EUNICE MONUMENT SOUTH UNIT #620	3002530511	32.507885	-103.3003693	6	21S	36E	R	2630S	1330E	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	13744.8	6544.2	1313.3	1057.
EUNICE MONUMENT SOUTH UNIT #620	3002530511	32.507885	-103.3003693	6	21S	36E	R	2630S	1330E	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	11099.5	5174.2	1460.0	599.
EUNICE MONUMENT SOUTH UNIT #195	3002504532	32.516903	-103.2982025	6	215	36E	Α	5940S	660E	LEA	NM		EUNICE MONUMENT	GRAYBURG/SAN ANDRES	11208.0)		
EUNICE MONUMENT SOUTH UNIT #620	3002530511	32.507885	-103.3003693	6	21S	36E	R	2630S	1330E	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	12124.0	5481.6	1856.2	607.
EUNICE MONUMENT SOUTH UNIT #620	3002530511	32.507885	-103.3003693	6	215	36E	R	2630S	1330E	LEA	NM	CHEVRON USA INC.	EUNICE MONUMENT	GRAYBURG/SAN ANDRES	15150.6	6306.2	2105.1	1050.
EUNICE MONUMENT SOUTH UNIT #221	3002508706	32.509762	-103.3062668	6	21S	36E	N	3300S	1980W	LEA	NM		EUNICE MONUMENT	GRAYBURG/SAN ANDRES	5482.0	2200.0	1494.0	0.0
EUNICE KING #024	3002506864	32.451386	-103.1740341	28	21S	37E	Е	2086N	760W	LEA	NM		SWD	SAN ANDRES	97871.0	57350.0	223.0	3405.
EUNICE KING #024	3002506864	32.451386	-103.1740341	28	215	37E	Е	2086N	760W	LEA	NM		SWD	SAN ANDRES	57304.0	31970.0	618.0	3301.
C P FALBY B FEDERAL #004	3002510106	32.40453	-103.1914597	8	22S	37E	L	1980S	660W	LEA	NM		CARY	SAN ANDRES	80540.0	43500.0	755.0	5950.
C P FALBY A FEDERAL #003	3002510118	32.408142	-103.1871872	8	22S	37E	F	1980N	1980W	LEA	NM		EUNICE SOUTHWEST	SAN ANDRES	59766.0)		
C P FALBY A FEDERAL #004	3002510120	32.408134	-103.1914673	8	22S	37E	Е	1980N	660W	LEA	NM		EUNICE SOUTHWEST	SAN ANDRES	10925.0	5312.0	1620.0	201.
SIMMONS #001	3002510070	32.423267	-103.1821976	5	225	37E	G	1760N	1760E	LEA	NM		EUNICE SOUTHWEST	SAN ANDRES	78653.0	46510.0	580.0	2184.
PENROSE #002	3002510146	32.407871	-103.1739807	9	225	37E	Е	2086N	776W	LEA	NM		EUNICE SOUTHWEST	SAN ANDRES	64895.0	38010.0	488.0	2100.
HUGH COI #013	3002523275	32.398216	-103.1396637	14	225	37E	D	330N	820W	LEA	NM	ANADARKO PETROLEUM CORP	. EUNICE SOUTH	SAN ANDRES	14215.2	6494.7	2528.5	191.
LOU WORTHAM #020	3002510216	32.411808	-103.1401749	11	22S	37E	D	660N	660W	LEA	NM	ANADARKO PETROLEUM CORP	. EUNICE SOUTH	SAN ANDRES	10946.6	6526.6	19.8	236.
LOU WORTHAM #005	3002523606		-103.1369629	11	22S	37E	С	990N	1650W	LEA	NM	ANADARKO PETROLEUM CORP	. EUNICE SOUTH	SAN ANDRES	18587.3	9460.0	13.2	2517.
LOU WORTHAM #006	3002523756	32.407272	-103.1410828	11	22S	37E	Е	2310N	380W	LEA	NM	ANADARKO PETROLEUM CORP	. EUNICE SOUTH	SAN ANDRES	9192.4	4442.6	12.3	1491.
LOU WORTHAM #006			-103.1410828	11	225	37E	E	2310N	380W	LEA	NM	ANADARKO PETROLEUM CORP		SAN ANDRES	14867.5	9040.2		112.
LOU WORTHAM #006			-103.1410828	11	22S	37E	Е	2310N	380W	LEA	NM	ANADARKO PETROLEUM CORP		SAN ANDRES	13827.5		17.7	1388.
LOU WORTHAM #006			-103.1410828	11	22S	37E	Е	2310N	380W	LEA	NM	ANADARKO PETROLEUM CORP		SAN ANDRES	14957.4		17.9	405.
LOU WORTHAM #006			-103.1410828		22S	37E	Е	2310N	380W	LEA	NM	ANADARKO PETROLEUM CORP		SAN ANDRES	14823.9			207.

Attachment 5

Water Well Map and Well Data



Miles

Legend

★ Proposed SWD

NMOSE PODs

Status

- Active (9)
- Pending (5)
- Incomplete (1)

Water Wells Area of Review

Express SWD SA 1 LEA County, New Mexico

Proj Mgr: Dan Arthur

May 28, 2019

Prepared by:

Mapped by: Ben Bockelmann



Service Layer Credits: © 2019 Microsoft Corporation © 2019 DigitalGlobe ©CNES (2019) Distribution Airbus DS © 2019 HERE

			Water Well Sampling R	Rationale		
			Goodnight Midstream Permian, LLC	C - Express SWD SA 1		
SWD	Water Wells	Owner	Available Contact Information	Use	Sampling Required	Notes
			P.O. Box 347 Eunice, NM 88231			Contact listed on permit Pass I. Bohinson, has two listed
Express SWD SA 1	CP-00609	U.R. Cattle Company	Ross L. Robinson	Domestic & Livestock Watering	No	Contact listed on permit Ross L. Robinson, has two listed
			Contact: 575-394-3369 or 575-394-3135			phone number but, both are out of service.
			Southern Union Gas Services			Shallow monitoring wells approximately 200 ft. After a
Everess CM/D CA 1	CD 01147 DOD1	Southern Union Gas Services	Contact: 432-940-5147 & 817-302-971	Monitoring	No	conversation with water well contact, Raymond L.
Express SWD SA 1	CP-01147 POD1	Southern Union Gas Services	Raymond L. Straub Jr.	Monitoring Well	No	Straub Jr., it was determinded that the wells do not have
			Contact: 432-770-5551 & 432-756-3489			pumping equipment.
			Southern Union Gas Services			Shallow monitoring wells approximately 200 ft. After a
Eveross SMD CA 1	CP-01147 POD2	Southern Union Gas Services	Contact: 432-940-5147 & 817-302-971	Monitoring Woll	No	conversation with water well contact, Raymond L.
Express SWD SA 1	CP-01147 POD2	Southern Union Gas Services	Raymond L. Straub Jr.	Monitoring Well	NO	Straub Jr., it was determinded that the wells do not have
			Contact: 432-770-5551 & 432-756-3489			pumping equipment.
			Southern Union Gas Services			Shallow monitoring wells approximately 200 ft. After a
Frances CVA/D CA 1	CD 01147 DOD3	Southern Hairn Cas Somians	Contact: 432-940-5147 & 817-302-971	N do wito wing NA/oll	NIa	conversation with water well contact, Raymond L.
Express SWD SA 1	CP-01147 POD3	Southern Union Gas Services	Raymond L. Straub Jr.	Monitoring Well	No	Straub Jr., it was determinded that the wells do not have
			Contact: 432-770-5551 & 432-756-3489			pumping equipment.
			Southern Union Gas Services			Shallow monitoring wells approximately 200 ft. After a
Francis CNA/D CA 4	CD 04447 DOD4	Courth and Union Con Comisso	Contact: 432-940-5147 & 817-302-971	Manitaria NA/all	NI -	conversation with water well contact, Raymond L.
Express SWD SA 1 CP-01147 POD4	CP-01147 POD4	Southern Union Gas Services	Raymond L. Straub Jr	Monitoring Well	No	Straub Jr., it was determinded that the wells do not have
			Contact: 432-770-5551 & 432-756-3489			pumping equipment.
			Southern Union Gas Services			Shallow monitoring wells approximately 200 ft. After a
5 0040	00 04447 0005		Contact: 432-940-5147 & 817-302-971			conversation with water well contact, Raymond L.
Express SWD SA 1	CP-01147 POD5	Southern Union Gas Services	Raymond L. Straub Jr.	Monitoring Well	No	Straub Jr., it was determinded that the wells do not have
			Contact: 432-770-5551 & 432-756-3489			pumping equipment.
			Southern Union Gas Services			Shallow monitoring wells approximately 200 ft. After a
5 0000	00 04440 0004		Contact: 432-940-5147 & 817-302-971			conversation with water well contact, Raymond L.
Express SWD SA 1	CP-01148 POD1	Southern Union Gas Services	Raymond L. Straub Jr.	Monitoring Well	No	Straub Jr., it was determinded that the wells do not have
			Contact: 432-770-5551 & 432-756-3489			pumping equipment.
			Southern Union Gas Services			Shallow monitoring wells approximately 200 ft. After a
5 0045	00 04440 0000		Contact: 432-940-5147 & 817-302-971			conversation with water well contact, Raymond L.
Express SWD SA 1	CP-01148 POD2	Southern Union Gas Services	Raymond L. Straub Jr.	Monitoring Well	No	Straub Jr., it was determinded that the wells do not have
			Contact: 432-770-5551 & 432-756-3489			pumping equipment.
			Southern Union Gas Services			Shallow monitoring wells approximately 200 ft. After a
			Contact: 432-940-5147 & 817-302-971			conversation with water well contact, Raymond L.
Express SWD SA 1	CP-01148 POD3	Southern Union Gas Services	Raymond L. Straub Jr.	Monitoring Well	No	Straub Jr., it was determinded that the wells do not have
			Contact: 432-770-5551 & 432-756-3489			pumping equipment.
			Southern Union Gas Services			Shallow monitoring wells approximately 200 ft. After a
			Contact: 432-940-5147 & 817-302-971			conversation with water well contact, Raymond L.
Express SWD SA 1	CP-01148 POD4	Southern Union Gas Services	Raymond L. Straub Jr.	Monitoring Well	No	Straub Jr., it was determinded that the wells do not have
			Contact: 432-770-5551 & 432-756-3489			pumping equipment.
			Southern Union Gas Services			Shallow monitoring wells approximately 200 ft. After a
			Contact: 432-940-5147 & 817-302-971			conversation with water well contact, Raymond L.
Express SWD SA 1	CP-01148 POD5	Southern Union Gas Services	Raymond L. Straub Jr.	Monitoring Well	No	Straub Jr., it was determinded that the wells do not have
			Contact: 432-770-5551 & 432-756-3489			pumping equipment.
						E.F. King of Eunice, NM is deceased and Ross L. Robinson
Express SWD SA 1	CP-00393 POD1	E.F. King (Well Owner)	No contact information listed	Livestock Watering	No	has two listed phone numbers, but both are out of
-p 200 0 1 1 0 1 1 1		Ross L. Robinson (Lease Owner)				service.
						This well was drilled for a cathodic protection ground
Express SWD SA 1	CP-00485 POD1	El Paso Natural Gas Compny	No contact information listed	Cathodic Protection Well	No	bed and does not contain a pump for the removal of
		ass . rata. ar Gas compily	The contact information faces		.,,	
Expices SWD 3A 1	CI 00403 FODI	211 a30 Natural Gas Compily	140 contact information listed	Cathodic Frotection Well	140	ground water.

Attachment 6 Public Notice Affidavit and Notice of Application Confirmations

Affidavit of Publication

STATE OF NEW MEXICO COUNTY OF LEA

I, Todd Bailey, Editor of the Hobbs News-Sun, a newspaper published at Hobbs, New Mexico, solemnly swear that the clipping attached hereto was published in the regular and entire issue of said newspaper, and not a supplement thereof for a period of 1 issue(s).

> Beginning with the issue dated June 02, 2019 and ending with the issue dated June 02, 2019.

Sworn and subscribed to before me this 2nd day of June 2019.

Business Manager

My commission expires

January 29, 2023

OFFICIAL SEAL (Seal) **GUSSIE BLACK** Notary Public State of New Mexico My Commission Expires -29-23

The second of th This newspaper is duly qualified to publish legal notices or advertisements within the meaning of Section 3, Chapter 167, Laws of 1937 and payment of fees for said

LEGAL NOTICE JUNE 2, 2019

APPLICATION FOR AUTHORIZATION TO INJECT

NOTICE IS HEREBY GIVEN: That Goodnight Midstream, 5910 N Central Expressway, Suite 850, Dallas, TX 75206, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORIZATION TO INJECT as follows:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas

WELL NAME AND LOCATION: Express SWD SA 1
NW ¼ SE ¼, Section 22, Township 22S, Range 36E
2,305' FSL & 2,355' FEL
Lea County, NM

NAME AND DEPTH OF DISPOSAL ZONE: San Andres (4.450' - 5.750') EXPECTED MAXIMUM INJECTION RATE: 30.000 Bbls/day EXPECTED MAXIMUM INJECTION PRESSURE: 890 psi

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objection or request for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fa. New Mexico 87505. Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Nate Alleman at 918-382-7581.

67115320

00229149

DANIEL ARTHUR ALL CONSULTING 1718 S. CHEYENNE AVE. TULSA, OK 74119

Express SWD SA 1 - Notice of Application Recipients										
Entity	Address	City	State	Zip Code						
Landowner										
Dasco Cattle Company (Atlee Snyder)	P.O. Box 727	Hobbs	NM	88241						
	OCD District									
NMOCD District 1	1625 N. French Drive	Hobbs	NM	88240						
	Mineral Owner									
Bureau of Land Management										
Carlsbad Field Office	620 E. Greene St.	Carlsbad	NM	88220-6292						
Attention: Chris Walls										
	Leasehold Operators									
Anadarko Pet. Corp.	9950 Woodloch Forest Dr.	The Woodlands	TX	77380						
Apache Corporation	303 Vet Airpark Lane, Suite 3000	Midland	TX	79705						
Breck Oper Corp	P.O. Box 911	Breckenridge	TX	76424						
Breck Operating Corp	P.O. Box 911	Breckenridge	TX	76424						
Chevron USA Inc.	6301 Deauville	Midland	TX	79706						
Conoco Phillips	P.O. Box 7500	Bartlesville	OK	74005						
K. Butler & Assoc. Inc.	P.O. Box 1171	Midland	TX	79702						
Kevin O Butler & Assoc Inc	P.O. Box 1171	Midland	TX	79702						
Marathon Oil Co.	P.O. Box 2069	Houston	TX	77252-2069						
Special Energy Corp.	P.O. Box 369	Stillwater	OK	74076						
Sun Oil Company	P.O. Box 1416	Rosewell	NM	88202						
ZPZ Delaware I LLC	2000 Post Oak Blvd., Suite 100	Houston	TX	77056						

Place label at top of the center of the envelope and fold at dotted line.



ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.



©EBTIFIED WAIL™



CERTIFIED MAIL™

CERTIFIED MAIL™

Apache Corporation 303 Vet Airpark Lane, Suite 3000 Midland TX 79705-4561



9414 8118 9956 1460 6213 84

Chevron USA Inc. 6301 Deauville Midland TX 79706-2964

ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119


Place label at top of the center of the envelope and fold at dotted line.

\$5.600 US POSTAGE FIRST-CLASS FROM 74119 JUN 27 2019 stamps ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.600 US POSTAGE FIRST-CLASS FROM 74119 JUN 27 2019 stamps

MIIAM DƏIFITRƏD ™JIAM DƏIFITRƏD



9414 8118 9956 1460 6210 18

Atlee Snyder Dasco Cattle Company P.O. Box 727

Hobbs NM 88241-0727

CERTIFIED MAIL™



9414 8118 9956 1460 6210 25

NMOCD District 1 1625 N. French Drive Hobbs NM 88240-9273

Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL™

CERTIFIED MAIL™



ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.



CERTIFIED MAIL CERTIFIED MAIL™



Special Energy Corp. P.O. Box 369 Stillwater OK 74076-0369

ZPZ Delaware I LLC 2000 Post Oak Blvd., Suite 100 Houston TX 77056-4497

ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.

Chris Walls

Carlsbad Field Office

\$5.600 III US POSTAGE FIRST-CLASS FROM 74119 JUN 27 2019 stamps

ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.600 US POSTAGE FIRST-CLASS FROM 74119 JUN 27 2019

CERTIFIED MAIL™ CERTIFIED MAIL™



Conoco Phillips P.O. Box 7500 Bartlesville OK 74005-7500



CERTIFIED MAIL™

CERTIFIED MAIL™

Bureau of Land Management 620 E. Greene St. Carlsbad NM 88220-6292

Place label at top of the center of the envelope and fold at dotted line.

FIRST-CLASS JUN 27 2019

\$5.600 ∰

ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.



CERTIFIED MAIL CERTIFIED MAIL™



Breck Operating Corp P.O. Box 911 Breckenridge TX 76424-0911

WILLIED MAIL CERTIFIED MAIL™



Anadarko Pet. Corp. 9950 Woodloch Forest Dr.

The Woodlands TX 77380-3991

ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.600 円雲 US POSTAGE **FIRST-CLASS** JUN 27 2019

CERTIFIED MAIL™ CERTIFIED MAIL™



9414 8118 9956 1460 6592 33

Kevin O Butler & Assoc Inc P.O. Box 1171 Midland TX 79702-1171

ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.60⊈ 円雲 US POSTAGE FIRST-CLASS FROM 74119 JUN 27 2019 stamps

CERTIFIED MAIL™ CERTIFIED MAIL™



Sun Oil Company P.O. Box 1416 Roswell NM 88202-1416

Place label at top of the center of the envelope and fold at dotted line.

FIRST-CLASS

\$5.600 III FROM 74119 JUN 27 2019 stamps **ALL Consulting** 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.



CERTIFIED MAIL™ CERTIFIED MAIL™



Breck Oper Corp P.O. Box 911 Breckenridge TX 76424-0911

CERTIFIED MAIL™ CERTIFIED MAIL™



K. Butler & Assoc. Inc. P.O. Box 1171 Midland TX 79702-1171

ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$5.600 POSTAGE ST-CLASS ROM 74119 JN 27 2019 **US POSTAGE** FIRST-CLASS FROM 74119 JUN 27 2019 stamps

CERTIFIED MAIL™ CERTIFIED MAIL™



Marathon Oil Company P.O. Box 2069 Houston TX 77252-2069

Place label at top of the center of the envelope and fold at dotted line.

> CERTIFIED MAIL CERTIFIED MAIL™