Initial

Application Part I

Received: 11/25/2019

This application is placed in file for record. It MAY or MAY NOT have been reviewed to be determined Administratively Complete



November 22, 2019

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Subject: Select Energy Services – Bran 2 Federal SWD #2 Application for Authorization to Inject

To Whom It May Concern,

On behalf of Select Energy Services (Select), ALL Consulting, LLC (ALL) is submitting the enclosed Application for Authorization to Inject for the Bran 2 Federal SWD #2, a proposed salt water disposal well, in Lea County, NM.

Should you have any questions regarding the enclosed application, please contact Nate Alleman at (918) 382-7581 or nalleman@all-llc.com.

Sincerely, ALL Consulting

than Allema

Nate Alleman Sr. Regulatory Specialist

Received by OCD: 11/25/2019 10:07:22 AM

926FV-191125-C-1080

Revised March 23, 2017

Page 2 of 42

RECEIVED: 1 1 / 2 5 / 1 0	REVIEWER: BLL	TYPE: SWD	APP NO:	DI 1022020070
RECEIVED: 11/25/19				bBL1933029868
1	NEW MEXICO OIL	CONSERVATION Engineering Bure	I DIVISION eau -	
		APPLICATION C		
	T IS MANDATORY FOR ALL ADMIN REGULATIONS WHICH REQUIRE PR			
pplicant:			OGR	ID Number:
ell Name:			API:	
ool:			Pool	Code:
	N: Check those which cing Unit – Simultaneou NSP(project are	us Dedication		SD SWD-2324
[II] Injection –	ng – Storage – Measure CTB PLC [Disposal – Pressure Inc		□OLM I Oil Recove □PPR	
A. Offset opera B. Royalty, over C. Application D. Notification E. Notification F. Surface own	e above, proof of notifi	revenue owners ice proval by SLO proval by BLM	ion is attac	FOR OCD ONLY Notice Complete Application Content Complete
administrative appro	reby certify that the information of the second sec	omplete to the be	st of my kno	owledge. I also

notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

Print or Type Name

Date

Phone Number

Alleman

Signature

e-mail Address

Received by OCD: 11/25/2019 10:07:22 AM

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

	APPLICATION FOR AUTHORIZATION TO INJECT
I.	PURPOSE: Secondary Recovery Pressure Maintenance XDisposal Storage Application qualifies for administrative approval? XYes No
II.	OPERATOR: Select Energy Services
	ADDRESS: <u>1</u> 820 N I-35, Gainesville, TX 76240
	CONTACT PARTY RJ Metzler PHONE: (940)-665-7000
III.	WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.
IV.	Is this an expansion of an existing project?YesNo If yes, give the Division order number authorizing the project:
V.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
VII.	Attach data on the proposed operation, including:
	 Proposed average and maximum daily rate and volume of fluids to be injected; Whether the system is open or closed; Proposed average and maximum injection pressure; Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and, If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).
*VIII	Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
IX.	Describe the proposed stimulation program, if any.
*X.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).
*XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
XII.	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
XIII.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.
XIV.	Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.
	NAME: <u>Nate Alleman</u> <u>TITLE:</u> <u>Regulatory Specialist - ALL Consulting</u>
	IGNATURE: Atta Allena DATE: 11/22/2019

E-MAIL ADDRESS: nalleman@all-llc.com

* If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal:

FORM C-108

Revised June 10, 2003

Side 2

III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
 - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
 - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
 - (3) A description of the tubing to be used including its size, lining material, and setting depth.
 - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
 - (1) The name of the injection formation and, if applicable, the field or pool name.
 - (2) The injection interval and whether it is perforated or open-hole.
 - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
 - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
 - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,

(4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

Application for Authorization to Inject Well Name: Bran 2 Federal SWD #2

III – Well Data (The Wellbore Diagram is included as Attachment 1) A.

(1) General Well Information:

Operator: Select Energy Services (OGRID No. 289068) Lease Name & Well Number: Bran 2 Federal SWD #2 Location Footage Calls: 1,208' FSL & 2,570' FEL Legal Location: Unit Letter O, S30 T25S R32E Ground Elevation: 3,343' Proposed Injection Interval: 16,986' – 18,440' County: Lea

(2) Casing Information:

Туре	Hole Size	Casing Size	Casing Weight	Setting Depth	Sacks of Cement	Estimated TOC	Method Determined
Surface	24"	20"	133.0 lb/ft	735′	750	Surface	Circulation
Intermediate 1	14-3/4"	13-3/8"	68.0 lb/ft	4,395'	985	Surface	Circulation
Intermediate 2	12-1/4"	9-5/8"	53.5 lb/ft	13,810'	4,580	Surface	Circulation
Liner	8-1/2"	7-5/8"	39.0 lb/ft	16,986'	260	13,610'	CBL

(3) Tubing Information:

- 5.5" (composite weight string) of fiberglass-coated tubing with setting depth of 16,966'
- (4) Packer Information: Baker SC-2 or equivalent packer set at 16,966'

В.

- (1) Injection Formation Name: Devonian and Silurian-Fusselman formations Pool Name: SWD; DEVONIAN - SILURIAN Pool Code: 97869
- (2) Injection Interval: Open-hole injection between 16,986' 18,440'
- (3) Drilling Purpose: New Drill for Salt Water Disposal
- (4) Other Perforated Intervals: No other perforated intervals exist.
- (5) Overlying Oil and Gas Zones: Below are the approximate formation tops for known oil and gas producing zones in the area.
 - Permian Delaware Mountain Group (4,395')
 - Bone Springs (8,650')
 - Wolfcamp (11,970')
 - Atoka (13,955')
 - Morrow (14,730')

Underlying Oil and Gas Zones: No underlying oil and gas zones exist.

V – Well and Lease Maps

The following maps are included in *Attachment 2*:

- 2-mile Oil & Gas Well Map
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Owernship Map
- 1.5-mile Deep SWD Map (Devonian/Silurian SWDs)
- 1-mile Well Detail List
- Potash Lease Map

VI – AOR Well List

There are no wells within the 1-mile AOR that penetrate the proposed injection zone.

A list of the wells within the 1-mile AOR is included in *Attachment* 2.

VII – Proposed Operation

- (1) Proposed Maximum Injection Rate: 30,000 bpd Proposed Average Injection Rate: 15,000 bpd
- (2) A closed system will be used.
- (3) Proposed Surface Maximum Injection Pressure: 3,397 psi (based on 0.2 psi per foot) Proposed Surface Average Injection Pressure: approximately 1,500 – 2,000 psi (surface)
- (4) Source Water Analysis: It is expected that the injectate will consist of produced water from production wells completed in the Wolfcamp and Bone Springs formations. Analysis of water from these formations is included in *Attachment 3*.
- (5) Injection Formation Water Analysis: The proposed SWD will be injecting water into the Devonian and Silurian formations which is a non-productive zone known to be compatible with formation water from the Wolfcamp and Bone Springs formations. Water analyses from the Devonian-Silurian formation in the area are included in *Attachment 4*.

VIII – Geologic Description

The proposed injection interval includes the Devonian and Silurian formations from 16,986 – 18,440 feet. These formations consist of carbonate rocks which include light colored dolomite and chert intervals interspersed with some tight limestone intervals. Several thick sections of porous dolomite capable of accepting injected fluids are present within the subject formations in the area.

The base of the deepest Underground Source of Drinking Water (USDW) is at a depth of approximately 710 feet. Surface casing will be set at a depth of 735 feet, which is 25 feet below the top of the Rustler formation, which isolates the USDW. Geophysical log assessment was conducted to accurately determine the top of the Rustler formation, and the top and the base of the Salado formation in this area. Water well depths in the area range from approximately 155 - 365 feet below ground surface.

IX – Proposed Stimulation Program

A small cleanup acid job may be used to remove mud and drill cuttings from the formation. However, no other formation stimulation is currently planned.

X – Logging and Test Data

Logs will be submitted to the Division upon completion of the well.

XI – Fresh Groundwater Samples

Based on a review of data from the New Mexico Office of the State Engineer, no groundwater wells are located within 1-mile of the proposed SWD location; therefore, no groundwater samples were collected in association with this application.

A water well map of the area is included in *Attachment 5*.

XII – No Hydrologic Connection Statement

ALL Consulting has examined available geologic and engineering data and has found no evidence of faulting present in the area that would provide a hydrologic connection between the injection interval and overlying USDWs. Additionally, the casing and cementing program has been designed to further ensure there will be no hydrologic connection between the injection interval and overlying USDWs. A letter from a knowledgeable and qualified expert stating that there is a low risk of seismic activity from the proposed injection activities is included in *Attachment 6*.

XIII – Proof of Notice

A Public Notice was filed with the Hobbs News - Sun newspaper and an affidavit is included in *Attachment 7*.

A copy of the application was mailed to the OCD District Office, landowner, and leasehold operators within 1-mile of the proposed SWD location. A list of the recipients, as well as delivery confirmations, are included in *Attachment 7*.

Attachments

Attachment 1:

- C-102
- Wellbore Diagram

Attachment 2: Area of Review Information:

- 2-mile Oil & Gas Well Map
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership Map
- 1.5-mile Deep SWD Map (Devonian/Silurian SWDs)
- 1-mile Well Detail List
- Potash Lease Map

Attachment 3: Source Water Analyses

Attachment 4: Injection Formation Water Analyses

Attachment 5: Water Well Map and Well Data

Attachment 6: Induced Seismicity Assessment Letter

Attachment 7: Public Notice Affidavit and Notice of Application Confirmations

•

•

Attachment 1

- C-102
- Wellbore Diagram

DISTRICT I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-0616 Fee: (575) 393-0720 DISTRICT II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fee: (575) 748-9720 DISTRICT III 1000 Rob Intano R.d., Aztes, NM 87410 Phone: (565) 746-178 Fee: (505) 334-6170 DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (565) 746-3640 Fee: (505) 746-362

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Form C-102 Revised August 1, 2011

Submit one copy to appropriate District Office


□ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

1	API Number			Pool Code 97869		DE	Pool Name	RIAN		
Property C	Code			Well Number #2						
OGRID 1 28906				Operator Name Eleva SELECT ENERGY SERVICES, LLC 334						
					Surface Locat	ion				
UL or lot no.	Section	Township	nship Range Lot		Feet from the	North/South line	Feet from the	East/West line	County	
0	30	25 S	32 E		1208	SOUTH	2570	EAST	LEA	
			Bott	om Hole L	ocation If Diffe	erent From Surfac	e			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
Dedicated Acres	Joint or	Infill	Consolidated Co	ie Order	No.					

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

		OPERATOR CERTIFICATION J hereby certify that the information contained herein is true and complete to the best of my knowledge and belog, and that this organisation either owns a working interest or unleased minaral interest in the land including the proposed batiom hole location or has a right to drill this well at this location pursuant to a constract with an owner of such a mineral or working interest, or to voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
BRAN 2 FEDERAL SWD #2 GR. ELEV. 3343.1' NMSP-E (NAD 83) Y = 399718.39' N X = 733069.84' E LAT.=32.097392* LONG.=-103.714168* NMSP-E (NAD 27) Y = 399705.1' N X =691736.44' E LAT.=32.097392* LONG.=-103.714168*	E 1/4 COR SEC 30 NMSP-E (NAD 27) Y = 401165.70 N X = 735692.05'E	Signature Date Print Name
S 1/4 COR SEC 30 NMSP-E (NAD 27) Y = 398509.77 N X = 732990.29 E	SE COR SEC 30 NMSP-E (NAD 27) Y = 399625 22* N X = 735847.11' E	Job No.: SEL.190001 TIM C. PAPPAS, NM P.L.S. NO.21209



1 Introduction

The SC-2[™] packer is Baker Hughes, a GE company (BHGE)' primary packer for cased hole gravel pack and frac pack applications where a high performance retrievable packer is required.

2 Description


The SC-2 packer is a fully retrievable, highperformance retainer production packer. Although the packer was originally designed for premium gravel pack applications, it may also be used as a standard completion packer in wells where a premium retrievable production packer is required.

The SC-2 packer is fully compatible with standard BHGE sealing accessories, including retrievable and expendable plugs.

Refer to the specifications guide in the Packer Size/Model Availability Guide, Specification Guide, and Packer/Accessory Guide for SC[™] and HP[™] Packers (Product Family H48861), Unit 5750 under Sand Control Tools for packer/accessory size and packer size/model availability.

3 Application


The SC-2 packer is primarily used in gravel pack or frac pack applications where a higher differential pressure production rating, treating pressure rating and temperature are required. The SC-2 may also be used as a production packer.



Attachment 2

Area of Review Information:

- 2-mile Oil & Gas Well Map
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership Map
- 1.5-mile Deep SWD Map (Devonian/Silurian SWDs)
- 1-mile Well Detail List
- Potash Lease Map



Legend

- Proposed SWD
- Gas, Active (3)
- Gas, New (2)
- Injection, Active (1)
- Injection, Plugged (8)
- Oil, Active (45)
- Oil, New (16)
- Oil, Plugged (41)
- Salt Water Injection, Active (1)
- Salt Water Injection, Plugged (2)

Source Info: NMOCD 0&G Wells updated 7/30/2019 (http://www.emnrd.state.nm.us/OCD/ocdgis.html)

O&G Wells Area of Review

BRAN 2 FEDERAL SWD #2 Lea County, New Mexico


Proj	Mgr:
)an /	Arthur

November 18, 2019


Mapped by: Ben Bockelmann



Prepared by: A) CONSULTING



Received by OCD: 11/25/2019 10:07:22 AM






★ Proposed SWD

Mineral Ownership


- All minerals are owned by U.S. (BLM)
- Surface and Subsurface minerals (NMSLO)
- Private minerals



Received by OCD: 11/25/2019 10:07:22 AM







•

Well Name	API#	Well Type	Operator	Spud Date	Location (Sec., Tn., Rng.)	Total Vertical Depth (feet)	Penetrate Inj. Zone?
BIG SINKS DRAW 25 FEDERAL COM #003H	30-015-41940	0	DEVON ENERGY PRODUCTION COMPANY, LP	1/25/2015	G-25-25S-31E	Proposed (10280)	No
BIG SINKS DRAW 25 FEDERAL COM #004H	30-015-43551	0	DEVON ENERGY PRODUCTION COMPANY, LP	9/13/2016	H-25-25S-31E	10476	No
BIG SINKS DRAW 25 24 FEDERAL COM #424H	30-015-44123	0	DEVON ENERGY PRODUCTION COMPANY, LP	Not Drilled	H-25-25S-31E	Proposed (8223)	No
BIG SINKS DRAW 25 24 FEDERAL COM #423H	30-015-44221	0	DEVON ENERGY PRODUCTION COMPANY, LP	Not Drilled	G-25-25S-31E	Proposed (8225)	No
ARABIAN 30 19 FEDERAL COM #001H	30-025-43176	0	DEVON ENERGY PRODUCTION COMPANY, LP	7/3/2017	2-30-25S-32E	10435	No
MORAB 29 20 FEDERAL COM #001H	30-025-43187	0	DEVON ENERGY PRODUCTION COMPANY, LP	11/26/2016	E-29-25S-32E	10359	No
ARABIAN 30 19 FEDERAL COM #002H	30-025-43773	0	DEVON ENERGY PRODUCTION COMPANY, LP	7/29/2017	F-30-25S-32E	10479	No
ARABIAN 30 19 FEDERAL COM #003H	30-025-43774	0	DEVON ENERGY PRODUCTION COMPANY, LP	8/2/2017	G-30-25S-32E	10436	No
ARABIAN 30 19 FEDERAL COM #004H	30-025-43788	0	DEVON ENERGY PRODUCTION COMPANY, LP	8/4/2017	H-30-25S-32E	10213	No
SATCHMO SWD STATE #001	30-015-42492	S	EOG RESOURCES INC	8/25/2014	B-36-25S-31E	6905	No
PRESIDENTE BPD STATE COM #001H	30-025-39660	0	EOG RESOURCES INC	9/30/2010	D-32-25S-32E	8843	No
PRE-ONGARD WELL #001	30-025-08239	0	PRE-ONGARD WELL OPERATOR (Ray Smith)	7/31/1958	2-31-255-32E	4614	No

2.5

5

025	030	02		8 02	7	6 025				027	- 026 - 0	25	030	029	028 0)27 (026	-	001						004	
020	031	032	033	034	035	036	031	032	033	034	J ₀₃₅	036	031	032	033	034	035	036	031	032	033	034	035	036	031 T 2 3 S F	⁰³² 033
036	031	0.02		S R 3 0			001		T 2 3 S						T 2 3 S I			-		S R 3 3 S R 3 3					T 2 4 S F	
001	006	005	T-2 4 004	S R 3 0 003	E 002	001	006	005	T 2 4 S 004	R 3 1 E 003	002	001	006	005	T 2 4 S I 004	R 3 2 E 003	002	001	006	005	004	003	002	001	006	
012	007	008	009	010	011	012	007 Ш	008	-009	010	011	012	007	008	009	010	011	012 Ш		008	009	010	011	012	007	008 009
013 2	0 018	017	016	015	-014	ຟ 013 ດ ຕ	С 018 С 018 С 25	017	016	015	014	013 😐	H C 018 C	017	016	015	014		ຕິ 22 018 0	017	016	015	014	013 Ш ന	018 U 7 8	017 016
N 4	X 7 7 7 019	020	021	022	023	<u>ت</u>	1 1 1	020	021	022	023	024 X V	2 8 1 0 1 0	020	021	022	023	024 ⊢	7 7 ■ 019	020	021	022	023	024 X 5	4 N 019	021 020
025	030	029	028	027	026	025	030	029	028	027	026	025	030	029	028	027	026	025	030	029	028	027	026	€ 025	∼ 030	029
										034	025				033	034						034	035		031	032 033
036	031	032	033	034	035	036	031	032	033	2 4 S R	3.1 E	036	031	032	T 2 4 S	R 3 2 E	035	036	031	032	033 T	24 S R	3 3 E	036	T 2 4 S	R 3 4 E
		S R 3 0 S R 3 0				001				2 4 3 R 2 5 S R					T 2 5 S	R 3 2 E				005		2 5 S R 003	33E 002	001	T 2 5 S 006	R 3 4 E 005
001	006	005	004	003	002	3 O E	006	005	004	003	002	001	006	005	004	003	002	001	006	005	004					004
012	007	008	009	010	011	012 2 012 3 012 2 012 2	007	008	009	010	011		007	008	009	010	011			008	009	010	011	012	007	008 009
	ш О 018 С 018	₃ 017	016	015	014	013	018	017	016	015	014	013 P	ш 018	017		015	014	013 C v	8 8	017	016	015	014	013 Ш ന ന	3	
024 X S S	ິ ເຊິ່ 019	9 020	021	022	023	024	019 Ш	020	021	022	023	024 20 024 20	2 019 2 2 2 3 5	020 1 mi	021	022	023	024	S 019	020	021	022	023	024 0	S S 019	
₩ ► 025	030	029	028	027	026	025	ຕ ພິ 030 ອ	029	028	027	026			029	028	027	026	025	030	029	028	027	026	025	030	029 028
036	031	032	033	034	035	036	<mark>℃</mark> 031	032	033	034	035	- SWD 036	031	032	03B	034 R 3 2 E	035	036	031	032	033	034 3 3 E	035	036	031	032 033
035				R 3 0 E					T 2 5 S	R 3 1 E						SR32				Т	026S	R 3 3 E	000			005
001 002	006	005	T 0 2 6 004	003	002	001	006	005	004	003	002	001	006	005	004	003	002	001	006	005	004	003	002	001	006	005 004 009
012 011 Ш	007	008	009	010	011	012 Ш		008	009	010	011	012 L	007 JU	008	009	010	011		007 ⊔ •	008	009	010	011	LL ev	ш—	008
013 2 013 2 014 S	ш О 01 С	8 017	016	015	014	013 🕰	6 018	017	016	015	014	013 0	່ທ	017	016	015	014	013	າ ເ ເ ເ ເ ເ ເ ເ ເ ເ ເ ເ ເ ເ ເ ເ เ เ เ เ	8 017	016	015	014	013 0 013 0	m 01	
0 00	2 2 2 01	9 020	021	022	023	024 C	9 0 0	020	021	022	023	024 C	019	020	021	022	023	024	S 9 01	9 020	021	022	023	024 C	5 6 4	020 9 020 028
026 025	0 ► 030	029	028	027	026	025	030	029	028	027	026	025	030	029	028	027	026	025	030	029	028	027	026	025	030	029
036	031	032	033	034	035	Ed	dy ₀₃₁	032	033	034	035	036	031	032	033	034	035	036	031	.ea ⁰³²	2 033	034	035	036	031	032
035				<u> </u>		Lovin													Lo	ving						
							-					Тех	as													
Re	L eves	20																								
	2.5 5 10 Source Info: BLM CFO Potash (https://www.nm.blm.gov/shapeFiles/cfo/carlsbad_spatial_data.html)																									

10

Miles

Page 20 of 42

Legend

★ Proposed SWD

Potash Leases

Ore Type - Measured

Ore Type - Indicated

KPLA

SOPA

Drill Islands

Status

Approved Nominated

Withdrawn



•

•

Attachment 3

Source Water Analyses

API	SECTION	TOWNSHIP	RANGE	FORMATION	tds mgL	chloride mgL	bicarbonate mgL	sulfate mgL
3002502424	11	205	34E	BONE SPRING	29436	16720	634	1142
3002502427	12	205	34E	BONE SPRING	15429			
3002502427	12	205	34E	BONE SPRING	180701	108300	1016	670
3002502429	12	205	34E	BONE SPRING	202606	118100	5196	992
3002502429	12	205	34E	BONE SPRING	121800			
3002502431	12	205	34E	BONE SPRING	147229	89640	108	1038
3002531696	2	205	34E	DELAWARE	152064	102148	404	691
3002532105	2	205	34E	DELAWARE	296822	215237	143	294
3002532466	2	205	34E	DELAWARE	340838	245270	229	147
3002502427	12	205	34E	DELAWARE	214787	132700	208	1816
3002502431	12	205	34E	DEVONIAN	33414	18570	227	1961
3002502432	13	205	34E	DEVONIAN	45778	26440	1145	729
3002501912	16	165	34E	WOLFCAMP	164004	102500	4204	1249
3002501922	20	165	34E	WOLFCAMP	104541	64290	280	541
3002501922	20	165	34E	WOLFCAMP	104033	64080	268	515
3002501922	20	165	34E	WOLFCAMP	105175	65570	207	192
3002501925	21	16S	34E	WOLFCAMP	86355	51800	610	665
3002501928	21	165	34E	WOLFCAMP	119102	73300	227	454
3002501928	21	165	34E	WOLFCAMP	35422	19170	979	1949
3002501930	22	165	34E	WOLFCAMP	30015	14800	750	3300
3002501931	22	16S	34E	WOLFCAMP	87680	53000	301	681
3002501933	28	165	34E	WOLFCAMP	59960	35100	515	1500
3002501933	28	165	34E	WOLFCAMP	60309	35350	586	1297
3002501940	30	165	34E	WOLFCAMP	82422	49890	361	787
3002501944	30	165	34E	WOLFCAMP	83960	51410	418	641
3002520222	27	165	34E	WOLFCAMP	85457	51020	544	1201
3001542895	2	235	31E	WOLFCAMP	119472	73173		1036

PRDUCED WATER FROM BONE SPRING, DELAWARE, DEVONIAN, WOLFCAMP

EXHIBIT F

Page 22 of 42

•

•

Attachment 4

Injection Formation Water Analyses

						h	njectio	n Forn	nation	Water	Analy	sis							
Select Energy Services - Devonian , Fusselman & Silurian formations																			
Wellname	API	Latitude	Longitude	Section	Township	Range	Unit	ftgns	ftgew	County	State	company	Field	Formation	Depth	tds_mgL	chloride_mgL	bicarbonate_mgL	sulfate_mgL
FARNSWORTH FEDERAL #006	3002511950	32.0777245	-103.162468	4	26S	37E	А	660N	990E	LEA	NM		CROSBY	DEVONIAN		31,931	20,450	302	591
ARNOTT RAMSAY NCT-B #003	3002511863	32.0922279	-103.1784439	32	25S	37E	А	660N	660E	LEA	NM		CROSBY	DEVONIAN	8797		100,382	476	
STATE NJ A #001	3002511398	32.1647491	-103.1273346	2	255	37E	А	663N	660E	LEA	NM		JUSTIS NORTH	DEVONIAN		105,350	59,300	660	4,950
COPPER #001	3002511818	32.0994835	-103.1656723	28	255	37E	J	1980S	1981E	LEA	NM		CROSBY	DEVONIAN		27,506	15,270	1,089	1,079
ARNOTT RAMSAY NCT-B #003	3002511863	32.0922279	-103.1784439	32	255	37E	А	660N	660E	LEA	NM		CROSBY	DEVONIAN		158,761			
BELL LAKE UNIT #006	3002508483	32.3282585	-103.507103	6	235	34E	0	660S	1980E	LEA	NM		BELL LAKE NORTH	DEVONIAN		71,078	42,200	500	1,000
CLINE FEDERAL #001	3002510717	32.3025551	-103.1358261	14	235	37E	K	1980S	1980W	LEA	NM		CLINE	DEVONIAN		118,979	71,280	462	2,593
E C HILL B FEDERAL #001	3002510945	32.2658463	-103.1443634	34	235	37E	А	810N	660E	LEA	NM		TEAGUE	DEVONIAN		112,959	67,390	288	2,765
E C HILL D FEDERAL #001	3002510947	32.2622147	-103.1443634	34	235	37E	Н	2131N	660E	LEA	NM		TEAGUE	DEVONIAN		35,639			
E C HILL D FEDERAL #004	3002510950	32.2653503	-103.1443634	34	235	37E	А	990N	660E	LEA	NM		TEAGUE	DEVONIAN		236,252	147,000	129	781
ANTELOPE RIDGE UNIT #003	3002521082	32.2593155	-103.4610748	34	235	34E	K	1980S	1650W	LEA	NM		ANTELOPE RIDGE	DEVONIAN		80,187	47,900	476	900
REMUDA BASIN UNIT #001	3001503691	32.2886238	-103.9360428	24	235	29E	J	1980S	1980E	EDDY	NM		REMUDA	DEVONIAN		64,582	37,500	610	1,700
REMUDA BASIN UNIT #001	3001503691	32.2886238	-103.9360428	24	235	29E	J	1980S	1980E	EDDY	NM		REMUDA	DEVONIAN		56,922	29,000	1,740	4,980
STATE B COM #001	3002509716	32.1794052	-103.2212524	36	24S	36E	С	600N	1880W	LEA	NM		CUSTER	DEVONIAN		176,234	107,400	128	1,004
WHITE CITY PENN GAS COM UNIT 1 #001	3001500408	32.1937523	-104.3088455	29	24S	26E	Α	660N	660E	EDDY	NM			DEVONIAN			10,120	653	1,336
BIG EDDY UT #001	3001502475	32.4421539	-104.042305	36	21S	28E	С	660N	1980W	EDDY	NM			DEVONIAN		16,223	7,000	1,030	2,290
BIG EDDY UT #001	3001502475	32.4421539	-104.042305	36	21S	28E	С	660N	1980W	EDDY	NM			DEVONIAN		19,941	10,700	640	1,130
Source:	http://gotech.u	nmt.edu/gotech/	Water/produced	dwater.asp	x														


Page	24	of 42	
		9	

•

•

Attachment 5

Water Well Map and Well Data



Legend

★ Proposed SWD

NMOSE PODs

Status

- Active (0)
- Pending (0)
- Change Location of Well (0)
- Capped (0)
- Plugged (0)
- Incomplete (0)
- O Unknown (0)



	Water Well Sampling Rationale											
Select Energy Services - Bran 2 Federal SWD #2												
Water Wells Owner Available Contact Information Use Sampling Required Notes												
Note: No water wells	Note: No water wells are present within 1 mile of the proposed SWD location.											

•

•

Attachment 6

Induced Seismicity Assessment Letter



November 20, 2019

Mr. Phillip Goetze, P.G. NM EMNRD – Oil Conservation Division 1220 South St. Francis Drive Santa Fe, NM 87505

Subject: Induced Seismicity Potential Statement for the Bran 2 Federal SWD #2

Dear Mr. Goetze,

This letter provides information regarding the seismic potential associated with injection operations associated with Select Energy Services, LLC (Select), proposed Bran 2 Federal SWD #2, hereinafter referred to as the "Subject Well."

As outlined herein, based on my experience as an expert on the issue of induced seismicity, it is my opinion that the potential for the proposed injection well to cause injection-induced seismicity is expected to be minimal, at best. This conclusion is based on (1) the lack of historic seismic activity and faulting in the area, (2) the low fault slip potential (FSP) of Precambrian faults in the area, (3) the presence of confining layers, and (4) the overall vertical distance between the proposed injection zone and basement rock.

The Subject Well, is located 1,208 FSL & 2,570 FEL of Section 30, in T25-S and R32-E of Lea County, New Mexico. Historically, the Eddy and Lea Counties area has experienced very limited recorded seismic activity (per the U.S. Geological Survey [USGS] earthquake catalog database). There has been one known seismic events located within a 25-mile radius of the proposed Subject Well. The closest recorded seismic event was a M2.9 that occurred on December 4th, 1984, and was located approximately 14.9 miles northeast of the Subject Well (See Exhibit 1). The closest Class IID well injecting into the same formations (Devonian-Silurian) of the Subject Well is approximately 1.8 miles to the south (See Exhibit 1).

Select does not own either 2D or 3D seismic reflection data in the area of the Subject Well. Publicly available fault data from USGS indicates that the closest known fault is approximately 13.3 miles northeast of the Subject Well (See Exhibit 1).

In a recent paper written by Snee and Zoback (2018) entitled "State of Stress in the Permian Basin, Texas and New Mexico: Implications for Induced Seismicity,", the authors found that large groups of mostly north-south striking Precambrian basement faults, predominantly located along the Central Basin Platform, the western Delaware Basin, and large parts of the Northwest Shelf (which includes Eddy and Lea counties, New Mexico) have low FSP at the modeled fluid-pressure Induced Seismicity Potential Statement for the Bran 2 Federal SWD #2 November 20, 2019

perturbation. The map in Exhibit 2 depicts the low probability risk of FSP for the Delaware Basin and Northwest Shelf areas (Snee and Zoback 2018).

Geologic analysis indicates that the proposed Devonian-Silurian injection zone is overlain by approximately 200 to 400 feet of Woodford Shale, which is the upper confining zone and will serve as a barrier for upward injection fluid migration. Additionally, the Simpson Group that lies directly below the Montoya Formation will act as a lower confining zone to prohibit fluids from migrating downward into the underlying Ellenberger Formation and Precambrian basement rock. See the stratigraphic column for the Delaware Basin included in Exhibit 3.

In the Eddy and Lea Counties area of New Mexico, the Simpson Group is comprised of a series of Middle to Upper Ordovician carbonates, several sandstones, and sandy shales that range from approximately 350 to 650 feet thick (Jones 2008). This group of rocks is capped by the limestones of the Bromide Formation, which is approximately 200 feet thick in this area (Jones 2008). The closest deep well drilled into the Precambrian basement was completed by the Skelly Oil Company in 1975. This well is located in Section 17, Range 36E, Township 25S of Lea County (API No.30-025-25046) and encountered 602 feet of Ellenburger Formation before reaching the top of the Precambrian granite at a depth of 18,920 feet. Based on the estimated thickness of the Simpson Group and Ellenburger Formation in this area, the Precambrian basement should be approximately 1,000 to 1,200 feet below the bottom of the proposed injection zones in the Subject Well.

Conclusion

As an expert on the issue of induced seismicity, it is my opinion that the potential for the proposed injection well to cause injection-induced seismicity is expected to be minimal, at best. This conclusion is based on (1) the lack of historic seismic activity and faulting in the area, (2) the low FSP of Precambrian faults in the area, (3) the presence of confining layers, and (4) the overall vertical distance between the proposed injection zone and basement rock.

Sincerely, ALL Consulting

1 dullate

J. Daniel Arthur, P.E., SPEC President and Chief Engineer

Enclosures References Exhibits

.

•

Induced Seismicity Potential Statement for the Bran 2 Federal SWD #2 November 20, 2019

References

Induced Seismicity Potential Statement for the Bran 2 Federal SWD #2 November 20, 2019

Ball, Mahlon M. 1995. "Permian Basin Province (044)." In *National Assessment of United States Oil and Gas Resources—Results, Methodology, and Supporting Data.* U.S. Geological Survey. https://certmapper.cr.usgs.gov/data/noga95/prov44/text/prov44.pdf (accessed June 18, 2018).

Green, G.N., and G.E. Jones. 1997. "The Digital Geologic Map of New Mexico in ARC/INFO Format." U.S. Geological Survey Open-File Report 97-0052. <u>https://mrdata.usgs.gov/geology/state/state.php?state=NM</u> (accessed June 14, 2018).

Jones, Rebecca H. 2008. "The Middle-Upper Ordovician Simpson Group of the Permian Basin: Deposition, Diagenesis, and Reservoir Development." <u>http://www.beg.utexas.edu/resprog/permianbasin/PBGSP_members/writ_synth/Simpson.pdf</u> (accessed June 19, 2018).

Snee, Jens-Erik Lund, and Mark D. Zoback. 2018. "State of Stress in the Permian Basin, Texas and New Mexico: Implications for Induced Seismicity." *The Leading Edge* 37, no. 2 (February 2018): 127-34.

U.S. Geological Survey (USGS). No date. Earthquakes Hazard Program: Earthquake Catalog. <u>https://earthquake.usgs.gov/earthquakes/search/</u> (accessed June 14, 2018).

.

•

Induced Seismicity Potential Statement for the Bran 2 Federal SWD #2 November 20, 2019

Exhibits

Induced Seismicity Potential Statement for the Bran 2 Federal SWD #2 November 20, 2019




Exhibit 1. Map Showing the Distances from Known and Inferred Faults, Seismic Event, and Closest Deep Injection Well

Induced Seismicity Potential Statement for the Bran 2 Federal SWD #2 November 20, 2019




Exhibit 2. Results of the Snee and Zoback (2018) Probabilistic FSP Analysis Across the Permian Basin

Induced Seismicity Potential Statement for the Bran 2 Federal SWD #2 November 20, 2019




Exhibit 3. Delaware Basin Stratigraphic Chart (Ball 1995)

.

•

Attachment 7

Public Notice Affidavit and Notice of Application Confirmations

Bran 2 Federal SWD #2 - Notice of Application Recipients						
Entity	Address	City	State	Zip Code		
	Land & Mineral Owner					
New Mexico BLM	620 E Greene St.	Carlsbad	NM	88220		
	OCD District					
NMOCD District 2	811 S. First St.	Artesia	NM	88210		
	Leasehold Operators					
3-M Energy Corporation (3-M ENERGY CO)	P.O. Box 3986	San Angelo	ТΧ	76902		
Chevron USA Inc. (CHEVRON USA INC)	6301 Deauville	Midland	ТΧ	79706		
Commission of Public Lands - State Land Office	310 Old Santa Fe Trail	Santa Fe	NM	87501		
Devon Energy Production Company, LP (DEVON ENERGY PROD CO LP) (DEVON ENERGY)	333 W. Sheridan Ave.	Oklahoma City	ОК	73102		
EOG Resources, Inc. (EOG RES INC) (EOG A RES INC) (EOG RESOURCES INC) (EOG M RES INC)	P.O. Box 4362	Houston	тх	77210		
Mewbourne Oil Company (MEWBOURNE OIL CO)	P.O. Box 7698	Tyler	ТΧ	75711		
OXY Y-1 Company (OXY-1 CO)	P.O. Box 27570	Houston	ТΧ	77227		
Providence Minerals, LLC (PROVIDENCE MINERALS LLC)	16400 Dallas Parkway, Suite 400	Dallas	тх	75248		

Notes: The table above shows the Entities who were identified as parties of interest requiring notification on either the 1-mile well detail list (Attachment 2) or on the 2-mile Mineral Lease Map (Attachment 2). The names listed above in parenthesis, are the abbreviated entity names used on either the 1-mile well detail list (Attachment 2) or on the 2-mile Mineral Lease Map (Attachment 2).

Received by OCD: 11/25/2019 10:07:22 AM

Certified Mail® Labels

ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.



\$5.60⁰

US POSTAGE

FIRST-CLASS

FROM 74119

NOV 20 2019

stamps

062S000866399

Top of the page Print postage using Stamps.com Template SDC-3610

> **ALL Consulting** 1718 S. Cheyenne Ave. Tulsa, OK 74119



Place label at top of the center of the envelope and fold at dotted line.



©ERTIFIED MAIL®

CERTIFIED MAIL®

8118 9956 1309 0066 17

Mewbourne Oil Company P.O. Box 7698 Tyler TX 75711-7698

ALL Consulting

Tulsa, OK 74119

1718 S. Cheyenne Ave.

Place label at top of the center of the

envelope and fold at dotted line.



CERTIFIED MAIL®

CERTIFIED MAIL®

New Mexico BLM 620 E. Greene St. Carlsbad NM 88220-6292

ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119





<u>CERTIFIED MAIL®</u>

CERTIFIED MAIL®

9414 8118 9956 1309 0061 12

NMOCD District 2 811 S. 1st St. Artesia NM 88210-2834 Place label at top of the center of the envelope and fold at dotted line.





9414 8118 9956 1309 0061 36

OXY Y-1 Company P.O. Box 27570 Houston TX 77227-7570



Received by OCD: 11/25/2019 10:07:22 AM

3-M Energy Corporation

San Angelo TX 76902-3986

P.O. Box 3986

ALL Consulting

Tulsa, OK 74119

1718 S. Cheyenne Ave.

Place label at top of the center of the

envelope and fold at dotted line,

Certified Mail® Labels

ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.



\$5.60⁰ ITS

US POSTAGE FIRST-CLASS

FROM 74119

NOV 20 2019

stamps

)62S000866399

Top of the page

ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119



Place label at top of the center of the envelope and fold at dotted line.





CERTIFIED MAIL®

CERTIFIED MAIL®

Chevron USA Inc. 6301 Deauville Midland TX 79706-2964

ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.





CERTIFIED MAIL®

CERTIFIED MAIL®

8118 9956 1309 0068 84

9414 8118 9956 1309 0069 69

Devon Energy Production Company, LP 333 W. Sheridan Ave. Oklahoma City OK 73102-5010



CERTIFIED MAIL®



9414 8118 9956 1309 0069 90

EOG Resources, Inc. P.O. Box 4362 Houston TX 77210-4362



For best results, feed this sheet through your printer as few times as possible. To purchase or for printing instructions go to www.stamps.com/3610.





Certified Mail® Labels

ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119

Place label at top of the center of the envelope and fold at dotted line.



Top of the page Print postage

Print postage using Stamps.com Template SDC-3610

ALL Consulting 1718 S. Cheyenne Ave. Tulsa, OK 74119

\$5.60 ⁰	062S
US POSTAGE	SS
	8
FIRST-CLASS	00086
FROM 74119	66
NOV 20 2019	6399
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	99
stamps 1	-
.com	

Page 41 of 42

Place label at top of the center of the envelope and fold at dotted line.





CERTIFIED MAIL®

CERTIFIED MAIL®

9414 8118 9956 1309 0063 72

Providence Minerals, LLC 16400 Dallas Parkway, Suite 400 Dallas TX 75248-2643

9414 8118 9956 1309 0063 65

Commission of Public Lands State Land Office 310 Old Santa Fe Trail Santa Fe NM 87501-2708

Place label at top of the center of the envelope and fold at dotted line.

©TIAM DEITIFIED MAIL®

Place label at top of the center of the envelope and fold at dotted line.







For best results, feed this sheet through your printer as few times as possible. To purchase or for printing instructions go to **www.stamps.com/3610.**

