From:
 Montgomery, Kelley A

 To:
 Murphy, Kathleen A, EMNRD

 Cc:
 Gago, Jose L

Subject: [EXT] RE: OXY PMXs

Date: Wednesday, June 9, 2021 1:37:05 PM

Will do.

From: Murphy, Kathleen A, EMNRD < Kathleen A. Murphy@state.nm.us>

Sent: Wednesday, June 9, 2021 2:35 PM

To: Montgomery, Kelley A < Kelley_Montgomery@oxy.com>

Cc: Gago, Jose L < Jose_Gago@oxy.com> **Subject:** [EXTERNAL] RE: OXY PMXs

WARNING - This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.

So is there someplace in previous NHU case exhibits where the water wells are discussed, and samples taken of wells in the unit, or a discussion of the wells being on city water systems? This would be similar to how you reference the geology section. I just don't know specifically where to find this and it would be useful for the review of the rest of the PMXs.

From: Montgomery, Kelley A < Kelley_Montgomery@oxy.com>

Sent: Wednesday, June 9, 2021 1:30 PM

To: Murphy, Kathleen A, EMNRD < KathleenA.Murphy@state.nm.us>

Cc: Gago, Jose L < <u>Jose_Gago@oxy.com</u>>

Subject: [EXT] RE: OXY PMXs

Hi Kathleen,

We pulled all of the historical water wells within 1 mile on the engineering website and attached two excel files. There is a lot of overlap between the two wells as they are located near each other. The majority of these wells are within the city limits or very close and the residents are all on city water. A 2014 city ordinance (below) required all domestic water wells within the city and those residences on city water to be P&A'd. I spoke with our operations personnel and they do not know of any active water wells within 1 mile of the wells. I found two wells on the list (highlighted) that were drilled after 2014 that could potentially still be active. I can have our operations folks check on these two if necessary? Please let me know. Kelley

Chapter 13.28 - WATER WELLS

13.28.010 - Restrictions upon drilling of water wells within the City limits.

A.

It shall be unlawful for any person, firm, or entity to drill, deepen, or cause to be drilled, any water well or any well capable of producing water within the City of Hobbs without written consent of the Hobbs City Commission for good and sufficient cause shown.

В.

Pursuant to the Safe Drinking Water Act (SDWA) and applicable State and Federal rules and regulations governing cross connections, cross contamination, and physical separation of conflicting water systems, all water wells located on premises or property connected to the City's water distribution system shall be properly

plugged and abandoned in accordance with New Mexico Environment Department (NMED) rules and regulations. It shall be unlawful for the owner of any premises or property connected to the City's water distribution system to allow any water well to remain in operation and not properly plugged and abandoned.

C.

Upon violation of this section, any person, firm or entity found guilty shall be punishable by fine not to exceed five hundred dollars (\$500.00) per violation and the City of Hobbs may, at its discretion, seek injunctive relief in a court of competent jurisdiction against any person violating this section.

(Ord. No. 1079, 11-3-2014)

From: Murphy, Kathleen A, EMNRD < KathleenA.Murphy@state.nm.us>


Sent: Tuesday, June 8, 2021 10:48 AM

To: Montgomery, Kelley A < Kelley_Montgomery@oxy.com>

Subject: [EXTERNAL] RE: OXY PMXs

WARNING - This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.

I would look at the OCD Engineering webpage and turn on the OSE PODs. I would determine how many water wells are within a mile and then determine if any are active. I thought I saw a couple that were domestic and active.



From: Montgomery, Kelley A < Kelley_Montgomery@oxy.com>

Sent: Tuesday, June 8, 2021 9:26 AM

To: Murphy, Kathleen A, EMNRD < KathleenA.Murphy@state.nm.us

Cc: Gago, Jose L < Jose L <a href="ma

Subject: [EXT] RE: OXY PMXs

Hi Kathleen,

We pulled up the GIS map and did not see any active water wells. Can you tell how you pulled up water well information?

Thank you for your help.

Kelley

From: Murphy, Kathleen A, EMNRD < KathleenA.Murphy@state.nm.us>

Sent: Monday, June 7, 2021 4:22 PM

To: Montgomery, Kelley A < <u>Kelley_Montgomery@oxy.com</u>>

Subject: [EXTERNAL] RE: OXY PMXs

WARNING - This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.

Kelly,

I am reviewing PMX 294 which are the NHU SA/G 632 and 312 wells, and applied for in October 2020.

Questions thus far:

On P 9 of the application, the 632 well will need to be edited that it is located in unit J, not B.

Also, the application states (pages 4, 8) there are no fresh water wells within a mile of the injection wells per field personnel. When I look on GIS at the OSE pods there are many wells within a mile, and several that are domestic. Please review this and advise.

Sincerely,

Kathleen Murphy

From: Murphy, Kathleen A, EMNRD Sent: Thursday, June 3, 2021 1:40 PM

To: Montgomery, Kelley A < Kelley_Montgomery@oxy.com>

Subject: OXY PMXs

Kelly,

I am going to start working on the OXY PMXs—there are 10 I believe. I will do the NHU 312 and 632 first—PMX-294-- as it was submitted in October of last year. Is there any preferred order of the batch that you submitted in April, I believe.

thanks

Kathleen Murphy

Petroleum Specialist- Advanced Geologist/GIS Analyst New Mexico Oil Conservation Division 1200 South St Francis Drive Santa Fe, New Mexico 87505

505-365-3161

Email: kathleena.murphy@state.nm.us

** Please use email during this stressful time**



OXY PMX5

ENSURING INJECTION IN TARGET INTERVAL

This letter is in response to the question from Phillip Goetze asking, "how we will know that the well is injecting into the proper interval, since the wells are all at various angles to the formation tops".

All proposed injectors will be drilled and completed in a very well-known area with abundance of logs and well top data.

The following steps will be taken to ensure injection on the target formation:

- Casing will be run using centralizers to make sure the casing offsets the drill-hole
- Wells will be fully cemented to surface per NMOCD
- Prior to perforating the injection interval, the following cased-hole logs will be run:
 - o CBL to ensure good cement and zonal isolation was achieved
 - o GR/SGR for correlation and top identification
 - o CNL for porosity and perf interval selection
- Once the well is completed and injection started, periodic Injection Profile Logs (IPLs) will be run
 to ensure injectant is staying in the desired interval

I will be happy to provide any additional information if needed.

Regards,

Dmitri Pistoun Senior Geological Advisor <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

<u>District II</u>

811 S. First St., Artesia, NM 88210

811 S. FIRS St., Artesia, FM 80210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT	<i>WELL LO</i>	OCATION AND	D ACREAGE D	EDICATION PLAT
---	----------------	-------------	-------------	----------------

API Number		Pool Code	Pool Name		
30-025-		31920 HOBBS; GRAYBURG-SAN ANI		DRES	
Property Code	Prop		erty Name	Well Number	
19520		NORTH HOBBS G/SA UNIT 973			
OGRID No.		Operator Name			
157984		OCCIDENTAL PERMIAN LTD.			


Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	31	18 SOUTH	38 EAST, N.M.P.M.		1662'	SOUTH	841'	EAST	LEA
			D # II.1. I	TCI	7:CC 1	Zunana Carafan			

Bottom Hole Location If Different From Surface

			TO COLUMN TERM							
UL or lot no.	Section	Township	Range		Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	32	18 SOUTH	38 EAST, N.	М. Р. М.		1330'	SOUTH	1452'	WEST	LEA
Dedicated	Acres	Joint or Infill	Consolidation Code	Order No.						
	7.0 %				-	-	***			11 11

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





C-108 APPLICATION FOR AUTHORIZATION TO INJECT ADMINISTRATIVE COMPLETENESS FORM

Well Name:	
Applicant:	
PO Number:	
min Ann No:	

C-108 Item	Description of Required Content	Yes	No
I. PURPOSE	Selection of proper application type.		
II. OPERATOR	Name; address; contact information.		
	Well name and number; STR location; footage location within section.		
	Each casing string to be used, including size, setting depth, sacks of cement, hole size, top of cement, and basis for determining top of cement.		
	Description of tubing to be used including size, lining material, and setting depth.		
III. WELL DATA	Name, model, and setting depth of packer to be used, or description of other seal system or assembly to be used.		
	Well diagram: Existing (if applicable).		
	Well diagram: Proposed (either Applicant's template or Division's Injection Well Data Sheet).		
IV. EXISTING PROJECT	For an expansion of existing well, Division order number authorizing existing well (if applicable).		
V. LEASE AND WELL MAP	AOR map identifying all wells and leases within 2 mile radius of proposed well, and depicting a 1/2 mile radius circle around any another projected injection well and a 1 mile radius circle around any other projected injection well in the Devonian formation.		
VI. AOR WELLS	Tabulation of data for all wells of public record within AOR which penetrate the proposed injection zone, including well type, construction, date drilled, location, depth, and record of completion.		
	Schematic of each plugged well within AOR showing all plugging detail.		
	Proposed average and maximum daily rate and volume of fluids to be injected.		
	Statement that the system is open or closed.		
	Proposed average and maximum injection pressure.		
VII. PROPOSED OPERATION	Sources and analysis of injection fluid, and compatibility with receiving formation if injection fluid is not produced water.		
	A chemical analysis of the disposal zone formation water if the injection is for disposal and oil or gas is not produced or cannot be produced from the formation within 1 mile of proposed well. Chemical analysis may be based on sample, existing literature, studies, or nearby well.		
	Proposed injection interval, including appropriate lithologic detail, geologic name, thickness, and depth.		
VIII. GEOLOGIC DATA	USDW of all aquifers overlying the proposed injection interval, including geologic name and depth to bottom.		
	USDW of all aquifers underlying the proposed injection interval, including including the geologic name and depth to bottom.		



C-108 (SWD) APPLICATION FOR AUTHORIZATION TO INJECT ADMINISTRATIVE COMPLETENESS FORM

ON COMPRESSION ON STREET	ADMINISTRATIVE COMPLETENESS FORM		
Well Name:		_	
Applicant:		·	
PO Number:		1	
Admin. App. No:		•	
C-108 Item	Description of Required Content	Yes	No
X. PROPOSED TIMULATION	Description of stimulation process or statement that none will be conducted.		
. LOGS/WELL TESTS	Appropriate logging and test data on the proposed well or identification of well logs already filed with OCD.		
I. FRESH WATER	Chemical analysis of fresh water from two or more fresh water wells (if available and producing) within 1 mile of the proposed well, including location and sampling date(s).		
II. AFFIRMATION TATEMENT	Statement of qualified person endorsing the application, including name, title, and qualifications.		
	Identify of all "affected persons" identified on AOR map in Section V, including all affected persons within 1/2 mile radius circle around any another projected injection well and a 1 mile radius circle around any other projected injection well in the Devonian formation.		
	Identification and notification of all surface owners.		
	BLM and/or NMSLO notified per 19.15.2.7(A)(8)(d) NMAC.		
III. PROOF OF OTICE	Notice of publication in local newspaper in county where proposed well is located with the following specific content:		
	Name, address, phone number, and contact party for Applicant;		
	 Intended purpose of proposed injection wel, including exact location of a single well, or the section, township, and range location of multiple wells; 		
	 Formation name and depth, and expected maximum injection rates and pressures; and 		
	Notation that interested parties shall file objections or requests for hearing with OCD no later than 15 days after the admin completeness determination.		
IV. CERTIFICATION	Signature by operator or designated agent, including date and contact information.		
eview Date*:	Reviewer:		
Administrativaly	COMPLETE		

Ke	view Date*:
\bigcirc	Administratively COMPLETE
0	Administratively INCOMPLETE
NO	TES:

^{*} The Review Date is the date of administrative completeness determination that commences the 15 day protest period in 19.15.26.8 (C)(2) NMAC.

PMX-309

FORM C-108 Technical Review Summary [Prepared by reviewer and included with application; V17] DATE RECORD: First Rec: Admin Complete: _____ or Suspended: _____ Add. Request/Reply:_ ORDER TYPE: PMX Number: 309 Order Date: 2014 Legacy Permits/Orders: R-6199 F Well No. 913 Well Name(s): NI Hobbs G/SA Unit API: 30-025-Rending Spud Date: New drill (New or Old (EPA): (UIC Class II Primacy 03/07/1982) Lot_or Unit____Sec_31_Tsp_185___Rge_386__County_Cac_ Lattitude: 32,7011789 Longitude 103, 1819 407 Pool: 31920 Hobbo, GB-\$60 No.: OGRID: 157984 Contact: K Mout, J Jaso Email: Operator: UXU COMPLIANCE RULE 5.9: Total Wells: 606 Inactive: Finct Assur: Compl. Order? IS 5.9 OK? Date: 12-29-21 WELL FILE REVIEWED _ Current Status: ______ Con del _____ dia Conal WELL DIAGRAMS: NEW: Proposed Or RE-ENTER: Before Conv. After Conv. Logs in Imaging: Planned Rehab Work to Well: New diagonal drill Sizes (in) Setting Cement Top and Cement **Well Construction Details** Borehole / Pipe Depths (ft) Sx or Cf **Determination Method** Planned or Existing Surface 131/279518 Stage Tool Planned or Existing Interm/Prod Planned or Existing Interm/Prod Planned or Existing Prod/Liner Planned or Existing Liner Inj Length Planned or Existing OH / PERF 4650 5271 MD Completion/Operation Details: Injection or Confining Drilled TD PBTD ___ Depths (ft) Tops Injection Lithostratigraphic Units: Units NEW TD 5271 NEW PBTD Adjacent Unit:Litho Struc Por. NEW Open Hole NEW Perfs Confining Unit:Litho Struc Por. Geology-case 144781 Tubing Size 7 / in. Inter Coated? Proposed Inj Interval TOP: Proposed Packer Depth 4600 ft Proposed Injunterval BOTTOM: Min. Packer Depth 45.50 (100-ft limit) Confining Unit:Litho Struc Por. Proposed Max. Surface Press. Order psi v Adjacent Unit:Litho Struc Por. **AOR: Hydrologic and Geologic Information** Admin. Inj. Press. _____ (0.2 psi per ft) POTASH: R-111-P Noticed? BLM Sec Ord WIPF Voticed? Salt/Salado T: B: NW: Cliff House fm USDW: Aquifer(s) HYDRO AFFIRM STATEMENT By Qualified Person NMOSE Basin: CBP CAPITAN REEF: thru adj NA No. GW Wells in 1-Mile Radius? FW Analysis? Disposal Fluid: Formation Source(s) 59 - Ca \$19981 Analysis? On Lease Operator Only Commercial Disposal Interval: Inject Rate (Avg/Max BWPD): 1000 BWPD Protectable Waters? Source: System: Closed □ br Oper □ HC Potential: Producing Interval? ✓ Formerly Producing? _____Method:Logs⊡/DST□/P&A□/Other _____ 2-Mi Radius Pool Map order AOR Wells: 1/2-M or ONE-M ___RADIUS MAP/WELL LIST: Total Penetrating Wells: _____ [AOR Hor: ___ AOR SWDs:__] Penetrating Wells: No. Active Wells___ No. Corrective?___on which well(s)?__See order -Zoty Diagrams? Penetrating Wells: No. P&A Wells V No. Corrective? on which well(s)? Incu P&A Well Diagrams? Induced-Seismicity Risk Assess: analysis submitted historical/catalog review fault-slip model probability NOTICE: 1/2-M or ONE-M : Newspaper Date Mineral Owner* Surface Owner N. Date RULE 26.7(A): Identified Tracts? _____ Affected Persons*: Order 6199 F * new definition as of 12/28/2018 (any the mineral estate of United States or state of New Mexico; SWD operators within the notice radius) Order Conditions: Issues: See admin convolete for explandition of Additional COAs: