

District I  
1625 N French Dr., Hobbs, NM 88240  
District II  
1301 W Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised October 10, 2003

Submit 2 Copies to appropriate  
District Office in accordance  
with Rule 116 on back  
side of form

**Release Notification and Corrective Action**

*nmls1204427397*      *258462*      **OPERATOR**      ☒ Initial Report      ☐ Final Report

Name of Company	NADEL AND GUSSMAN HEYCO, LLC	Contact	Keith Cannon or Tammy R. Link
Address	PO Box 1936, Roswell 88202-1936	Telephone No.	(575) 623-6601
Facility Name	Taylor Deep 12 Federal #6	Facility Type	

Surface Owner	USA	Mineral Owner	State of New Mexico	Lease No.	API 30-015-38143
---------------	-----	---------------	---------------------	-----------	------------------

**LOCATION OF RELEASE**

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
A	12	18S	31E	400'	N	510'	E	Eddy

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

**NATURE OF RELEASE**

Type of Release - Oil/Water	Volume of Release 75 bbls	Volume Recovered 50 bbls
Source of Release Well Head	Date/Hour of Release 1/16/12 4pm	Date/Hour Discovered 1/17/12 6:00 am
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	
By Whom? Keith Cannon	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.\*

N/A

**RECEIVED**

JAN 25 2012

Describe Cause of Problem and Remedial Action Taken.\*

Stuffing Box Packing blew out, Replaced packing.

**NMOCD ARTESIA**

Describe Area Affected and Cleanup Action Taken.\*

Liquid on location, sucked up as much oil as possible, removed contaminated caliche, hauled off to CRI, replace/pack caliche on location. Sprayed 950 gals wtr and 20 gals of micro-blaze.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: *Tammy R. Link*  
**Tammy Link**

Printed Name: Tammy Link

Title: Production Tech

E-mail Address: tlink@heycoenergy.com

Date: 1/23/2012      Phone: (575)623-6601

**OIL CONSERVATION DIVISION**

Signed By *Mike B...*  
Approved by District Supervisor:

Approval Date: **FEB 13 2012**

Expiration Date:

Conditions of Approval:

Remediation per OCD Rules &  
Guidelines. **SUBMIT REMEDIATION  
PROPOSAL NOT LATER THAN:**  
*3/13/2012*

Attached ☐

\* Attach Additional Sheets If Necessary

*2RP-1005*



# *New Mexico Office of the State Engineer* **Water Column/Average Depth to Water**

No records found.

**PLSS Search:**

Township: 18S      Range: 31E

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data

2/13/12 8:01 AM

Page 1 of 1

WATER COLUMN/ AVERAGE  
DEPTH TO WATER



# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(A CLW##### in the  
POD suffix indicates the  
POD has been replaced  
& no longer serves a  
water right file.)

(R=POD has  
been replaced,  
O=orphaned,  
C=the file is  
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Subbasin	County	Q 1	Q 2	Q 3	Q 4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water Column
------------	----------	----------	--------	-----	-----	-----	-----	-----	-----	-----	---	---	------------	--------------------

RA 11590 POD1

ED 2 1 3 32 17S 31E 603315 3628545 158

RA 11590 POD3

ED 3 1 2 32 17S 31E 603932 3629260 60

RA 11590 POD4

ED 4 1 1 32 17S 31E 603308 3629253 55

Average Depth to Water: --

Minimum Depth: --

Maximum Depth: --

Record Count: 3

PLSS Search:

Township: 17S

Range: 31E

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(A CLW##### in the  
POD suffix indicates the  
POD has been replaced  
& no longer serves a  
water right file.)

(R=POD has  
been replaced,  
O=orphaned,  
C=the file is (quarters are 1=NW 2=NE 3=SW 4=SE)  
closed) (quarters are smallest to largest) (NAD83 UTM in meters) (In feet)

POD Number	POD Code	Subbasin	County	Q	Q	Q	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
CP 00641 EXPL	ED			4	1	36	19S	31E	610247	3609634*	300	130	170	
CP 00642 EXPL	ED			2	2	25	19S	31E	611025	3611657*	250			
CP 00829	LE			2	4	16	19S	31E	606165	3614009*	120			

Average Depth to Water: 130 feet

Minimum Depth: 130 feet

Maximum Depth: 130 feet

Record Count: 3

PLSS Search:

Township: 19S

Range: 31E

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data



# New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the  
POD suffix indicates the  
POD has been replaced  
& no longer serves a  
water right file.)

(R=POD has  
been replaced,  
O=orphaned,  
C=the file is  
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Subbasin	County	Q1	Q2	Q3	Q4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
CP 00566			LE	4	4	1	04	18S	32E		614960	3627280*	133	65	68
CP 00672			LE		4	4	07	18S	32E		612475	3624947*	524	430	94
CP 00672 CLW475398	O		LE		4	4	07	18S	32E		612475	3624947*	540	460	80
CP 00677			LE		1	1	26	18S	32E		617750	3621373*	700		

Average Depth to Water: 318 feet

Minimum Depth: 65 feet

Maximum Depth: 460 feet

Record Count: 4

PLSS Search:

Township: 18S

Range: 32E

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.