

1R - 425-22

**APPROVALS**

**YEAR(S):**

2012

**Hansen, Edward J., EMNRD**

---

**From:** Hansen, Edward J., EMNRD  
**Sent:** Monday, April 23, 2012 5:17 PM  
**To:** 'Hack Conder'  
**Cc:** Leking, Geoffrey R, EMNRD; 'Katie Jones'; 'Laura Pena'; 'Scott Curtis'  
**Subject:** Remediation Plan (1R425-22) Termination - ROC Vacuum Jct N-30 Site

**RE: Termination Request  
for the Rice Operating Company's  
Vacuum Jct N-30 Site  
Unit Letter N, Section 30, T17S, R35E, NMPM, Lea County, New Mexico  
Remediation Plan (1R425-22) Termination**

Dear Mr. Conder:

The New Mexico Oil Conservation Division (OCD) has received Rice Operating Company's report and request to close the above-referenced site, dated April 13, 2012 (received April 20, 2012). The report is acceptable to the OCD.

The above-referenced report, submitted in accordance with 19.15.29 NMAC (Rule 29; formally, Rule 116), indicates that Rice Operating Company has met the requirements of 19.15.29 NMAC; therefore, the OCD approves the report and hereby notifies you that the remediation plan (1R425-22) is terminated in accordance with 19.15.29 NMAC.

Please be advised that OCD approval of this report does not relieve the owner/operator of responsibility should operations pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the owner/operator of responsibility for compliance with any OCD, federal, state, or local laws and/or regulations.

If you have any questions regarding this matter, please contact me at 505-476-3489.

Edward J. Hansen  
Hydrologist  
Environmental Bureau

# **RICE** *Operating Company*

122 West Taylor • Hobbs, New Mexico 88240

Phone: (575) 393-9174 • Fax: (575) 397-1471

April 13, 2012

RECEIVED

Mr. Edward Hansen  
New Mexico Energy, Minerals, & Natural Resources  
Oil Conservation Division, Environmental Bureau  
1220 S. St. Francis Drive  
Santa Fe, New Mexico 87505

APR 20 2012

Oil Conservation Division  
1220 S. St. Francis Drive  
Santa Fe, NM 87505

RE: Termination Request  
Vacuum Jct. N-30 (1R425-22): UL/N, Sec. 30, T17S, R35E  
RICE Operating Company – Vacuum SWD System

Mr. Hansen:

Rice Operating Company (ROC) is the service provider (agent) for the abandoned Vacuum Saltwater Disposal (SWD) System and has no ownership of any portion of the pipeline, well, or facility. The System is owned by a consortium of oil producers, System Parties, who provide all operating capital on a percentage ownership/usage basis.

## **Background**

In 2005, ROC initiated work on the former N-30 junction box as part of the system abandonment. The site is located in UL/N, Sec. 30, T17S, R35E. NM OSE records indicate that groundwater would likely be encountered at a depth of approximately 96 +/- feet. The site was delineated using a backhoe to collect soil samples at regular intervals, creating an 8x3x13-ft deep excavation. Each sample was field titrated for chlorides and field screened using a PID for hydrocarbons, resulting in low concentrations of each. The 13-ft sample was sent to a commercial laboratory for analysis of chloride and TPH, resulting in a chloride concentration of 26.3 mg/kg, and concentrations of gasoline range organics (GRO) and diesel range organics (DRO) below detectable limits. The excavated soil was disposed of at a NMOCD approved facility and the excavation was backfilled with clean, imported soil to ground surface and contoured to the surrounding area. On 1/5/2006, the site was seeded with a blend of native vegetation and is expected to return to a productive capacity at a normal rate. The junction box final report, photo documentation, laboratory analysis, and PID sheet are attached.

**Recommendations**

Site investigation demonstrates that residual chloride and hydrocarbons in the vadose zone will not with reasonable probability contaminate groundwater in excess of NMOCD standards. This site meets the requirements of the NMOCD-approved Revised Junction Box Upgrade Work Plan (July 16, 2003). As such, ROC request termination of the regulatory file, or similar closure status.

Please contact me at (575)393-9174 if you have any questions or wish to discuss this site. Thank you for your time and consideration.

Sincerely,  
RICE Operating Company

A handwritten signature in black ink, appearing to read "H. Conder", with a long horizontal flourish extending to the right.

Hack Conder  
Environmental Manager

enclosures

**RICE OPERATING COMPANY  
JUNCTION BOX FINAL REPORT**

**BOX LOCATION**

SWD SYSTEM	JUNCTION	UNIT	SECTION	TOWNSHIP	RANGE	COUNTY	BOX DIMENSIONS - FEET		
Vacuum	jct. N-30	N	30	17S	35E	Lea	Length	Width	Depth
							System Abandonment--no box		

LAND TYPE: BLM \_\_\_\_\_ STATE X FEE LANDOWNER \_\_\_\_\_ OTHER \_\_\_\_\_

Depth to Groundwater 96 feet NMOCD SITE ASSESSMENT RANKING SCORE: 10

Date Started 9/6/2005 Date Completed 12/21/2005 NMOCD Witness no

Soil Excavated 12 cubic yards Excavation Length 8 Width 3 Depth 13 feet

Soil Disposed 12 cubic yards Offsite Facility Sundance Location Eunice, NM

**FINAL ANALYTICAL RESULTS:** Sample Date 9/6/2005 Sample Depth 13 ft

TPH and chloride laboratory test results completed by using an approved laboratory and testing procedures pursuant to NMOCD guidelines.

**CHLORIDE FIELD TESTS**

Sample Location	PID ppm	GRO mg/kg	DRO mg/kg	Chloride mg/kg
GRAB @ 13 ft BGS	0.0	<10.0	<10.0	26.3

LOCATION	DEPTH (ft)	ppm
vertical trench at junction	2	3314
	3	2758
	4	5361
	5	4658
	6	4573
	7	4558
	8	4143
	9	2016
	10	2417
	11	1687
	12	351
	13	145

**General Description of Remedial Action:**

This junction box was addressed as part of the Vacuum System Abandonment. After removing the junction box, a delineation trench was made at the site using a backhoe while soil samples were collected at regular depth intervals to 13 ft BGS. Chloride field tests performed on the samples yielded concentrations that exhibited a conclusive trend of decline with depth (see graph), indicative of unsaturated historical vadose conditions. PID screenings conducted on the samples yielded very low concentrations as well, either 0.0 or 0.1 ppm. A grab sample at 13 ft BGS was collected for laboratory analysis to confirm field tests. TPH was not present within the lab's detection limits (<10.0 ppm), meeting NMOCD guidelines. The excavated soil was disposed of at a permitted facility and clean, imported soil was backfilled into the trench. The disturbed area was seeded with a blend of native vegetation and is expected to return to productive capacity at a normal rate. Since the Vacuum SWD System is no longer in service, a new box is not required.

enclosures: chloride graph, photos, lab results, PID field screenings, disposal manifest

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SITE SUPERVISOR Roy Rascon SIGNATURE \_\_\_\_\_ COMPANY RICE Operating Company

REPORT ASSEMBLED BY Kristin Farris Pope SIGNATURE Kristin Farris Pope  
DATE 2/13/2006 TITLE Project Scientist

## Vacuum jct. N-30

Unit 'N', Sec. 30, T17S, R35E



undisturbed junction box

6/13/2005



box removed; before delineation

8/25/2005




box removed; before delineation

7/12/2005



seeding disturbed surface

1/5/2006



12600 West I-20 East - Odessa, Texas 79765

## Analytical Report

**Prepared for:**

Roy Rascon  
Rice Operating Co.  
122 W. Taylor  
Hobbs, NM 88240

COPY

Project: Vacuum Jct. N-30  
Project Number: None Given  
Location: None Given

Lab Order Number: 5I09003

Report Date: 09/15/05

Rice Operating Co.  
122 W. Taylor  
Hobbs NM, 88240

Project: Vacuum Jct. N-30  
Project Number: None Given  
Project Manager: Roy Rascon

Fax: (505) 397-1471  
Reported:  
09/15/05 15:48

### ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Vert.@ 13ft bgs	5I09003-01	Soil	09/06/05 13:15	09/09/05 07:30
Blended Soil/ Remediate Backfill	5I09003-02	Soil	09/07/05 13:30	09/09/05 07:30



Rice Operating Co.  
122 W. Taylor  
Hobbs NM, 88240

Project: Vacuum Jct. N-30  
Project Number: None Given  
Project Manager: Roy Rascon

Fax: (505) 397-1471  
Reported:  
09/15/05 15:48

**Organics by GC**  
**Environmental Lab of Texas**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>Vert.@ 13ft bgs (5109003-01) Soil</b>									
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	E150912	09/09/05	09/11/05	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		91.2 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		81.6 %	70-130		"	"	"	"	
<b>Blended Soil/ Remediate Backfill (5109003-02) Soil</b>									
Gasoline Range Organics C6-C12	ND	10.0	mg/kg dry	1	E150912	09/09/05	09/11/05	EPA 8015M	
Diesel Range Organics >C12-C35	ND	10.0	"	"	"	"	"	"	
Total Hydrocarbon C6-C35	ND	10.0	"	"	"	"	"	"	
Surrogate: 1-Chlorooctane		87.6 %	70-130		"	"	"	"	
Surrogate: 1-Chlorooctadecane		84.8 %	70-130		"	"	"	"	

Rice Operating Co.  
122 W. Taylor  
Hobbs NM, 88240

Project: Vacuum Jct. N-30  
Project Number: None Given  
Project Manager: Roy Rascon

Fax: (505) 397-1471

Reported:  
09/15/05 15:48

**General Chemistry Parameters by EPA / Standard Methods**  
**Environmental Lab of Texas**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<b>Vert.@ 13ft bgs (5I09003-01) Soil</b>									
Chloride	26.3	5.00	mg/kg	10	EI51507	09/14/05	09/14/05	EPA 300.0	
% Moisture	11.5	0.1	%	1	EI51214	09/09/05	09/13/05	% calculation	
<b>Blended Soil/ Remediate Backfill (5I09003-02) Soil</b>									
Chloride	3050	50.0	mg/kg	100	EI51507	09/14/05	09/14/05	EPA 300.0	
% Moisture	9.7	0.1	%	1	EI51214	09/09/05	09/13/05	% calculation	

Rice Operating Co.  
122 W. Taylor  
Hobbs NM, 88240

Project: Vacuum Jct. N-30  
Project Number: None Given  
Project Manager: Roy Rascon

Fax: (505) 397-1471

Reported:  
09/15/05 15:48

**Organics by GC - Quality Control**  
**Environmental Lab of Texas**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

**Batch EI50912 - Solvent Extraction (GC)**

**Blank (EI50912-BLK1)**

Prepared: 09/09/05 Analyzed: 09/11/05

Gasoline Range Organics C6-C12	ND	10.0	mg/kg wet							
Diesel Range Organics >C12-C35	ND	10.0	"							
Total Hydrocarbon C6-C35	ND	10.0	"							
Surrogate: 1-Chlorooctane	50.7		mg/kg	50.0		101	70-130			
Surrogate: 1-Chlorooctadecane	46.8		"	50.0		93.6	70-130			

**LCS (EI50912-BS1)**

Prepared: 09/09/05 Analyzed: 09/11/05

Gasoline Range Organics C6-C12	398	10.0	mg/kg wet	500		79.6	75-125			
Diesel Range Organics >C12-C35	379	10.0	"	500		75.8	75-125			
Total Hydrocarbon C6-C35	777	10.0	"	1000		77.7	75-125			
Surrogate: 1-Chlorooctane	48.3		mg/kg	50.0		96.6	70-130			
Surrogate: 1-Chlorooctadecane	48.3		"	50.0		96.6	70-130			

**Calibration Check (EI50912-CCV1)**

Prepared: 09/09/05 Analyzed: 09/12/05

Gasoline Range Organics C6-C12	425		mg/kg	500		85.0	80-120			
Diesel Range Organics >C12-C35	412		"	500		82.4	80-120			
Total Hydrocarbon C6-C35	837		"	1000		83.7	80-120			
Surrogate: 1-Chlorooctane	51.0		"	50.0		102	0-200			
Surrogate: 1-Chlorooctadecane	61.1		"	50.0		122	0-200			

**Matrix Spike (EI50912-MS1)**

Source: 5I09001-01

Prepared: 09/09/05 Analyzed: 09/11/05

Gasoline Range Organics C6-C12	403	10.0	mg/kg dry	533	ND	75.6	75-125			
Diesel Range Organics >C12-C35	406	10.0	"	533	ND	76.2	75-125			
Total Hydrocarbon C6-C35	809	10.0	"	1070	ND	75.6	75-125			
Surrogate: 1-Chlorooctane	43.1		mg/kg	50.0		86.2	70-130			
Surrogate: 1-Chlorooctadecane	40.0		"	50.0		80.0	70-130			

**Matrix Spike Dup (EI50912-MSD1)**

Source: 5I09001-01

Prepared: 09/09/05 Analyzed: 09/11/05

Gasoline Range Organics C6-C12	403	10.0	mg/kg dry	533	ND	75.6	75-125	0.00	20	
Diesel Range Organics >C12-C35	402	10.0	"	533	ND	75.4	75-125	0.990	20	
Total Hydrocarbon C6-C35	805	10.0	"	1070	ND	75.2	75-125	0.496	20	
Surrogate: 1-Chlorooctane	44.9		mg/kg	50.0		89.8	70-130			
Surrogate: 1-Chlorooctadecane	44.4		"	50.0		88.8	70-130			

Environmental Lab of Texas

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Environmental Lab of Texas.

Page 4 of 6

Rice Operating Co.  
122 W. Taylor  
Hobbs NM, 88240

Project: Vacuum Jct. N-30  
Project Number: None Given  
Project Manager: Roy Rascon

Fax: (505) 397-1471  
Reported:  
09/15/05 15:48

**General Chemistry Parameters by EPA / Standard Methods - Quality Control**  
**Environmental Lab of Texas**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

**Batch EI51214 - General Preparation (Prep)**

<b>Blank (EI51214-BLK1)</b>				Prepared: 09/09/05 Analyzed: 09/13/05						
% Solids	100		%							
<b>Duplicate (EI51214-DUP1)</b>				Source: 5I08021-02		Prepared: 09/09/05 Analyzed: 09/13/05				
% Solids	95.3		%		95.5			0.210	20	
<b>Duplicate (EI51214-DUP2)</b>				Source: 5I09013-05		Prepared: 09/09/05 Analyzed: 09/13/05				
% Solids	99.2		%		99.0			0.202	20	
<b>Duplicate (EI51214-DUP3)</b>				Source: 5I09010-03		Prepared: 09/09/05 Analyzed: 09/13/05				
% Solids	90.9		%		90.2			0.773	20	

**Batch EI51507 - Water Extraction**

<b>Blank (EI51507-BLK1)</b>				Prepared & Analyzed: 09/14/05						
Chloride	ND	0.500	mg/kg							
<b>LCS (EI51507-BS1)</b>				Prepared & Analyzed: 09/14/05						
Chloride	8.62		mg/L	10.0		86.2	80-120			
<b>Calibration Check (EI51507-CCV1)</b>				Prepared & Analyzed: 09/14/05						
Chloride	9.06		mg/L	10.0		90.6	80-120			
<b>Duplicate (EI51507-DUP1)</b>				Source: 5I09001-01		Prepared & Analyzed: 09/14/05				
Chloride	801	10.0	mg/kg		796			0.626	20	

Rice Operating Co.  
122 W. Taylor  
Hobbs NM, 88240

Project: Vacuum Jct. N-30  
Project Number: None Given  
Project Manager: Roy Rascon

Fax: (505) 397-1471  
Reported:  
09/15/05 15:48

### Notes and Definitions

DET Analyte DETECTED  
ND Analyte NOT DETECTED at or above the reporting limit  
NR Not Reported  
dry Sample results reported on a dry weight basis  
RPD Relative Percent Difference  
LCS Laboratory Control Spike  
MS Matrix Spike  
Dup Duplicate

Report Approved By: Raland K Tuttle Date: 9-18-05

Raland K. Tuttle, Lab Manager  
Celey D. Keene, Lab Director, Org. Tech Director  
Peggy Allen, QA Officer

Jeanne Mc Murrey, Inorg. Tech Director  
LaTasha Cornish, Chemist  
Sandra Sanchez, Lab Tech.

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-563-1800.

4oz glass on ice w/ labels + seals  
seal on cooler

# Environmental Lab of Texas

## Variance / Corrective Action Report – Sample Log-In

Client: Rice Op.

Date/Time: 9/9/05 7:30

Order #: SI09003

Initials: CK

### Sample Receipt Checklist

Temperature of container/cooler?	Yes	No	0.5	C
Shipping container/cooler in good condition?	Yes	No		
Custody Seals intact on shipping container/cooler?	Yes	No	Not present	
Custody Seals intact on sample bottles?	Yes	No	Not present	
Chain of custody present?	Yes	No		
Sample Instructions complete on Chain of Custody?	Yes	No		
Chain of Custody signed when relinquished and received?	Yes	No		
Chain of custody agrees with sample label(s)	Yes	No		
Container labels legible and intact?	Yes	No		
Sample Matrix and properties same as on chain of custody?	Yes	No		
Samples in proper container/bottle?	Yes	No		
Samples properly preserved?	Yes	No		
Sample bottles intact?	Yes	No		
Preservations documented on Chain of Custody?	Yes	No		
Containers documented on Chain of Custody?	Yes	No		
Sufficient sample amount for indicated test?	Yes	No		
All samples received within sufficient hold time?	Yes	No		
VOC samples have zero headspace?	Yes	No	Not Applicable	

Other observations:

---



---



---

### Variance Documentation:

Contact Person: - \_\_\_\_\_ Date/Time: \_\_\_\_\_ Contacted by: \_\_\_\_\_  
Regarding: \_\_\_\_\_

---



---

Corrective Action Taken:

---



---



---



---



---



---



---



---

# RICE OPERATING COMPANY

122 WEST TAYLOR

HOBBS, NEW MEXICO 88240

PHONE: (505) 393-9174 FAX: (505) 397-1471

## VOC FIELD TEST REPORT FORM

MINI RAE PLUS CLASSIC PHOTOIONIZATION GAS DETECTOR

MODEL NO: PGM 761S

SERIAL NO: 104412

CALIBRATION GAS

GAS COMPOSITION: ISOBUTYLENE  
AIR

100 PPM

BALANCE

LOT NO: 04-2747

FILL DATE: 2-1-05

EXP. DATE: 2-1-06

ACCURACY: +/- 2%

METER READING

ACCURACY: 100.6

SYSTEM	JUNCTION	UNIT	SECTION	TOWNSHIP	RANGE
VAC	N-30	N	30	17S	35E

Vert. @ Source Only

SAMPLE	PID RESULT	SAMPLE	PID RESULT
2'	0.1		
3'	0.1		
4'	0.0		
5'	0.0		
6'	0.0		
7'	0.0		
8'	0.0		
9'	0.0		
10'	0.0		
11'	0.0		
12'	0.0		
13'	0.0		

COPY

I certify that I have calibrated the above instrument in accordance to the manufacture operation manual.

Ray P. Rascon  
Signature

9-6-05  
Date