

GW - 55

REPORTS

YEAR(S):

2012

RECEIVED OGD

JUN 15 2 12 PM



Animas Environmental Services, LLC

www.animasenvironmental.com

June 6, 2012

Glenn von Gonten
Edward Hansen
New Mexico Oil Conservation Division
1220 S. St. Francis Drive
Santa Fe, New Mexico 87505

624 E. Comanche
Farmington, NM 87401
505-564-2281

Durango, Colorado
970-403-3274

**RE: 1st Quarter 2012 Remedial Progress Report for the Thriftway Refinery
626 County Road 5500, Bloomfield, New Mexico**

Dear Mr. von Gonten and Mr. Hansen:

Animas Environmental Services, LLC (AES) has prepared this 1st Quarter 2012 Remedial Progress Report detailing remedial activities during the first quarter of 2012 on behalf of Thriftway Company (Thriftway) for the Thriftway Refinery, located at 626 County Road 5500, Bloomfield, San Juan County, New Mexico, in accordance with New Mexico Oil Conservation Division (NMOCD) and New Mexico Environment Department (NMED) Ground Water Quality Bureau (GWQB) regulations.

The 1st Quarter 2012 Remedial Progress Report details groundwater monitoring and gauging activities, multi-phase extraction (MPE) remediation system operations, and phytoremediation activities conducted at the site between January and March 2012. A General Site Plan is included as Figure 1.

1.0 Groundwater Monitoring and Gauging

BioTech conducted groundwater monitoring and gauging of the monitor wells at the site on February 28 and 29, 2012. Based on the current sampling plan, monitoring and gauging events occur during the first and third quarter of 2012, with groundwater sampling scheduled during the second and fourth quarters. The information below, taken from the Interim Groundwater Sampling Plan submitted to NMOCD on January 25, 2010, lists wells that were gauged during the February 2012 event.

Year 3 Quarter #1 Monitor Well Gauging List

Well Name	Gauging Only	Gauging and Sampling
TW-1 through TW-20	X	*
TW-22 through TW-26	X	*
TW-28 through TW-50	X	*
MW-5, MW-7, MW-20, MW-21	X	*
* No analytical samples collected during quarterly gauging events in the first or third quarters of Years 2 through 4.		

1.1 Measurement of Groundwater Elevations

Depth to groundwater in each of the selected wells was measured with an electronic water level indicator, which has an accuracy of 0.01 feet. Depth to groundwater measurements were recorded on Water Sample Collection Forms. Electronic copies of the Water Sample Collection Forms are included in Appendix A.

1.2 Measurement of Free Product

Each of the wells previously known to contain light non-aqueous phase liquid (LNAPL, or "free product") was measured with an electronic interface probe, and the depths to the top of product and the oil/water interface were recorded on a groundwater measurement form. Free product was measured in February 2012 in 16 wells, including TW-13, TW-14, TW-19, TW-20, TW-22, TW-24 through TW-26, TW-28, TW-29, TW-32, TW-33, TW-36, TW-38, TW-40, and TW-44.

In monitor wells containing free product, corrected groundwater elevations (H_c) were determined using the following formula:

$$H_c = H_m + (H_o * (\rho_o / \rho_w))$$

where:

H_m is the measured elevation of the hydrocarbon-water interface (ft)

H_o is the thickness of the hydrocarbon layer (ft)

ρ_o is the hydrocarbon density of diesel, assumed to be 0.827 (g/ml) (API, 1986)

ρ_w is the water density, assumed to be 1.0 (g/mL)

2.0 Groundwater Monitoring Results

2.1 *Hydraulic Gradient Data*

2.1.1 Hydraulic Gradient

Using surveyed top of casing (TOC) elevations and the recorded groundwater depths, AES determined specific groundwater elevations, relative to sea level, for each well measured. Groundwater elevations across the site in February 2012 ranged from 5,423.88 feet above mean sea level (AMSL) in MW-5 to 5,440.69 feet AMSL in TW-19. Groundwater elevations have increased across the site by an average of 0.19 feet since the last sampling event in November 2012. Groundwater gradient was calculated between TW-1 and MW-5 with a magnitude of 0.008 ft/ft to the northwest for February 2012. The groundwater flow direction has remained stable, in a northwesterly direction, and is consistent with historical site data.

Table 1 includes depth to groundwater measurements and final water table elevations. Groundwater elevation contours for February 2012 are included on Figure 2. Electronic copies of the Water Sample Collection Forms are included in Appendix A.

2.2 *Free Product*

Free product was measured in 16 monitor wells, including TW-13, TW-14, TW-19, TW-20, TW-22, TW-24 through TW-26, TW-28, TW-29, TW-32, TW-33, TW-36, TW-38, TW-40, and TW-44. Measured LNAPL thicknesses ranged from 0.02 feet (TW-24 and TW-38) to 1.47 feet (TW-20). Free product thickness contours for February 2012 are presented in Figure 3, and Graph 1 includes free product thicknesses over time in the eastern portion of the product plume (TW-13, TW-14, TW-19, and TW-22).

3.0 Measurement of Groundwater and Free Product in MPE Wells

BioTech personnel measured depth to groundwater in the Phase 1, 2, and 3 MPE wells on February 29, 2012. Depth to water ranged from 14.14 feet below TOC in MPE-57 to 23.95 feet below TOC in MPE-26. On February 29, 2012, free product ranged from 0.02 feet in MPE-13 and MPE-38 up to 1.06 feet in MPE-26. MPE well data is included in Table 2.

4.0 MPE Remediation System Operations

The MPE remediation system was initially brought online in March 2010. The MPE system consists of an RSI internal combustion engine (ICE) unit with two engines (Engine #1 and Engine #2) to extract soil vapors and free product from the MPE extractions wells. Both Engine #1 and Engine #2 were shut-down between September 2010 and January 2011, when Engine #2 was re-installed at the site and operated until June 23, 2011, when the engine was taken off-line as part of pulsing of the remediation system. The system remained off-line until March 2012. During the week of March 26, 2012, Engine #2 was re-installed and is currently operating within Phase 2 MPE wells. A full report will be included in the second quarter report. A total of 19,157 lbs of petroleum hydrocarbons have been removed from the site to March 31, 2012.

4.1 Air Emissions Sampling

The site remained in pulse mode during the most of the first quarter 2012, therefore, no air sample was collected.

5.0 Phytoremediation Project

During March 2012, BioTech personnel and New Mexico State University (NMSU) Farmington Agricultural Science Center personnel prepared the site for additional poplar planting. Site preparation included:

- Submission of a New Mexico One Call request for the upcoming tree boring installation at the site.
- At the NMSU nursery, BioTech personnel pruned approximately 250 poplar trees in preparation for the early April 2012 planting.
- Soil preparation of the site included installation of tree borings to a depth of 7 feet below ground surface (bgs). Groundwater within the borings was encountered at approximately 4 feet bgs.
- An extension of the irrigation system was also laid out and installed.

Planting of approximately 250 poplar trees was completed in April 2012. Photographs and details will be included within the second quarter report.

6.0 Summary and Conclusions

BioTech Remediation completed groundwater monitoring and gauging at the site in February 2012. Groundwater elevations in February 2012 increased by an average of 0.19 feet since November 2011 and are consistent with historical seasonal fluctuations. The groundwater gradient was calculated to be approximately 0.008 ft/ft in a northwest direction across the site, which is also consistent with historical site data.

In February 2012, free product was observed and measured in 16 monitor wells, including TW-13, TW-14, TW-19, TW-20, TW-22, TW-24 through TW-26, TW-28, TW-29, TW-32, TW-33, TW-36, TW-38, TW-40, and TW-44. Measured thicknesses ranged from 0.02 feet (TW-24 and TW-38) to 1.47 feet (TW-20). In February 2012, free product was also observed in 16 remediation wells, with the greatest thickness measured in MPE-26 (1.06 feet).

Engine #2 was re-installed at the site and has been in operation within Phase 2 MPE wells since March 26, 2012. A total of **19,157** lbs of petroleum hydrocarbons have been mechanically removed from the site since system startup on March 10, 2010, through March 2012.

7.0 Recommendations and Scheduled Site Activities

The following items are scheduled to occur during the 2nd Quarter of 2012:

1. In accordance with the conditions of the Interim Groundwater Sampling Plan approval by NMOCD, the first semi-annual sampling event was conducted in May 2012, and preparation of remedial report is in progress.
2. Approximately 250 poplar trees were planted at the site during April 2012.
3. A representative from BioTech and/or NMSU Agricultural Science Center at Farmington will monitor the status and growth of plants and trees associated with the phytoremediation project.
4. Thriftway will continue to operate the RSI unit utilizing Engine #2, with a focus on continued reduction of free product.


5. BioTech will collect air emission samples from the well gas influent and from the pre-cat and post-cat sample ports from Engine #2. Air samples will be analyzed for benzene, toluene, ethylbenzene, and xylene (BTEX), methyl tert butyl ether (MTBE), and total petroleum hydrocarbons (TPH) per EPA Method 8021B and EPA Method 8015B GRO.
6. BioTech continues to install and develop MPE wells as part of high vacuum extraction activities. In April 2012, a total of 20 additional MPE remediation wells, MPE-58 through MPE-77, were installed as part of the Phase 4 remediation area. The remaining 23 MPE remediation wells are being scheduled for installation.
7. In an email dated February 23, 2012, NMOCD requested that Thriftway install an additional groundwater monitor well approximately 200 feet downgradient (to the WNW/NW) of TW-45 and sample the new well on at least an annual basis for MTBE. Thriftway and AES are in the process of determining the location of the requested well and will obtain NMOCD approval of the new well prior to installation. Thriftway has tentatively scheduled the well installation in July 2012. The well will be sampled, and the analytical results will be incorporated into the 3rd Quarter 2012 progress report.

If you have any questions regarding this report or scheduled site activities, please do not hesitate to contact Ross Kennemer or Elizabeth McNally at (505) 564-2281.

Sincerely,



Deborah Watson,
Project Manager



Elizabeth McNally, P.E.
New Mexico Registration #15799

Attachments:

Table 1. Summary of Groundwater Measurements and Water Quality Data
Table 2. Summary of Groundwater and Free Product Measurements for Phase 1, 2,
and 3 MPE Wells
Figure 1. General Site Plan
Figure 2. Groundwater Elevations, February 2012
Figure 3. Free Product Thickness Contours, February 2012
Graph 1. Free Product Thicknesses over Time in TW-13, TW-14, TW-19, and TW-22
Depth to Groundwater Measurement Forms

cc: Robert Moss
Thriftway Company
501 Airport Drive
Farmington, NM 87401

S:\Animas 2000\2012 Projects\Thriftway\810 Thriftway Refinery, Bloomfield NM\Reports\NMOCD 1st Qtr
2012 Remedial Progress Rpt 060612 final.docx

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>	<i>Corrected GW Elev. (ft)</i>	<i>pH</i>	<i>Conductivity (mS)</i>	<i>Dissolved Oxygen (mg/L)</i>	<i>Temp. (°C)</i>	<i>ORP (mV)</i>	<i>Purge Volume (gallons)</i>
TW-1	26-Jan-09	5471.58		30.53		5441.05	NM	NM	NM	NM	NM	NM
TW-1	19-Aug-09	5471.58		30.73		5440.85	7.09	1.795	8.08	16.17	289.1	1.00
TW-1	19-Feb-10	5471.58		30.68		5440.90	NM	NM	NM	NM	NM	NM
TW-1	07-May-10	5471.58		30.43		5441.15	NM	NM	NM	NM	NM	NM
TW-1	18-Aug-10	5471.58		30.64		5440.94	NM	NM	NM	NM	NM	NM
TW-1	15-Nov-10	5471.58		30.88		5440.70	NM	NM	NM	NM	NM	NM
TW-1	17-Feb-11	5471.58		30.74		5440.84	NM	NM	NM	NM	NM	NM
TW-1	17-May-11	5471.58		30.62		5440.96	NM	NM	NM	NM	NM	NM
TW-1	22-Aug-11	5471.58		31.14		5440.44	NM	NM	NM	NM	NM	NM
TW-1	15-Nov-11	5471.58		31.11		5440.47	NM	NM	NM	NM	NM	NM
TW-1	29-Feb-12	5471.58		30.96		5440.62	NM	NM	NM	NM	NM	NM
TW-2	26-Jan-09	5469.31		28.80		5440.51	NM	NM	NM	NM	NM	NM
TW-2	19-Aug-09	5469.31		28.97		5440.34	7.03	2.948	2.68	16.85	291.3	2.00
TW-2	19-Feb-10	5469.31		28.93		5440.38	NM	NM	NM	NM	NM	NM
TW-2	07-May-10	5469.31		28.71		5440.60	NM	NM	NM	NM	NM	NM
TW-2	18-Aug-10	5469.31		28.88		5440.43	NM	NM	NM	NM	NM	NM
TW-2	15-Nov-10	5469.31		29.11		5440.20	NM	NM	NM	NM	NM	NM
TW-2	17-Feb-11	5469.31		28.97		5440.34	NM	NM	NM	NM	NM	NM
TW-2	17-May-11	5469.31		28.85		5440.46	NM	NM	NM	NM	NM	NM
TW-2	22-Aug-11	5469.31		29.34		5439.97	NM	NM	NM	NM	NM	NM
TW-2	15-Nov-11	5469.31		29.33		5439.98	NM	NM	NM	NM	NM	NM
TW-2	29-Feb-12	5469.31		29.19		5440.12	NM	NM	NM	NM	NM	NM
TW-3	26-Jan-09	5468.14		27.87		5440.27	NM	NM	NM	NM	NM	NM
TW-3	19-Aug-09	5468.14		28.05		5440.09	6.95	4.16	2.120	16.34	289.5	2.50
TW-3	19-Feb-10	5468.14		27.96		5440.18	NM	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>	<i>Corrected GW Elev. (ft)</i>	<i>pH</i>	<i>Conductivity (mS)</i>	<i>Dissolved Oxygen (mg/L)</i>	<i>Temp. (°C)</i>	<i>ORP (mV)</i>	<i>Purge Volume (gallons)</i>
TW-3	10-May-10	5468.14		27.73		5440.41	NM	NM	NM	NM	NM	NM
TW-3	18-Aug-10	5468.14		27.95		5440.19	NM	NM	NM	NM	NM	NM
TW-3	15-Nov-10	5468.14		28.16		5439.98	NM	NM	NM	NM	NM	NM
TW-3	17-Feb-11	5468.14		28.01		5440.13	NM	NM	NM	NM	NM	NM
TW-3	17-May-11	5468.14		27.88		5440.26	NM	NM	NM	NM	NM	NM
TW-3	22-Aug-11	5468.14		28.41		5439.73	NM	NM	NM	NM	NM	NM
TW-3	15-Nov-11	5468.14		28.67		5439.47	NM	NM	NM	NM	NM	NM
TW-3	29-Feb-12	5468.14		28.2		5439.94	NM	NM	NM	NM	NM	NM
TW-4	26-Jan-09	5458.72		NM			NM	NM	NM	NM	NM	NM
TW-4	19-Aug-09	5458.72		19.22		5439.50	7.08	6.739	4.19	16.19	289.9	4.30
TW-4	19-Feb-10	5458.72		19.09		5439.63	NM	NM	NM	NM	NM	NM
TW-4	10-May-10	5458.72		18.86		5439.86	NM	NM	NM	NM	NM	NM
TW-4	18-Aug-10	5458.72		19.12		5439.60	NM	NM	NM	NM	NM	NM
TW-4	15-Nov-10	5458.72		19.31		5439.41	NM	NM	NM	NM	NM	NM
TW-4	17-Feb-11	5458.72		19.12		5439.60	NM	NM	NM	NM	NM	NM
TW-4	17-May-11	5458.72		19.01		5439.71	NM	NM	NM	NM	NM	NM
TW-4	22-Aug-11	5458.72		19.53		5439.19	NM	NM	NM	NM	NM	NM
TW-4	15-Nov-11	5458.72		19.50		5439.22	NM	NM	NM	NM	NM	NM
TW-4	29-Feb-12	5458.72		19.32		5439.40	NM	NM	NM	NM	NM	NM
TW-5	26-Jan-09	5465.18		25.44		5439.74	NM	NM	NM	NM	NM	NM
TW-5	19-Aug-09	5465.18		25.58		5439.60	6.96	3.636	5.53	16.55	298.9	3.60
TW-5	19-Feb-10	5465.18		25.53		5439.65	NM	NM	NM	NM	NM	NM
TW-5	10-May-10	5465.18		25.31		5439.87	NM	NM	NM	NM	NM	NM
TW-5	18-Aug-10	5465.18		25.49		5439.69	NM	NM	NM	NM	NM	NM
TW-5	15-Nov-10	5465.18		25.70		5439.48	NM	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

Well ID	Date	T.O.C. (ft amsl)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	Corrected GW Elev. (ft)	pH	Conductivity (mS)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Purge Volume (gallons)
TW-5	17-Feb-11	5465.18		25.55		5439.63	NM	NM	NM	NM	NM	NM
TW-5	17-May-11	5465.18		25.42		5439.76	NM	NM	NM	NM	NM	NM
TW-5	22-Aug-11	5465.18		25.89		5439.29	NM	NM	NM	NM	NM	NM
TW-5	15-Nov-11	5465.18		25.93		5439.25	NM	NM	NM	NM	NM	NM
TW-5	29-Feb-12	5465.18		25.77		5439.41	NM	NM	NM	NM	NM	NM
TW-6	26-Jan-09	5463.57		24.67		5438.90	NM	NM	NM	NM	NM	NM
TW-6	19-Aug-09	5463.57		24.82		5438.75	6.95	4.535	1.81	16.24	295.6	4.00
TW-6	19-Feb-10	5463.57		24.74		5438.83	NM	NM	NM	NM	NM	NM
TW-6	10-May-10	5463.57		24.54		5439.03	NM	NM	NM	NM	NM	NM
TW-6	18-Aug-10	5463.57		24.73		5438.84	NM	NM	NM	NM	NM	NM
TW-6	15-Nov-10	5463.57		24.90		5438.67	NM	NM	NM	NM	NM	NM
TW-6	17-Feb-11	5463.57		24.57		5439.00	NM	NM	NM	NM	NM	NM
TW-6	17-May-11	5463.57		24.64		5438.93	NM	NM	NM	NM	NM	NM
TW-6	22-Aug-11	5463.57		25.10		5438.47	NM	NM	NM	NM	NM	NM
TW-6	15-Nov-11	5463.57		25.11		5438.46	NM	NM	NM	NM	NM	NM
TW-6	29-Feb-12	5463.57		24.94		5438.63	NM	NM	NM	NM	NM	NM
TW-7	26-Jan-09	5461.17		22.14		5439.03	NM	NM	NM	NM	NM	NM
TW-7	19-Aug-09	5461.17		22.25		5438.92	6.92	4.780	1.67	16.37	290.3	3.00
TW-7	19-Feb-10	5461.17		22.17		5439.00	NM	NM	NM	NM	NM	NM
TW-7	10-May-10	5461.17		21.97		5439.20	NM	NM	NM	NM	NM	NM
TW-7	18-Aug-10	5461.17		22.17		5439.00	NM	NM	NM	NM	NM	NM
TW-7	15-Nov-10	5461.17		22.37		5438.80	NM	NM	NM	NM	NM	NM
TW-7	17-Feb-11	5461.17		22.78		5438.39	NM	NM	NM	NM	NM	NM
TW-7	18-May-11	5461.17		22.10		5439.07	7.19	3.455	0.49	14.65	-21.8	2
TW-7	22-Aug-11	5461.17		22.55		5438.62	NM	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>	<i>Corrected GW Elev. (ft)</i>	<i>pH</i>	<i>Conductivity (mS)</i>	<i>Dissolved Oxygen (mg/L)</i>	<i>Temp. (°C)</i>	<i>ORP (mV)</i>	<i>Purge Volume (gallons)</i>
TW-7	17-Nov-11	5461.17		22.59		5438.58	7.25	3.321	1.66	11.31	-25.1	1.00
TW-7	29-Feb-12	5461.17		22.41		5438.76	NM	NM	NM	NM	NM	NM
TW-8	26-Jan-09	5458.29		19.62		5438.67	NM	NM	NM	NM	NM	NM
TW-8	20-Aug-09	5458.29		19.88		5438.41	7.12	4.523	1.40	14.52	264.7	4.00
TW-8	19-Feb-10	5458.29		19.59		5438.70	NM	NM	NM	NM	NM	NM
TW-8	10-May-10	5458.29		19.73		5438.56	NM	NM	NM	NM	NM	NM
TW-8	18-Aug-10	5458.29		19.72		5438.57	NM	NM	NM	NM	NM	NM
TW-8	15-Nov-10	5458.29		19.87		5438.42	NM	NM	NM	NM	NM	NM
TW-8	17-Feb-11	5458.29		20.21		5438.08	NM	NM	NM	NM	NM	NM
TW-8	18-May-11	5458.29		19.59		5438.70	7.13	4.364	0.25	13.05	-18.3	2
TW-8	22-Aug-11	5458.29		20.12		5438.17	NM	NM	NM	NM	NM	NM
TW-8	15-Nov-11	5458.29		20.03		5438.26	NM	NM	NM	NM	NM	NM
TW-8	19-Feb-12	5458.29		19.83		5438.46	NM	NM	NM	NM	NM	NM
TW-9	26-Jan-09	5450.61		12.05		5438.56	NM	NM	NM	NM	NM	NM
TW-9	20-Aug-09	5450.61		12.49		5438.12	7.57	2.397	1.33	16.93	269.2	2.50
TW-9	19-Feb-10	5450.61		11.99		5438.62	NM	NM	NM	NM	NM	NM
TW-9	10-May-10	5450.61		11.89		5438.72	NM	NM	NM	NM	NM	NM
TW-9	18-Aug-10	5450.61		12.30		5438.31	NM	NM	NM	NM	NM	NM
TW-9	15-Nov-10	5450.61		12.36		5438.25	NM	NM	NM	NM	NM	NM
TW-9	17-Feb-11	5450.61		12.09		5438.52	NM	NM	NM	NM	NM	NM
TW-9	17-May-11	5450.61		12.13		5438.48	NM	NM	NM	NM	NM	NM
TW-9	22-Aug-11	5450.61		12.77		5437.84	NM	NM	NM	NM	NM	NM
TW-9	15-Nov-11	5450.61		12.54		5438.07	NM	NM	NM	NM	NM	NM
TW-9	29-Feb-12	5450.61		12.28		5438.33	NM	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

Well ID	Date	T.O.C. (ft amsl)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	Corrected GW Elev. (ft)	pH	Conductivity (mS)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Purge Volume (gallons)
TW-10	26-Jan-09	5450.16		12.25		5437.91	NM	NM	NM	NM	NM	NM
TW-10	20-Aug-09	5450.16		12.70		5437.46	7.37	4.019	1.42	16.75	254.7	4.00
TW-10	19-Feb-10	5450.16		12.19		5437.97	NM	NM	NM	NM	NM	NM
TW-10	10-May-10	5450.16		12.15		5438.01	NM	NM	NM	NM	NM	NM
TW-10	18-Aug-10	5450.16		12.52		5437.64	NM	NM	NM	NM	NM	NM
TW-10	15-Nov-10	5450.16		12.54		5437.62	NM	NM	NM	NM	NM	NM
TW-10	17-Feb-11	5450.16		12.87		5437.29	NM	NM	NM	NM	NM	NM
TW-10	17-May-11	5450.16		12.36		5437.80	NM	NM	NM	NM	NM	NM
TW-10	22-Aug-11	5450.16		12.94		5437.22	NM	NM	NM	NM	NM	NM
TW-10	15-Nov-11	5450.16		12.73		5437.43	NM	NM	NM	NM	NM	NM
TW-10	29-Feb-12	5450.16		12.49		5437.67	NM	NM	NM	NM	NM	NM
TW-11	26-Jan-09	5456.31		18.02		5438.29	NM	NM	NM	NM	NM	NM
TW-11	20-Aug-09	5456.31		18.22		5438.09	7.43	6.704	2.52	15.35	261.4	4.00
TW-11	17-Feb-10	5456.31		18.04		5438.27	7.14	10.42	3.98	12.88	49.7	4.20
TW-11	11-May-10	5456.31		17.89		5438.42	7.22	6.44	2.32	13.25	232.1	3.75
TW-11	18-Aug-10	5456.31		18.04		5438.27	NM	NM	NM	NM	NM	NM
TW-11	15-Nov-10	5456.31		18.24		5438.07	NM	NM	NM	NM	NM	NM
TW-11	17-Feb-11	5456.31		18.15		5438.16	NM	NM	NM	NM	NM	NM
TW-11	17-May-11	5456.31		18.01		5438.30	NM	NM	NM	NM	NM	NM
TW-11	23-Aug-11	5456.31		18.43		5437.88	NM	NM	NM	NM	NM	NM
TW-11	17-Nov-11	5456.31		18.44		5437.87	7.36	5.238	2.92	13.92	-31.4	1.00
TW-11	29-Feb-12	5456.31		18.25		5438.06	NM	NM	NM	NM	NM	NM
TW-12	26-Jan-09	5460.44	22.34	22.44	0.10	5438.08	NM	NM	NM	NM	NM	NM
TW-12	20-Aug-09	5460.44		22.50		5437.94	7.02	3.881	2.34	17.09	266.5	2.50
TW-12	17-Feb-10	5460.44		22.39		5438.05	6.94	5.727	1.46	15.59	206.2	3.00

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>	<i>Corrected GW Elev. (ft)</i>	<i>pH</i>	<i>Conductivity (mS)</i>	<i>Dissolved Oxygen (mg/L)</i>	<i>Temp. (°C)</i>	<i>ORP (mV)</i>	<i>Purge Volume (gallons)</i>
TW-12	11-May-10	5460.44		22.21		5438.23	7.05	3.295	0.76	15.56	217.9	3.75
TW-12	19-Aug-10	5460.44		22.39		5438.05	6.93	3.343	0.55	16.74	399.3	2.50
TW-12	15-Nov-10	5460.44		22.54		5437.90	6.93	3.343	0.55	16.74	399.3	2.50
TW-12	17-Feb-11	5460.44		22.39		5438.05	NM	NM	NM	NM	NM	NM
TW-12	17-May-11	5460.44		22.30		5438.14	NM	NM	NM	NM	NM	NM
TW-12	22-Aug-11	5460.44		22.73		5437.71	NM	NM	NM	NM	NM	NM
TW-12	16-Nov-11	5460.44		22.74		5437.70	NM	NM	NM	NM	NM	NM
TW-12	28-Feb-12	5460.44		22.57		5437.87	NM	NM	NM	NM	NM	NM
TW-13	26-Jan-09	5458.17	20.52	21.46	0.94	5437.49	NM	NM	NM	NM	NM	NM
TW-13	12-Aug-09	5458.17	20.75	21.77	1.02	5437.24	NM	NM	NM	NM	NM	NM
TW-13	11-Nov-09	5458.17	20.76	21.86	1.10	5437.22	NM	NM	NM	NM	NM	NM
TW-13	15-Feb-10	5458.17	20.59	21.48	0.89	5437.43	NM	NM	NM	NM	NM	NM
TW-13	07-May-10	5458.17	20.44	21.03	0.59	5437.63	NM	NM	NM	NM	NM	NM
TW-13	21-Jun-10	5458.17	20.48	21.15	0.67	5437.57	NM	NM	NM	NM	NM	NM
TW-13	18-Aug-10	5458.17	20.77	21.15	0.38	5437.33	NM	NM	NM	NM	NM	NM
TW-13	15-Nov-10	5458.17	20.79	21.39	0.60	5437.28	NM	NM	NM	NM	NM	NM
TW-13	23-Feb-11	5458.17	20.58	21.50	0.92	5437.43	NM	NM	NM	NM	NM	NM
TW-13	18-May-11	5458.17		20.66		5437.51	Not Sampled - Sheen of NAPL Present					
TW-13	23-Aug-11	5458.17	21.08	21.57	0.49	5437.01	Not Sampled - NAPL Present					
TW-13	16-Nov-11	5458.17	20.90	22.04	1.14	5437.07	Not Sampled - NAPL Present					
TW-13	29-Feb-12	5458.17	20.79	21.70	0.91	5437.22	Not Sampled - NAPL Present					
TW-14	26-Jan-09	5454.24	16.71	17.02	0.31	5437.48	NM	NM	NM	NM	NM	NM
TW-14	20-Aug-09	5454.24	16.89	17.02	0.13	5437.33	Not Sampled - NAPL present					
TW-14	11-Nov-09	5454.24	17.20	17.67	0.47	5436.96	NM	NM	NM	NM	NM	NM
TW-14	15-Feb-10	5454.24	16.98	17.22	0.24	5437.22	NM	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

Well ID	Date	T.O.C. (ft amsl)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	Corrected GW Elev. (ft)	pH	Conductivity (mS)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Purge Volume (gallons)
TW-14	11-May-10	5454.24		16.85	sheen	5437.39	7.25	3.49	0.11	16.95	214.6	NM
TW-14	18-Aug-10	5454.24	17.01	17.03	0.02	5437.23	NM	NM	NM	NM	NM	NM
TW-14	15-Nov-10	5454.24		17.17		5437.07	NM	NM	NM	NM	NM	NM
TW-14	17-Feb-11	5454.24	17.04	17.05	0.01	5437.20	NM	NM	NM	NM	NM	NM
TW-14	18-May-11	5454.24		16.99		5437.25	Not Sampled - Sheen of NAPL present					
TW-14	23-Aug-11	5454.24		17.48		5436.76	NM	NM	NM	NM	NM	NM
TW-14	16-Nov-11	5454.24	17.34	17.99	0.65	5436.79	NM	NM	NM	NM	NM	NM
TW-14	29-Feb-12	5454.24	17.21	17.52	0.31	5436.98	NM	NM	NM	NM	NM	NM
TW-15	26-Jan-09	5450.44		12.99		5437.45	NM	NM	NM	NM	NM	NM
TW-15	20-Aug-09	5450.44		13.35		5437.09	7.26	6.056	3.64	16.49	320.0	4.30
TW-15	17-Feb-10	5450.44		12.93		5437.51	NM	NM	NM	NM	NM	NM
TW-15	10-May-10	5450.44		12.86		5437.58	NM	NM	NM	NM	NM	NM
TW-15	18-Aug-10	5450.44		13.21		5437.23	NM	NM	NM	NM	NM	NM
TW-15	15-Nov-10	5450.44		13.24		5437.20	NM	NM	NM	NM	NM	NM
TW-15	17-Feb-11	5450.44		13.05		5437.39	NM	NM	NM	NM	NM	NM
TW-15	17-May-11	5450.44		13.09		5437.35	NM	NM	NM	NM	NM	NM
TW-15	23-Aug-11	5450.44		13.58		5436.86	NM	NM	NM	NM	NM	NM
TW-15	16-Nov-11	5450.44		13.42		5437.02	NM	NM	NM	NM	NM	NM
TW-15	29-Feb-12	5450.44		13.19		5437.25	NM	NM	NM	NM	NM	NM
TW-16	26-Jan-09	5448.45		11.11		5437.34	NM	NM	NM	NM	NM	NM
TW-16	20-Aug-09	5448.45		11.85		5436.60	7.40	6.025	3.66	16.57	285.2	1.00
TW-16	17-Feb-10	5448.45		11.10		5437.35	NM	NM	NM	NM	NM	NM
TW-16	17-May-10	5448.45		11.25		5437.2	7.33	3.684	2.19	13.64	227.1	3.75
TW-16	18-Aug-10	5448.45		11.45		5437.00	NM	NM	NM	NM	NM	NM
TW-16	15-Nov-10	5448.45		11.52		5436.93	NM	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>	<i>Corrected GW Elev. (ft)</i>	<i>pH</i>	<i>Conductivity (mS)</i>	<i>Dissolved Oxygen (mg/L)</i>	<i>Temp. (°C)</i>	<i>ORP (mV)</i>	<i>Purge Volume (gallons)</i>
TW-16	17-Feb-11	5448.45		11.21		5437.24	NM	NM	NM	NM	NM	NM
TW-16	17-May-11	5448.45		11.32		5437.13	NM	NM	NM	NM	NM	NM
TW-16	22-Aug-11	5448.45		11.23		5437.22	NM	NM	NM	NM	NM	NM
TW-16	16-Nov-11	5448.45		11.67		5436.78	NM	NM	NM	NM	NM	NM
TW-16	29-Feb-12	5448.45		11.44		5437.01	NM	NM	NM	NM	NM	NM
TW-17	26-Jan-09	5446.24		9.82		5436.42	NM	NM	NM	NM	NM	NM
TW-17	21-Aug-09	5446.24		10.31		5435.93	7.13	6.100	8.37	17.86	289.9	3.00
TW-17	17-Feb-10	5446.24		9.75		5436.49	NM	NM	NM	NM	NM	NM
TW-17	10-May-10	5446.24		9.83		5436.41	NM	NM	NM	NM	NM	NM
TW-17	18-Aug-10	5446.24		10.21		5436.03	NM	NM	NM	NM	NM	NM
TW-17	15-Nov-10	5446.24		10.18		5436.06	NM	NM	NM	NM	NM	NM
TW-17	17-Feb-11	5446.24		9.92		5436.32	NM	NM	NM	NM	NM	NM
TW-17	17-May-11	5446.24		10.03		5436.21	NM	NM	NM	NM	NM	NM
TW-17	22-Aug-11	5446.24		10.51		5435.73	NM	NM	NM	NM	NM	NM
TW-17	16-Nov-11	5446.24		10.29		5435.95	NM	NM	NM	NM	NM	NM
TW-17	29-Feb-12	5446.24		10.06		5436.18	NM	NM	NM	NM	NM	NM
TW-18	26-Jan-09	5452.73		16.29		5436.44	NM	NM	NM	NM	NM	NM
TW-18	21-Aug-09	5452.73		16.48		5436.25	6.94	5.273	7.64	17.32	285.8	4.00
TW-18	17-Feb-10	5452.73		16.21		5436.52	6.8	7.990	2.04	15.58	210	3.30
TW-18	10-May-10	5452.73		16.11		5436.62	7.1	4.830	0.75	15.40	222	3.75
TW-18	18-Aug-10	5452.73		16.31		5436.42	NM	NM	NM	NM	NM	NM
TW-18	16-Nov-10	5452.73		16.50		5436.23	7.1	4.730	0.82	16.85	-19	3.00
TW-18	17-Feb-11	5452.73		16.33		5436.40	NM	NM	NM	NM	NM	NM
TW-18	18-May-11	5452.73		16.30		5436.43	NM	NM	NM	NM	NM	NM
TW-18	23-Aug-11	5452.73		16.64		5436.09	NM	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>	<i>Corrected GW Elev. (ft)</i>	<i>pH</i>	<i>Conductivity (mS)</i>	<i>Dissolved Oxygen (mg/L)</i>	<i>Temp. (°C)</i>	<i>ORP (mV)</i>	<i>Purge Volume (gallons)</i>
TW-18	17-Nov-11	5452.73		16.66		5436.07	7.25	4.639	0.64	15.59	-25.1	1.00
TW-18	29-Feb-12	5452.73		16.48		5436.25	7.25	NM	NM	NM	NM	NM
TW-19	26-Jan-09	5458.49	22.01	22.57	0.56	5436.38	NM	NM	NM	NM	NM	NM
TW-19	13-Aug-09	5458.49	22.13	22.86	0.73	5436.23	Not Sampled - NAPL present					
TW-19	11-Nov-09	5458.49	TW damaged by demolition work									
TW-19	15-Feb-10	5458.49	TW damaged by demolition work									
TW-19	07-May-10	5458.49	17.45	17.52	0.07	5441.03	NM	NM	NM	NM	NM	NM
TW-19	18-Aug-10	5458.49		17.66	Sheen	5440.83	NM	NM	NM	NM	NM	NM
TW-19	15-Nov-10	5458.49	17.79	18.02	0.23	5440.66	NM	NM	NM	NM	NM	NM
TW-19	17-Feb-11	5458.49	Attached to RSI Unit									
TW-19	18-May-11	5458.49		17.63		5440.86	Not Sampled - Sheen of NAPL Present					
TW-19	23-Aug-11	5458.49	17.84	18.34	0.50	5440.56	Not Sampled - NAPL Present					
TW-19	16-Nov-11	5458.49	17.90	18.60	0.70	5440.47	Not Sampled - NAPL Present					
TW-19	29-Feb-12	5458.49	17.74	18.11	0.37	5440.69	Not Sampled - NAPL Present					
TW-20	26-Jan-09	5453.74	17.36	18.62	1.26	5436.16	NM	NM	NM	NM	NM	NM
TW-20	13-Aug-09	5453.74	17.64	19.17	1.53	5435.84	Not Sampled - NAPL present					
TW-20	11-Nov-09	5453.74	17.52	19.45	1.93	5435.89	NM	NM	NM	NM	NM	NM
TW-20	15-Feb-10	5453.74	17.4	18.73	1.33	5436.11	NM	NM	NM	NM	NM	NM
TW-20	07-May-10	5453.74	17.28	18.25	0.97	5436.29	NM	NM	NM	NM	NM	NM
TW-20	07-May-10	5453.74	17.28	18.25	0.97	5436.29	NM	NM	NM	NM	NM	NM
TW-20	18-Aug-10	5453.74	Attached to RSI Unit									
TW-20	15-Nov-10	5453.74	17.56	18.88	1.32	5435.95	NM	NM	NM	NM	NM	NM
TW-20	17-Feb-11	5453.74	Attached to RSI Unit									
TW-20	17-May-11	5453.74	17.40	17.45	0.05	5436.33	Not Sampled - NAPL Present					
TW-20	23-Aug-11	5453.74	17.87	19.40	1.53	5435.61	Not Sampled - NAPL Present					

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

Well ID	Date	T.O.C. (ft amsl)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	Corrected GW Elev. (ft)	pH	Conductivity (mS)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Purge Volume (gallons)
TW-20	16-Nov-11	5453.74	17.64	19.60	1.96	5435.76	Not Sampled - NAPL Present					
TW-20	29-Feb-12	5453.74	17.55	19.02	1.47	5435.94	Not Sampled - NAPL Present					
TW-21	26-Jan-09	5451.85	16.35	16.94	0.59	5435.40	NM	NM	NM	NM	NM	NM
TW-21	13-Aug-09	5451.85	16.50	16.94	0.44	5435.27	Not Sampled - NAPL present					
TW-21	12-Nov-09	5451.85	TW damaged by demolition work									
TW-21	15-Feb-10	5451.85	TW damaged by demolition work									
TW-21	07-May-10	5451.85	TW damaged by demolition work									
TW-21	18-Aug-10	5451.85	TW damaged by demolition work									
TW-21	15-Nov-10	5451.85	TW damaged by demolition work									
TW-21	23-Feb-11	5451.85	TW damaged by demolition work									
TW-21	17-May-11	5451.85	TW damaged by demolition work									
TW-21	23-Aug-11	5451.85	TW damaged by demolition work									
TW-21	16-Nov-11	5451.85	TW damaged by demolition work									
TW-21	29-Feb-12	5451.85	TW damaged by demolition work									
TW-22	26-Jan-09	5450.19	14.69	15.26	0.57	5435.40	NM	NM	NM	NM	NM	NM
TW-22	13-Aug-09	5450.19	14.79	15.39	0.60	5435.30	Not Sampled - NAPL present					
TW-22	12-Nov-09	5450.19	14.88	15.58	0.70	5435.19	NM	NM	NM	NM	NM	NM
TW-22	15-Feb-10	5450.19	14.72	15.03	0.31	5435.42	NM	NM	NM	NM	NM	NM
TW-22	07-May-10	5450.19	14.63	14.73	0.10	5435.54	NM	NM	NM	NM	NM	NM
TW-22	18-Aug-10	5450.19	14.74	15.01	0.27	5435.40	NM	NM	NM	NM	NM	NM
TW-22	15-Nov-10	5450.19	14.94	15.14	0.20	5435.22	NM	NM	NM	NM	NM	NM
TW-22	23-Feb-11	5450.19	14.80	15.14	0.34	5435.33	NM	NM	NM	NM	NM	NM
TW-22	17-May-11	5450.19	14.79	15.02	0.23	5435.36	Not Sampled - NAPL Present					
TW-22	23-Aug-11	5450.19	15.13	15.16	0.03	5435.05	Not Sampled - NAPL Present					
TW-22	16-Nov-11	5450.19	15.10	15.62	0.52	5435.00	Not Sampled - NAPL Present					

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

Well ID	Date	T.O.C. (ft amsl)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	Corrected GW Elev. (ft)	pH	Conductivity (mS)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Purge Volume (gallons)
TW-22	29-Feb-12	5450.19	14.96	15.30	0.34	5435.17	Not Sampled - NAPL Present					
TW-23	26-Jan-08	5443.64		8.73		5434.91	NM	NM	NM	NM	NM	NM
TW-23	21-Aug-09	5443.64		9.07		5434.57	7.17	7.95	5.40	18.47	286.8	3.00
TW-23	17-Feb-10	5443.64		8.61		5435.03	NM	NM	NM	NM	NM	NM
TW-23	10-May-10	5443.64		8.64		5435.00	NM	NM	NM	NM	NM	NM
TW-23	18-Aug-10	5443.64		8.94		5434.70	NM	NM	NM	NM	NM	NM
TW-23	15-Nov-10	5443.64		9.10		5434.54	NM	NM	NM	NM	NM	NM
TW-23	17-Feb-11	5443.64		9.51		5434.13	NM	NM	NM	NM	NM	NM
TW-23	17-May-11	5443.64		8.99		5434.65	NM	NM	NM	NM	NM	NM
TW-23	22-Aug-11	5443.64		9.05		5434.59	NM	NM	NM	NM	NM	NM
TW-23	16-Nov-11	5443.64		9.05		5434.59	NM	NM	NM	NM	NM	NM
TW-23	29-Feb-12	5443.64		9.01		5434.63	NM	NM	NM	NM	NM	NM
TW-24	26-Jan-09	5444.79	11.84	11.85	0.01	5432.95	NM	NM	NM	NM	NM	NM
TW-24	21-Aug-09	5444.79	11.10	11.22	0.12	5433.67	Not Sampled - NAPL Present					
TW-24	13-Nov-09	5444.79	11.07	11.15	0.08	5433.71	NM	NM	NM	NM	NM	NM
TW-24	17-Feb-10	5444.79		10.78		5434.01	6.62	7.86	0.74	13.77	436.8	3.00
TW-24	11-May-10	5444.79		10.63		5434.16	7.05	4.70	0.33	14.39	229	3.75
TW-24	18-Aug-10	5444.79		11.09	Sheen	5433.70	NM	NM	NM	NM	NM	NM
TW-24	15-Nov-10	5444.79	11.17	11.30	0.13	5433.60	NM	NM	NM	NM	NM	NM
TW-24	23-Feb-11	5444.79	11.09	11.15	0.06	5433.69	NM	NM	NM	NM	NM	NM
TW-24	17-May-11	5444.79	11.09	11.15	0.06	5433.69	Not Sampled - NAPL Present					
TW-24	23-Aug-11	5444.79	11.34	11.47	0.13	5433.43	Not Sampled - NAPL Present					
TW-24	16-Nov-11	5444.79	11.26	11.37	0.11	5433.51	Not Sampled - NAPL Present					
TW-24	29-Feb-12	5444.79	11.08	11.10	0.02	5433.71	Not Sampled - NAPL Present					

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>	<i>Corrected GW Elev. (ft)</i>	<i>pH</i>	<i>Conductivity (mS)</i>	<i>Dissolved Oxygen (mg/L)</i>	<i>Temp. (°C)</i>	<i>ORP (mV)</i>	<i>Purge Volume (gallons)</i>
TW-25	26-Jan-09	5448.80	14.05	14.41	0.36	5434.69	NM	NM	NM	NM	NM	NM
TW-25	13-Aug-09	5448.80	14.14	14.63	0.49	5434.58	Not Sampled - NAPL present					
TW-25	12-Nov-09	5448.80	14.24	14.91	0.67	5434.44	NM	NM	NM	NM	NM	NM
TW-25	15-Feb-10	5448.80	14.03	14.41	0.38	5434.70	NM	NM	NM	NM	NM	NM
TW-25	07-May-10	5448.80	13.88	14.18	0.30	5434.87	NM	NM	NM	NM	NM	NM
TW-25	18-Aug-10	5448.80	14.00	14.39	0.39	5434.73	NM	NM	NM	NM	NM	NM
TW-25	15-Nov-10	5448.80	14.40	14.71	0.31	5434.35	NM	NM	NM	NM	NM	NM
TW-25	23-Feb-11	5448.80	14.21	14.45	0.24	5434.55	NM	NM	NM	NM	NM	NM
TW-25	17-May-11	5448.80	14.09	14.29	0.20	5434.68	Not Sampled - NAPL Present					
TW-25	23-Aug-11	5448.80	14.35	14.85	0.50	5434.36	Not Sampled - NAPL Present					
TW-25	16-Nov-11	5448.80	14.30	15.12	0.82	5434.36	Not Sampled - NAPL Present					
TW-25	29-Feb-12	5448.80	14.25	14.71	0.46	5434.47	Not Sampled - NAPL Present					
TW-26	26-Jan-09	5450.34	15.80	16.76	0.96	5434.37	NM	NM	NM	NM	NM	NM
TW-26	13-Aug-09	5450.34	15.83	17.29	1.46	5434.26	Not Sampled - NAPL present					
TW-26	12-Nov-09	5450.34	15.91	17.47	1.56	5434.16	NM	NM	NM	NM	NM	NM
TW-26	15-Feb-10	5450.34	15.81	16.86	1.05	5434.35	NM	NM	NM	NM	NM	NM
TW-26	07-May-10	5450.34	15.68	16.22	0.54	5434.57	NM	NM	NM	NM	NM	NM
TW-26	18-Aug-10	5450.34	15.75	16.75	1.00	5434.42	NM	NM	NM	NM	NM	NM
TW-26	15-Nov-10	5450.34	15.85	17.06	1.21	5434.28	NM	NM	NM	NM	NM	NM
TW-26	23-Feb-11	5450.34	15.81	16.75	0.94	5434.37	NM	NM	NM	NM	NM	NM
TW-26	17-May-11	5450.34	15.74	16.50	0.76	5434.47	Not Sampled - NAPL Present					
TW-26	24-Aug-11	5450.34	16.02	17.44	1.42	5434.07	Not Sampled - NAPL Present					
TW-26	16-Nov-11	5450.34	15.98	17.40	1.42	5434.11	Not Sampled - NAPL Present					
TW-26	29-Feb-12	5450.34	15.94	16.85	0.91	5434.24	Not Sampled - NAPL Present					
TW-28	26-Jan-09	5449.24	15.28	15.79	0.51	5433.87	NM	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

Well ID	Date	T.O.C. (ft amsl)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	Corrected GW Elev. (ft)	pH	Conductivity (mS)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Purge Volume (gallons)
TW-28	13-Aug-09	5449.24	15.27	16.31	1.04	5433.79	Not Sampled - NAPL present					
TW-28	12-Nov-09	5449.24	15.35	16.74	1.39	5433.65	NM	NM	NM	NM	NM	NM
TW-28	15-Feb-10	5449.24	15.22	16.10	0.88	5433.87	NM	NM	NM	NM	NM	NM
TW-28	07-May-10	5449.24	15.08	15.47	0.39	5434.09	NM	NM	NM	NM	NM	NM
TW-28	18-Aug-10	5449.24	15.12	16.09	0.97	5433.95	NM	NM	NM	NM	NM	NM
TW-28	15-Nov-10	5449.24	15.49	16.67	1.18	5433.55	NM	NM	NM	NM	NM	NM
TW-28	23-Feb-11	5449.24	15.24	16.39	1.15	5433.80	NM	NM	NM	NM	NM	NM
TW-28	17-May-11	5449.24	15.19	16.09	0.90	5433.89	Not Sampled - NAPL Present					
TW-28	24-Aug-11	5449.24	15.33	16.87	1.54	5433.64	Not Sampled - NAPL Present					
TW-28	16-Nov-11	5449.24	15.40	16.94	1.54	5433.57	Not Sampled - NAPL Present					
TW-28	29-Feb-12	5449.24	15.33	16.46	1.13	5433.71	Not Sampled - NAPL Present					
TW-29	26-Jan-09	5441.87	9.12	9.14	0.02	5432.75	NM	NM	NM	NM	NM	NM
TW-29	13-Aug-09	5441.87	9.22	10.06	0.84	5432.50	Not Sampled - NAPL present					
TW-29	13-Nov-09	5441.87	9.25	9.91	0.66	5432.51	NM	NM	NM	NM	NM	NM
TW-29	17-Feb-10	5441.87		8.96		5432.91	6.00	8.583	0.60	13.79	357.9	3.60
TW-29	07-May-10	5441.87	8.91	8.96	0.05	5432.95	NM	NM	NM	NM	NM	NM
TW-29	18-Aug-10	5441.87	9.14	9.69	0.55	5432.63	NM	NM	NM	NM	NM	NM
TW-29	15-Nov-10	5441.87	9.43	10.23	0.80	5432.30	NM	NM	NM	NM	NM	NM
TW-29	23-Feb-11	5441.87	10.31	10.90	0.59	5431.46	NM	NM	NM	NM	NM	NM
TW-29	17-May-11	5441.87	9.35	9.83	0.48	5432.44	Not Sampled - NAPL Present					
TW-29	24-Aug-11	5441.87	9.43	10.38	0.95	5432.28	Not Sampled - NAPL Present					
TW-29	16-Nov-11	5441.87	9.46	10.16	0.70	5432.29	Not Sampled - NAPL Present					
TW-29	29-Feb-12	5441.87	9.37	9.78	0.41	5432.43	Not Sampled - NAPL Present					
TW-30	26-Jan-09	5437.93		5.69		5432.24	NM	NM	NM	NM	NM	NM
TW-30	21-Aug-09	5437.93		6.07		5431.86	6.61	7.238	5.52	18.52	304.0	5.50

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>	<i>Corrected GW Elev. (ft)</i>	<i>pH</i>	<i>Conductivity (mS)</i>	<i>Dissolved Oxygen (mg/L)</i>	<i>Temp. (°C)</i>	<i>ORP (mV)</i>	<i>Purge Volume (gallons)</i>
TW-30	17-Feb-10	5437.93		5.65		5432.28	6.26	8.169	1.47	11.21	476.9	5.60
TW-30	11-May-10	5437.93		5.67		5432.26	6.77	5.188	0.76	12.56	238.8	3.75
TW-30	18-Aug-10	5437.93		5.99		5431.94	NM	NM	NM	NM	NM	NM
TW-30	16-Nov-10	5437.93		6.34		5431.59	6.96	6.832	0.61	15.28	-8.8	3.00
TW-30	17-Feb-11	5437.93		6.24		5431.69	NM	NM	NM	NM	NM	NM
TW-30	17-May-11	5437.93		6.22		5431.71	NM	NM	NM	NM	NM	NM
TW-30	24-Aug-11	5437.93		6.47		5431.46	NM	NM	NM	NM	NM	NM
TW-30	17-Nov-11	5437.93		6.25		5431.68	7.21	6.482	0.54	12.97	-23.1	1.00
TW-30	28-Feb-12	5437.93		6.18		5431.75	NM	NM	NM	NM	NM	NM
TW-31	26-Jan-09	5438.54		6.94		5431.60	NM	NM	NM	NM	NM	NM
TW-31	21-Aug-09	5438.54		7.18		5431.36	6.84	10.35	6.90	21.75	319.9	3.00
TW-31	17-Feb-10	5438.54		6.82		5431.72	6.63	9.906	3.95	9.75	358.8	3.00
TW-31	11-May-10	5438.54		6.78		5431.76	6.96	7.523	1.31	13.25	228.9	4.00
TW-31	18-Aug-10	5438.54		6.98		5431.56	NM	NM	NM	NM	NM	NM
TW-31	16-Nov-10	5438.54		7.24		5431.30	6.98	5.526	0.99	15.87	-10.0	3.00
TW-31	17-Feb-11	5438.54		7.16		5431.38	NM	NM	NM	NM	NM	NM
TW-31	17-May-11	5438.54		7.07		5431.47	NM	NM	NM	NM	NM	NM
TW-31	24-Aug-11	5438.54		7.30		5431.24	NM	NM	NM	NM	NM	NM
TW-31	17-Nov-11	5438.54		7.18		5431.36	7.24	5.432	1.94	14.67	-24.7	1.00
TW-31	28-Feb-12	5438.54		7.11		5431.43	NM	NM	NM	NM	NM	NM
TW-32	26-Jan-09	5441.61	9.02	10.31	1.29	5432.37	NM	NM	NM	NM	NM	NM
TW-32	13-Aug-09	5441.61	9.12	10.86	1.74	5432.19	Not Sampled - NAPL present					
TW-32	12-Nov-09	5441.61	9.26	10.88	1.62	5432.07	NM	NM	NM	NM	NM	NM
TW-32	16-Feb-10	5441.61	8.97	9.98	1.01	5432.47	NM	NM	NM	NM	NM	NM
TW-32	07-May-10	5441.61	8.92	9.34	0.42	5432.62	NM	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

Well ID	Date	T.O.C. (ft amsl)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	Corrected GW Elev. (ft)	pH	Conductivity (mS)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Purge Volume (gallons)
TW-32	18-Aug-10	5441.61	9.00	10.18	1.18	5432.41	NM	NM	NM	NM	NM	NM
TW-32	15-Nov-10	5441.61	9.30	10.87	1.57	5432.04	NM	NM	NM	NM	NM	NM
TW-32	23-Feb-11	5441.61	9.23	10.79	1.56	5432.11	NM	NM	NM	NM	NM	NM
TW-32	17-May-11	5441.61	9.26	10.72	1.46	5432.10	Not Sampled - NAPL Present					
TW-32	24-Aug-11	5441.61	9.40	10.92	1.52	5431.95	Not Sampled - NAPL Present					
TW-32	16-Nov-11	5441.61	9.38	11.01	1.63	5431.95	Not Sampled - NAPL Present					
TW-32	29-Feb-12	5441.61	9.27	10.72	1.45	5432.09	Not Sampled - NAPL Present					
TW-33	26-Jan-09	5445.85	12.92	13.02	0.10	5432.91	NM	NM	NM	NM	NM	NM
TW-33	13-Aug-09	5445.85	12.96	13.10	0.14	5432.87	Not Sampled - NAPL present					
TW-33	12-Nov-09	5445.85	13.10	13.40	0.30	5432.70	NM	NM	NM	NM	NM	NM
TW-33	16-Feb-10	5445.85	12.89	12.93	0.04	5432.95	NM	NM	NM	NM	NM	NM
TW-33	07-May-10	5445.85	12.68	12.70	0.02	5433.17	NM	NM	NM	NM	NM	NM
TW-33	18-Aug-10	5445.85	12.81	12.99	0.18	5433.01	NM	NM	NM	NM	NM	NM
TW-33	15-Nov-10	5445.85	12.97	13.15	0.18	5432.85	NM	NM	NM	NM	NM	NM
TW-33	17-Feb-11	5445.85	12.98	13.05	0.07	5432.86	NM	NM	NM	NM	NM	NM
TW-33	17-May-11	5445.85	12.80	12.82	0.02	5433.05	Not Sampled - NAPL Present					
TW-33	24-Aug-11	5445.85	13.20	13.33	0.13	5432.63	Not Sampled - NAPL Present					
TW-33	16-Nov-11	5445.85	13.13	13.42	0.29	5432.67	Not Sampled - NAPL Present					
TW-33	29-Feb-12	5445.85	13.10	13.15	0.05	5432.74	Not Sampled - NAPL Present					
TW-34	26-Jan-09	5455.80		19.74		5436.06	NM	NM	NM	NM	NM	NM
TW-34	19-Aug-09	5455.80		20.23		5435.57	7.06	10.07	6.19	15.43	303.7	3.00
TW-34	18-Feb-10	5455.80		19.79		5436.01	7.06	9.266	2.40	12.35	-55.0	3.00
TW-34	12-May-10	5455.80		19.6		5436.20	7.03	5.825	2.18	13.57	133.5	3.75
TW-34	18-Aug-10	5455.80		20.10		5435.70	NM	NM	NM	NM	NM	NM
TW-34	15-Nov-10	5455.80		19.93		5435.87	NM	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>	<i>Corrected GW Elev. (ft)</i>	<i>pH</i>	<i>Conductivity (mS)</i>	<i>Dissolved Oxygen (mg/L)</i>	<i>Temp. (°C)</i>	<i>ORP (mV)</i>	<i>Purge Volume (gallons)</i>
TW-34	23-Feb-11	5455.80		19.83		5435.97	NM	NM	NM	NM	NM	NM
TW-34	17-May-11	5455.80		19.73		5436.07	NM	NM	NM	NM	NM	NM
TW-34	24-Aug-11	5455.80		20.43		5435.37	NM	NM	NM	NM	NM	NM
TW-34	22-Nov-11	5455.80		20.14		5435.66	7.25	6.078	2.31	14.58	-25.4	1.00
TW-34	29-Feb-12	5455.80		19.91		5435.89	NM	NM	NM	NM	NM	NM
TW-35	26-Jan-09	5449.14		15.12		5434.02	NM	NM	NM	NM	NM	NM
TW-35	24-Aug-09	5449.14		15.29		5433.85	7.02	11.80	6.40	16.41	295.1	3.30
TW-35	18-Feb-10	5449.14		15.15		5433.99	7.20	11.52	2.91	12.99	-283.0	3.60
TW-35	12-May-10	5449.14		14.91		5434.23	7.17	6.714	1.91	12.77	197.4	3.75
TW-35	18-Aug-10	5449.14		15.08		5434.06	NM	NM	NM	NM	NM	NM
TW-35	17-Nov-10	5449.14		15.23		5433.91	7.13	7.175	0.72	15.97	-18.3	3.00
TW-35	23-Feb-11	5449.14		15.17		5433.97	NM	NM	NM	NM	NM	NM
TW-35	17-May-11	5449.14		15.03		5434.11	NM	NM	NM	NM	NM	NM
TW-35	24-Aug-11	5449.14		15.35		5433.79	NM	NM	NM	NM	NM	NM
TW-35	22-Nov-11	5449.14		15.35		5433.79	7.38	6.901	1.21	15.24	-32.9	1.00
TW-35	29-Feb-12	5449.14		15.28		5433.86	NM	NM	NM	NM	NM	NM
TW-36	26-Jan-09	5441.91	12.94	12.97	0.03	5428.96	NM	NM	NM	NM	NM	NM
TW-36	13-Aug-09	5441.91	13.17	13.35	0.18	5428.71	Not Sampled - NAPL present					
TW-36	13-Nov-09	5441.91	13.25	13.63	0.38	5428.59	NM	NM	NM	NM	NM	NM
TW-36	16-Feb-10	5441.91	12.96	12.98	0.02	5428.95	NM	NM	NM	NM	NM	NM
TW-36	12-May-10	5441.91		12.70		5429.21	7.08	6.193	1.42	12.75	388.4	3.75
TW-36	18-Aug-10	5441.91	13.10	13.18	0.08	5428.80	NM	NM	NM	NM	NM	NM
TW-36	15-Nov-10	5441.91	13.20	13.35	0.15	5428.68	NM	NM	NM	NM	NM	NM
TW-36	23-Feb-11	5441.91		13.03		5428.88	NM	NM	NM	NM	NM	NM
TW-36	17-May-11	5441.91	12.97	12.98	0.01	5428.94	Not Sampled - NAPL Present					

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

Well ID	Date	T.O.C. (ft amsl)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	Corrected GW Elev. (ft)	pH	Conductivity (mS)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Purge Volume (gallons)
TW-36	24-Aug-11	5441.91	13.43	13.68	0.25	5428.44	Not Sampled - NAPL Present					
TW-36	15-Nov-11	5441.91	13.36	13.55	0.19	5428.52	Not Sampled - NAPL Present					
TW-36	29-Feb-12	5441.91	13.14	13.22	0.08	5428.76	Not Sampled - NAPL Present					
TW-37	26-Jan-09	5439.59		10.47		5429.12	NM	NM	NM	NM	NM	NM
TW-37	21-Aug-09	5439.59		10.71		5428.88	7.22	6.162	4.35	18.77	296.1	3.00
TW-37	16-Feb-10	5439.59		10.44		5429.15	6.77	6.700	1.11	12.18	430.5	3.00
TW-37	11-May-10	5439.59		10.16		5429.43	6.98	4.092	1.27	12.84	224.6	3.75
TW-37	19-Aug-10	5439.59		10.53		5429.06	7.05	4.268	0.41	18.90	324.2	1.50
TW-37	16-Nov-10	5439.59		10.68		5428.91	7.05	4.503	0.61	16.79	-13.6	3.00
TW-37	17-Feb-11	5439.59		10.58		5429.01	NM	NM	NM	NM	NM	NM
TW-37	18-May-11	5439.59		10.50		5429.09	7.05	4.162	0.77	13.42	-13.9	0.50
TW-37	24-Aug-11	5439.59		10.86		5428.73	NM	NM	NM	NM	NM	NM
TW-37	22-Nov-11	5439.59		10.83		5428.76	7.26	4.513	1.63	15.31	-25.8	1.00
TW-37	28-Feb-12	5439.59		10.67		5428.92	NM	NM	NM	NM	NM	NM
TW-38	26-Jan-09	5442.11		11.36		5430.75	NM	NM	NM	NM	NM	NM
TW-38	21-Aug-09	5442.11	11.57	11.58	0.01	5430.54	Not Sampled - NAPL Present					
TW-38	12-Nov-09	5442.11	11.64	11.70	0.06	5430.46	NM	NM	NM	NM	NM	NM
TW-38	18-Feb-10	5442.11		11.28		5430.83	6.73	7.314	0.57	12.54	549.0	2.10
TW-38	12-May-10	5442.11		11.09		5431.02	7.06	4.741	2.37	12.83	205.3	3.75
TW-38	19-Aug-10	5442.11		11.30		5430.81	6.99	4.573	0.48	18.42	353.8	2.50
TW-38	16-Nov-10	5442.11		11.54		5430.57	7.10	4.657	0.79	16.96	-16.7	3.00
TW-38	17-Feb-11	5442.11		11.49		5430.62	NM	NM	NM	NM	NM	NM
TW-38	18-May-11	5442.11		11.42		5430.69	7.06	3.756	0.97	13.91	-14.3	0.50
TW-38	24-Aug-11	5442.11		11.72		5430.39	NM	NM	NM	NM	NM	NM
TW-38	16-Nov-11	5442.11	11.68	11.83	0.15	5430.40	NM	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

Well ID	Date	T.O.C. (ft amsl)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	Corrected GW Elev. (ft)	pH	Conductivity (mS)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Purge Volume (gallons)
TW-38	29-Feb-12	5442.11	11.58	11.60	0.02	5430.53	NM	NM	NM	NM	NM	NM
TW-39	26-Jan-09	5438.43		7.44		5430.99	NM	NM	NM	NM	NM	NM
TW-39	21-Aug-09	5438.43		7.96		5430.47	6.93	8.946	4.48	23.34	328.1	3.00
TW-39	17-Feb-10	5438.43		7.11		5431.32	6.64	6.092	1.22	8.11	244.4	2.10
TW-39	12-May-10	5438.43		6.98		5431.45	6.93	6.104	1.91	12.70	214.3	3.75
TW-39	19-Aug-10	5438.43		7.42		5431.01	7.19	3.956	0.30	22.67	359.2	2.50
TW-39	16-Nov-10	5438.43		7.95		5430.48	7.17	4.224	0.85	15.29	-20.8	3.00
TW-39	17-Feb-11	5438.43		9.01		5429.42	NM	NM	NM	NM	NM	NM
TW-39	19-May-11	5438.43		7.73		5430.70	7.13	4.654	1.00	11.84	-18.2	0.50
TW-39	24-Aug-11	5438.43		7.97		5430.46	NM	NM	NM	NM	NM	NM
TW-39	17-Nov-11	5438.43		7.98		5430.45	7.18	4.189	0.63	14.26	-21.5	1.00
TW-39	28-Feb-12	5438.43		7.87		5430.56	NM	NM	NM	NM	NM	NM
TW-40	26-Jan-09	5437.50		7.27		5430.23	NM	NM	NM	NM	NM	NM
TW-40	13-Aug-09	5437.50	7.90	8.53	0.63	5429.49	Not Sampled - NAPL present					
TW-40	13-Nov-09	5437.50	7.93	8.49	0.56	5429.47	NM	NM	NM	NM	NM	NM
TW-40	16-Feb-10	5437.50	6.84	7.76	0.92	5430.50	NM	NM	NM	NM	NM	NM
TW-40	07-May-10	5437.50	6.78	7.90	1.12	5430.53	NM	NM	NM	NM	NM	NM
TW-40	18-Aug-10	5437.50	7.50	7.88	0.38	5429.93	NM	NM	NM	NM	NM	NM
TW-40	15-Nov-10	5437.50	7.97	8.51	0.54	5429.44	NM	NM	NM	NM	NM	NM
TW-40	17-Feb-11	5437.50	7.94	8.38	0.44	5429.48	NM	NM	NM	NM	NM	NM
TW-40	17-May-11	5437.50	7.72	8.19	0.47	5429.70	Not Sampled - NAPL Present					
TW-40	24-Aug-11	5437.50	8.07	8.69	0.62	5429.32	Not Sampled - NAPL Present					
TW-40	16-Nov-11	5437.50	8.01	8.51	0.50	5429.40	Not Sampled - NAPL Present					
TW-40	29-Feb-12	5437.50	7.86	8.33	0.47	5429.56	Not Sampled - NAPL Present					

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

Well ID	Date	T.O.C. (ft amsl)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	Corrected GW Elev. (ft)	pH	Conductivity (mS)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Purge Volume (gallons)
TW-41	26-Jan-09	5434.77		5.59		5429.18	NM	NM	NM	NM	NM	NM
TW-41	24-Aug-09	5434.77		6.27		5428.50	6.72	9.811	8.50	20.12	126.3	2.50
TW-41	16-Feb-10	5434.77		5.34		5429.43	6.06	8.192	0.46	8.01	461.4	3.00
TW-41	12-May-10	5434.77		5.17		5429.60	7.01	5.881	1.30	12.95	229.2	3.75
TW-41	20-Aug-10	5434.77		5.70		5429.07	7.07	5.434	0.52	20.38	197.0	2.50
TW-41	16-Nov-10	5434.77		6.12		5428.65	6.93	5.792	0.69	14.43	-6.7	3.00
TW-41	17-Feb-11	5434.77		6.06		5428.71	NM	NM	NM	NM	NM	NM
TW-41	18-May-11	5434.77		5.92		5428.85	7.05	5.675	0.78	13.17	-13.9	0.50
TW-41	24-Aug-11	5434.77		6.36		5428.41	NM	NM	NM	NM	NM	NM
TW-41	22-Nov-11	5434.77		6.27		5428.50	7.19	3.813	0.59	12.23	-21.6	1.00
TW-41	28-Feb-12	5434.77		6.06		5428.71	NM	NM	NM	NM	NM	NM
TW-42	26-Jan-09	5433.76		5.97		5427.79	NM	NM	NM	NM	NM	NM
TW-42	24-Aug-09	5433.76		6.37		5427.39	7.23	10.81	6.43	19.48	219.0	2.50
TW-42	16-Feb-10	5433.76		5.84		5427.92	6.43	7.885	2.50	7.78	456.9	3.00
TW-42	12-May-10	5433.76		5.55		5428.21	7.27	5.816	2.60	12.54	233.5	3.75
TW-42	20-Aug-10	5433.76		6.05		5427.71	7.34	6.146	1.34	19.81	266.2	2.50
TW-42	16-Nov-10	5433.76		6.21		5427.55	7.26	6.589	1.84	14.17	-25.8	3.00
TW-42	17-Feb-11	5433.76		6.07		5427.69	NM	NM	NM	NM	NM	NM
TW-42	17-May-11	5433.76		6.02		5427.74	NM	NM	NM	NM	NM	NM
TW-42	24-Aug-11	5433.76		6.47		5427.29	NM	NM	NM	NM	NM	NM
TW-42	22-Nov-11	5433.76		6.43		5427.33	7.31	4.216	0.88	12.53	-28.4	1.00
TW-42	28-Feb-12	5433.76		6.14		5427.62	NM	NM	NM	NM	NM	NM
TW-43	26-Jan-09	5440.42		12.10		5428.32	NM	NM	NM	NM	NM	NM
TW-43	24-Aug-09	5440.42		12.44		5427.98	6.94	8.834	6.92	17.73	204.1	3.00
TW-43	16-Feb-10	5440.42		12.11		5428.31	6.79	7.655	3.56	12.46	431.3	3.00

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>	<i>Corrected GW Elev. (ft)</i>	<i>pH</i>	<i>Conductivity (mS)</i>	<i>Dissolved Oxygen (mg/L)</i>	<i>Temp. (°C)</i>	<i>ORP (mV)</i>	<i>Purge Volume (gallons)</i>
TW-43	12-May-10	5440.42		11.82		5428.60	7.01	4.736	1.60	12.89	225.4	3.75
TW-43	20-Aug-10	5440.42		12.29		5428.13	6.98	4.873	1.00	17.72	299.0	2.50
TW-43	16-Nov-10	5440.42		12.34		5428.08	6.94	5.273	0.84	16.58	-7.3	3.00
TW-43	17-Feb-11	5440.42		12.19		5428.23	NM	NM	NM	NM	NM	NM
TW-43	18-May-11	5440.42		12.15		5428.27	6.93	5.144	0.44	13.07	-7.1	0.50
TW-43	24-Aug-11	5440.42		12.58		5427.84	NM	NM	NM	NM	NM	NM
TW-43	22-Nov-11	5440.42		12.47		5427.95	7.21	3.383	1.52	13.06	-23.1	NM
TW-43	28-Feb-12	5440.42		12.27		5428.15	NM	NM	NM	NM	NM	NM
TW-44	26-Jan-09	5444.08		14.93		5429.15	NM	NM	NM	NM	NM	NM
TW-44	24-Aug-09	5444.08		15.15		5428.93	6.74	9.788	6.47	16.80	248.3	1.50
TW-44	18-Feb-10	5444.08	15.02	15.04	0.02	5429.06	NM	NM	NM	NM	NM	NM
TW-44	07-May-10	5444.08	14.66	14.68	0.02	5429.42	NM	NM	NM	NM	NM	NM
TW-44	18-Aug-10	5444.08	14.98	15.00	0.02	5429.10	NM	NM	NM	NM	NM	NM
TW-44	15-Nov-10	5444.08	15.12	15.15	0.03	5428.95	NM	NM	NM	NM	NM	NM
TW-44	17-Feb-11	5444.08	15.02	15.03	0.01	5429.06	NM	NM	NM	NM	NM	NM
TW-44	17-May-11	5444.08	14.96	15.01	0.05	5429.11	Not Sampled - NAPL Present					
TW-44	23-Aug-11	5444.08	15.34	15.37	0.03	5428.73	Not Sampled - NAPL Present					
TW-44	16-Nov-11	5444.08	15.32	16.06	0.74	5428.63	Not Sampled - NAPL Present					
TW-44	29-Feb-12	5444.08	14.96	16.17	1.21	5428.91	Not Sampled - NAPL Present					
TW-45	13-May-10	TBS		6.58			7.01	5.204	4.93	11.52	179.0	3.75
TW-45	20-Aug-10	TBS		7.06			6.98	5.245	1.84	19.10	234.6	2.50
TW-45	17-Nov-10	TBS		7.09			6.93	5.564	0.97	14.24	-7.2	0.50
TW-45	23-Feb-11	TBS		7.01			NM	NM	NM	NM	NM	NM
TW-45	18-May-11	TBS		7.20			6.98	3.793	0.84	11.97	-9.7	2.00
TW-45	24-Aug-11	TBS		7.40			NM	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

Well ID	Date	T.O.C. (ft amsl)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	Corrected GW Elev. (ft)	pH	Conductivity (mS)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Purge Volume (gallons)
TW-45	15-Nov-11	TBS		7.23			NM	NM	NM	NM	NM	NM
TW-45	29-Feb-12	TBS		7.02			NM	NM	NM	NM	NM	NM
TW-46	13-May-10	TBS		6.86			7.15	4.889	4.72	12.28	206.5	3.75
TW-46	20-Aug-10	TBS		7.31			7.13	5.262	1.14	19.45	241.2	0.50
TW-46	15-Nov-10	TBS		7.41			NM	NM	NM	NM	NM	NM
TW-46	23-Feb-11	TBS		7.34			NM	NM	NM	NM	NM	NM
TW-46	18-May-11	TBS		6.89			7.12	2.778	0.72	12.26	-17.7	0.50
TW-46	24-Aug-11	TBS		7.71			NM	NM	NM	NM	NM	NM
TW-46	22-Nov-11	TBS		7.67			7.39	5.122	1.53	13.16	-33.2	NM
TW-46	29-Feb-12	TBS		7.36			NM	NM	NM	NM	NM	NM
TW-47	13-May-10	TBS		6.04			7.23	11.86	3.36	12.89	214.8	3.75
TW-47	20-Aug-10	TBS		6.67			7.20	11.46	1.16	20.71	241.0	0.50
TW-47	17-Nov-10	TBS		6.93			7.08	10.79	2.09	14.87	-15.4	0.50
TW-47	23-Feb-11	TBS		6.94			NM	NM	NM	NM	NM	NM
TW-47	17-May-11	TBS		6.79			NM	NM	NM	NM	NM	NM
TW-47	24-Aug-11	TBS		7.31			NM	NM	NM	NM	NM	NM
TW-47	22-Nov-11	TBS		6.79			7.22	12.17	1.55	12.67	-23.4	1.00
TW-47	29-Feb-12	TBS		6.72			NM	NM	NM	NM	NM	NM
TW-48	12-May-10	TBS		6.90			6.95	5.924	3.43	13.25	231.8	3.75
TW-48	19-Aug-10	TBS		7.18			6.85	5.861	1.75	21.73	405.2	2.50
TW-48	15-Nov-10	TBS		7.39			NM	NM	NM	NM	NM	NM
TW-48	17-Feb-11	TBS		7.31			NM	NM	NM	NM	NM	NM
TW-48	17-May-11	TBS		7.30			NM	NM	NM	NM	NM	NM
TW-48	24-Aug-11	TBS		7.50			NM	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

Well ID	Date	T.O.C. (ft amsl)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	Corrected GW Elev. (ft)	pH	Conductivity (mS)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Purge Volume (gallons)
TW-48	16-Nov-11	TBS		7.39			NM	NM	NM	NM	NM	NM
TW-48	28-Feb-12	TBS		7.28			NM	NM	NM	NM	NM	NM
TW-49	17-May-10	TBS		5.32			7.73	6.88	3.06	15.48	228.50	0.00
TW-49	20-Aug-10	TBS		5.84			NM	NM	NM	NM	NM	NM
TW-49	15-Nov-10	TBS		6.36			NM	NM	NM	NM	NM	NM
TW-49	23-Feb-11	TBS		6.27			NM	NM	NM	NM	NM	NM
TW-49	17-May-11	TBS		6.24			NM	NM	NM	NM	NM	NM
TW-49	24-Aug-11	TBS		6.61			NM	NM	NM	NM	NM	NM
TW-49	22-Nov-11	TBS		6.14			NM - Roots in well					
TW-49	29-Feb-12	TBS		6.11			NM	NM	NM	NM	NM	NM
TW-50	12-May-10	TBS		7.30			6.92	5.815	1.25	13.27	231.5	3.75
TW-50	19-Aug-10	TBS		7.67			6.96	5.946	0.45	22.26	334.4	2.50
TW-50	15-Nov-10	TBS		8.06			NM	NM	NM	NM	NM	NM
TW-50	17-Feb-11	TBS		7.99			NM	NM	NM	NM	NM	NM
TW-50	19-May-11	TBS		7.89			7.13	5.337	0.78	12.42	-18.3	0.50
TW-50	24-Aug-11	TBS		8.08			NM	NM	NM	NM	NM	NM
TW-50	17-Nov-11	TBS		8.08			7.19	4.889	0.35	16.56	-21.9	1.00
TW-50	28-Feb-12	TBS		7.98			NM	NM	NM	NM	NM	NM
MW-5	18-Feb-10	5428.97		4.73		5424.24	7.39	8.422	3.30	9.93	403.1	3.00
MW-5	12-May-10	5428.97		4.32		5424.65	7.35	6.146	2.68	11.52	225.3	3.75
MW-5	18-Aug-10	5428.97		4.99		5423.98	NM	NM	NM	NM	NM	NM
MW-5	17-Nov-10	5428.97		5.17		5423.80	7.62	6.121	1.36	14.15	-46.2	3.00
MW-5	17-Feb-11	5428.97		5.08		5423.89	NM	NM	NM	NM	NM	NM
MW-5	17-May-11	5428.97		5.03		5423.94	NM	NM	NM	NM	NM	NM

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

Well ID	Date	T.O.C. (ft amsl)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)	Corrected GW Elev. (ft)	pH	Conductivity (mS)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Purge Volume (gallons)
MW-5	24-Aug-11	5428.97		5.69		5423.28	NM	NM	NM	NM	NM	NM
MW-5	16-Nov-11	5428.97		5.64		5423.33	NM	NM	NM	NM	NM	NM
MW-5	28-Feb-12	5428.97		5.09		5423.88	NM	NM	NM	NM	NM	NM
MW-7	17-May-10	5435.28		8.50		5426.78	6.95	6.66	3.08	13.83	217.6	3.75
MW-7	19-Aug-10	5435.28		8.20		5427.08	7.07	5.994	1.33	20.45	325.3	2.50
MW-7	15-Nov-10	5435.28		8.83		5426.45	NM	NM	NM	NM	NM	No Sample
MW-7	17-Feb-11	5435.28		8.76		5426.52	NM	NM	NM	NM	NM	NM
MW-7	17-May-11	5435.28		8.58		5426.70	NM	NM	NM	NM	NM	NM
MW-7	24-Aug-11	5435.28		9.03		5426.25	NM	NM	NM	NM	NM	NM
MW-7	16-Nov-11	5435.28		8.86		5426.42	NM	NM	NM	NM	NM	NM
MW-7	28-Feb-12	5435.28		8.69		5426.59	NM	NM	NM	NM	NM	NM
MW-20	18-Feb-10	5430.45		5.81		5424.64	6.67	7.249	3.67	8.20	395.0	2.50
MW-20	13-May-10	5430.45		5.52		5424.93	6.96	4.948	2.09	10.89	216.9	3.75
MW-20	20-Aug-10	5430.45		6.01		5424.44	7.12	4.836	1.09	18.44	236.4	2.50
MW-20	17-Nov-10	5430.45		6.05		5424.40	6.94	5.167	0.40	13.63	-7.7	0.50
MW-20	23-Feb-11	5430.45		5.92		5424.53	NM	NM	NM	NM	NM	NM
MW-20	18-May-11	5430.45		5.88		5424.57	6.99	3.637	0.69	11.33	-10.6	2.00
MW-20	24-Aug-11	5430.45		6.35		5424.10	NM	NM	NM	NM	NM	NM
MW-20	22-Nov-11	5430.45		6.22		5424.23	7.20	4.983	1.02	12.81	-22.1	1.00
MW-20	29-Feb-12	5430.45		5.99		5424.46	NM	NM	NM	NM	NM	NM
MW-21	18-Feb-10	5428.62		2.86		5425.76	6.82	9.049	8.21	7.91	367.2	3.00
MW-21	13-May-10	5428.62		2.69		5425.93	7.06	7.075	1.74	12.41	224.9	3.75
MW-21	20-Aug-10	5428.62		3.31		5425.31	7.06	6.836	1.09	21.23	234.4	NM
MW-21	17-Nov-10	5428.62		3.68		5424.94	7.02	7.817	0.56	15.42	-12.0	0.50

TABLE 1
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS AND WATER QUALITY DATA
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>	<i>Corrected GW Elev. (ft)</i>	<i>pH</i>	<i>Conductivity (mS)</i>	<i>Dissolved Oxygen (mg/L)</i>	<i>Temp. (°C)</i>	<i>ORP (mV)</i>	<i>Purge Volume (gallons)</i>
MW-21	23-Feb-11	5428.62		3.65		5424.97	NM	NM	NM	NM	NM	NM
MW-21	18-May-11	5428.62		3.52		5425.10	7.07	5.026	1.05	13.05	-14.8	2.00
MW-21	24-Aug-11	5428.62		4.04		5424.58	NM	NM	NM	NM	NM	NM
MW-21	22-Nov-11	5428.62		3.64		5424.98	7.16	6.972	1.09	13.16	-20.1	1.00
MW-21	29-Feb-12	5428.62		3.52		5425.1	NM	NM	NM	NM	NM	NM

NOTES: NM - Not Measured

* Denotes erroneous DO measurement - sensor malfunction

TABLE 2
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS OF PHASE 1 , 2, and 3 MPE WELLS
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

Well ID	Date	T.O.C. (ft amsl)	Depth to Product (ft)	Depth to Water: (ft)	NAPL Thickness (ft)
Phase 1 Wells					
MPE-1	03-Mar-10	TBD		23.63	
MPE-1	10-May-10	TBD		23.46	
MPE-1	17-Aug-10	TBD		23.65	
MPE-1	11-Nov-10	TBD		23.82	
MPE-1	25-Feb-11	TBD		23.63	
MPE-1	20-May-11	TBD		23.63	
MPE-1	25-Aug-11	TBD		24.01	
MPE-1	10-Nov-11	TBD		24.04	
MPE-1	29-Feb-12	TBD		23.87	
MPE-2	03-Mar-10	TBD	21.51	21.54	0.03
MPE-2	18-May-10	TBD		21.29	
MPE-2	17-Aug-10	TBD	21.61	21.62	0.01
MPE-2	11-Nov-10	TBD	21.69	21.78	0.09
MPE-2	25-Feb-11	TBD		21.61	
MPE-2	20-May-11	TBD		21.46	
MPE-2	25-Aug-11	TBD		21.91	
MPE-2	10-Nov-11	TBD	21.94	22.03	0.09
MPE-2	29-Feb-12	TBD	21.77	21.86	0.09
MPE-3	03-Mar-10	TBD		20.79	
MPE-3	10-May-10	TBD		20.63	
MPE-3	17-Aug-10	TBD		20.83	
MPE-3	11-Nov-10	TBD		21.01	
MPE-3	25-Feb-11	TBD		20.89	
MPE-3	20-May-11	TBD		20.81	
MPE-3	25-Aug-11	TBD		21.22	
MPE-3	10-Nov-11	TBD		21.23	
MPE-3	29-Feb-12	TBD		21.03	
MPE-4	03-Mar-10	TBD		19.95	
MPE-4	10-May-10	TBD		19.80	
MPE-4	17-Aug-10	TBD		20.01	
MPE-4	11-Nov-10	TBD		20.20	
MPE-4	25-Feb-11	TBD		20.07	
MPE-4	20-May-11	TBD		19.97	
MPE-4	25-Aug-11	TBD		20.47	
MPE-4	10-Nov-11	TBD		20.43	
MPE-4	29-Feb-12	TBD		20.27	

TABLE 2
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS OF PHASE 1 , 2, and 3 MPE WELLS
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>
MPE-5	03-Mar-10	TBD	19.30	19.41	0.11
MPE-5	18-May-10	TBD		19.00	
MPE-5	17-Aug-10	TBD	19.32	19.50	0.18
MPE-5	11-Nov-10	TBD	19.54	19.69	0.15
MPE-5	25-Feb-11	TBD	19.42	19.45	0.03
MPE-5	20-May-11	TBD	19.33	19.34	0.01
MPE-5	25-Aug-11	TBD	19.72	19.92	0.20
MPE-5	10-Nov-11	TBD	19.74	19.92	0.18
MPE-5	29-Feb-12	TBD	19.59	19.64	0.05
MPE-6	03-Mar-10	TBD		19.66	
MPE-6	10-May-10	TBD		NM	
MPE-6	17-Aug-10	TBD		19.70	
MPE-6	11-Nov-10	TBD		19.91	
MPE-6	01-Mar-11	TBD		19.69	
MPE-6	20-May-11	TBD		19.64	
MPE-6	25-Aug-11	TBD		20.07	
MPE-6	10-Nov-11	TBD	20.09	20.10	0.01
MPE-6	29-Feb-12	TBD		19.87	
MPE-7	03-Mar-10	TBD		20.46	
MPE-7	10-May-10	TBD		NM	
MPE-7	17-Aug-10	TBD		20.49	
MPE-7	11-Nov-10	TBD		20.68	
MPE-7	01-Mar-11	TBD		20.54	
MPE-7	20-May-11	TBD		20.49	
MPE-7	25-Aug-11	TBD		20.88	
MPE-7	10-Nov-11	TBD		20.89	
MPE-7	29-Feb-12	TBD		20.73	
MPE-8	03-Mar-10	TBD		21.74	
MPE-8	10-May-10	TBD		21.60	
MPE-8	17-Aug-10	TBD		21.81	
MPE-8	11-Nov-10	TBD		21.98	
MPE-8	01-Mar-11	TBD		21.95	
MPE-8	20-May-11	TBD		21.78	
MPE-8	25-Aug-11	TBD		22.32	
MPE-8	10-Nov-11	TBD		22.19	
MPE-8	29-Feb-12	TBD		22.00	

TABLE 2
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS OF PHASE 1, 2, and 3 MPE WELLS
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>
MPE-9	03-Mar-10	TBD		23.44	
MPE-9	10-May-10	TBD		23.29	
MPE-9	17-Aug-10	TBD		23.51	
MPE-9	11-Nov-10	TBD		23.66	
MPE-9	01-Mar-11	TBD		23.49	
MPE-9	20-May-11	TBD		23.43	
MPE-9	25-Aug-11	TBD		23.87	
MPE-9	10-Nov-11	TBD		23.97	
MPE-9	29-Feb-12	TBD		23.68	
MPE-10	03-Mar-10	TBD		23.28	
MPE-10	10-May-10	TBD		23.10	
MPE-10	17-Aug-10	TBD		23.34	
MPE-10	11-Nov-10	TBD		23.46	
MPE-10	01-Mar-11	TBD		23.38	
MPE-10	20-May-11	TBD		23.31	
MPE-10	25-Aug-11	TBD		23.71	
MPE-10	10-Nov-11	TBD		23.67	
MPE-10	29-Feb-12	TBD		23.53	
MPE-11	03-Mar-10	TBD		21.83	
MPE-11	10-May-10	TBD		21.68	
MPE-11	17-Aug-10	TBD	NM-Roots in Well		
MPE-11	11-Nov-10	TBD	NM-Roots in Well		
MPE-11	01-Mar-11	TBD	NM-Roots in Well		
MPE-11	20-May-11	TBD	NM-Roots in Well		
MPE-11	25-Aug-11	TBD		21.65	
MPE-11	10-Nov-11	TBD		21.66	
MPE-11	29-Feb-12	TBD		21.61	
MPE-12	03-Mar-10	TBD		22.34	
MPE-12	10-May-10	TBD		22.20	
MPE-12	17-Aug-10	TBD		22.45	
MPE-12	11-Nov-10	TBD	NM-Roots in Well		
MPE-12	01-Mar-11	TBD	NM-Roots in Well		
MPE-12	20-May-11	TBD	NM-Roots in Well		
MPE-12	25-Aug-11	TBD		22.79	
MPE-12	10-Nov-11	TBD		22.83	
MPE-12	29-Feb-12	TBD		22.59	

TABLE 2
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS OF PHASE 1 , 2, and 3 MPE WELLS
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>
MPE-13	03-Mar-10	TBD		22.70	
MPE-13	10-May-10	TBD		22.57	
MPE-13	17-Aug-10	TBD	22.78	22.82	0.04
MPE-13	11-Nov-10	TBD	22.90	22.96	0.06
MPE-13	01-Mar-11	TBD		22.82	
MPE-13	20-May-11	TBD		22.73	
MPE-13	25-Aug-11	TBD	23.12	23.24	0.12
MPE-13	10-Nov-11	TBD	23.11	23.18	0.07
MPE-13	29-Feb-12	TBD	22.97	22.99	0.02
MPE-14	03-Mar-10	TBD		21.80	
MPE-14	10-May-10	TBD		21.65	
MPE-14	17-Aug-10	TBD	21.84	21.85	0.01
MPE-14	11-Nov-10	TBD		22.00	
MPE-14	01-Mar-11	TBD		21.86	
MPE-14	20-May-11	TBD		21.90	
MPE-14	25-Aug-11	TBD		22.23	
MPE-14	10-Nov-11	TBD	22.20	22.34	0.14
MPE-14	29-Feb-12	TBD		22.05	
MPE-16	03-Mar-10	TBD		19.92	
MPE-16	10-May-10	TBD		19.78	
MPE-16	17-Aug-10	TBD		19.96	
MPE-16	11-Nov-10	TBD		20.14	
MPE-16	01-Mar-11	TBD		20.21	
MPE-16	20-May-11	TBD		19.97	
MPE-16	25-Aug-11	TBD		20.34	
MPE-16	10-Nov-11	TBD		20.35	
MPE-16	29-Feb-12	TBD		20.19	
MPE-17	03-Mar-10	TBD		20.11	
MPE-17	10-May-10	TBD		19.98	
MPE-17	17-Aug-10	TBD		20.04	
MPE-17	11-Nov-10	TBD		20.34	
MPE-17	01-Mar-11	TBD		20.21	
MPE-17	20-May-11	TBD		20.16	
MPE-17	25-Aug-11	TBD		20.49	
MPE-17	10-Nov-11	TBD		20.54	
MPE-17	29-Feb-12	TBD		20.49	

TABLE 2
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS OF PHASE 1, 2, and 3 MPE WELLS
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft. amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>
MPE-18	03-Mar-10	TBD		19.23	
MPE-18	10-May-10	TBD		NM	
MPE-18	17-Aug-10	TBD	19.27	19.28	0.01
MPE-18	11-Nov-10	TBD		19.34	
MPE-18	01-Mar-11	TBD		19.46	
MPE-18	20-May-11	TBD		19.35	
MPE-18	25-Aug-11	TBD		19.46	
MPE-18	10-Nov-11	TBD		19.67	
MPE-18	29-Feb-12	TBD		19.48	
MPE-19	03-Mar-10	TBD		19.02	
MPE-19	10-May-10	TBD		18.86	
MPE-19	17-Aug-10	TBD		19.06	
MPE-19	11-Nov-10	TBD		19.25	
MPE-19	01-Mar-11	TBD		19.05	
MPE-19	20-May-11	TBD		19.02	
MPE-19	25-Aug-11	TBD		19.42	
MPE-19	10-Nov-11	TBD		19.47	
MPE-19	29-Feb-12	TBD		19.28	
Phase 2 Wells					
MPE-20	03-Mar-10	TBD		18.72	
MPE-20	10-May-10	TBD		18.58	
MPE-20	17-Aug-10	TBD		18.75	
MPE-20	11-Nov-10	TBD		18.96	
MPE-20	01-Mar-11	TBD		18.87	
MPE-20	20-May-11	TBD		18.79	
MPE-20	25-Aug-11	TBD		19.14	
MPE-20	10-Nov-11	TBD		19.17	
MPE-20	29-Feb-12	TBD		18.98	
MPE-21	03-Mar-10	TBD	19.88	19.99	0.11
MPE-21	18-May-10	TBD		19.50	
MPE-21	09-Jun-10	TBD		19.75	
MPE-21	17-Aug-10	TBD	19.90	19.91	0.01
MPE-21	11-Nov-10	TBD	20.12	20.21	0.09
MPE-21	01-Mar-11	TBD		19.99	
MPE-21	20-May-11	TBD		19.93	
MPE-21	25-Aug-11	TBD	20.32	20.37	0.05

TABLE 2
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS OF PHASE 1 , 2, and 3 MPE WELLS
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>
MPE-21	10-Nov-11	TBD		20.41	
MPE-21	29-Feb-12	TBD	20.13	20.42	0.29
MPE-22	03-Mar-10	TBD	20.73	20.81	0.08
MPE-22	18-May-10	TBD		NM	
MPE-22	09-Jun-10	TBD	20.4	20.90	0.50
MPE-22	16-Jun-10	TBD		20.53	
MPE-22	17-Aug-10	TBD	20.71	20.88	0.17
MPE-22	11-Nov-10	TBD	20.94	20.95	0.01
MPE-22	01-Mar-11	TBD		20.84	
MPE-22	20-May-11	TBD		20.73	
MPE-22	25-Aug-11	TBD	21.11	21.15	0.04
MPE-22	10-Nov-11	TBD		21.28	
MPE-22	29-Feb-12	TBD		20.97	
MPE-23	03-Mar-10	TBD		21.10	
MPE-23	10-May-10	TBD		20.97	
MPE-23	17-Aug-10	TBD		21.14	
MPE-23	11-Nov-10	TBD		21.33	
MPE-23	01-Mar-11	TBD		21.29	
MPE-23	20-May-11	TBD		20.80	
MPE-23	25-Aug-11	TBD		20.33	
MPE-23	10-Nov-11	TBD		20.25	
MPE-23	29-Feb-12	TBD		20.09	
MPE-24	03-Mar-10	TBD		22.69	
MPE-24	10-May-10	TBD		22.53	
MPE-24	17-Aug-10	TBD		22.70	
MPE-24	11-Nov-10	TBD		22.88	
MPE-24	01-Mar-11	TBD		22.78	
MPE-24	20-May-11	TBD		22.64	
MPE-24	25-Aug-11	TBD		23.09	
MPE-24	10-Nov-11	TBD		23.12	
MPE-24	29-Feb-12	TBD		22.98	
MPE-25	03-Mar-10	TBD		23.02	
MPE-25	10-May-10	TBD		22.87	
MPE-25	17-Aug-10	TBD		23.12	
MPE-25	11-Nov-10	TBD		23.23	
MPE-25	01-Mar-11	TBD		23.08	

TABLE 2
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS OF PHASE 1, 2, and 3 MPE WELLS
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>
MPE-25	20-May-11	TBD		22.99	
MPE-25	25-Aug-11	TBD		23.55	
MPE-25	10-Nov-11	TBD		23.54	
MPE-25	29-Feb-12	TBD		23.26	
MPE-26	03-Mar-10	TBD	22.75	23.41	0.66
MPE-26	18-May-10	TBD	22.58	23.38	0.80
MPE-26	28-May-10	TBD	22.55	23.42	0.87
MPE-26	09-Jun-10	TBD	22.56	23.73	1.17
MPE-26	17-Aug-10	TBD	22.94	23.34	0.40
MPE-26	11-Nov-10	TBD	23.04	23.59	0.55
MPE-26	03-Mar-11	TBD	22.96	23.38	0.42
MPE-26	20-May-11	TBD	22.82	22.86	0.04
MPE-26	25-Aug-11	TBD	23.29	23.99	0.70
MPE-26	10-Nov-11	TBD	23.17	24.14	0.97
MPE-26	29-Feb-12	TBD	22.89	23.95	1.06
MPE-27	03-Mar-10	TBD		21.92	
MPE-27	10-May-10	TBD		21.76	
MPE-27	17-Aug-10	TBD		22.03	
MPE-27	11-Nov-10	TBD		22.06	
MPE-27	03-Mar-11	TBD	NM-Roots in Well		
MPE-27	20-May-11	TBD	NM-Roots in Well		
MPE-27	25-Aug-11	TBD		21.42	
MPE-27	10-Nov-11	TBD		21.33	
MPE-27	29-Feb-12	TBD		22.06	
MPE-28	03-Mar-10	TBD		21.54	
MPE-28	10-May-10	TBD		21.39	
MPE-28	17-Aug-10	TBD		21.70	
MPE-28	11-Nov-10	TBD	NM-Roots in Well		
MPE-28	03-Mar-11	TBD	NM-Roots in Well		
MPE-28	20-May-11	TBD	NM-Roots in Well		
MPE-28	25-Aug-11	TBD		22.19	
MPE-28	10-Nov-11	TBD		21.93	
MPE-28	29-Feb-12	TBD		21.74	
MPE-29	03-Mar-10	TBD		20.54	
MPE-29	10-May-10	TBD		20.39	
MPE-29	17-Aug-10	TBD		20.73	

TABLE 2
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS OF PHASE 1 , 2, and 3 MPE WELLS
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>
MPE-29	11-Nov-10	TBD		21.72	
MPE-29	03-Mar-11	TBD		21.45	
MPE-29	19-May-11	TBD		20.49	
MPE-29	25-Aug-11	TBD		21.03	
MPE-29	10-Nov-11	TBD		20.93	
MPE-29	29-Feb-12	TBD		20.87	
MPE-30	03-Mar-10	TBD		21.19	
MPE-30	10-May-10	TBD		20.03	
MPE-30	17-Aug-10	TBD		21.33	
MPE-30	12-Nov-10	TBD		21.36	
MPE-30	03-Mar-11	TBD		20.99	
MPE-30	19-May-11	TBD		21.18	
MPE-30	25-Aug-11	TBD		21.75	
MPE-30	10-Nov-11	TBD		21.68	
MPE-30	29-Feb-12	TBD		21.36	
MPE-31	03-Mar-10	TBD		22.46	
MPE-31	10-May-10	TBD		22.30	
MPE-31	17-Aug-10	TBD		22.57	
MPE-31	12-Nov-10	TBD		22.64	
MPE-31	03-Mar-11	TBD		22.45	
MPE-31	19-May-11	TBD		22.45	
MPE-31	25-Aug-11	TBD		22.95	
MPE-31	10-Nov-11	TBD		22.87	
MPE-31	29-Feb-12	TBD		22.66	
MPE-33	03-Mar-10	TBD		22.34	
MPE-33	10-May-10	TBD		22.19	
MPE-33	17-Aug-10	TBD		22.39	
MPE-33	12-Nov-10	TBD		22.54	
MPE-33	03-Mar-11	TBD		22.61	
MPE-33	19-May-11	TBD		22.34	
MPE-33	25-Aug-11	TBD		22.78	
MPE-33	10-Nov-11	TBD		22.78	
MPE-33	29-Feb-12	TBD	22.54	22.73	0.19
MPE-34	03-Mar-10	TBD		22.16	
MPE-34	10-May-10	TBD		22.01	
MPE-34	17-Aug-10	TBD		22.20	

TABLE 2
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS OF PHASE 1, 2, and 3 MPE WELLS
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>
MPE-34	12-Nov-10	TBD		22.37	
MPE-34	03-Mar-11	TBD		22.41	
MPE-34	19-May-11	TBD		22.19	
MPE-34	25-Aug-11	TBD		22.60	
MPE-34	10-Nov-11	TBD		22.67	
MPE-34	29-Feb-12	TBD		22.44	
MPE-35	24-Feb-10	TBD	20.71	20.95	0.24
MPE-35	03-Mar-10	TBD	20.64	20.98	0.34
MPE-35	18-May-10	TBD	20.34	20.67	0.33
MPE-35	09-Jun-10	TBD	20.26	20.79	0.53
MPE-35	16-Jun-10	TBD		20.46	
MPE-35	17-Aug-10	TBD	NM-Attached to RSI Unit		
MPE-35	12-Nov-10	TBD	20.86	21.27	0.41
MPE-35	03-Mar-11	TBD	20.87	21.25	0.38
MPE-35	19-May-11	TBD		20.74	
MPE-35	25-Aug-11	TBD	21.05	21.59	0.54
MPE-35	10-Nov-11	TBD	21.07	21.70	0.63
MPE-35	29-Feb-12	TBD	21	21.09	0.09
MPE-36	03-Mar-10	TBD		19.91	
MPE-36	10-May-10	TBD		NM	
MPE-36	16-Jun-10	TBD		19.72	
MPE-36	17-Aug-10	TBD		19.94	
MPE-36	12-Nov-10	TBD		20.11	
MPE-36	03-Mar-11	TBD		19.92	
MPE-36	19-May-11	TBD		19.98	
MPE-36	25-Aug-11	TBD		20.27	
MPE-36	10-Nov-11	TBD	20.26	20.66	0.40
MPE-36	29-Feb-12	TBD	20.13	20.37	0.24
MPE-37	03-Mar-10	TBD	20.11	20.67	0.56
MPE-37	18-May-10	TBD		19.98	
MPE-37	16-Jun-10	TBD		20.07	
MPE-37	17-Aug-10	TBD		20.31	
MPE-37	12-Nov-10	TBD		20.51	
MPE-37	03-Mar-11	TBD		20.33	
MPE-37	19-May-11	TBD		20.37	
MPE-37	25-Aug-11	TBD		20.33	
MPE-37	10-Nov-11	TBD	20.68	20.7	0.02

TABLE 2
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS OF PHASE 1 , 2, and 3 MPE WELLS
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>
MPE-37	29-Feb-12	TBD		20.52	
MPE-38	03-Mar-10	TBD	19.80	19.83	0.03
MPE-38	18-May-10	TBD	19.49	20.40	0.91
MPE-38	09-Jun-10	TBD	19.51	20.31	0.80
MPE-38	16-Jun-10	TBD	19.61	20.30	0.69
MPE-38	17-Aug-10	TBD	NM-Attached to RSI Unit		
MPE-38	12-Nov-10	TBD	19.99	20.59	0.60
MPE-38	03-Mar-11	TBD	20.06	20.63	0.57
MPE-38	19-May-11	TBD		19.83	
MPE-38	25-Aug-11	TBD	20.18	20.26	0.08
MPE-38	10-Nov-11	TBD	20.20	20.28	0.08
MPE-38	29-Feb-12	TBD	20.03	20.05	0.02
Phase 3 Wells					
MPE-39	18-Jun-10	TBD		17.29	
MPE-39	17-Aug-10	TBD		17.44	
MPE-39	12-Nov-10	TBD		17.64	
MPE-39	03-Mar-11	TBD		17.51	
MPE-39	19-May-11	TBD		17.49	
MPE-39	25-Aug-11	TBD		17.78	
MPE-39	10-Nov-11	TBD		17.83	
MPE-39	29-Feb-12	TBD		17.65	
MPE-40	18-Jun-10	TBD		17.46	
MPE-40	17-Aug-10	TBD		17.63	
MPE-40	12-Nov-10	TBD		17.83	
MPE-40	03-Mar-11	TBD		17.72	
MPE-40	19-May-11	TBD		17.64	
MPE-40	25-Aug-11	TBD		17.98	
MPE-40	15-Nov-11	TBD		18.06	
MPE-40	29-Feb-12	TBD		17.85	
MPE-41	18-Jun-10	TBD		18.14	
MPE-41	17-Aug-10	TBD	NM-Attached to RSI Unit		
MPE-41	12-Nov-10	TBD		18.51	
MPE-41	03-Mar-11	TBD		18.57	
MPE-41	19-May-11	TBD		18.37	
MPE-41	25-Aug-11	TBD		18.66	
MPE-41	15-Nov-11	TBD		18.74	

TABLE 2
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS OF PHASE 1 , 2, and 3 MPE WELLS
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>
MPE-41	29-Feb-12	TBD		18.52	
MPE-42	18-Jun-10	TBD		18.90	
MPE-42	17-Aug-10	TBD	NM-Attached to RSI Unit		
MPE-42	12-Nov-10	TBD		19.25	
MPE-42	03-Mar-11	TBD		19.30	
MPE-42	19-May-11	TBD		19.11	
MPE-42	25-Aug-11	TBD		19.48	
MPE-42	15-Nov-11	TBD		19.46	
MPE-42	29-Feb-12	TBD		19.25	
MPE-43	18-Jun-10	TBD		19.75	
MPE-43	17-Aug-10	TBD	NM-Attached to RSI Unit		
MPE-43	12-Nov-10	TBD		20.10	
MPE-43	03-Mar-11	TBD	NM-Attached to RSI Unit		
MPE-43	19-May-11	TBD		19.95	
MPE-43	25-Aug-11	TBD		20.25	
MPE-43	15-Nov-11	TBD		20.27	
MPE-43	29-Feb-12	TBD		20.16	
MPE-44	18-Jun-10	TBD		19.95	
MPE-44	17-Aug-10	TBD	NM-Attached to RSI Unit		
MPE-44	12-Nov-10	TBD		20.29	
MPE-44	03-Mar-11	TBD	NM-Attached to RSI Unit		
MPE-44	19-May-11	TBD	20.09	20.10	0.01
MPE-44	25-Aug-11	TBD	20.66	20.70	0.04
MPE-44	15-Nov-11	TBD	20.37	21.49	1.12
MPE-44	29-Feb-12	TBD	20.24	21.20	0.96
MPE-45	18-Jun-10	TBD		20.05	sheen
MPE-45	17-Aug-10	TBD	NM-Attached to RSI Unit		
MPE-45	12-Nov-10	TBD		20.38	
MPE-45	03-Mar-11	TBD	NM-Attached to RSI Unit		
MPE-45	19-May-11	TBD		20.22	
MPE-45	25-Aug-11	TBD	20.63	20.97	0.34
MPE-45	15-Nov-11	TBD	20.66	21.23	0.57
MPE-45	29-Feb-12	TBD	20.45	20.77	0.32
MPE-46	18-Jun-10	TBD		21.16	
MPE-46	17-Aug-10	TBD	NM-Attached to RSI Unit		

TABLE 2
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS OF PHASE 1 , 2, and 3 MPE WELLS
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

Well ID	Date	T.O.C. (ft amsl)	Depth to Product (ft)	Depth to Water (ft)	NAPL Thickness (ft)
MPE-46	12-Nov-10	TBD		21.46	
MPE-46	03-Mar-11	TBD	NM-Attached to RSI Unit		
MPE-46	19-May-11	TBD		21.28	
MPE-46	25-Aug-11	TBD		21.72	
MPE-46	15-Nov-11	TBD		21.53	
MPE-46	29-Feb-12	TBD		21.25	
MPE-47	18-Jun-10	TBD		20.68	
MPE-47	17-Aug-10	TBD		20.92	
MPE-47	12-Nov-10	TBD	20.87	21.28	0.41
MPE-47	03-Mar-11	TBD	20.80	21.29	0.49
MPE-47	19-May-11	TBD	20.73	20.75	0.02
MPE-47	25-Aug-11	TBD	21.13	22.25	1.12
MPE-47	15-Nov-11	TBD	21.00	21.82	0.82
MPE-47	29-Feb-12	TBD	20.93	21.19	0.26
MPE-48	18-Jun-10	TBD		19.94	
MPE-48	17-Aug-10	TBD		20.22	
MPE-48	12-Nov-10	TBD		20.11	
MPE-48	03-Mar-11	TBD		20.16	
MPE-48	19-May-11	TBD		19.91	
MPE-48	25-Aug-11	TBD		20.55	
MPE-48	15-Nov-11	TBD		20.24	
MPE-48	29-Feb-12	TBD		20.14	
MPE-49	18-Jun-10	TBD		19.13	
MPE-49	17-Aug-10	TBD		19.44	
MPE-49	12-Nov-10	TBD		19.32	
MPE-49	03-Mar-11	TBD		19.35	
MPE-49	25-May-11	TBD		19.08	
MPE-49	25-Aug-11	TBD		19.80	
MPE-49	15-Nov-11	TBD		19.59	
MPE-49	29-Feb-12	TBD		19.34	
MPE-50	18-Jun-10	TBD		20.24	
MPE-50	17-Aug-10	TBD	NM-Attached to RSI Unit		
MPE-50	12-Nov-10	TBD		20.49	
MPE-50	03-Mar-11	TBD	NM-Attached to RSI Unit		
MPE-50	25-May-11	TBD		20.39	
MPE-50	25-Aug-11	TBD		20.90	

TABLE 2
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS OF PHASE 1, 2, and 3 MPE WELLS
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico

<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>
MPE-50	15-Nov-11	TBD	20.65	21.02	0.37
MPE-50	29-Feb-12	TBD	20.52	20.75	0.23
MPE-51	18-Jun-10	TBD		20.70	
MPE-51	17-Aug-10	TBD		20.68	
MPE-51	12-Nov-10	TBD		20.99	
MPE-51	03-Mar-11	TBD		21.04	
MPE-51	25-May-11	TBD		20.80	
MPE-51	25-Aug-11	TBD		21.27	
MPE-51	15-Nov-11	TBD		21.21	
MPE-51	29-Feb-12	TBD		21.05	
MPE-52	18-Jun-10	TBD		20.49	
MPE-52	17-Aug-10	TBD		20.64	
MPE-52	12-Nov-10	TBD		20.84	
MPE-52	03-Mar-11	TBD		20.70	
MPE-52	25-May-11	TBD		20.69	
MPE-52	25-Aug-11	TBD	20.97	21.23	0.26
MPE-52	15-Nov-11	TBD	20.92	21.34	0.42
MPE-52	29-Feb-12	TBD	20.73	21.13	0.40
MPE-53	18-Jun-10	TBD		19.23	
MPE-53	17-Aug-10	TBD		19.38	
MPE-53	12-Nov-10	TBD		19.55	
MPE-53	03-Mar-11	TBD		19.42	
MPE-53	25-May-11	TBD	19.29	19.74	0.45
MPE-53	25-Aug-11	TBD	19.76	20.74	0.98
MPE-53	15-Nov-11	TBD	19.65	20.75	1.10
MPE-53	29-Feb-12	TBD	19.47	20.13	0.66
MPE-54	18-Jun-10	TBD		18.85	
MPE-54	17-Aug-10	TBD		19.02	
MPE-54	12-Nov-10	TBD		19.19	
MPE-54	03-Mar-11	TBD		19.15	
MPE-54	25-May-11	TBD		19.23	
MPE-54	25-Aug-11	TBD	19.38	19.88	0.50
MPE-54	15-Nov-11	TBD	19.47	20.03	0.56
MPE-54	29-Feb-12	TBD	19.26	19.35	0.09
MPE-55	18-Jun-10	TBD		18.36	

TABLE 2
SUMMARY OF RECENT GROUNDWATER MEASUREMENTS OF PHASE 1 , 2, and 3 MPE WELLS
Thriftway Refinery, 626 CR 5500, Bloomfield, New Mexico


<i>Well ID</i>	<i>Date</i>	<i>T.O.C. (ft amsl)</i>	<i>Depth to Product (ft)</i>	<i>Depth to Water (ft)</i>	<i>NAPL Thickness (ft)</i>
MPE-55	17-Aug-10	TBD		18.51	
MPE-55	12-Nov-10	TBD		18.70	
MPE-55	03-Mar-11	TBD		18.61	
MPE-55	25-May-11	TBD		18.52	
MPE-55	25-Aug-11	TBD		18.86	
MPE-55	15-Nov-11	TBD		18.91	
MPE-55	29-Feb-12	TBD		18.73	
MPE-56	18-Jun-10	TBD		13.80	
MPE-56	17-Aug-10	TBD		13.94	
MPE-56	12-Nov-10	TBD		14.14	
MPE-56	03-Mar-11	TBD		14.21	
MPE-56	19-May-11	TBD		14.01	
MPE-56	25-Aug-11	TBD		14.28	
MPE-56	15-Nov-11	TBD		14.30	
MPE-56	29-Feb-12	TBD		14.22	
MPE-57	18-Jun-10	TBD		--	
MPE-57	17-Aug-10	TBD		14.63	
MPE-57	12-Nov-10	TBD		14.75	
MPE-57	03-Mar-11	TBD		14.67	
MPE-57	19-May-11	TBD		14.68	
MPE-57	25-Aug-11	TBD		15.09	
MPE-57	15-Nov-11	TBD		15.00	
MPE-57	29-Feb-12	TBD		14.14	
MPE-58	18-Jun-10	TBD		--	
MPE-58	17-Aug-10	TBD		14.86	
MPE-58	12-Nov-10	TBD		14.99	
MPE-58	03-Mar-11	TBD		15.06	
MPE-58	19-May-11	TBD		14.96	
MPE-58	25-Aug-11	TBD		15.27	
MPE-58	15-Nov-11	TBD		15.32	
MPE-58	29-Feb-12	TBD		15.09	



FIGURE 1

GENERAL SITE PLAN

THRIFTWAY REFINERY
626 ROAD 5500
BLOOMFIELD, NEW MEXICO



Animas Environmental Services, LLC

DRAWN BY: N. Willis	DATE DRAWN: February 2, 2009
REVISIONS BY: C. Lameman	DATE REVISED: June 1, 2012
CHECKED BY: E. McNally	DATE CHECKED: June 1, 2012
APPROVED BY: E. McNally	DATE APPROVED: June 1, 2012

LEGEND

★ MONITOR WELL LOCATIONS





FIGURE 2

GROUNDWATER ELEVATION CONTOURS FEBRUARY 2012

THRIFTWAY REFINERY
626 ROAD 5500
BLOOMFIELD, NEW MEXICO



Animas Environmental Services, LLC

DRAWN BY: N. Willis	DATE DRAWN: February 2, 2009
REVISIONS BY: N. Willis	DATE REVISED: March 30, 2012
CHECKED BY: D. Watson	DATE CHECKED: March 30, 2012
APPROVED BY: E. McNally	DATE APPROVED: June 1, 2012

LEGEND

MONITOR WELL LOCATIONS

5440.62 GROUNDWATER ELEVATION IN FEET (AMSL)

—5435— GROUNDWATER ELEVATION CONTOUR IN FEET (AMSL)

NOTE: GROUNDWATER MEASUREMENTS WERE MADE ON FEBRUARY 28 & 29, 2012. LOCATIONS OF TW-45 THROUGH TW-50 ARE APPROXIMATE.





FIGURE 3

**FREE PRODUCT THICKNESS
CONTOURS
FEBRUARY 2012**

THRIFTWAY REFINERY
626 ROAD 5500
BLOOMFIELD, NEW MEXICO



Animas Environmental Services, LLC

DRAWN BY: N. Willis	DATE DRAWN: February 2, 2009
REVISIONS BY: N. Willis	DATE REVISED: March 30, 2012
CHECKED BY: D. Watson	DATE CHECKED: March 30, 2012
APPROVED BY: E. McNally	DATE APPROVED: June 1, 2012

LEGEND


✱ MONITOR WELL LOCATIONS

● MPE REMEDIATION WELL


1.47 FREE PRODUCT THICKNESS IN FEET

—0.5— FREE PRODUCT THICKNESS
CONTOUR IN FEET

NOTE: ALL MEASUREMENTS WERE MADE ON
FEBRUARY 28 & 29, 2012. LOCATIONS OF TW-45
THROUGH TW-50 ARE APPROXIMATE.



Graph 1. Selected Wells with Free Product Over Time,
Former Thriftway Refinery #810, Bloomfield, NM



DEPTH TO GROUNDWATER MEASUREMENT FORM

Animas Environmental Services

624 E. Comanche, Farmington NM 87401

Tel. (505) 564-2281 Fax (505) 324-2022

Project: Groundwater Monitoring

Site: Thriftway #810 Refinery

Location: Bloomfield, New Mexico

Tech: Chad Dawson

Project No.: AES 050204

Date: 2-28-12 7-29-17

Time: 1500-1600 0740-1215

Form: 1 of 4

Well I.D.	Time	Depth to NAPL (ft.)	Depth to Water (ft.)	NAPL Thickness (ft.)	Notes / Observations
TW-1	0842		30.96		
TW-2	858		29.19		
TW-3	0847		29.20		
TW-4	0900		19.82		
TW-5	0851		25.77		
TW-6	0925		24.94		
TW-7	0855		22.41		
TW-8	0904		19.88		
TW-9	0908		12.28		
TW-10	0912		12.49		
TW-11	0931		18.25		
TW-12	1600		22.57		
TW-13	1053	20.79	21.70	0.91	
TW-14	1046	17.21	17.52	0.31	
TW-15	0939		13.19		
TW-16	0916		11.44		
TW-17	0942		10.06		
TW-18	0937		16.48		
TW-19	1100	17.74	18.11	0.37	
TW-20	1106	17.55	19.02	1.47	
TW-21					Well Damaged During Demo
TW-22	1113	14.96	15.30	0.34	
TW-23	0948		9.01		
TW-24	1126	11.08	11.10	0.02	
TW-25	1117	14.25	14.71	0.46	
TW-26	1137	15.94	16.85	0.91	
TW-28	1143	15.33	16.46	1.13	
TW-29	1132	9.37	9.78	0.41	
TW-30	1513		6.18		
TW-31	1519		7.11		
TW-32	1155	9.27	10.72	1.45	
TW-33	1149	13.10	13.15	0.05	
TW-34	0926		19.91		

Wells measured with KECK water level or KECK interface tape, decontaminated between each well measurement.

History of NAPL

DEPTH TO GROUNDWATER MEASUREMENT FORM

Animas Environmental Services

624 E. Comanche, Farmington NM 87401

Tel. (505) 564-2281 Fax (505) 324-2022

Project: Groundwater Monitoring

Site: Thriftway #810 Refinery

Location: Bloomfield, New Mexico

Tech: Clayton Dawson

Project No.: AES 050204

Date: 2-29-12

Time: 1215-1532

Form: 3 of 4

Well I.D.	Time	Depth to NAPL (ft.)	Depth to Water (ft.)	NAPL Thickness (ft.)	Notes / Observations
MPE-1	1227		21.03 → 23.87		
MPE-2	1229	21.77	21.86	0.09	
MPE-3	1232		21.03		
MPE-4	1235		20.27		
MPE-5	1238	19.59	19.64	0.05	
MPE-6	1241		19.87		
MPE-7	1243		20.73		
MPE-8	1245		22.00		
MPE-9	1247		23.68		
MPE-10	1250		23.53		
MPE-11	1254		21.61		Roots in well
MPE-12	1256		22.59		
MPE-13	1258	22.97	22.99	0.02	
MPE-14	1300		22.05		
MPE-16	1302		20.19		
MPE-17	1305		20.49		
MPE-18	1307		19.48		
MPE-19	1311		19.28		
MPE-20	1314		18.98		
MPE-21	1317	20.13	20.42	0.29	
MPE-22	1320		20.97		
MPE-23	1323		20.09		
MPE-24	1326		22.98		
MPE-25	1329		23.26		
MPE-26	1332	22.89	23.95	1.06	
MPE-27	1336		22.04		Roots in well
MPE-28	1340		21.74		Roots in well
MPE-29	1347		20.87		Roots in well
MPE-30	1350		22.26		Roots in well
MPE-31	1354		22.66		Roots in well
MPE-33	1357	22.54	22.73	0.19	
MPE-34	1400		22.44		
MPE-35	1402	21.00	21.09	0.09	
MPE-36	1405	20.13	20.37	0.24	

Wells measured with KECK water level or KECK interface tape, decontaminated between each well measurement.

History of NAPL

