STATE OF NEW MEXICO



ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION



BRUCE KING GOVERNOR

ANITA LOCKWOOD
CABINET SECRETARY POST OFFICE BOX 2088 STATE LAND OFFICE BUILDING SANTA FE. NEW MEXICO 87504 (505) 827-5800

ADMINISTRATIVE ORDER DHC-1023

Meridian Oil Company P.O. Box 4289 Farmington, NM 87499-4289

Attention: Arden L. Walker

C.M. Morris Well No. 100 Unit G, Section 10, Township 27 North, Range 10 West, NMPM, San Juan County, New Mexico. Basin-Fruitland Coal and Fulcher-Kutz-Pictured Cliffs Pools

Dear Mr. Clayton:

Reference is made to your recent application for an exception to Rule 303-A of the Division Rules and Regulations to permit the subject well to commingle production from both pools in the wellbore.

It appearing that the subject well qualifies for approval for such exception pursuant to the provisions of Rule 303-C, and that reservoir damage or waste will not result from such downhole commingling, and correlative rights will not be violated thereby, you are hereby authorized to commingle the production as described above and any Division Order which authorized the dual completion and required separation of the two zones is hereby placed in abeyance.

In accordance with the provisions of Rule 303-C-4., total commingled oil production from the subject well shall not exceed 20 barrels per day, and total water production shall not exceed 40 barrels per day. The maximum amount of gas which may be produced daily from the well shall be determined by Division Rules and Regulations or by the gas allowable for each respective prorated pool as printed in the Division's San Juan Basin Gas Proration Schedule.

Assignment of allowable to the well and allocation of production from the well shall be in accordance with the allocation formula shown on Exhibit "A", attached hereto and made a part hereof. Any condensate production will be allocated entirely to the Fulcher-Kutz-Pictured Cliffs interval.

The operator is responsible for reporting the monthly gas production from the subject well to the Division utilizing the allocation formula adopted herein. An annual report shall be submitted by the operator to both the Aztec and Santa Fe offices of the Division showing the complete computations for the previous twelve-month period.

FURTHER: The operator shall notify the Aztec District Office of the Division upon implementation of the commingling process.

Pursuant to Rule 303-C-5, the commingling authority granted by the order may be rescinded by the Division Director if, in his opinion, conservation is not being best served by such commingling.

Approved at Santa Fe, New Mexico on this 2nd day of August, 1994.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION

WILLIAM J. LEMAY

Director

SEAL

WJL/DRC/amg

cc: Oil Conservation Division - Aztec

U.S. Bureau of Land Management - Farmington

C M MORRIS 100

MONTHLY GAS PRODUCTION ALLOCATION FORMULA

GENERAL EQUATION

Qt = Qftc + Qpc

WHERE:

Qt =

TOTAL MONTHLY PRODUCTION (MCF/MONTH)

Qftc =

FRUITLAND COAL (ftc) MONTHLY PRODUCTION

Qpc =

PICTURED CLIFFS (pc) MONTHLY PRODUCTION (MCF/MONTH)

REARRANGING THE EQUATION TO SOLVE FOR Offic:

Qftc = Qt - Qpc

ANY PRODUCTION RATE OVER WHAT IS CALCULATED FOR THE PICTURED CLIFFS (PC) USING THE APPLIED FORMULA IS FRUITLAND COAL (FTC) PRODUCTION.

PICTURED CLIFFS (PC) FORMATION PRODUCTION FORMULA IS:

Qpc =

Qpci X e^{-(Dpc) X (t)}

WHERE:

Qpci =

INITIAL PC MONTHLY FLOW RATE (OBTAINED FROM C M MORRIS #1

PRODUCTION HISTORY)

Dpc =

PICTURED CLIFFS MONTHLY DECLINE RATE CALCULATED FROM:

Dpc =

(Qpci-Qpcabd)/Np(pc)

See Determination of Qpci and PC Estimated Ultimate Recovery (Np(pc)) Qpci = 1521 MCF/M; Qpcabd = 300 MCF/M; Np(pc) = 436.8 MMCF

WHERE:

Np(pc) =

PICTURED CLIFFS ESTIMATED ULTIMATE RECOVERY (EUR)

Np(pc) =

DETERMINED FROM MATERIAL BALANCE CALCULATIONS OBTAINED FROM

THE C M MORRIS #1 (PC) WELLBORE PREVIOUSLY LOCATED IN THE SAME 1/4

SECTION (REMAINING RESERVES = 436.794 MMCF).

By calculating Np(pc) from SIBHP and determining Qpci, Dpc can then be calculated utilizing the previously described parameters. See derivation of Dpc, item (c) on page 4.

THUS:

 $Qftc = Qt - Qpci X e^{-(Dpc) X (t)}$

WHERE:

(t) IS IN MONTHS

REFERENCE: Thompson, R. S., and Wright, J. D., "Oil Property Evaluation", pages 5-2, 5-3, 5-4.