




May 14, 2013



Mr. Mike Bratcher
NMOCD District 2
1301 West. Grand Avenue
Artesia, NM 88210

AMARILLO
921 North Bivins
Amarillo, Texas 79107
Phone 806.467.0607
Fax 806.467.0622

AUSTIN
911 West Anderson Lane
Suite 202
Austin, Texas 78757
Phone 512.989.3428
Fax 512.989.3487

MIDLAND
2901 State Highway 349
Midland, Texas 79706
Phone 432.522.2133
Fax 432.522.2180

SAN ANTONIO
11 Commercial Place
Scherz, Texas 78154
Phone 210.265.8025
Fax 210.568.2191

TULSA
525 South Main Street
Suite 535
Tulsa, Oklahoma 74103
Phone 918.742.0871
Fax 918.382.0232

HOBBS
318 East Taylor Street
Hobbs, New Mexico 88241
Phone 505.393.4261
Fax 505.393.4658

ARTESIA
408 W. Texas Ave.
Artesia, New Mexico 88210
Phone 575.746.8768
Fax 505.746.8905

Subject: **Closure Report**
Oxy Permian LTD
Righthand Canyon 34 Fed #8
API # 30-015-32771

Activities

On March 27, 2013 Talon personnel mobilized to begin the site assessment and soil sampling activities for the above referenced location. Grab soil samples were collected from the surface of the impacted area (see site map for sample locations). Due to the rockiness of the ground in this area only surface samples were feasible during the initial assessment. Samples were sent to Cardinal Laboratories in Hobbs, New Mexico for analysis. A data table summarizing laboratory results is attached. All of the analytical results are under the Recommended Remedial Action Levels (RRAL). Therefore we request that no further actions be required.

Analytical Results

Analytical results detailed on the attached laboratory report are summarized below:

Results from sampling activities on March 27, 2013:

Sample ID	BTEX (mg/kg)	Chlorides (mg/kg)	TPH (mg/kg) GRO	TPH (mg/kg) DRO
S-1	ND	784	ND	17.1
S-2	ND	128	ND	ND
S-3	ND	80.0	ND	ND
S-4	ND	80.0	ND	ND
S-5	ND	816	ND	ND
S-6	ND	64.0	ND	ND


ENVIRONMENTAL CONSULTING
ENGINEERING
DRILLING
CONSTRUCTION
EMERGENCY RESPONSE

Toll Free: 866.742.0742
www.talonlpe.com

Bratcher, Mike, EMNRD

From: Kimberly M. Wilson <kwilson@talonlpe.com>
Sent: Tuesday, May 14, 2013 4:01 PM
To: Bratcher, Mike, EMNRD
Subject: Righthand Canyon 34 initial activities report
Attachments: Righthand Canyon 34 initial activities report.docx

Please find attached the closure report.



NTS
Scale in Feet

Legend

◇ - Sample Location



Date: 04/19/2013

Scale: NTS

Drawn By: TJS

Right Hand Canyon 34 Fed #8

Oxy - NM - North

Eddy County, New Mexico

Figure 1 - Site Plan



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Subbasin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
C 01530	C		ED	1	2	2	26	21S	24E	550416	3591200*	2134	185	150	35
C 02398	C		ED			4	23	21S	24E	550310	3591692*	2469	133	50	83
C 01317	C		ED	2	3	22	21S	24E	548073	3591889*	2484	140	80	60	
C 01136	C		ED	4	3	28	21S	24E	546455	3589868*	2574	138	83	55	
C 00953	C		ED	4	4	24	21S	24E	552124	3591487*	3642	66	28	38	
C 02261	C		ED	1	2	2	29	21S	24E	545598	3591170*	3763		20	
C 02428			ED	4	2	1	12	22S	24E	551426	3586017*	4310	450	400	50
C 02701			ED	3	3	3	20	21S	24E	544393	3591373*	4953	230	90	140
Average Depth to Water:													112 feet		
Minimum Depth:													20 feet		
Maximum Depth:													400 feet		

Record Count: 8

UTMNAD83 Radius Search (in meters):

Easting (X): 549014

Northing (Y): 3589590

Radius: 5000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

April 04, 2013

DAVID ADKINS

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: RIGHT HAND CANYON 34 FED #8

Enclosed are the results of analyses for samples received by the laboratory on 03/28/13 15:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.


Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/28/2013	Sampling Date:	03/27/2013
Reported:	04/04/2013	Sampling Type:	Soil
Project Name:	RIGHT HAND CANYON 34 FED #8	Sampling Condition:	Cool & Intact
Project Number:	700608.093.01	Sample Received By:	Jodi Henson
Project Location:	S 34 - T21 S - R24 E		

Sample ID: S - 1 (H300752-01)

BTEX 8021B			mg/kg		Analyzed By: AP				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/03/2013	ND	1.90	94.9	2.00	7.76	
Toluene*	<0.050	0.050	04/03/2013	ND	2.09	105	2.00	8.11	
Ethylbenzene*	<0.050	0.050	04/03/2013	ND	2.21	111	2.00	8.07	
Total Xylenes*	<0.150	0.150	04/03/2013	ND	6.53	109	6.00	7.37	
Total BTEX	<0.300	0.300	04/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 105 % 89.4-126

Chloride, SM4500Cl-B			mg/kg		Analyzed By: DW				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	784	16.0	04/01/2013	ND	448	112	400	0.00	

TPH 8015M			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	04/01/2013	ND	180	90.1	200	9.90	
DRO >C10-C28	17.1	10.0	04/01/2013	ND	178	88.8	200	10.9	


Surrogate: 1-Chlorooctane 86.1 % 65.2-140

Surrogate: 1-Chlorooctadecane 110 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/28/2013	Sampling Date:	03/27/2013
Reported:	04/04/2013	Sampling Type:	Soil
Project Name:	RIGHT HAND CANYON 34 FED #8	Sampling Condition:	Cool & Intact
Project Number:	700608.093.01	Sample Received By:	Jodi Henson
Project Location:	S 34 - T21 S - R24 E		

Sample ID: S - 2 (H300752-02)

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/03/2013	ND	1.90	94.9	2.00	7.76	
Toluene*	<0.050	0.050	04/03/2013	ND	2.09	105	2.00	8.11	
Ethylbenzene*	<0.050	0.050	04/03/2013	ND	2.21	111	2.00	8.07	
Total Xylenes*	<0.150	0.150	04/03/2013	ND	6.53	109	6.00	7.37	
Total BTEX	<0.300	0.300	04/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 102 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	04/01/2013	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	04/01/2013	ND	180	90.1	200	9.90	
DRO >C10-C28	<10.0	10.0	04/01/2013	ND	178	88.8	200	10.9	


Surrogate: 1-Chlorooctane 78.6 % 65.2-140

Surrogate: 1-Chlorooctadecane 103 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/28/2013	Sampling Date:	03/27/2013
Reported:	04/04/2013	Sampling Type:	Soil
Project Name:	RIGHT HAND CANYON 34 FED #8	Sampling Condition:	Cool & Intact
Project Number:	700608.093.01	Sample Received By:	Jodi Henson
Project Location:	S 34 - T21 S - R24 E		

Sample ID: S - 3 (H300752-03)

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/03/2013	ND	1.90	94.9	2.00	7.76	
Toluene*	<0.050	0.050	04/03/2013	ND	2.09	105	2.00	8.11	
Ethylbenzene*	<0.050	0.050	04/03/2013	ND	2.21	111	2.00	8.07	
Total Xylenes*	<0.150	0.150	04/03/2013	ND	6.53	109	6.00	7.37	
Total BTEX	<0.300	0.300	04/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 105 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	04/01/2013	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	04/02/2013	ND	180	90.1	200	9.90	
DRO >C10-C28	<10.0	10.0	04/02/2013	ND	178	88.8	200	10.9	


Surrogate: 1-Chlorooctane 70.1 % 65.2-140

Surrogate: 1-Chlorooctadecane 96.6 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/28/2013	Sampling Date:	03/27/2013
Reported:	04/04/2013	Sampling Type:	Soil
Project Name:	RIGHT HAND CANYON 34 FED #8	Sampling Condition:	Cool & Intact
Project Number:	700608.093.01	Sample Received By:	Jodi Henson
Project Location:	S 34 - T21 S - R24 E		

Sample ID: S - 4 (H300752-04)

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/03/2013	ND	1.90	94.9	2.00	7.76	
Toluene*	<0.050	0.050	04/03/2013	ND	2.09	105	2.00	8.11	
Ethylbenzene*	<0.050	0.050	04/03/2013	ND	2.21	111	2.00	8.07	
Total Xylenes*	<0.150	0.150	04/03/2013	ND	6.53	109	6.00	7.37	
Total BTEX	<0.300	0.300	04/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 104 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	04/01/2013	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	04/02/2013	ND	180	90.1	200	9.90	
DRO >C10-C28	<10.0	10.0	04/02/2013	ND	178	88.8	200	10.9	


Surrogate: 1-Chlorooctane 78.0 % 65.2-140

Surrogate: 1-Chlorooctadecane 104 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/28/2013	Sampling Date:	03/27/2013
Reported:	04/04/2013	Sampling Type:	Soil
Project Name:	RIGHT HAND CANYON 34 FED #8	Sampling Condition:	Cool & Intact
Project Number:	700608.093.01	Sample Received By:	Jodi Henson
Project Location:	S 34 - T21 S - R24 E		

Sample ID: S - 5 (H300752-05)

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/03/2013	ND	1.90	94.9	2.00	7.76	
Toluene*	<0.050	0.050	04/03/2013	ND	2.09	105	2.00	8.11	
Ethylbenzene*	<0.050	0.050	04/03/2013	ND	2.21	111	2.00	8.07	
Total Xylenes*	<0.150	0.150	04/03/2013	ND	6.53	109	6.00	7.37	
Total BTEX	<0.300	0.300	04/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 104 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	816	16.0	04/01/2013	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	04/02/2013	ND	180	90.1	200	9.90	
DRO >C10-C28	<10.0	10.0	04/02/2013	ND	178	88.8	200	10.9	


Surrogate: 1-Chlorooctane 69.1 % 65.2-140

Surrogate: 1-Chlorooctadecane 92.5 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	03/28/2013	Sampling Date:	03/27/2013
Reported:	04/04/2013	Sampling Type:	Soil
Project Name:	RIGHT HAND CANYON 34 FED #8	Sampling Condition:	Cool & Intact
Project Number:	700608.093.01	Sample Received By:	Jodi Henson
Project Location:	S 34 - T21 S - R24 E		

Sample ID: S - 6 (H300752-06)

BTEX 8021B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/03/2013	ND	1.90	94.9	2.00	7.76	
Toluene*	<0.050	0.050	04/03/2013	ND	2.09	105	2.00	8.11	
Ethylbenzene*	<0.050	0.050	04/03/2013	ND	2.21	111	2.00	8.07	
Total Xylenes*	<0.150	0.150	04/03/2013	ND	6.53	109	6.00	7.37	
Total BTEX	<0.300	0.300	04/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 104 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	04/01/2013	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	04/02/2013	ND	180	90.1	200	9.90	
DRO >C10-C28	<10.0	10.0	04/02/2013	ND	178	88.8	200	10.9	


Surrogate: 1-Chlorooctane 71.3 % 65.2-140

Surrogate: 1-Chlorooctadecane 96.1 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager


Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Page 9 of 9

Company Name: Talon/LPE		BILL TO		ANALYSIS REQUEST																							
Project Manager: D. Adkins		P.O. #:		<div>TPH BTEX Chlorides</div>																							
Address: 408 W. Texas Ave.		Company: Talon/LPE																									
City: Artesia State: NM Zip: 88210		Attn:																									
Phone #: 575-746-8768 Fax #: 575-746-8905		Address:																									
Project #: 700608.093.01 Project Owner: OXY		City:																									
Project Name: Right Hand Canyon 34 Fed #8		State: Zip:																									
Project Location: 534-T215-R24E		Phone #:																									
Sampler Name: Sheldon Hitchcock		Fax #:																									
FOR LAB USE ONLY		MATRIX		PRESERV		SAMPLING																					
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	ACID/BASE	ICE/COOL	OTHER:	DATE	TIME													
H300752																											
1	S-1	G	1			/				/			3-27-13	1:01 p	/	/	/										
2	S-2	G	1			/				/				1:03 p	/	/	/										
3	S-3	G	1			/				/				1:06 p	/	/	/										
4	S-4	G	1			/				/				1:09 p	/	/	/										
5	S-5	G	1			/				/				1:14 p	/	/	/										
6	S-6	G	1			/				/				1:16 p	/	/	/										

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date:	Received By:	Phone Result:	<input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Phone #:
Sheldon Hitchcock	3/28/13	Jodi Benson	Fax Result:	<input type="checkbox"/> Yes <input type="checkbox"/> No	Add'l Fax #:
Relinquished By:	Date:	Received By:	REMARKS:		
Delivered By: (Circle One)	Sample Condition	CHECKED BY:			
Sampler - UPS - Bus - Other:	Cool <input checked="" type="checkbox"/> Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/>	JHA			

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

#26



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Talon/LPE		BILL TO		ANALYSIS REQUEST																						
Project Manager: D. Adkins		P.O. #:																								
Address: 408 W. Texas Ave.		Company: Talon/LPE																								
City: Artesia State: NM Zip: 88210		Attn:																								
Phone #: 575-746-8768 Fax #: 575-746-8906		Address:																								
Project #: 700608.093.01 Project Owner: OXY		City:																								
Project Name: Right Hand Canyon 34 Fed #8		State: Zip:																								
Project Location: 534-T215-R24E		Phone #:																								
Sampler Name: Sheldon Hitchcock		Fax #:																								
FOR LAB USE ONLY																										
Lab I.D.	Sample I.D.	(GIRAB OR C)OMP.	# CONTAINERS	MATRIX				PRESERV.		SAMPLING		TPH BTEx Chlorides														
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	ACID/BASE:	ICE/COOL													OTHER:	DATE	TIME
H300752																										
1	S-1	G	1			/					/														3-27-13	1:01p
2	S-2	G	1			/					/															1:03p
3	S-3	G	1			/					/															1:06p
4	S-4	G	1			/					/															1:09p
5	S-5	G	1			/					/															1:14p
6	S-6	G	1			/					/			1:16p												
PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.																										
Relinquished By:		Date: 3/28/13		Received By:		Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No		Add'l Phone #:																		
Relinquished By: Sheldon Hitchcock		Time: 3:40		Received By: Jodi Benson		Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No		Add'l Fax #:																		
Relinquished By:		Date:		Received By:		REMARKS:																				
Time:																										
Delivered By: (Circle One)				Sample Condition		CHECKED BY:																				
Sampler - UPS - Bus - Other:				Cool Intact		(Initials)																				
				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		[Signature]																				

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

#26



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Talon/LPE		BILL TO		ANALYSIS REQUEST																		
Project Manager: D. Atkins		P.O. #:																				
Address: 408 W. Texas Ave.		Company: Talon/LPE																				
City: Artesia State: NM Zip: 88210		Attn:																				
Phone #: 575-746-8768 Fax #: 575-746-8906		Address:																				
Project #: 700608.084.01 Project Owner: OXY		City:																				
Project Name: OXY N. Burton Flats		State: Zip:																				
Project Location: S 23-T 205-R 28 E		Phone #:																				
Sampler Name: Sheldon Hitchcock		Fax #:																				
FOR LAB USE ONLY		MATRIX		PRESERV.		SAMPLING																
Lab I.D.	Sample I.D.	(G/RAB OR (COMP. # CONTAINERS	GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME	TPH	BTEX	Chlorides						
H300753																						
1	S-2 1'	G			/					/		3-27-13	10:36									
2	S-2 2'	G			/					/			10:41									
3	S-3 1'	G			/					/			10:50									
4	S-3 2'	G			/					/			10:56									
5	S-5 1'	G			/					/			10:59									
6	S-5 2'	G			/					/			11:11									

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	3/28/13	Received By:	Phone Result: <input type="checkbox"/> Yes <input type="checkbox"/> No		Add'l Phone #:
Sheldon Hitchcock	3:40	Jodi Benson	Fax Result: <input type="checkbox"/> Yes <input type="checkbox"/> No		Add'l Fax #:
Relinquished By:	Date:	Received By:	REMARKS:		
	Time:				
Delivered By: (Circle One)	Sample Condition	CHECKED BY:			
Sampler - UPS - Bus - Other:	Cool Intact	(Initials)			
	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	JH			
	<input type="checkbox"/> No <input type="checkbox"/> No				

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

#26