District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action **OPERATOR** X Initial Report Final Report Primero Operating, Inc. Contact Phelps White Name of Company Telephone No. (575) 626-7660 P.O. Box 1433, Roswell, NM 88202 Address Facility Name Eidson #1 Facility Type Tank Battery Surface Owner Primero - Lessee Mineral Owner Fee API No. 30-025-21185 LOCATION OF RELEASE East/West Line North/South Line Feet from the Unit Letter Township Feet from the County Section Range South 2310 Lea J 26 16S 35E 2310 East Latitude N 32.89215° Longitude W 103.42757° NATURE OF RELEASE Volume of Release Unknown Type of Release Volume Recovered None Produced Water Date and Hour of Occurrence Date and Hour of Discovery Source of Release Produced Water Tank Unknown 1/25/13 Was Immediate Notice Given? If YES, To Whom? ☐ Yes ☐ No X Not Required Date and Hour By Whom? Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. ☐ Yes X No If a Watercourse was Impacted, Describe Fully.\* DTW = 46 Describe Cause of Problem and Remedial Action Taken.\* The produced water tank had a hole in the bottom and a Letter of Violation was written on 1/25/13. The water tank was removed from the location. Describe Area Affected and Cleanup Action Taken.\* The produced water tank was located in a 30' x 30' bermed area. A soil boring was installed and soil samples were collected in five foot increments, from surface to a depth of 46' below ground surface (bgs). Soil samples were analyzed for chloride concentrations. Chloride concentrations decreased with depth and were reported less than 250 mg/kg at a depth of 45' bgs (93.6 mg/kg). A three foot thick hard rock layer was encountered at a depth of approximately 4.5' to 8' bgs, and an eleven foot hard rock layer was encountered at a depth of approximately 12' to 23' bgs. Groundwater at the location is thought to occur at 55' bgs; however, no indication of groundwater was encountered during the soil boring installation. I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, on ocal raw and/or regulations. Signature: Approved by Environmental Special Printed Name: Phelps White Approval Date: 4/5/13 Expiration Date: Title: President Conditions of Approval: SUBMIT FINAL E-mail Address: pwiv@zianet.com -Attached-C-141 BY 6/5/13

Phone: (575) 626-7660

\* Attach Additional Sheets If Necessary