

# SITE INFORMATION

## Report Type: Closure Report

### General Site Information:

<b>Site:</b>	Yucca State Tank Battery				
<b>Company:</b>	COG Operating LLC				
<b>Section, Township and Range</b>	Unit J	Sec. 16	T-17-S	R-31-E	
<b>Lease Number:</b>	API-30-015-3312				
<b>County:</b>	Eddy County				
<b>GPS:</b>	32.82806° N			103.87367° W	
<b>Surface Owner:</b>	State				
<b>Mineral Owner:</b>					
<b>Directions:</b>	From NM-82 and 529, travel east on 82 0.3 miles, left on CR-223 1.0 mile, right 200' to location.				

### Release Data:

<b>Date Released:</b>	1/19/2012	<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: auto;"> <b>RECEIVED</b>                  NOV 01 2012                  INMOCD ARTESIA             </div>
<b>Type Release:</b>	Produced Water and oil	
<b>Source of Contamination:</b>	Hole in fire tube	
<b>Fluid Released:</b>	5 bbls PW and 10 bbls oil	
<b>Fluids Recovered:</b>	3 bbls PW and 8 bbls oil	

### Official Communication:

<b>Name:</b>	Pat Ellis	Ike Tavarez
<b>Company:</b>	COG Operating, LLC	Tetra Tech
<b>Address:</b>	550 W. Texas Ave. Ste. 1300	1910 N. Big Spring
<b>P.O. Box</b>		
<b>City:</b>	Midland Texas, 79701	Midland, Texas
<b>Phone number:</b>	(432) 686-3023	432-682-4559
<b>Fax:</b>	(432) 684-7137	
<b>Email:</b>	pellis@conchoresources.com	ike.tavarez@tetrattech.com

### Ranking Criteria

Depth to Groundwater:	Ranking Score	Site Data
<50 ft	20	
50-99 ft	10	
>100 ft.	0	0

Wellhead Protection:	Ranking Score	Site Data
Water Source <1,000 ft., Private <200 ft.	20	
Water Source >1,000 ft., Private >200 ft.	0	0

Surface Body of Water:	Ranking Score	Site Data
<200 ft.	20	
200 ft - 1,000 ft.	10	
>1,000 ft.	0	0


<b>Total Ranking Score:</b>	0
-----------------------------	---

Acceptable Soil RRAL (mg/kg)		
Benzene	Total BTEX	TPH
10	50	5,000



TETRA TECH

October 16, 2012



Mr. Mike Bratcher  
Environmental Engineer Specialist  
Oil Conservation Division, District 2  
811 S. First Street  
Artesia, New Mexico 88210

**Re: Closure Report for the COG Operating LLC., Yucca State Tank Battery, Unit J, Section 16, Township 17 South, Range 31 East, Eddy County, New Mexico.**

Mr. Bratcher:

Tetra Tech, Inc. (Tetra Tech) was contacted by COG Operating LLC. (COG) to assess a spill from the Yucca State Tank Battery, Unit J, Section 16, Township 17 South, Range 31 East, Eddy County, New Mexico (Site). The spill site coordinates are N 32.82806°, W 103.87367°. The site location is shown on Figures 1 and 2.

### **Background**

According to the State of New Mexico C-141 Initial Report, the leak was discovered on January 19, 2012, and released approximately five (5) barrels of produced fluids and ten (10) barrels of oil due to a hole in the fire tube. To alleviate the problem, COG repaired the fire tube. Three (3) barrels of produced water and eight (8) bbls of oil were recovered. The entire spill remained within the firewalls of the facility and impacted an area approximately 3' x 20'. The initial C-141 form is enclosed in Appendix A.

### **Groundwater**

No water wells were listed within Section 16. One well was listed in Section 34 with a recorded depth of 271' bgs by the *Geology and Groundwater Resources of Eddy County, New Mexico (Report 3)*. According to the NMOCD groundwater map, the average depth to groundwater in this area is 300' below surface. The groundwater data is shown in Appendix B.

Tetra Tech

1910 North Big Spring, Midland, TX 79705

Tel 432.682.4559 Fax 432.682.3946 [www.tetrattech.com](http://www.tetrattech.com)



## **Regulatory**

A risk-based evaluation was performed for the Site in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills and Releases, dated August 13, 1993. The guidelines require a risk-based evaluation of the site to determine recommended remedial action levels (RRAL) for benzene, toluene, ethylbenzene and xylene (collectively referred to as BTEX) and total petroleum hydrocarbons (TPH) in soil. The proposed RRAL for benzene was determined to be 10 parts per million (ppm) or milligrams per kilogram (mg/kg) and 50 ppm for total BTEX (sum of benzene, toluene, ethylbenzene, and xylene). Based upon the depth to groundwater, the proposed RRAL for TPH is 5,000 mg/kg.

## **Soil Assessment and Analytical Results**

On February 7, 2012, Tetra Tech personnel inspected and sampled the spill area. One (1) auger hole (AH-1) was installed using a stainless steel hand auger to assess the impacted soils. Selected samples were analyzed for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B and chloride by EPA method 300.0. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix C. The sampling results are summarized in Table 1. The auger hole location is shown on Figure 3.

Referring to Table 1, all of the submitted samples were below the RRAL for TPH and BTEX. A shallow chloride impact was detected in the soils; with a chloride concentration of 2,360 mg/kg at 0-1' below surface. The chloride concentration showed a significant decline to 295 mg/kg at 1-1.5' below surface. All remaining samples had chloride concentrations of <200 mg/kg.

## **Remediation and Conclusion**

On April 30, 2012 Tetra Tech personnel supervised the excavation of the spill area. The spill foot print and final excavation depth of the soil remediation were met as stated in the approved work plan. In order to remove the elevated chloride concentrations, the spill area was excavated to 1.0' below surface. Approximately 3 cubic yards of impacted soil were removed and disposed of at R360 facility. The excavated area was then backfilled with clean material to grade.



TETRA TECH


Based on the remediation activities performed at this location, COG requests closure for this site. The C-141 (Final) is included in Appendix A. If you have any questions or comments concerning the assessment or the remediation activities performed at the site, please call me at (432) 682-4559.


Respectfully submitted,  
TETRA TECH

Ike Tavaréz, PG  
Project Manager

cc: Pat Ellis – COG

# FIGURES



	
<p>Figure 1 Yucca State TB Topo Map 1:100,000</p>	
<p>COG Spill Assessment Eddy County, New Mexico</p>	
<p>Project : 114-6401231</p>	
<p>Date : 3/12/2012</p>	
<p>File : H:\GIS\6401231</p>	
	
<p>SCALE: 1 in = 8,333 feet</p>	
	




Figure 2  
Yucca State TB  
Topo Map 1:24,000

COG Spill Assessment  
Eddy County, New Mexico


Project : 114-6401231

Date : 3/12/2012

File : H:\GIS\6401231



SCALE: 1 in = 2,000 feet  
0 1,000 2,000  
Feet




EXPLANATION	
	AUGER HOLE SAMPLE LOCATION
	WELL
	SPILL AREA



SCALE: 1 IN = 42 FEET

Feet 0 25 50

Figure 3	
Yucca State TB Spill Assessment Map	
COG Spill Assessment Eddy County, New Mexico	
Project : 114-6401231	
Date : 3/11/2012	
File : H:\GIS\6401231	



EXPLANATION	
	AUGER HOLE SAMPLE LOCATION
	WELL
	EXCAVATED AREA



SCALE: 1 IN = 42 FEET




Figure 4	
Yucca State TB	
Excavation Area & Depth Map	
Eddy County, New Mexico	
Project : 114-6401231	
Date : 3/11/2012	
File : H:\GIS\6401231	

# TABLES


**Table 1  
COG Operating LLC.  
Yucca State Tank Battery  
Eddy County, New Mexico**

Sample ID	Sample Date	Sample Depth (ft)	Soil Status		TPH (mg/kg)			Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			In-Situ	Removed	GRO	DRO	Total						
AH-1	2/7/2012	0-1		X	<2.00	<50.0	<50.0	<0.0200	<0.0200	<0.0200	<0.0200	<0.0200	2,360
	"	1-1.5	X		-	-	-	-	-	-	-	-	295
	"	2-2.5	X		-	-	-	-	-	-	-	-	<200
	"	3-3.5	X		-	-	-	-	-	-	-	-	<200
	"	4-4.5	X		-	-	-	-	-	-	-	-	<200
	"	5-5.5	X		-	-	-	-	-	-	-	-	<200
	"	6-6.5	X		-	-	-	-	-	-	-	-	<200
	"	7-7.5	X		-	-	-	-	-	-	-	-	<200
	"	8-8.5	X		-	-	-	-	-	-	-	-	<200
	"	9-9.5	X		-	-	-	-	-	-	-	-	<200


( - ) Not Analyzed

 Excavation Depth

# PHOTOGRAPHS



View West – Excavation of AH-1.




View Northwest – Backfill

APPENDIX A

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505



Form C-141  
Revised October 10, 2003  
Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

**Release Notification and Corrective Action**

**OPERATOR**

Initial Report  Final Report

Name of Company	COG Operating LLC	Contact	Pat Ellis
Address	550 W. Texas, Suite 100 Midland, Texas 79701	Telephone No.	(432) 230-0077
Facility Name	Yucca State	Facility Type	Tank Battery

Surface Owner: State	Mineral Owner	Lease No. (API#) 30-015-3312
----------------------	---------------	------------------------------

**LOCATION OF RELEASE**

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
J	3	25S	28E					Eddy

Latitude N 32 49.698° Longitude W 103 52.417°

**NATURE OF RELEASE**

Type of Release: Produced Water and Oil	Volume of Release 10 bbls oil 5 bbls produced water	Volume Recovered 8 bbls oil 3 bbls produced water
Source of Release: Fire Tube	Date and Hour of Occurrence 01/19/2012	Date and Hour of Discovery 01/19/2012 10:00 a.m.
Was Immediate Notice Given? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.\*

Describe Cause of Problem and Remedial Action Taken.\*  
A hole developed in the fire tube at the battery causing the release of fluid. The fire tube and all equipment was repaired and returned to service.

Describe Area Affected and Cleanup Action Taken.\*  
Tetra Tech personnel inspected the site and collected samples to define the spills extent. Soil that exceeded RRAL was removed and hauled away for proper disposal. The site was then brought up to surface grade with clean backfill material. Tetra Tech prepared a closure report and submitted it to NMOCD for review.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature:	<b>OIL CONSERVATION DIVISION</b>	
Printed Name: Ike Tavarez (Agent for COG)	Approved by District Supervisor:	
Title: Project Manager	Approval Date:	Expiration Date:
E-mail Address: Ike.Tavarez@TetraTech.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 10-16-12 Phone: (432) 682-4559		

\* Attach Additional Sheets If Necessary

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised October 10, 2003

Submit 2 Copies to appropriate  
District Office in accordance  
with Rule 116 on back  
side of form

**Release Notification and Corrective Action**

**OPERATOR**

Initial Report  Final Report

Name of Company	COG OPERATING LLC	Contact	Pat Ellis
Address	550 W. Texas, Suite 100, Midland, TX 79701	Telephone No.	432-230-0077
Facility Name	Yucca State	Facility Type	Tank Battery
Surface Owner	State	Mineral Owner	Lease No. (API#) 30-015-3312

**LOCATION OF RELEASE**

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
J	3	25S	28E					Eddy

Latitude 32 49.698 Longitude 103 52.417

**NATURE OF RELEASE**

Type of Release	Produced water and Oil	Volume of Release	5bbls pw 10bbls oil	Volume Recovered	3bbls pw 8bbls oil
Source of Release	Fire tube	Date and Hour of Occurrence	01/19/2012	Date and Hour of Discovery	01/19/2012 10:00 a.m.
Was Immediate Notice Given?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?			
By Whom?		Date and Hour			
Was a Watercourse Reached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.			

If a Watercourse was Impacted, Describe Fully.\*

Describe Cause of Problem and Remedial Action Taken.\*


A hole developed in the fire tube at the battery causing the release of fluid. We have repaired the fire tube and all equipment has been returned to service.

Describe Area Affected and Cleanup Action Taken.\*

Initially 15bbls of fluid was released and we were able to recover 11bbls with a vacuum truck. All fluid was contained inside the walls of the tank battery. The spill area measured and area of 3' x 20'. Tetra-Tech will sample the spill site area to delineate any possible contamination from the release and we will present a work plan to the NMOCD for approval prior to any significant remediation work.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

**OIL CONSERVATION DIVISION**

Signature:		Approved by District Supervisor:	
Printed Name:	Josh Russo	Approval Date:	Expiration Date:
Title:	HSE Coordinator	Conditions of Approval:	
E-mail Address:	jrusso@conchoresources.com	Attached <input type="checkbox"/>	
Date:	02/02/2012	Phone:	432-212-2399

\* Attach Additional Sheets If Necessary

## APPENDIX B

**Water Well Data**  
**Average Depth to Groundwater (ft)**  
**COG - Yucca State**  
**Eddy County, New Mexico**

16 South			30 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

16 South			31 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

16 South			32 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South			30 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South			31 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

17 South			32 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	180	29	28	27	26
31	dry	32	33	34	35

18 South			30 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South			31 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

18 South			32 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

-  New Mexico State Engineers Well Reports
-  USGS Well Reports
-  Geology and Groundwater Conditions in Southern Eddy, County, NM
-  NMOCD - Groundwater Data
-  SITE - Yucca State

## APPENDIX C

## Summary Report

Ike Tavarez  
 Tetra Tech  
 1910 N. Big Spring Street  
 Midland, TX 79705

Report Date: February 15, 2012

Work Order: 12021027

Project Location: Eddy Co., NM  
 Project Name: COG/Yucca State TB  
 Project Number: 114-6401231

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
288887	AH-1 0-1'	soil	2012-02-07	00:00	2012-02-10
288888	AH-1 1-1.5'	soil	2012-02-07	00:00	2012-02-10
288889	AH-1 2-2.5'	soil	2012-02-07	00:00	2012-02-10
288890	AH-1 3-3.5'	soil	2012-02-07	00:00	2012-02-10
288891	AH-1 4-4.5'	soil	2012-02-07	00:00	2012-02-10
288892	AH-1 5-5.5'	soil	2012-02-07	00:00	2012-02-10
288893	AH-1 6-6.5'	soil	2012-02-07	00:00	2012-02-10
288894	AH-1 7-7.5'	soil	2012-02-07	00:00	2012-02-10
288895	AH-1 8-8.5'	soil	2012-02-07	00:00	2012-02-10
288896	AH-1 9-9.5'	soil	2012-02-07	00:00	2012-02-10

Sample - Field Code	BTEX				TPH DRO - NEW DRO (mg/Kg)	TPH GRO GRO (mg/Kg)
	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Xylene (mg/Kg)		
288887 - AH-1 0-1'	<0.0200	<0.0200	<0.0200	<0.0200	<50.0	<2.00

**Sample: 288887 - AH-1 0-1'**

Param	Flag	Result	Units	RL
Chloride		2360	mg/Kg	4

**Sample: 288888 - AH-1 1-1.5'**

Param	Flag	Result	Units	RL
Chloride		295	mg/Kg	4

**Sample: 288889 - AH-1 2-2.5'**

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

**Sample: 288890 - AH-1 3-3.5'**

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

**Sample: 288891 - AH-1 4-4.5'**

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

**Sample: 288892 - AH-1 5-5.5'**

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

**Sample: 288893 - AH-1 6-6.5'**

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

**Sample: 288894 - AH-1 7-7.5'**

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

**Sample: 288895 - AH-1 8-8.5'**

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4

**Sample: 288896 - AH-1 9-9.5'**

Param	Flag	Result	Units	RL
Chloride		<200	mg/Kg	4



6701 Aberdeen Avenue, Suite 9 Lubbock, Texas 79424 800•378•1296 806•794•1296 FAX 806•794•1298  
200 East Sunset Road, Suite E El Paso, Texas 79922 888•588•3443 915•585•3443 FAX 915•585•4944  
5002 Basin Street, Suite A1 Midland, Texas 79703 432•689•6301 FAX 432•689•6313  
6015 Harris Parkway, Suite 110 Ft. Worth, Texas 76132 817•201•5260  
E-Mail: lab@traceanalysis.com

## Certifications

WBE HUB NCTRCA DBE NELAP DoD LELAP Kansas Oklahoma ISO 17025

# Analytical and Quality Control Report

Ike Tavarez  
Tetra Tech  
1910 N. Big Spring Street  
Midland, TX, 79705

Report Date: February 15, 2012

Work Order: 12021027



Project Location: Eddy Co., NM  
Project Name: COG/Yucca State TB  
Project Number: 114-6401231

Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
288887	AH-1 0-1'	soil	2012-02-07	00:00	2012-02-10
288888	AH-1 1-1.5'	soil	2012-02-07	00:00	2012-02-10
288889	AH-1 2-2.5'	soil	2012-02-07	00:00	2012-02-10
288890	AH-1 3-3.5'	soil	2012-02-07	00:00	2012-02-10
288891	AH-1 4-4.5'	soil	2012-02-07	00:00	2012-02-10
288892	AH-1 5-5.5'	soil	2012-02-07	00:00	2012-02-10
288893	AH-1 6-6.5'	soil	2012-02-07	00:00	2012-02-10
288894	AH-1 7-7.5'	soil	2012-02-07	00:00	2012-02-10
288895	AH-1 8-8.5'	soil	2012-02-07	00:00	2012-02-10
288896	AH-1 9-9.5'	soil	2012-02-07	00:00	2012-02-10

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 18 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.

*Michael Abel*

---

Dr. Blair Leftwich, Director  
Dr. Michael Abel, Project Manager

# Report Contents

<b>Case Narrative</b>	<b>4</b>
<b>Analytical Report</b>	<b>5</b>
Sample 288887 (AH-1 0-1')	5
Sample 288888 (AH-1 1-1.5')	6
Sample 288889 (AH-1 2-2.5')	6
Sample 288890 (AH-1 3-3.5')	7
Sample 288891 (AH-1 4-4.5')	7
Sample 288892 (AH-1 5-5.5')	7
Sample 288893 (AH-1 6-6.5')	8
Sample 288894 (AH-1 7-7.5')	8
Sample 288895 (AH-1 8-8.5')	8
Sample 288896 (AH-1 9-9.5')	8
<b>Method Blanks</b>	<b>10</b>
QC Batch 88517 - Method Blank (1)	10
QC Batch 88543 - Method Blank (1)	10
QC Batch 88547 - Method Blank (1)	10
QC Batch 88570 - Method Blank (1)	11
<b>Laboratory Control Spikes</b>	<b>12</b>
QC Batch 88517 - LCS (1)	12
QC Batch 88543 - LCS (1)	12
QC Batch 88547 - LCS (1)	13
QC Batch 88570 - LCS (1)	13
QC Batch 88517 - MS (1)	13
QC Batch 88543 - MS (1)	14
QC Batch 88547 - MS (1)	14
QC Batch 88570 - MS (1)	15
<b>Calibration Standards</b>	<b>16</b>
QC Batch 88517 - CCV (2)	16
QC Batch 88517 - CCV (3)	16
QC Batch 88543 - CCV (2)	16
QC Batch 88543 - CCV (3)	16
QC Batch 88547 - CCV (2)	16
QC Batch 88547 - CCV (3)	17
QC Batch 88570 - ICV (1)	17
QC Batch 88570 - CCV (1)	17
<b>Appendix</b>	<b>18</b>
Report Definitions	18
Laboratory Certifications	18
Standard Flags	18
Attachments	18

# Case Narrative

Samples for project COG/Yucca State TB were received by TraceAnalysis, Inc. on 2012-02-10 and assigned to work order 12021027. Samples for work order 12021027 were received intact at a temperature of 5.9 C.

Samples were analyzed for the following tests using their respective methods.

Test	Method	Prep Batch	Prep Date	QC Batch	Analysis Date
BTEX	S 8021B	75170	2012-02-13 at 08:45	88547	2012-02-13 at 14:52
Chloride (Titration)	SM 4500-Cl B	75143	2012-02-10 at 13:39	88570	2012-02-14 at 14:04
TPH DRO - NEW	S 8015 D	75146	2012-02-13 at 15:03	88517	2012-02-13 at 15:05
TPH GRO	S 8015 D	75170	2012-02-13 at 08:45	88543	2012-02-13 at 14:52

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 12021027 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

# Analytical Report

## Sample: 288887 - AH-1 0-1'

Laboratory: Midland  
Analysis: BTEX  
QC Batch: 88547  
Prep Batch: 75170

Analytical Method: S 8021B  
Date Analyzed: 2012-02-13  
Sample Preparation: 2012-02-13

Prep Method: S 5035  
Analyzed By: tc  
Prepared By: tc

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Benzene	u	1	<0.0200	mg/Kg	1	0.0200
Toluene	u	1	<0.0200	mg/Kg	1	0.0200
Ethylbenzene	u	1	<0.0200	mg/Kg	1	0.0200
Xylene	u	1	<0.0200	mg/Kg	1	0.0200

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.58	mg/Kg	1	2.00	129	75 - 135.4
4-Bromofluorobenzene (4-BFB)			1.97	mg/Kg	1	2.00	98	63.6 - 158.9

## Sample: 288887 - AH-1 0-1'

Laboratory: Midland  
Analysis: Chloride (Titration)  
QC Batch: 88570  
Prep Batch: 75143

Analytical Method: SM 4500-C1 B  
Date Analyzed: 2012-02-14  
Sample Preparation: 2012-02-10

Prep Method: N/A  
Analyzed By: AR  
Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			<b>2360</b>	mg/Kg	100	4.00

## Sample: 288887 - AH-1 0-1'

Laboratory: Midland  
Analysis: TPH DRO - NEW  
QC Batch: 88517  
Prep Batch: 75146

Analytical Method: S 8015 D  
Date Analyzed: 2012-02-13  
Sample Preparation: 2012-02-13

Prep Method: N/A  
Analyzed By: DA  
Prepared By: DA

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO	u	1	<50.0	mg/Kg	1	50.0

Report Date: February 15, 2012  
114-6401231

Work Order: 12021027  
COG/Yucca State TB

Page Number: 6 of 18  
Eddy Co., NM

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			107	mg/Kg	1	100	107	49.3 - 157.5

**Sample: 288887 - AH-1 0-1'**

Laboratory: Midland  
Analysis: TPH GRO                      Analytical Method: S 8015 D                      Prep Method: S 5035  
QC Batch: 88543                      Date Analyzed: 2012-02-13                      Analyzed By: tc  
Prep Batch: 75170                      Sample Preparation: 2012-02-13                      Prepared By: tc

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO	u	i	<2.00	mg/Kg	1	2.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.30	mg/Kg	1	2.00	115	58.5 - 155.1
4-Bromoffluorobenzene (4-BFB)			2.11	mg/Kg	1	2.00	106	45.1 - 162.2

**Sample: 288888 - AH-1 1-1.5'**

Laboratory: Midland  
Analysis: Chloride (Titration)                      Analytical Method: SM 4500-Cl B                      Prep Method: N/A  
QC Batch: 88570                      Date Analyzed: 2012-02-14                      Analyzed By: AR  
Prep Batch: 75143                      Sample Preparation: 2012-02-10                      Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride			295	mg/Kg	50	4.00

**Sample: 288889 - AH-1 2-2.5'**

Laboratory: Midland  
Analysis: Chloride (Titration)                      Analytical Method: SM 4500-Cl B                      Prep Method: N/A  
QC Batch: 88570                      Date Analyzed: 2012-02-14                      Analyzed By: AR  
Prep Batch: 75143                      Sample Preparation: 2012-02-10                      Prepared By: AR

*continued ...*

sample 288889 continued ...

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

**Sample: 288890 - AH-1 3-3.5'**

Laboratory: Midland  
Analysis: Chloride (Titration)      Analytical Method: SM 4500-Cl B      Prep Method: N/A  
QC Batch: 88570      Date Analyzed: 2012-02-14      Analyzed By: AR  
Prep Batch: 75143      Sample Preparation: 2012-02-10      Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

**Sample: 288891 - AH-1 4-4.5'**

Laboratory: Midland  
Analysis: Chloride (Titration)      Analytical Method: SM 4500-Cl B      Prep Method: N/A  
QC Batch: 88570      Date Analyzed: 2012-02-14      Analyzed By: AR  
Prep Batch: 75143      Sample Preparation: 2012-02-10      Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

**Sample: 288892 - AH-1 5-5.5'**

Laboratory: Midland  
Analysis: Chloride (Titration)      Analytical Method: SM 4500-Cl B      Prep Method: N/A  
QC Batch: 88570      Date Analyzed: 2012-02-14      Analyzed By: AR  
Prep Batch: 75143      Sample Preparation: 2012-02-10      Prepared By: AR

Report Date: February 15, 2012  
114-6401231

Work Order: 12021027  
COG/Yucca State TB

Page Number: 8 of 18  
Eddy Co., NM

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

**Sample: 288893 - AH-1 6-6.5'**

Laboratory: Midland  
Analysis: Chloride (Titration)      Analytical Method: SM 4500-Cl B      Prep Method: N/A  
QC Batch: 88570      Date Analyzed: 2012-02-14      Analyzed By: AR  
Prep Batch: 75143      Sample Preparation: 2012-02-10      Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

**Sample: 288894 - AH-1 7-7.5'**

Laboratory: Midland  
Analysis: Chloride (Titration)      Analytical Method: SM 4500-Cl B      Prep Method: N/A  
QC Batch: 88570      Date Analyzed: 2012-02-14      Analyzed By: AR  
Prep Batch: 75143      Sample Preparation: 2012-02-10      Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

**Sample: 288895 - AH-1 8-8.5'**

Laboratory: Midland  
Analysis: Chloride (Titration)      Analytical Method: SM 4500-Cl B      Prep Method: N/A  
QC Batch: 88570      Date Analyzed: 2012-02-14      Analyzed By: AR  
Prep Batch: 75143      Sample Preparation: 2012-02-10      Prepared By: AR

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

Report Date: February 15, 2012  
114-6401231

Work Order: 12021027  
COG/Yucca State TB

Page Number: 9 of 18  
Eddy Co., NM

---

**Sample: 288896 - AH-1 9-9.5'**

Laboratory: Midland	Analytical Method: SM 4500-Cl B	Prep Method: N/A
Analysis: Chloride (Titration)	Date Analyzed: 2012-02-14	Analyzed By: AR
QC Batch: 88570	Sample Preparation: 2012-02-10	Prepared By: AR
Prep Batch: 75143		

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	u		<200	mg/Kg	50	4.00

---

# Method Blanks

Method Blank (1)      QC Batch: 88517

QC Batch:      88517                              Date Analyzed:      2012-02-13                              Analyzed By:      DA  
 Prep Batch:      75146                              QC Preparation:      2012-02-13                              Prepared By:      DA

Parameter	Flag	Cert	MDL Result	Units	RL
DRO		1	39.1	mg/Kg	50

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane			100	mg/Kg	1	100	100	52 - 140.8

Method Blank (1)      QC Batch: 88543

QC Batch:      88543                              Date Analyzed:      2012-02-13                              Analyzed By:      tc  
 Prep Batch:      75170                              QC Preparation:      2012-02-13                              Prepared By:      tc

Parameter	Flag	Cert	MDL Result	Units	RL
GRO		1	<1.22	mg/Kg	2

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.08	mg/Kg	1	2.00	104	78.6 - 109
4-Bromofluorobenzene (4-BFB)			1.91	mg/Kg	1	2.00	96	58 - 100

Method Blank (1)      QC Batch: 88547

QC Batch:      88547                              Date Analyzed:      2012-02-13                              Analyzed By:      tc  
 Prep Batch:      75170                              QC Preparation:      2012-02-13                              Prepared By:      tc

Parameter	Flag	Cert	MDL Result	Units	RL
Benzene		1	<0.00470	mg/Kg	0.02
Toluene		1	<0.00980	mg/Kg	0.02

*continued ...*

Report Date: February 15, 2012  
114-6401231

Work Order: 12021027  
COG/Yucca State TB

Page Number: 11 of 18  
Eddy Co., NM

method blank continued ...

Parameter	Flag	Cert	MDL Result	Units	RL
Ethylbenzene		1	<0.00500	mg/Kg	0.02
Xylene		1	<0.0170	mg/Kg	0.02

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)			2.35	mg/Kg	1	2.00	118	78 - 123.6
4-Bromofluorobenzene (4-BFB)			1.77	mg/Kg	1	2.00	88	55.9 - 112.4

Method Blank (1)      QC Batch: 88570

QC Batch: 88570  
Prep Batch: 75143

Date Analyzed: 2012-02-14  
QC Preparation: 2012-02-10

Analyzed By: AR  
Prepared By: AR

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride			<3.85	mg/Kg	4

## Laboratory Control Spikes

### Laboratory Control Spike (LCS-1)

QC Batch: 88517                      Date Analyzed: 2012-02-13                      Analyzed By: DA  
Prep Batch: 75146                      QC Preparation: 2012-02-13                      Prepared By: DA

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO		1	244	mg/Kg	1	250	<14.5	98	62 - 128.3

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO		1	236	mg/Kg	1	250	<14.5	94	62 - 128.3	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCS Result	Units	Dil.	Spike Amount	LCS Rec.	LCS Rec.	Rec. Limit
n-Tricosane	104	104	mg/Kg	1	100	104	104	58.6 - 149.6

### Laboratory Control Spike (LCS-1)

QC Batch: 88543                      Date Analyzed: 2012-02-13                      Analyzed By: tc  
Prep Batch: 75170                      QC Preparation: 2012-02-13                      Prepared By: tc

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		1	18.7	mg/Kg	1	20.0	<1.22	94	68.3 - 105.7

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO		1	18.6	mg/Kg	1	20.0	<1.22	93	68.3 - 105.7	0	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCS Result	Units	Dil.	Spike Amount	LCS Rec.	LCS Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.12	2.01	mg/Kg	1	2.00	106	100	80 - 111.2
4-Bromofluorobenzene (4-BFB)	2.10	1.96	mg/Kg	1	2.00	105	98	66.4 - 106.6

**Laboratory Control Spike (LCS-1)**

QC Batch: 88547  
Prep Batch: 75170

Date Analyzed: 2012-02-13  
QC Preparation: 2012-02-13

Analyzed By: tc  
Prepared By: tc

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene		1	1.98	mg/Kg	1	2.00	<0.00470	99	86.5 - 124.9
Toluene		1	1.99	mg/Kg	1	2.00	<0.00980	100	84.7 - 122.5
Ethylbenzene		1	1.98	mg/Kg	1	2.00	<0.00500	99	79.4 - 118.9
Xylene		1	5.80	mg/Kg	1	6.00	<0.0170	97	79.5 - 118.9

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene		1	2.17	mg/Kg	1	2.00	<0.00470	108	86.5 - 124.9	9	20
Toluene		1	2.20	mg/Kg	1	2.00	<0.00980	110	84.7 - 122.5	10	20
Ethylbenzene		1	2.15	mg/Kg	1	2.00	<0.00500	108	79.4 - 118.9	8	20
Xylene		1	6.37	mg/Kg	1	6.00	<0.0170	106	79.5 - 118.9	9	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.32	2.38	mg/Kg	1	2.00	116	119	73.9 - 127
4-Bromofluorobenzene (4-BFB)	2.05	2.08	mg/Kg	1	2.00	102	104	70.4 - 119

**Laboratory Control Spike (LCS-1)**

QC Batch: 88570  
Prep Batch: 75143

Date Analyzed: 2012-02-14  
QC Preparation: 2012-02-10

Analyzed By: AR  
Prepared By: AR

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			95.7	mg/Kg	1	100	<3.85	96	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			103	mg/Kg	1	100	<3.85	103	85 - 115	7	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Report Date: February 15, 2012  
114-6401231

Work Order: 12021027  
COG/Yucca State TB

Page Number: 14 of 18  
Eddy Co., NM

**Matrix Spike (MS-1) Spiked Sample: 288885**

QC Batch: 88517 Date Analyzed: 2012-02-13 Analyzed By: DA  
Prep Batch: 75146 QC Preparation: 2012-02-13 Prepared By: DA

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO		1	254	mg/Kg	1	250	<14.5	102	45.5 - 127

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO		1	232	mg/Kg	1	250	<14.5	93	45.5 - 127	9	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
n-Tricosane	104	92.1	mg/Kg	1	100	104	92	45.4 - 145.8

**Matrix Spike (MS-1) Spiked Sample: 288885**

QC Batch: 88543 Date Analyzed: 2012-02-13 Analyzed By: tc  
Prep Batch: 75170 QC Preparation: 2012-02-13 Prepared By: tc

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		1	-14.2	mg/Kg	1	20.0	<1.22	68	28.2 - 157.2

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO		1	16.1	mg/Kg	1	20.0	<1.22	77	28.2 - 157.2	12	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.36	2.60	mg/Kg	1	2	118	130	75.5 - 122.3
4-Bromofluorobenzene (4-BFB)	2.28	2.51	mg/Kg	1	2	114	126	77.9 - 122.4

**Matrix Spike (MS-1)** Spiked Sample: 288887

QC Batch: 88547 Date Analyzed: 2012-02-13 Analyzed By: tc  
Prep Batch: 75170 QC Preparation: 2012-02-13 Prepared By: tc

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene		1	1.93	mg/Kg	1	2.00	<0.00470	96	69.3 - 159.2
Toluene		1	2.04	mg/Kg	1	2.00	<0.00980	102	68.7 - 157
Ethylbenzene		1	2.13	mg/Kg	1	2.00	<0.00500	106	71.6 - 158.2
Xylene		1	6.25	mg/Kg	1	6.00	<0.0170	104	70.8 - 159.8

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene		1	1.87	mg/Kg	1	2.00	<0.00470	94	69.3 - 159.2	3	20
Toluene		1	1.97	mg/Kg	1	2.00	<0.00980	98	68.7 - 157	4	20
Ethylbenzene		1	2.10	mg/Kg	1	2.00	<0.00500	105	71.6 - 158.2	1	20
Xylene		1	6.12	mg/Kg	1	6.00	<0.0170	102	70.8 - 159.8	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate	MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	2.51	2.56	mg/Kg	1	2	126	128	71.4 - 133.9
4-Bromofluorobenzene (4-BFB)	2.10	2.08	mg/Kg	1	2	105	104	72.6 - 144.1

**Matrix Spike (MS-1)** Spiked Sample: 288896

QC Batch: 88570 Date Analyzed: 2012-02-14 Analyzed By: AR  
Prep Batch: 75143 QC Preparation: 2012-02-10 Prepared By: AR

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride			10000	mg/Kg	100	10000	<385	100	79.4 - 120.6

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride			10600	mg/Kg	100	10000	<385	106	79.4 - 120.6	6	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

## Calibration Standards

### Standard (CCV-2)

QC Batch: 88517

Date Analyzed: 2012-02-13

Analyzed By: DA

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		1	mg/Kg	250	242	97	80 - 120	2012-02-13

### Standard (CCV-3)

QC Batch: 88517

Date Analyzed: 2012-02-13

Analyzed By: DA

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		1	mg/Kg	250	260	104	80 - 120	2012-02-13

### Standard (CCV-2)

QC Batch: 88543

Date Analyzed: 2012-02-13

Analyzed By: tc

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1	mg/Kg	1.00	1.07	107	80 - 120	2012-02-13

### Standard (CCV-3)

QC Batch: 88543

Date Analyzed: 2012-02-13

Analyzed By: tc

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1	mg/Kg	1.00	1.14	114	80 - 120	2012-02-13



## Appendix

### Report Definitions

Name	Definition
MDL	Method Detection Limit
MQL	Minimum Quantitation Limit
SDL	Sample Detection Limit

### Laboratory Certifications

C	Certifying Authority	Certification Number	Laboratory Location
-	NCTRCA	WFWB384444Y0909	TraceAnalysis
-	DBE	VN 20657	TraceAnalysis
-	HUB	1752439743100-86536	TraceAnalysis
-	WBE	237019	TraceAnalysis
1	NELAP	T104704392-11-3	Midland

### Standard Flags

F	Description
B	Analyte detected in the corresponding method blank above the method detection limit
H	Analyzed out of hold time
J	Estimated concentration
Jb	The analyte is positively identified and the value is approximated between the SDL and MQL. Sample contains less than ten times the concentration found in the method blank. The result should be considered non-detect to the SDL.
Je	Estimated concentration exceeding calibration range.
Qc	Calibration check outside of laboratory limits.
Qr	RPD outside of laboratory limits
Qs	Spike recovery outside of laboratory limits.
Qsr	Surrogate recovery outside of laboratory limits.
U	The analyte is not detected above the SDL

### Attachments

The scanned attachments will follow this page.  
Please note, each attachment may consist of more than one page.

# Analysis Request of Chain of Custody Record



## TETRA TECH

1910 N. Big Spring St.  
Midland, Texas 79705  
(432) 682-4559 • Fax (432) 682-3946

ANALYSIS REQUEST  
(Circle or Specify Method No.)

CLIENT NAME:

COG

SITE MANAGER:

Ike Towner

PROJECT NO.:

111-6401231

PROJECT NAME:

COG / Yucca Site TB

Eddy C. DOM

SAMPLE IDENTIFICATION

LAB I.D. NUMBER	DATE	TIME	MATRIX	COMP.	GRAB	SAMPLE IDENTIFICATION	NUMBER OF CONTAINERS FILTERED (Y/N)	PRESERVATIVE METHOD				TX1005 (Ext. to C35)	TX1005 MOD.	PAH 8270	RCRA Metals Ag As Ba Cd Cr Pb Hg Se	TCLP Metals Ag As Ba Cd Vr Pd Hg Se	TCLP Volatiles	TCLP Semi Volatiles	RCI	GC.MS Vol. 8240/8260/624	GC.MS Semi. Vol. 8270/625	PCB's 8080/608	Pest. 808/608	Chlorides	Gamma Spec.	Alpha Beta (Air)	PLM (Asbestos)	Major Anions/Cations, pH, TDS		
								HCL	HNO3	ICE	NONE																			
888	2/7		S		X	AH-1 0-1'	1					X	X											X						
889						1-1.5'																								
890						2-2.5'																								
891						3-3.5'																								
892						4-4.5'																								
893						5-5.5'																								
894						6-6.5'																								
895						7-7.5'																								
896						8-8.5'																								
896						9-9.5'																								

RELINQUISHED BY: (Signature) *[Signature]* Date: 2/10/11 Time: 1400

RECEIVED BY: (Signature) \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

SAMPLED BY: (Print & Initial) JT Date: 2/10/11 Time: \_\_\_\_\_

RELINQUISHED BY: (Signature) \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

RECEIVED BY: (Signature) \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

SAMPLE SHIPPED BY: (Circle) FEDEX  BUS  UPS  OTHER: \_\_\_\_\_

RELINQUISHED BY: (Signature) \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

RECEIVED BY: (Signature) \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

TETRA TECH CONTACT PERSON: \_\_\_\_\_ Results by: \_\_\_\_\_

RECEIVING LABORATORY: Tetra Tech ADDRESS: Midland CITY: Midland STATE: TX ZIP: \_\_\_\_\_ PHONE: \_\_\_\_\_ DATE: 2.10.11 TIME: 1400

RECEIVED BY: (Signature) *[Signature]* DATE: 2.10.11 TIME: 1400

TETRA TECH CONTACT PERSON: Ike Towner Results by: \_\_\_\_\_ RUSH Charges Authorized: Yes No

SAMPLE CONDITION WHEN RECEIVED: 5.9°C w/ at

REMARKS: Total TPH exceeds 5,000 mg/kg run deeper sample. If BTEX exceeds 50mg/kg or Benzene exceeds 10 mg/kg run deeper samples