C-144

Permanent Pit

Closure Plan Approval



2008 DEC 26 PM 1 27

December 23, 2008

Mr. Wayne Price, Chief Environmental Bureau New Mexico Oil Conservation Division 1220 South St. Francis Drive Santa Fe, New Mexico 87505

Re: Permanent Pit Closure Plan

XTO Energy, Inc., North Vacuum Unit North Water Station Unit F (SE/4, NW/4), Section 14, Township 17 South, Range 34 East Lea County, New Mexico

Dear Mr. Price:

Form C-144 and corresponding closure plan is submitted to the New Mexico Oil Conservation Division (NMOCD) Santa Fe office on behalf of XTO Energy, Inc. (XTO) by Larson & Associates, Inc. (LAI), it's consultant, for closure of a permanent pit at the XTO North Vacuum Unit North Water Station (Facility) located in Unit F (SE/4, NW/4), Section 14, Township 17 South and Range 34 East in Lea County, New Mexico. This closure plan has been prepared in conformance with 19.15.17 NMAC and template approved by the OCD on November 24, 2008. If you have any questions or concerns, please call me at 432.687.0901 to discuss. Sincerely,

LARSON & ASSOCIATES, INC.

Mark J. Larson, P.G., C.P.G.

Certified Professional Geologist #10490

mark@laenvironmental.com

Cc: File

Mr. Larry Johnson, NMOCD District 1

Mr. Guy Haykus, XTO, Midland

Mr. Dudley McMinn, XTO, Midland

Mr. Jerry Parker, XTO, SE New Mexico

- REGEIVED: 2008 DEC 26 PM 1 27

API# 30 - 025-29607

PERMANENT PIT CLOSURE PLAN
XTO ENERGY, INC.
NORTH VACUUM ABO UNIT
NORTH WATER STATION
LEA COUNTY, NEW MEXICO

Prepared for:

XTO Energy, Inc. 200 N. Loraine Street, Suite 800 Midland, Texas 79701

Prepared by:

Mark J. Larson, P.G. Larson & Associates, Inc. 507 North Marienfeld Street, Suite 200 Midland, Texas 79701

December 23, 2008

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System,	Below-Grade Tank, or
Proposed Alternative Method Pern	nit or Closure Plan Application

Propose	d Alternative Method Pe	ermit or Closure Plan Application	<u>n</u>
	=	em, below-grade tank, or proposed alternativ	
method		, G , FF	
	Modification to an existing perm		
	Closure plan only submitted for or proposed alternative method	an existing permitted or non-permitted pit, c	losed-loop system,
-	• •	vidual pit, closed-loop system, below-grade tank o	ne altoenativo eoguost
	· · · · · · · · · · · · · · · · ·	ity should operations result in pollution of surface wa	
nvironment. Nor does approval relieve the	operator of its responsibility to comply	with any other applicable governmental authority's r	ules, regulations or ordinances.
1.		OGDID # 5200	
	NEW ARRIOD DO DOV 500 PID		1
Address: <u>PERMIAN DIVISION – SE</u>			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
		TATION / ABO WELL NO, 297 (NEAREST WE	
API Number: <u>30-025-29607</u>		OCD Permit Number:	
		S Range 34E County: LEA	
		Longitude 103° 31' 54.3"	NAD: □1927 🛛 1983
Surface Owner: Federal X State	Private Tribal Trust or Indian Allo	tment	
2.			
X Pit: Subsection F or G of 19.15.17	.11 NMAC		
Temporary: Drilling Workover	·		
X Permanent	tion P&A		
🛮 Lined 🔲 Unlined Liner type: Thi	ickness 6 inches LLDPE	☐ HDPE ☐ PVC ☒ Other <u>CONCRETE</u>	
String-Reinforced		_	
Liner Seams: Welded Factory [Other	Volume: 3,300 bbl Dimensions: L_6	<u>2'</u> x W <u>60'</u> x D <u>5'</u>
3.		10 <u></u>	
Closed-loop System: Subsection I			
intent)		ng (Applies to activities which require prior appro-	val of a permit or notice of
☐ Drying Pad ☐ Above Ground Stee			
☐ Lined ☐ Unlined Liner type: Thic		PE HDPE PVC Other	
Liner Seams: Welded Factory	Other	<u></u>	
4.			
Below-grade tank: Subsection I o			
Volume:bbl	Type of fluid:		
Tank Construction material:		,	
Secondary containment with leak de	etection Visible sidewalls, liner,	6-inch lift and automatic overflow shut-off	,
☐ Visible sidewalls and liner ☐ Vis	ible sidewalls only Other		
Liner type: Thickness	mil	Other	
		<u> </u>	

s. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for considerations.	on of approval.
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,
7.	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
8.	
Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.3.103 NMAC	
9.	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank:	
Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Exception(o). Requests that we such that to such that the such as a spiror that the such as a spiror that	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approance office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain.	

- FEMA map	Yes No
- FEMA map	
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the de attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.1 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	ocuments are
Treviously rapproved besign (attach copy of design)	•
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the deattached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19. Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NM Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC	.15.17.9 MAC
Previously Approved Design (attach copy of design) API Number:	
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop sy	vstem that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)	
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the dattached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	ocuments are
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop S Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for co	

15,	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC	attached to the
X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)	
 Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC 	
M Site Rectalilation Fian - based upon the appropriate requirements of Subsection G of 19.13.17.13 NMAC	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13. Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if	
facilities are required.	
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future set Yes (If yes, please provide the information below) No	vice and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	.c `
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sou provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate disconsidered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	trict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes X No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes X No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	X Yes □ No □ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes X No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes X No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	X Yes □ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☒ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☒ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes 🗓 No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes X No
Within a 100-year floodplain FEMA map	☐ Yes ☒ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure p by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC	lan. Please indicate,

Construction/Design Plan of Temporary Pit (for in-place burst of a drying pad) - based upon the appropriate requirement of 19.15.17.11 NMAC				
Och Permit Number: Closure Report (required within 69 days of closure completions): Subsections (of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan has been obtained and the closure activities and submitting the closure report.	Protocols and Procedures - based upon the appropriate required X Confirmation Sampling Plan (if applicable) - based upon the X Waste Material Sampling Plan - based upon the appropriate re Disposal Facility Name and Permit Number (for liquids, drill X Soil Cover Design - based upon the appropriate requirements X Re-vegetation Plan - based upon the appropriate requirements	ements of 19.15.17.13 NMAC appropriate requirements of Subsection F of ing fluids and drill cuttings or in of Subsection H of 19.15.17.13 s of Subsection I of 19.15.17.13	osection F of 19.15.17.13 NMAC 19.15.17.13 NMAC a case on-site closure standards cannot be achieved) NMAC NMAC	С
Title: Superintendent				
Name (Print): Guy Haykus	· · · · · · · · · · · · · · · · · · ·			
Signature: Date: December 23, 2008	I hereby certify that the information submitted with this application	n is true, accurate and complete	to the best of my knowledge and belief.	
omail address: William Haykus@atoenerg.com	Name (Print): Guy Haykus	Title:	Superintendent	
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) Approval Date: 2	Signature: WH House	Date:	December 23, 2008	_
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: Approval Da	e-mail address: William Haykus@xtoenergy.com	Telephor	ne: (432) 682-8873	
OCD Permit Number: Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC		Closure Plan (only)	OCD Conditions (see attachment)	
Title:	1	Crosure rian (only)		
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Method:	OCD Representative Signature:		Approval Date: Z/4/34	
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 MMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: Closure Completion Date:	Title: _ From France	OCD Permit N	lumber:	
Closure Method:	The closure report is required to be submitted to the division with	in 60 days of the completion of ned and the closure activities h	the closure activities. Please do not complete this ave been completed.	port.
Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain. 23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number:	22.			
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name:	Closure Method: ☐ Waste Excavation and Removal ☐ On-Site Closure Method	Alternative Closure Met	hod Waste Removal (Closed-loop systems onl	y)
Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Name: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	Closure Report Regarding Waste Removal Closure For Closed Instructions: Please indentify the facility or facilities for where the			than
Disposal Facility Name: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No		Disposal Facili	ty Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Re-vegetation Application Rates and Seeding Technique 24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)				
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	Were the closed-loop system operations and associated activities pe	erformed on or in areas that will		
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	☐ Site Reclamation (Photo Documentation) ☐ Soil Backfilling and Cover Installation	ice and operations:		
	Closure Report Attachment Checklist: Instructions: Each of the mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) □ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation		ched to the closure report. Please indicate, by a cho	eck

25. Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure report belief. I also certify that the closure complies with all applicable closure requirements	
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:

Form C-144

1.0 Introduction

Larson & Associates, Inc (LAI), on behalf of XTO Energy, Inc. (XTO), submits this plan to the New Mexico Oil Conservation Division (NMOCD) Santa Fe office for closure of an unpermitted and unregistered concrete-lined permanent pit at its North Vacuum ABO Unit North Water Station (Facility) located in Unit F (SE/4, NW/4), Section 14, Township 17 South and Range 34 East in Lea County, New Mexico. The Facility is a tank battery for subsurface reinjection of water produced from oil and gas extraction operations. This closure plan has been prepared in conformance with 19.15.17 NMAC and template approved by the NMOCD on November 24, 2008. Appendix A presents the NMOCD approval correspondence.

2.0 Operator

XTO Energy Inc.
Permian Division-SE New Mexico
P.O. Box 700
Eunice, New Mexico 88231

Contact Person:

Jerry Parker

Phone Number:

(575) 394-0542

XTO Energy Inc. Midland Office 200 N. Loraine Street, Suite 800 Midland, Texas 79701

Contact Person:

Guy Haykus

Phone Number:

(432) 682-8873

3.0 Proposed Application

The proposed application is for closure of an unpermitted and unregistered concrete-lined permanent pit that does not meet the requirements of Paragraphs (1) through (7) of Subsection G of 19.15.17.11 NMAC. Figure 1 presents a location and topographic map. Figure 2 presents an aerial photograph. Figure 3 presents a scaled drawing that depicts the location of the pit near the northwest corner of the Facility. Appendix B presents photographs.

4.0 Facility Description, Location, and Siting Criteria

The Facility encompasses a tract of land approximately 1.6 acres in size that is covered with crushed caliche rock and is flat to very gently sloping (Figure 1). The GPS coordinates (NAD 1983) near the pit are 32° 50′ 08.7" north and 103° 31′ 54.3" west. The North Vacuum Abo Lease Well #297, with API #30-025-29607, is the nearest producing oil well, and is located south of the Facility in Unit K (NE/4, SW/4), Section 14, Township 17 South and Range 34 East.

The Facility is located in west-central Lea County, New Mexico, an area referred to as the Pecos Valley, a part of the Great Plains physiographic province. The land surface is an irregular erosional surface that generally slopes to the west and south towards the Pecos River. This area includes large areas of stabilized and drifting sand dunes and drainage areas created by solution deep-seated collapse. The Facility's siting criteria includes the following:

- 1) Groundwater is about 110 feet below ground surface. Figure 1 shows the approximate location domestic and stock wells and depth-to-groundwater based on records from the New Mexico State Engineer (NMSE).
- 2) No continuously flowing watercourse is within 300 horizontal feet of the Facility (Figure 1).
- 3) No surface water features, including lakes, rivers, ponds, arroyos, lakebed, sinkhole, or playa lake is located within 200 horizontal feet of Facility (Figure 1).
- 4) No permanent residence, school, hospital, institution, or church is within 300 horizontal feet of Facility (Figure 1).
- 5) No private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes are within 500 horizontal feet of Facility (Figure 1).
- 6) A fresh water well is located within approximately 1000 horizontal feet of the Facility, however, no springs are located within 1000 horizontal feet of Facility (Figure 1).
- 7) The Facility is not located within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance.
- 8) The Facility is not within 500 feet an area designated as wetlands as defined by EPA Regulation listed at 40 CFR 230.3(t) of the Clean Water Act of 1977 (Figure 4).
- 9) The Facility is not within an area overlying a subsurface mine (Figure 5).
- 10) The Facility is not within an unstable area.
- 11) The Facility is not within a 100-year flood plain (Figure 6).

5.0 Identification of Soil and Subsoils

The Facility is underlain by soil of the Kimbrough - Lea complex (0 to 3 percent slopes) consisting of approximately 50 percent Kimbrough gravelly loam, 25 percent Lea loam and 20 to 25 percent Stegall, Arvanna, Slaughter and Sharvana soils. The Kimbrough soil is

gently sloping and occurs on tops and sides of low ridges. The Lea soil occurs in nearly level areas and swales between ridges. The Kimbrough-Lea complex is mainly used for range, wildlife habitat and recreational purposes.

The Eocene-age Ogallala formation is the uppermost geologic unit and is composed of unconsolidated or poorly cemented clay, sand and gravel, and unconformably overlies the Triassic-age Chinle formation of the Dockum group. The Chinle formation is composed chiefly of interbedded mudstone, shale and sand. The Ogallala formation is overlain by windblown sand deposited in dunes. A layer of caliche commonly referred to as "cap rock" occurs in the shallow subsurface. Groundwater occurs in the Ogallala formation about 110 feet below ground surface.

6.0 Land Ownership

The Facility is located on New Mexico State Trust Lands as determined from 2008 tax records at the Lea County Appraisal District located in Lovington, New Mexico. Eidson Ranch, Inc. located at 3702 2nd Street, in Lovington, New Mexico, leases the surface for grazing. Figure 7 presents New Mexico State Land Office Trust Land image.

7.0 Permanent Pit Description and Construction

The pit capacity is approximately 3,300 barrel (bbl) and is for emergency containment of produced water. The pit is constructed of concrete with walls approximately 6 inches thick with vertical sides and bottom. There is no leak detection system or secondary liner. Ancillary equipment includes fencing, pump controls and netting to prevent migratory bird intrusion.

8.0 Permanent Pit Closure Protocols and Procedures

- 1. In accordance with Agreed Scheduling Order dated October 15, 2008, a Closure Plan application shall be submitted to NMOCD Santa Fe office environmental staff prior to December 31, 2008. An extension to the Agreed Scheduling Order was granted by the OCD on December 4, 2008, with a revised due date of March 14, 2009. Upon Closure Plan approval by the OCD, XTO shall close the permanent pit no later than June 30, 2009. However, an earlier date may be required because of imminent danger to fresh water, public health, or the environment.
- 2. As required by Paragraph (3) of Subsection J of 19.15.17.13 NMAC, an operator of a permanent pit shall notify the environmental bureau in the division's Santa Fe office at least 60 days prior to cessation of operations and provide a proposed schedule for closure. Upon receipt of the notice and proposed schedule, the environmental bureau in the division's Santa Fe office shall review the current closure plan for adequacy and insect the site. Written notification shall be provided to the NMOCD District 1 office located in Hobbs, New Mexico, no less than 72 hours and no greater than one (1) week prior to pit closure. Written notification will include the following:

Operator Name:
Facility Name:
Legal Description:
Nearest Well & API Number:
County Name:
Date & Time:

- 3. As required by Paragraph (1) of Subsection J of 19.15.17.13 NMAC, the operator shall notify the surface owner by certified mail return receipt requested prior to closing the permanent pit. The surface owner shall be notified via certified mail with return receipt requested using the address shown in the county tax records at least one (1) week prior to commencing pit closure. Evidence of the notification mailing shall be submitted as a closure report attachment.
- 4. Liquids and sludge shall be removed from the pit prior to implementing closure. Liquids, consisting chiefly of rain water, shall be disposed in the North Vacuum ABO Unit North Injection Station wells. Sludge, concrete and contaminated soil shall be disposed at Lea Land Landfill, Inc. or Controlled Recovery, Inc., which are approved by the NMOCD and operate under NMOCD permits NM-1-035 and R9166, respectively, as required in 19.15.17.13 Subsection C Paragraph (1) NMAC.
- 5. Prior to removal of the pit, ancillary equipment shall be removed for recycling, salvaged or disposed at the NMOCD approved disposal facilities listed in Item 4.
- 6. The concrete forming the sides and bottom of the pit will be removed and disposed at Lea Land Landfill, Inc. or Controlled Recovery, Inc. Following removal and disposal of the concrete, five (5) point composite samples will be collected directly below the pit and side-walls. Discrete samples will be collected from any wet or discolored areas or areas beneath the pit showing other evidence of a release. All samples will be analyzed for benzene, toluene, ethylbenzene, xylene (BTEX) using EPA Method 8021B, total petroleum hydrocarbons (TPH) using EPA Method 418.1, and chloride using EPA Method 300.1, as required by 19.15.17.13 Subsection C Paragraph (3) NMAC.
- 7. As required by Paragraph (3) of Subsection C of 19.15.17.13 NMAC, the environmental bureau at the division's Santa Fe office shall be notified of the sample results from Item 6 on form C-141. Additional delineation shall be conducted for compliance with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate, if determined that a release has occurred by the operator or staff of the environmental bureau in the division's Santa Fe office.
- 8. Backfill excavation with non-waste containing, earthen material, in accordance with Paragraph (5) of Subsection C of 19.15.17.13 NMAC, should laboratory results verify that constituents do not exceed the concentrations specified in Paragraph (3) of Subsection C of 19.15.17.13 NMAC.
- 9. Site re-vegetation is not proposed. Crush caliche is proposed as an alternative and will cover the excavation and provide an elevated pad for installation of new above-

ground tanks (AST). A written document stating the proposed alternative shall be submitted to surface owner requesting signature approval. A copy of the signed document shall be submitted to the NMOCD Santa Fe office environmental staff as a closure report attachment. Should AST not be installed at the former pit location, XTO shall comply with the re-vegetation requirement of the New Mexico State Land Office, as surface owner of record, according to its Southeastern New Mexico Revegetation Handbook, including:

- Preparing seed bed by scarifying (ripping) or disc the upper 6 inches of top soil;
- Drill seed according to SLO prescribed rate and type (i.e., Sandy with Tall Grass) recommended by the SLO for the specific soil type and Subsection I of Subsection I of 19.15.17.13 NMAC, including 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion) consisting of at least three (3) native plant species, including at least one (1) grass, but not including noxious weeds;
- XTO shall notify the SLO District Resource Manager (DRM) at least 5
 working days prior to the seeding date so that the SLO may be witness
 seeding:
- Evidence of seeding shall be documented and include original copies of seed tags and photo documentation;
- Revegetation shall be deemed successful after maintaining that cover through two (2) successive growing seasons with no artificial irrigation.

9.0 REPORTING

LAI, on behalf of XTO, shall prepare and submit a final closure report to the NMOCD Santa Fe office environmental staff within 60 days following the permanent pit closure, as required in Subsection K of 19.15.17.13 NMAC which will include the following: Form C-144 with all supporting data; form C-141; proof of surface owner and division closure notices; confirmation sampling analytical data; disposal facility names(s) and permit number(s); soil backfilling and cover installation; proposed alternative re-vegetation installation & surface owner signed written agreement; photo documentation of the site reclamation; and other pertinent information related to onsite activities.

FIGURES




Figure 1 - Topographic Map



Figure 2 - Aerial





Figure 3 - Site Drawing



N 32° 50' 08.7" W 103° 31' 54.3"

sociates, Inc.

MINES, MILLS, AND QUARRIES WEB MAP





Figure 5 NM MM & Q Map



Lakes, Major Rivers

Mapping Information Platform

Abo Unit Flood Zone Areas

This Map Is For Advisory Purposes Only



Friday, 19 December 2008 16:58

XTO Energy, Inc. North Vacuum Abo Unit North Water Station Unit F (SE/NW), Sec. 14, T-17-S, R-34-E Lea County, New Mexico

> N 32° 50' 08.7" W 103° 31' 54.3"



ssociates, Inc. **Environmental Consultants**

Flood Hazard Zone

Zone All

Zone AO

Local Parks

Figure 6 FEMA Flood Map

Cartographic Features City, Town or Village · County Seat - - County Boundary ▲ SLO District Office SLO District Boundary Land Grant - Interstate Highway - US Highway — NM Highway — Local Road or Street Federal Surface Management Bureau of Land Management Bureau of Reclamation Department of Agriculture Department of Defense Department of Energy USDA Forest Service Fish and Wildlife Service Bureau Indian Affairs National Park Service Valles Caldera National Preserve

State Trust Lands
Surface Estate
Subsurface Estate
Surface and Subsurface Estate

Lease Types
Oil and Gas Lease
Agricultural Lease
Commercial Lease
Minerals Lease



New Mexico State Land Office Trust Land Status


0 0.0120.025 0.05 0.075 0.1

Universal Transverse Mercator Projection, Zone 13 1983 North American Datum XTO Energy, Inc.
North Vacuum Abo Unit
North Water Station
Unit F (SE/NW), Sec. 14, T-17-S, R-34-E
Lea County, New Mexico

The New Mexico State Land Office assumes no responsibility or liability for or in connection with, the accuracy, reliability or use of the information provided here, in State Land Office data layers or any other data layer. Land Office Geographic Information Center logic@sto.xtie.nm.w

Created On:12/22/2008 8:21:48 AM

N 32° 50' 08.7" W 103° 31' 54.3"



www.nmstatelands.org

Agrson & Inc.
Environmental Consultants

APPENDIX A

NMOCD Template Approval

Mark Larson

From:

Jones, Brad A., EMNRD [brad.a.jones@state.nm.us]

Sent:

Monday, November 24, 2008 2:46 PM

To:

Mark Larson

Cc:

Price, Wayne, EMNRD

Subject:

RE: Revised XTO Permanent Pit Tank Closure Plan Template, November 24, 2008.pdf -

Adobe Acrobat Standard

Mark,

Thanks for making the revision to the permanent pit closure plan template. The information provided in the template complies with the requirements of 19.15.17 NMAC. Please submit the permanent pit closure plan packets to Wayne Price at the OCD Santa Fe office. If you have any questions, please contact me.

Brad

Brad A. Jones

Environmental Engineer Environmental Bureau NM Oil Conservation Division 1220 S. St. Francis Drive Santa Fe, New Mexico 87505 E-mail: brad.a.jones@state.nm.us

Office: (505) 476-3487 Fax: (505) 476-3462

From: Mark Larson [mailto:Mark@laenvironmental.com]

Sent: Monday, November 24, 2008 11:51 AM

To: Jones, Brad A., EMNRD

Subject: Revised XTO Permanent Pit Tank Closure Plan Template, November 24, 2008.pdf - Adobe Acrobat Standard

I am using the Free version of SPAMfighter

We are a community of 5.6 million users fighting spam.

SPAMfighter has removed 2921 of my spam emails to date.

The Professional version does not have this message


This inbound email has been scanned by the MessageLabs Email Security System.

Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not

the intended recipient, please contact the sender and destroy all copies of this message This email has been scanned by the Sybari - Antigen Email System.

APPENDIX B

Photographs



Facility Sign Looking East September 3, 2008



Facility Sign Looking Southeast September 3, 2008

XTO Energy, Inc.
North Vacuum Abo Unit
North Station
Unit F (SW/NE), Sec. 14, T-17-S, R-34-E
Lea County, New Mexico

N 32° 48' 08.7" W 103° 31' 54.3"





Emergency Pit Looking East September 3, 2008



Emergency Pit Looking Northeast September 3, 2008

XTO Energy, Inc.
North Vacuum Abo Unit
North Station
Unit F (SW/NE), Sec. 14, T-17-S, R-34-E
Lea County, New Mexico

N 32° 48' 08.7" W 103° 31' 54.3"

