

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-141  
Revised August 8, 2011

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in  
accordance with 19.15.29 NMAC.

**Release Notification and Corrective Action**

**OPERATOR**

☐ Initial Report ☒ Final Report

Name of Company: BOPCO, L.P.	Contact: Tony Savoie	
Address: 522 W. Mermod, Suite 704 Carlsbad, N.M. 88220	Telephone No. 575-887-7329	
Facility Name: Poker Lake Unit Well #154 (2RP-1175)	Facility Type: Exploration and Production	
Surface Owner: USA	Mineral Owner: USA	API No. 30-015-31686

**LOCATION OF RELEASE**

Unit Letter J	Section 6	Township 24S	Range 30E	Feet from the	North/South Line	Feet from the	East/West Line	County Eddy
------------------	--------------	-----------------	--------------	---------------	------------------	---------------	----------------	----------------

Latitude N 32.24462 Longitude W 103.920312

**NATURE OF RELEASE**

Type of Release: Produced water and crude oil	Volume of Release: 10 bbls of produced water and 5 bbls crude oil	Volume Recovered: None
Source of Release: 2 7/8" flow line	Date and Hour of Occurrence: 5/21/12 time unknown	Date and Hour of Discovery: 5/21/12 at 8:00 a.m.
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. : <b>RECEIVED</b>	
If a Watercourse was Impacted, Describe Fully.*		APR 01 2014
Describe Cause of Problem and Remedial Action Taken.* The flow line developed a leak due to external corrosion. A temporary repair clamp was placed on the pipe.		NMOCD ARTESIA
Describe Area Affected and Cleanup Action Taken.* Approximately 720 sq. ft. of caliche road and approximately 600 sq. ft. of pasture land. All of the released fluid soaked into the ground. The remediation will comply with the NMOCD and BLM requirements for spills.		
Confirmation soil samples collected from the floor and sidewalls of the PLU #154 excavation were analyzed by an NMOCD-approved laboratory which determined concentrations of BTEX, TPH and Chloride were less than NMOCD Regulatory Standards. The final dimensions of the excavation were approximately 18' x 35' by 18" to 7" in depth. On February 27, 2014, approximately 120 cy of impacted soil was excavated and transported to an NMOCD-approved disposal facility. <b>Please reference the attached Basin Environmental Services Technologies Remediation Summary and Site Closure Request for details of remediation activities.</b>		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature: <i>Tony Savoie</i>		OIL CONSERVATION DIVISION
Printed Name: Tony Savoie		Approved by Environmental Specialist: <i>Huber</i>
Title: Waste Management and Remediation Specialist		Approval Date: 10/27/14 Expiration Date: NA
E-mail Address: tasavoie@basspet.com		Conditions of Approval: <i>Final</i>
Date: 4/1/14 Phone: 432-556-8730		Attached <input type="checkbox"/>

\* Attach Additional Sheets If Necessary