Labrit 3 Copies to Appropriate District Office	E ^{····} ry, Minerals	Form C-103 Revised 1-1-89				
DISTRICT I P.O. Box 1980, Hobt~. NM 88240 DISTRICT II P.O. Drawer DD, Artesia, NM 88210 DISTRICT III 1000 no Brazos Rd, Azzec, NM 87410		OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, New Mexico 87504-2088				
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)				7. Lease Name or Unit Agreement Name Denton SWD		
	. Type of Well OI OI Well OI OU OI OU					
2. Name of Operator DEVON ENERGY CORPORATION (NEVADA)				8. Well No. 5		
3. Address of Operator 20 NORTH BROADW	VAY, SUITE 1500, OKLAHOMA CITY,	OKLA	HOMA 73102 (405) 235-3611	9. Pool name or Wildow Denton (Penn) 9613		
4 Well Location Unit Letter <u>N</u> : 660) Feet From The <u>south</u>		Line and <u>1980</u> Feet	From The west Line		
Section 2	Township 15S	Range		Lea County		
	GL 3798'	ow whe	ther DF, RKB, RT, GR, etc.)			
C	heck Appropriate Box To Indi	cate N	Nature Of Notice, Report, Or Otl	her Data		
NOTICE	OF INTENTION TO:		SUBSEQUE	NT REPORT OF:		
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING	PLUG AND ABANDON CHANGE PLANS		REMEDIAL WORK COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB	ALTERING CASING PLUG AND ABANDONMENT		
OTHER:			OTHER: <u>conversion to SWD</u>	X '		

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

As per Administrative Order No. SWD-660 this well (formerly State "T" #1) was converted to SWD as follows.

09-17-97 thru 10-03-97 NU BOP. Fished TAC. Set at RTTS packer at 8850'. Filled annulus, press tested to 1000 psi for 30 mins, held OK. RU BJ Services. Press tested annulus to 500 psi, held OK. Squeezed perfs 9057-9092' with 75 sx Class "C". TOH with RTTS. Drld cmt 8837-9066'. Circ'd hole clean. Drld cmt 9066-9092'. Continued TIH to 9131'. Drld cmt and CIBP at 9180'. TIH to 11,507'. Circ'd hole clean. Round trpd bit and scraper. Press tested csg to 1000 psi several times throughout operations. RU Wedge WL. Ran CBL 10,500-8450'. TOC 8490'. Perf'd 7" csg at 10,225' with 4 squeeze holes. Ran RTTS packer, set at 10,135'. Acidized perfs at 10,225' with 500 gals 15% NeFe with 3850-1600 psi at 1/2 to 1 1/2 BPM. TOH with RTTS. Set cmt retainer at 10,200'. Press'd annulus to 500 psi. Squeezed perfs with 50 sx Class H. (Continued on reverse.)

SIGNATURE Can	dace R. Graham	TITLE ENGINEERING TECHNICIAN	DATE March 5, 1998	
TYPE OR PRINT NAME	Candace R. Graham		TELEPHONE NO. (405) 235-3611	
(This space for State use) Approved by Conditions of approval, if a	OHIGINAL SIGNED BY CARY WINK by: FIELD HEP. II	TITLE Noun 11/102 - 101 D 282	DATE <u>SEP 29 1998</u> 2327	
JC.S		7A Denton: 11)01	6	y A

DEVON ENERGY CORPORATION (NEVADA) API 30-025-05226 Denton SWD #5 660' FSL & 1980' FWL, Unit N, Section 2-T5S-R37E, Lea Cnty, NM Conversion to SWD March 3, 1998 Page Two

(Continued from the front.)

3 ;

> 10-04-97 thru 10-12-97 RU Wedge WL. Perf'd Penn with 2 JSPF at 10,042-10,148' with total 122 holes (.40" EHD). Set packer at 9939'. RU BJ Services. Acidized Penn perfs 10,042-10,148' down tbg with 3000 gals 15% HCl + 140 BS at AIR 7.5 BPM with 3698 psi. ISIP 798 psi. TOH with RTTS. RU Wedge WL. Perf'd Penn with 2 JSPF at 9844-10,018' with total 172 holes (.40" EHD). Set RPB at 10,030' and press'd to 1500 psi, held OK. Reset RTTS at 9743' and press tested annulus to 500 psi, held OK. RU BJ Services. Acidized Penn perfs 9844-10,018' down tbg with 4000 gals 15% HCl + 175 BS at AIR 8 BPM with 2580 psi. ISIP 380 psi. TOH with RTTS. Perf'd Penn with 2 JSPF at 9660-9822' with total 180 holes (.40" EHD). Reset RBP at 10,030', RTTS packer at 9545'. Press tested annulus to 500 psi, held OK. RU BJ Services. Acidized Penn perfs 9660-9822' down tbg with 4000 gals 15% HCl + 185 BS at AIR 9 BPM with 3400 psi. ISIP on vacuum. TOH with RBP and RTTS.

> 10-13-97 thru 10-19-97 ND BOP, installed wellhead. Ran 233 jts 4 1/2" 11.6# K-55 LT&C IPC csg. Set Baker Model 47B-2 Lok-Set 7" 29# injection packer at 9588.82'. Packer, on-off tool and X-over are nickel plated. Loaded and tested to 1000 psi, held OK. Released on-off tool. Displaced with packer fluid (10# brine + 35 gals Baker MD-2719 + 1 gal defoamer). Press tested to 1000 psi, held OK.

10-21-97 thru 03-05-98 Built tank battery and finished injection station construction. Set pump, HU electricity, tanks and flow lines, installed meters. **COMMENCED INJECTION on 11-26-97 AT 7600 BWPD, 900 psi.** Since this time the pump has only run intermittently (total 32 days) being SD for repairs most of the time. We are making arrangements for a different pump (same size). The last day of injection on 01-30-98 was only 5100 BWPD at 815 psi. Pump has been down since that time waiting on repairs. AMERICO ENERGY RESOURCES

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240

State of New Mexico Energy, Minerals and Natural Resources

> Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-104A Permit 1048

Ded Ex to OCD 6-2204

Change of Operator

Previous Operator Information

New Operator Information

		Effective Date:	03/01/2004		
DGRID:	14591	OGRID:	228051		
Name:	MERIT ENERGY CO	Name:	AMERICO ENERGY RESOURCES LLC		
Address:	13727 Noel Road	Address:	10940 Old Katy Road	_	
Address:	Suite 500	Address:	Suite 100		
City, State, Zip:	Dallas, TX 75240	City, State, Zip:	Houston, TX 77043		

I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information on this form and the certified list of wells is true to the best of my knowledge and belief.

Previous	Operator		NMOC	D AND 89	mator			
Signature	- Jei	Darl	ild	Signature	M	Ala.		
Printed		Electronic Big	nature: Chris	s Williams, Di	strict	- fait		
Name:	Ber	Hat fiel	d July	16, 2004 :	Mossy	Mar.	ŧ	
Title:	Reg	ulatorya	····	Title:		Presid	ent.	
Date:	6-21-	04 Phone: 9	7262816	30 Date:	6-17-04	Phone:	713-984-	9700

http://www.emnrd.state.nm.us/ocdpermitting/C104AForm.aspx?PermitID=1048... 6/11/2004