

Submit 3 Copies To Appropriate
District Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103

May 27, 2004

WELL API NO.:

30-015-32064

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.:

7. Lease Name or Unit Agreement

Name: Will 7A Fee #1

8. Well Number: No. 1

9. OGRID Number:

10. Pool name or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐

2. Name of Operator: Chesapeake Operating, Inc.

3. Address of Operator: 5014 Carlsbad Highway
Hobbs, NM 88240

4. Well Location

Unit Letter: A : feet from the line and feet from the line

Section: 7 Township: 23 South Range 28 East NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3,041 feet above mean sea level

Pit or Below-grade Tank Application ☐ or Closure ☒

Pit type: Drilling Depth to Groundwater: <50 feet Distance from nearest fresh water well: <1,000 feet Distance from nearest surface water: >1,000 feet

Pit Liner Thickness: 20 - mil Below-Grade Tank: Volume: bbls; Construction Material:

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ P AND A ☐

CASING/CEMENT JOB ☐

OTHER: Pit Closure ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Chesapeake Operating, Inc. (Chesapeake) is conducting the pit closure according to NMOCD guidelines. As the depth to groundwater is < 50 feet below ground surface (bgs), Chesapeake is removing all contents from the pit and disposing of them at CRI. In addition, a minimum of six (6) inches of soil from beneath the liner will also be excavated. Upon the removal of all the pit contents, including the liner, soil samples will be collected from the floor of the excavation and submitted for quantification of total petroleum hydrocarbons (TPH), benzene, toluene, ethylbenzene, and total xylenes (BTEX constituents) and chloride. Should analytical results indicate that the integrity of the liner has been compromised, a Delineation/Remediation Plan will be developed and submitted to the NMOCD for approval. Should analytical results indicate that the structural integrity of the liner was not compromised, the pit will be backfilled with clean soil obtained from an off-site source, the site contoured and graded to allow for natural drainage and the site seeded with a blend of seed preferred by the property owner.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Bradley Blevins TITLE Field Technician

DATE 8-31-05

Type or print name: Bradley Blevins E-mail address: bblevins@chkenergy.com Telephone No.: (505) 391-1462 ext. 24

For State Use Only

APPROVED BY: Mike Pearson TITLE Asst. Dir.


DATE 9/6/05

Conditions of Approval (if any):


Notify OCD 24 hrs. prior to
any work done.

Notify OCD immediately in the
event ground water is encountered

Cc: Operator
Image



<p>Figure 1 Area Map Chesapeake Will 7A Fee #1</p>	<p>Eddy County, New Mexico NE 1/4 of the NE 1/4, Sec. 7, T23S, R28E N 32° 19' 30.76" W 104° 07' 16.97" Elevation: 3,041 feet amsl</p>	<p>DWG By: Jason Stagemoller, August 2005</p>	<p>REVISED:</p> <p>6.0 SHEET 1 of 1</p> <p>0 3.0 6.0 Miles</p> <p>N</p>
--	---	---	---



	REVISED:	DWG By: Jason Stagemoller August 2005	Eddy County, New Mexico NE 1/4 of the NE 1/4, Sec. 7, T23S, R28E N. 32° 19' 30.76" W 104° 07' 16.97" Elevation: 3,041 feet amsl
	180 SHEET 1 of 1	0 90 Feet	Figure 3 Site Map Chesapeake Will 7A Fee #1

TABLE 1

Well Data

Chesapeake Energy Well 7A #1 (Ref. #160025)

Well Number	Division ^A	Owner	Use	Twp	Rng	Sec	q	q	Latitude	Longitude	Date Measured	Well Depth (ft bgs)	Depth to Water (ft bgs)
C 00563	45	Brantley Draper	IRR	23S	28E	07	1	13	32° 19' 24.11"	104° 08' 4.32"			
C 00563 S		Brantley Draper		23S	28E	07	1	13	32° 19' 24.11"	103° 08' 4.32"			
C 00563 S-2		Brantley Draper		23S	28E	07	1	13	32° 19' 11"	103° 07' 49.37"			
C 00063	120	W W Galton	IRR	23S	28E	07	1	13	32° 19' 10.93"	103° 08' 4.46"	31-Dec-45	130	
C 00069	234.537	Juan H. Villa	IRR	23S	28E	07	3	33	32° 18' 44.58"	104° 08' 4.75"			
C 00069	328.5	Miguel C. Villa	IRR	23S	28E	07	3	33	32° 18' 44.58"	104° 08' 4.75"			
C 00069	351.215	New Mexico Interstate Stream Commission	IRR	23S	28E	07	3	33	32° 18' 44.58"	104° 08' 4.75"			
C 00563	1,113	Brantley Draper	IRR	23S	28E	07	1	13	32° 19' 24.11"	103° 08' 4.32"			
C 00563 S		Brantley Draper		23S	28E	07	1	13	32° 19' 24.11"	103° 08' 4.32"			
C 00563	15	Brantley Draper		23S	28E	07	1	13	32° 19' 24.11"	103° 08' 4.32"			
C 00563 S		Brantley Draper		23S	28E	07	1	13	32° 19' 24.11"	103° 08' 4.32"			
C 00563 S-2		Brantley Draper		23S	28E	07	1	13	32° 19' 24.11"	103° 08' 4.32"			
C 00563 S2		Brantley Draper		23S	28E	07	1	13	32° 19' 11"	103° 07' 49.37"			
C 02845	0	Brantley Bros.	EXP	23S	28E	07	1	13	32° 19' 11"	103° 07' 49.37"		220	
C 02846	57	Brantley Bros.	COM	23S	28E	07	1	13	32° 19' 24.11"	103° 08' 4.32"	31-Dec-38	60	50
C 02846 ENL-S		Brantley Bros.		23S	28E	07	1	13	32° 18' 44.81"	103° 07' 18.72"			
C 02846 S		Brantley Bros.		23S	28E	07	1	13	32° 18' 44.81"	103° 07' 18.72"	18-Apr-03	150	40
C 00058	392.1	Farm Credit of New Mexico	IRR	23S	28E	06	3	43	32° 19' 37.33"	103° 07' 49.14"	06-May-48	185	20
C 00058 S		Farm Credit of New Mexico		23S	28E	06	3	43	32° 19' 37.29"	103° 08' 4.17"	13-Mar-02	202	60
C 00058	186.3	Joe N. Carrasco	IRR	23S	28E	06	3	43	32° 19' 37.33"	103° 07' 49.14"	06-May-48	185	20
C 00958	3	Jerry F. Ballard	DOM	23S	28E	06	2	12	32° 20' 16.9"	104° 07' 33.42"	09-Aug-61		
C 01397	0	Gomez Ramon	IRR	23S	28E	06	4	4					
C 01448	0	Gomez Ramon	IRR	23S	28E	06	4	4	32° 19' 37.45"	104° 07' 18.35"			
C 01634	3	Grady O. Dodson	DOM	23S	28E	06	4	2	32° 19' 50.62"	103° 07' 18.21"	03-Feb-76	185	85
C 01699	3	Tom Melvin	DOM	23S	28E	06	4	2	32° 19' 50.62"	103° 07' 18.21"	15-Jul-77	90	65
C 01982	0	Justin Magby	DOM	23S	28E	06	3	4	32° 19' 37.33"	103° 07' 49.14"			
C 01993	3	Read & Stevens	PRO	23S	28E	06	3	2	32° 19' 50.51"	103° 07' 49.01"	27-Nov-81	164	45
C 02064	3	Justin Magby	DOM	23S	28E	06	3	4	32° 19' 37.33"	103° 07' 49.14"	25-Sep-83	90	45
C 02141	3	Edgar Magby	DOM	23S	28E	06	4	4	32° 19' 37.45"	104° 07' 18.35"	09-May-88	65	36
C 02243	3	Edgar Magby	DOM	23S	28E	06	4	4			29-Nov-92	160	40
C 02511	3	Hernandez Daniel	DOM	23S	28E	06	1	21	32° 20' 16.86"	103° 07' 48.76"	03-Mar-97	60	35
C 02735	3	Julius Roberson	DOM	23S	28E	06	1	24	32° 20' 3.65"	103° 08' 3.88"			
C 02736	3	Julius Roberson	STK	23S	28E	06	3	24	32° 19' 50.51"	103° 07' 49.01"			
C 00058 S	0	Julius Roberson	EXP	23S	28E	06	3	33	32° 19' 37.29"	103° 08' 4.17"	13-Mar-02	202	60
C 02883		Julius Roberson Jr.		23S	28E	06	3	31	32° 19' 37.29"	103° 08' 4.17"	13-Mar-02	202	58
C 02883	3	Julius Roberson	STK	23S	28E	06	3	31	32° 19' 37.29"	103° 08' 4.17"	13-Mar-02	202	
C 02943	3	William J. and Diana Redfern	DOM	23S	28E	06	1	12	32° 19' 50.51"	103° 07' 49.01"	25-Jan-03	69	43
C 02736	0	Nadel & Gussan Permian LLC	PRO	23S	28E	06	3	24	32° 19' 50.51"	103° 07' 49.01"			
C 02736	0	Chesapeake Operating	PRO	23S	28E	06	3	24	32° 19' 50.51"	103° 07' 49.01"			
C 03216	3	Judy Parker	DOM	23S	28E	06	1	34	32° 20' 3.65"	103° 08' 3.88"			
USGS #1				23S	28E	07	1	13	32° 19' 25"	103° 07' 01"	27-Jan-03	195	39.79
USGS #2				23S	28E	07	1	13			03-Jan-78		58.14
USGS #3				23S	28E	07	1	13			24-Jan-96		25.3
USGS #4				23S	28E	07	3	33			12-Aug-48		45.1
USGS #5				23S	28E	06	1	31			10-Jan-75		25.79

* = Data obtained from the New Mexico Office of the State Engineer Website (http://waters.ose.state.nm.us/0001/AWATERS/wr_Regiservlet1)

Well locations shown on Figure 2

^A = in acre feet per annum^B = Elevation interpolated from USGS topographical map based on referenced location.

IND = Industrial

IRR = Irrigation


DOM = Domestic

EXP = Exploration

PRO = Prospecting or Development of Natural Resources

STK = Livestock Watering

quarters are 1=NW, 2=NE, 3=SW, 4=SE; quarters are biggest to smallest



Photograph #1- Sign denoting lease specifications.



Photograph #2- Looking westerly at pit area and liner.



Photograph #3- Looking westerly at stockpile.



Photograph #4- Looking easterly towards clean stockpile.