




October 13, 2013



Mr. Mike Bratcher
NMOCD District 2
811 S. 1st Street
Artesia, NM 88210

AMARILLO
921 North Bivins
Amarillo, Texas 79107
Phone 806.467.0607
Fax 806.467.0622

ARTESIA
408 West Texas Ave.
Artesia, New Mexico 88210
Phone 575.746.8768
Fax 575.746.8905

Subject: **Remediation and Closure Report**
Devon Energy Corporation
Todd 26 F SWD
#30-015-20302 – 2RP-1706

Dear Mr. Bratcher

HOBBS
318 East Taylor Street
Hobbs, New Mexico 88240
Phone 575.393.4261
Fax 575.393.4658

Devon Energy Corporation (Devon) has contracted Talon/LPE (Talon) to perform soil assessment and remediation services at the above referenced location. The results of our soil assessment, completed remediation activities and closure request are submitted herein.

Incident Date

MIDLAND
2901 State Hwy 349
Midland, Texas 79706
Phone 432.522.2133
Fax 432.522.2180

The release occurred on June 20, 2013 at approximately 5:45 am

Background Information

OKLAHOMA CITY
7700 North Hudson Avenue
Suite 10
Oklahoma City, Oklahoma 73116
Phone 405.486.7030
Fax 806.467.0622

The Todd 26 F SWD is located approximately thirty-five (35) miles southeast of Carlsbad, New Mexico. The legal location for the site is Unit letter F of Section 26, Township 23S, Range 31E in Eddy County, New Mexico. More specifically the Latitude and Longitude for the release are 32.27720 North and -103.75068 West.

SAN ANTONIO
11 Commercial Place
Schertz, Texas 78154
Phone 210.265.8025
Fax 210.568.2191

According to the soil survey provided by the United States Department of Agriculture Natural Resources Conservation Service, the soil in this area is made up of Simona and Wink fine sandy loams with 0 to 3 percent slopes. Per the New Mexico Bureau of Geology and Mineral Resources, the local surface and shallow geology is Holocene to Middle Pleistocene in age and is comprised of eolian sands. Drainage courses in this area are normally dry. Ground water in the project vicinity is approximately 160-feet below ground surface (bgs), according to the New Mexico Office of the State Engineer.

The ranking for this site is 0 based on the following:

ENVIRONMENTAL CONSULTING	Depth to ground water	>100'
ENGINEERING	Wellhead protection area	>1000'
DRILLING	Distance to surface water body	>1000'
CONSTRUCTION		
SPILL MANAGEMENT		
GENERAL CONTRACTING		

Incident Description

A power outage caused a pump to malfunction, which then caused the tanks at the SWD to overflow losing approximately 120bbls of oil and 20bbls of produced water. The release was discovered by a hot oiler operator and reported to Devon at 5:45 am on June 20, 2013. Devon personnel responded to correct the malfunction and stop the release. Vacuum trucks were able to recover 100bbls of oil and 20bbls of water. A site map is attached illustrating the sample locations.

Laboratory Results

On August 29, 2013 confirmation soil samples were collected by Talon personnel wearing clean nitrile gloves. The samples were placed in laboratory provided sample containers, iced and transported to Cardinal Laboratories in Hobbs, New Mexico. The samples were tested for TPH (Total Petroleum Hydrocarbons) using EPA Method 8015M, volatile organics (BTEX) using EPA Method 8021B and analysis of Chlorides using Method SM4500Cl-B. The complete laboratory report is attached as Appendix II. The results are highlighted below.

September 9, 2013

Sample ID	Depth (feet)	BTEX (mg/kg)	Chlorides (mg/kg)	TPH (mg/kg) GRO	TPH (mg/kg) DRO
S-1	1.5	<0.300	336	<10	<10
S-3	2.5	<0.300	208	<10	<10
S-4	1.5	<0.300	64	<10	17.3
S-5	1.5	<0.300	<16	<10	<10

Based upon the site ranking of 0, NMOCD Recommended Remedial Action Levels (RRAL) are 50 mg/kg for BTEX, 10 mg/kg for Benzene, and 5,000 mg/kg for TPH.

Remedial Actions Taken

On August 20, 2013 Talon personnel mobilized to the site to begin excavation of the impacted area in accordance with the New Mexico Oil Conservation Division (NMOCD) approved work plan. The impacted area from the release was excavated to a depth of between 1.5-2.5 feet below land surface. The impacted soil was transported to Lea Land, LLC.

The excavated area was backfilled back to grade using new material transported from a local borrow pit and was contoured to match the surrounding location. The area off location was seeded on September 25, 2013 using BLM LPC seed mix. The seeding label is attached.


Closure

On behalf of Devon Energy Corporation, we respectfully request that no further actions be required and that closure with respect to this release be granted.


If we can provide additional information or be of further assistance please contact our office at 575.746.8768.

Respectfully submitted,

TALON/LPE






Kimberly M. Wilson
Project Manager



David J. Adkins
District Manager

SITE MAP



Date: 06/27/2013

Scale: 1" = 50'

Drawn By: TJS

Todd 26 SWD
Devon Energy Corporation
Eddy County, New Mexico
Figure 1 - Site Plan

APPENDIX I
GROUNDWATER DATA



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub- Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
C 02258	C	ED		3	2	26	23S	31E		618055	3571853*	402	662		
C 02348	C	ED		1	4	3	26	23S	31E	617648	3571068	781	500		
C 02405	C	ED		4	1	02	24S	31E		617690	3568631*	3218	275	160	.115
C 02464	C	ED		3	4	1	02	24S	31E	617589	3568530*	3319	320	205	115
C 02777		ED		2	2	2	15	23S	31E	616905	3575562*	3787	1001		
C 02460	C	ED		3	02	24S	31E			617496	3568022*	3830	320		
C 02460 POD2	C	ED		3	02	24S	31E			617496	3568022*	3830	320		
C 02954 EXPL		ED		3	1	4	20	23S	31E	613114	3572906*	4660	905		
C 02661		ED		3	3	1	04	24S	31E	613969	3568485*	4988	708		
C 02785		ED		3	3	1	04	24S	31E	613969	3568485*	4988	692		

Average Depth to Water: **182 feet**

Minimum Depth: **160 feet**

Maximum Depth: **205 feet**

Record Count: 10

Basin/County Search:

County: Eddy

UTMNAD83 Radius Search (in meters):

Easting (X): 617653

Northing (Y): 3571849

Radius: 5000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

APPENDIX II

LABORATORY RESULTS



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

September 09, 2013

DAVID ADKINS

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: TODD 26 SWD

Enclosed are the results of analyses for samples received by the laboratory on 09/03/13 15:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

TALON LPE
DAVID ADKINS
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 09/03/2013
Reported: 09/09/2013
Project Name: TODD 26 SWD
Project Number: 700794.073.01
Project Location: DEVON F-26-23-31

Sampling Date: 08/29/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: S-1 1.5' (H302111-01)

BTEX 8021B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/05/2013	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	09/05/2013	ND	2.26	113	2.00	2.06	
Ethylbenzene*	<0.050	0.050	09/05/2013	ND	2.38	119	2.00	1.62	
Total Xylenes*	<0.150	0.150	09/05/2013	ND	7.19	120	6.00	0.796	
Total BTEX	<0.300	0.300	09/05/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	336	16.0	09/05/2013	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: DW/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	09/05/2013	ND	202	101	200	2.21	
DRO >C10-C28	<10.0	10.0	09/05/2013	ND	194	97.2	200	2.41	


Surrogate: 1-Chlorooctane 78.6 % 65.2-140

Surrogate: 1-Chlorooctadecane 85.8 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
DAVID ADKINS
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 09/03/2013
Reported: 09/09/2013
Project Name: TODD 26 SWD
Project Number: 700794.073.01
Project Location: DEVON F-26-23-31

Sampling Date: 08/29/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: S-3 2.5' (H302111-02)

BTEX 8021B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/05/2013	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	09/05/2013	ND	2.26	113	2.00	2.06	
Ethylbenzene*	<0.050	0.050	09/05/2013	ND	2.38	119	2.00	1.62	
Total Xylenes*	<0.150	0.150	09/05/2013	ND	7.19	120	6.00	0.796	
Total BTEX	<0.300	0.300	09/05/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIL) 104 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	09/05/2013	ND	416	104	400	0.00	
TPH 8015M		mg/kg		Analyzed By: DW/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	09/05/2013	ND	202	101	200	2.21	
DRO >C10-C28	<10.0	10.0	09/05/2013	ND	194	97.2	200	2.41	


Surrogate: 1-Chlorooctane 82.5 % 65.2-140

Surrogate: 1-Chlorooctadecane 91.6 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
DAVID ADKINS
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 09/03/2013
Reported: 09/09/2013
Project Name: TODD 26 SWD
Project Number: 700794.073.01
Project Location: DEVON F-26-23-31

Sampling Date: 08/29/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: S-4 1.5' (H302111-03)

BTEX 8021B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/05/2013	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	09/05/2013	ND	2.26	113	2.00	2.06	
Ethylbenzene*	<0.050	0.050	09/05/2013	ND	2.38	119	2.00	1.62	
Total Xylenes*	<0.150	0.150	09/05/2013	ND	7.19	120	6.00	0.796	
Total BTEX	<0.300	0.300	09/05/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	09/05/2013	ND	416	104	400	0.00	
TPH 8015M		mg/kg		Analyzed By: DW/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	09/05/2013	ND	202	101	200	2.21	
DRO >C10-C28	17.3	10.0	09/05/2013	ND	194	97.2	200	2.41	


Surrogate: 1-Chlorooctane 83.7 % 65.2-140

Surrogate: 1-Chlorooctadecane 92.7 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
DAVID ADKINS
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 09/03/2013
Reported: 09/09/2013
Project Name: TODD 26 SWD
Project Number: 700794.073.01
Project Location: DEVON F-26-23-31

Sampling Date: 08/29/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: S-5 1.5' (H302111-04)

BTEX 8021B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/05/2013	ND	2.09	105	2.00	2.81	
Toluene*	<0.050	0.050	09/05/2013	ND	2.26	113	2.00	2.06	
Ethylbenzene*	<0.050	0.050	09/05/2013	ND	2.38	119	2.00	1.62	
Total Xylenes*	<0.150	0.150	09/05/2013	ND	7.19	120	6.00	0.796	
Total BTEX	<0.300	0.300	09/05/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	09/05/2013	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: DW/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	09/05/2013	ND	202	101	200	2.21	
DRO >C10-C28	<10.0	10.0	09/05/2013	ND	194	97.2	200	2.41	


Surrogate: 1-Chlorooctane 82.5 % 65.2-140

Surrogate: 1-Chlorooctadecane 89.3 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager


Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

ANALYSIS REQUEST									
BIO/TO									
Company Name: Salon/LPE		P.O. #:		Company: Salon					
Project Manager: Kimberly M. Wilson				Attn:					
Address: 408 W. 2nd St		State: NM		Zip: 88210					
City: Albuquerque		Phone #: 505-744-8268		Fax #: 505-744-8905					
Project #: 700794-09304		Project Owner: Devon		City:					
Project Name: Lead 26 Water Station		State:		Zip:					
Project Location: F-26-23-31		Phone #:		Fax #:					
Sampler Name: Sheldon Hittchcock		FOR LAB USE ONLY							
Lab I.D.	Sample I.D.	MATRIX		PRESERV.		SAMPLING			
		# CONTAINERS		(G) RAB OR (C) OMP.					
		GROUNDWATER		WASTEWATER		SOIL			
		OIL		SLUDGE		OTHER:			
		ACID/BASE:		ICE / COOL		OTHER:			
		DATE		TIME					
1	S-1 1.5'	8/29/13		15:19		BTEX		TPH	
2	S-3 2.5'	8/29/13		2:02					
3	S-4 1.5'	8/29/13		2:10					
4	S-5 1.5'	8/29/13		2:15					

PLEASE NOTE: Lead and Cadmium. Cadmium's solubility and client's analytical sensitivity for any claim making whether based in ambient or soil, shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Certified within 30 days after completion of the applicable analysis. In no event shall Certified be liable for potential or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Certified, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: **Sheldon Hittchcock** Date: **8/29/13** Time: **15:19**

Received By: **Sheldon Hittchcock** Date: **8/29/13** Time: **15:19**

Relinquished By: **Sheldon Hittchcock** Date: **8/29/13** Time: **15:19**

Received By: **Sheldon Hittchcock** Date: **8/29/13** Time: **15:19**

Delivered By: **Sheldon Hittchcock** Date: **8/29/13** Time: **15:19**

Sample Condition: **Intact** Yes ☒ No ☐

Checked By: **Sheldon Hittchcock** Initials: **SH**

Sampler - UPS - Bus - Other: **5.30**

* Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2496

SEEDING LABEL

Curtis & Curtis, Inc
4500 North Prince
Clovis, NM 88130
Phone: (575) 762-4759

9-25-13
AP

Talon Drilling LP
1 Acre LPC Mix
1 - 1 Acre Bag @ 39.26 Bulk Pounds Each
Job: Devon Todd 26 Water
700794.073.01

Lot# M-11801

Item	Origin	Purity	Germ	Dormant	Germ & Dormant	Test Date	Total PLS Pounds
Plains Bristlegrass VNS	Texas	14.37%	49.00%	40.00%	88.00%	05/13	5.00
Sand Bluestem	Texas	13.13%	97.00%	0.00%	97.00%	08/13	5.00
Woodward	Minnesota	9.55%	39.00%	41.00%	80.00%	09/13	3.00
Little Bluestem	Minnesota	16.09%	40.00%	55.00%	95.00%	03/13	6.00
Badlands	Minnesota	16.09%	40.00%	55.00%	95.00%	09/13	2.00
Big Bluestem	Oregon	5.42%	94.00%	0.00%	94.00%	03/13	1.00
Bison	Oregon	5.42%	94.00%	0.00%	94.00%	03/13	1.00
Coreopsis	Colorado	2.60%	2.00%	96.00%	98.00%	09/13	5.00
Plains	Colorado	2.60%	2.00%	96.00%	98.00%	09/13	5.00
Sand Dropseed	Colorado	2.60%	2.00%	96.00%	98.00%	09/13	5.00
VNS	Colorado	2.60%	2.00%	96.00%	98.00%	09/13	5.00
Four Wing Saltbush	New Mexico	16.33%	33.00%	45.00%	78.00%	09/13	5.00
VNS	New Mexico	16.33%	33.00%	45.00%	78.00%	09/13	5.00
Other Crop:		3.21%					
Weed Seed:		0.06%					
Inert Matter:		18.46%					


There Are 1 Bag For This Mix
This Bag Weighs 39.26 Bulk Pounds
Use This Bag For 1 Acres

Total Bulk Pounds: 39

FINAL C-141

District I
1625 N. French Dr., Hobbs, NM 88240
District II
111 S. First St., Artesia, NM 88210
District III
1000 Rto Encinas Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505



Form C-141

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company: Devon Energy	Contact: Dan Suniga, Production Foreman	
Address: P. O. Box 250 Artesia, NM 88211	Telephone No.: 575-390-5850	
Facility Name: TODD 26 F SWD	Facility Type: Oil Well	
Surface Owner	Mineral Owner	Lease No. API #30-015-20302 2HP-1706

LOCATION OF RELEASE

Unit Letter F	Section 26	Township 23S	Range 31E	Feet from the 1980	North/South Line North	Feet from the 1980	East/West Line West	County: Eddy
-------------------------	----------------------	------------------------	---------------------	------------------------------	----------------------------------	------------------------------	-------------------------------	---------------------

NATURE OF RELEASE

Type of Release: Mixed Fluids	Volume of Release: 120 bbls Oil 20 bbl PW	Volume Recovered: 100 bbls Oil 20 bbls PW
Source of Release: Power outage caused pump to go down	Date and Hour of Occurrence 6/20/2013, 5:45 AM	Date and Hour of Discovery 6/20/2013, 5:45 am
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? BLM-Jennifer Van Curen; UCD-Mike Bratcher; Jerry Mathews-Superintendent & Chad Drace-EES	
By Whom? Wesley Ryan, Assistant Foreman	Date and Hour 6/20/2013	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully *		


Describe Cause of Problem and Remedial Action Taken.*

A power outage caused a pump to malfunction, which then caused the tanks at the SWD to overflow losing approximately 120bbls of oil and 20bbls of produced water. The release was discovered by a hot oiler operator and reported to Devon at 5:45 am on June 20, 2013. Devon personnel responded to correct the malfunction and stop the release. Vacuum trucks were able to recover 100bbls of oil and 20bbls of water.

Describe Area Affected and Cleanup Action Taken.* Talon/LPB was contracted for the correction of this release. The impacted area from this release was excavated to a depth of 1.5-2.5 feet deep and analytical testing was completed. The excavation was backfilled to grade using new material, contoured to match the surrounding location and seeded on September 25, 2013 using BLM LPC seed mix.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that: pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

OIL CONSERVATION DIVISION

Signature: 	Approved by District Supervisor:	
Printed Name: Veronica Teel		
Title: Field Admin Support	Approval Date:	Expiration Date:
Date: 11/13/2013 Phone: 575-748-9933	Conditions of Approval:	Attached <input type="checkbox"/>

* Attach Additional Sheets If Necessary