

HBP - _____15_____

**GENERAL
CORRESPONDENCE**

**YEAR(S):
_____2016 - 2020_____**

Cash Remittance Report (CRR)

Energy, Minerals & Natural Resources Department CASH REMITTANCE REPORT (CRR)

Location Name (1)

Location Code (2)

OCD-ENVIRONMENT

0740

Today's Date: 11 / 08 / 2016
MONTH DAY YEAR (3)

Collection Period: MM / DD / YYYY through MM / DD / YYYY (4)

Cost Center (5)	Revenue Code (5)	Receipt Amount (7)	Collected Amount (8)
0740		250.00	

Total \rightarrow \$ 250.00 (9) \$ (10)

Over/Short Amount \$ (11)

CRR Deposit Amount \$ (12)

Print Name: Lorraine De Vargas (13) Signature: Lorraine De Vargas (13)

Print Name: _____ (13) Signature: _____ (13)

Distribution: White and Yellow copy to Accounts Receivable-ASD,
Pink copy retained at CRR submitting location

Official Use Only

Completed by the Accounts Receivable

Date Received: _____ (1)

Notes: _____ (2)

Amount Received: _____ (3)

State Treasurer Deposit Number: _____ (4)

Verified by: _____ (6)

Deposit Date: _____ (5)

DCP Midstream, LP
370 17th Street, Suite 2500
Denver, CO 80202

Vendor Number
0000078217
Vendor Name
STATE OF NEW MEXICO

Check Number
0000452848
Check Date
10/28/16

Invoice Number	Invoice Date	Net Amount	Description
NMPT201610	10/19/16	250.00	Hydrostatic Test Dewatering
	Total Paid	\$250.00	

2016 OCT -8 10 50 AM
RECEIVED

Please Detach and Retain for Your Records

DCP Midstream, LP
370 17th Street, Suite 2500
Denver, CO 80202

JPMORGAN CHASE BANK, N.A. 50-937/213
Syracuse, NY

Pay *Two hundred fifty and xx / 100 Dollars*

Vendor No
0000078217

Check Date
10/28/2016

Check Number
0000452848

NOT NEGOTIABLE AFTER 120 DAYS

Check Amount
****\$250.00

To The Order Of
STATE OF NEW MEXICO
WATER QUALITY MANAGEMENT FUND
C/O NEW MEXICO OIL CONSERVATION DIV
1220 S ST FRANCIS DRIVE
Santa Fe, NM 87505


Authorized Signature

ACKNOWLEDGEMENT OF RECEIPT
OF CHECK/CASH

I hereby acknowledge receipt of Check No. 0000452848 dated 10/28/2016

or cash received on 11/08/2016 in the amount of \$ 250.00

from DCP Midstream, LP

for HBP-15

Submitted by: Brad Jones Date: 11/08/2016

Submitted to ASD by: Lorraine DeVargas Date: 11/08/2016

Received in ASD by: _____ Date: _____

Filing Fee 100.00 New Facility: _____ Renewal: _____

Modification _____ Other 150.00 Temporary permission

Organization Code 521.07 Applicable FY 117

To be deposited in the Water Quality Management Fund.

Full Payment _____ or Annual Increment _____



DCP Midstream
10 Desta Drive, Suite 500 W
Midland TX, 79705
Off: 432.620.4000

October 31, 2016

Certified Mail 7015 3430 0000 1355 4629
Return Receipt Requested

Mr. Brad Jones
New Mexico Energy, Mineral and Natural Resources Department
Oil Conservation Division – Environmental Bureau
1220 South St. Francis Drive
Santa Fe, NM 87505

RE: Hydrostatic Test Dewatering Discharge Permit Renewal
DCP Midstream, LP
Discharge Permit Number HBP-015

Dear Mr. Jones:

In accordance with New Mexico Water Quality Control Commission (WQCC) Regulations, DCP Midstream, LP (DCP) requests that the New Mexico Oil Conservation Division (OCD) renew Hydrostatic Test Dewatering Discharge Permit HBP-015 for DCP's New Mexico operations. As required by NMAC 20.6.2.3114, a check for the \$100 permit application filing fee and \$150 temporary permission fee was submitted to your office on October 31, 2016. A check in the amount of \$250.00 has been mailed to the NM Oil Conservation Division.

DCP performs hydrostatic testing of new pipelines with a volume per test that will not exceed 25,000 gallons. In accordance with OCD *Guidelines for Hydrostatic Test Dewatering (Revised 1/07)*, DCP will meet the following conditions for the hydrostatic test waste water discharged under this permit:


- a. The volume per test will not exceed 25,000 gallons.
- b. Fresh water from a public/municipal water supply system or other OCD approved source will be used for each test.
- c. Written or e-mail notification will be provided to the OCD 72 hours prior to each hydrostatic discharge event.
- d. The discharge will not enter any lake, perennial stream, river, or their respective tributaries that may be seasonal.
- e. No discharge will occur:
 - i. where groundwater is less than 10 feet below ground surface;
 - ii. within 200 feet of a watercourse, lake bed, sinkhole, or playa lake;
 - iii. within an existing well head protected area;
 - iv. within, or within 500 feet of a wetland; or

- v. within 500 feet from the nearest permanent residence, school, hospital, institution or church.
- f. Best management practices must be implemented to contain the discharge onsite, so that the discharge does not impact adjacent property, and to control erosion.
- g. The discharge will not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsection A, B, and C of the New Mexico Water Quality Control Commission Regulations (20.6.2.3103 NMAC).
- h. Any unauthorized discharges, spills, leaks and releases of hydrostatic test water will be reported and corrective action taken pursuant to OCD Rule 19.15.29 NMAC.
- i. The landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location will be properly notified of the activities prior to each proposed hydrostatic test event.
- j. An annual report summarizing all tests of new pipe using less than 25,000 gallons per test will be submitted to the OCD within 45 days of the temporary permission expiration date. The report will contain the following information for each test:
 - i. Location of the hydrostatic test (including Section, Township and Range or GPS coordinates);
 - ii. Date of the test;
 - iii. Volume of the discharge; and
 - iv. Source and quality of the test water.

If you have questions or require additional information please call me at (432) 620-4207.

Sincerely,

DCP Midstream, LP



Jon D. Bebbington

Principal Environmental Specialist

Cc: Denver Corporate File 2.2.5
Regional File: 2.2.5 (SENM General File)
Don Gerwick, DCP Hobbs Office

DCP Midstream, LP
370 17th Street, Suite 2500
Denver, CO 80202

Vendor Number
0000078217
Vendor Name
STATE OF NEW MEXICO

Check Number
0000452848
Check Date
10/28/16

Invoice Number	Invoice Date	Net Amount	Description
NMPT201610	10/19/16	250.00	Hydrostatic Test Dewatering
	Total Paid	\$250.00	

Please Detach and Retain for Your Records

DCP Midstream, LP
370 17th Street, Suite 2500
Denver, CO 80202

JPMORGAN CHASE BANK, N.A. 50-937/213
Syracuse, NY

Pay *Two hundred fifty and xx / 100 Dollars*

To The
Order Of

STATE OF NEW MEXICO
WATER QUALITY MANAGEMENT FUND
C/O NEW MEXICO OIL CONSERVATION DIV
1220 S ST FRANCIS DRIVE
Santa Fe, NM 87505

Vendor No
0000078217

Check Date
10/28/2016

Check Number
0000452848

NOT NEGOTIABLE AFTER 120 DAYS

Check Amount
***\$250.00



Authorized Signature



DCP Midstream
10 Desta Drive, Suite 500 W
Midland TX, 79705
Off: 432.620.4000

October 31, 2016

Certified Mail 7015 3430 0000 1355 4629
Return Receipt Requested

Mr. Brad Jones
New Mexico Energy, Mineral and Natural Resources Department
Oil Conservation Division – Environmental Bureau
1220 South St. Francis Drive
Santa Fe, NM 87505

RE: Hydrostatic Test Dewatering Discharge Permit Renewal
DCP Midstream, LP
Discharge Permit Number HBP-015

2016 10 31 3 28 07
RECEIVED OCT

Dear Mr. Jones:

In accordance with New Mexico Water Quality Control Commission (WQCC) Regulations, DCP Midstream, LP (DCP) requests that the New Mexico Oil Conservation Division (OCD) renew Hydrostatic Test Dewatering Discharge Permit HBP-015 for DCP's New Mexico operations. As required by NMAC 20.6.2.3114, a check for the \$100 permit application filing fee and \$150 temporary permission fee was submitted to your office on October 31, 2016. A check in the amount of \$250.00 has been mailed to the NM Oil Conservation Division.

DCP performs hydrostatic testing of new pipelines with a volume per test that will not exceed 25,000 gallons. In accordance with OCD *Guidelines for Hydrostatic Test Dewatering (Revised 1/07)*, DCP will meet the following conditions for the hydrostatic test waste water discharged under this permit:


- a. The volume per test will not exceed 25,000 gallons.
- b. Fresh water from a public/municipal water supply system or other OCD approved source will be used for each test.
- c. Written or e-mail notification will be provided to the OCD 72 hours prior to each hydrostatic discharge event.
- d. The discharge will not enter any lake, perennial stream, river, or their respective tributaries that may be seasonal.
- e. No discharge will occur:
 - i. where groundwater is less than 10 feet below ground surface;
 - ii. within 200 feet of a watercourse, lake bed, sinkhole, or playa lake;
 - iii. within an existing well head protected area;
 - iv. within, or within 500 feet of a wetland; or

- v. within 500 feet from the nearest permanent residence, school, hospital, institution or church.
- f. Best management practices must be implemented to contain the discharge onsite, so that the discharge does not impact adjacent property, and to control erosion.
- g. The discharge will not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsection A, B, and C of the New Mexico Water Quality Control Commission Regulations (20.6.2.3103 NMAC).
- h. Any unauthorized discharges, spills, leaks and releases of hydrostatic test water will be reported and corrective action taken pursuant to OCD Rule 19.15.29 NMAC.
- i. The landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location will be properly notified of the activities prior to each proposed hydrostatic test event.
- j. An annual report summarizing all tests of new pipe using less than 25,000 gallons per test will be submitted to the OCD within 45 days of the temporary permission expiration date. The report will contain the following information for each test:
 - i. Location of the hydrostatic test (including Section, Township and Range or GPS coordinates);
 - ii. Date of the test;
 - iii. Volume of the discharge; and
 - iv. Source and quality of the test water.

If you have questions or require additional information please call me at (432) 620-4207.

Sincerely,

DCP Midstream, LP



Jon D. Bebbington

Principal Environmental Specialist

Cc: Denver Corporate File 2.2.5
Regional File: 2.2.5 (SENM General File)
Don Gerwick, DCP Hobbs Office

DCP Midstream, LP
370 17th Street, Suite 2500
Denver, CO 80202

Vendor Number
0000078217
Vendor Name
STATE OF NEW MEXICO

Check Number
0000452848
Check Date
10/28/16

Invoice Number	Invoice Date	Net Amount	Description
NMPT201610	10/19/16	250.00	Hydrostatic Test Dewatering
	Total Paid	\$250.00	

COPY

Please Detach and Retain for Your Records

DUPLICATE MARK PAPER. HOLD TO LIGHT TO VIEW. HEAT SENSITIVE PINK IMAGE DISAPPEARS WITH HEAT. PAPER CONTAINS VISIBLE FIBERS.

DCP Midstream, LP
370 17th Street, Suite 2500
Denver, CO 80202

JPMORGAN CHASE BANK, N.A. 50-937/213
Syracuse, NY

COPY

Vendor No.
0000078217

Check Date
10/28/2016

Check Number
0000452848

Pay Two hundred fifty and xx / 100 Dollars

NOT NEGOTIABLE AFTER 120 DAYS

Check Amount
***\$250.00

To The Order Of
STATE OF NEW MEXICO
WATER QUALITY MANAGEMENT FUND
C/O NEW MEXICO OIL CONSERVATION DIV
1220 S ST FRANCIS DRIVE
Santa Fe, NM 87505



Authorized Signature



DCP Midstream
10 Desta Drive, Suite 500 W
Midland TX, 79705
Off: 432.620.4000

October 24, 2016

Certified Mail 7015 0343 0000 1355 4506
Return Receipt Requested

Mr. Brad Jones
New Mexico Energy, Mineral and Natural Resources Department
Oil Conservation Division – Environmental Bureau
1220 South St. Francis Drive
Santa Fe, NM 87505

RE: Hydrostatic Test Dewatering Discharge Permit Renewal
DCP Midstream, LP
Discharge Permit Number HBP-015

RECEIVED
OCT 27 10 00 AM

Dear Mr. Jones:

In accordance with New Mexico Water Quality Control Commission (WQCC) Regulations, DCP Midstream, LP (DCP) requests that the New Mexico Oil Conservation Division (OCD) renew Hydrostatic Test Dewatering Discharge Permit HBP-015 for DCP's New Mexico operations. As required by NMAC 20.6.2.3114, a check for the \$100 permit application filing fee and \$150 temporary permission fee was submitted to your office on December 1, 2015. A check in the amount of \$250.00 has been mailed to the NM Oil Conservation Division.

DCP performs hydrostatic testing of new pipelines with a volume per test that will not exceed 25,000 gallons, In accordance with OCD *Guidelines for Hydrostatic Test Dewatering (Revised 1/07)*, DCP will meet the following conditions for the hydrostatic test waste water discharged under this permit:


- a. The volume per test will not exceed 25,000 gallons.
- b. Fresh water from a public/municipal water supply system or other OCD approved source will be used for each test.
- c. Written or e-mail notification will be provided to the OCD 72 hours prior to each hydrostatic discharge event.
- d. The discharge will not enter any lake, perennial stream, river, or their respective tributaries that may be seasonal.
- e. No discharge will occur:
 - i. where groundwater is less than 10 feet below ground surface;
 - ii. within 200 feet of a watercourse, lake bed, sinkhole, or playa lake;
 - iii. within an existing well head protected area;
 - iv. within, or within 500 feet of a wetland; or

- v. within 500 feet from the nearest permanent residence, school, hospital, institution or church.
- f. Best management practices must be implemented to contain the discharge onsite, so that the discharge does not impact adjacent property, and to control erosion.
- g. The discharge will not cause any fresh water supplies to be degraded or to exceed standards as set forth in Subsection A, B, and C of the New Mexico Water Quality Control Commission Regulations (20.6.2.3103 NMAC).
- h. Any unauthorized discharges, spills, leaks and releases of hydrostatic test water will be reported and corrective action taken pursuant to OCD Rule 19.15.29 NMAC.
- i. The landowner(s) of each proposed discharge and/or collection/retention or alternative discharge location will be properly notified of the activities prior to each proposed hydrostatic test event.
- j. An annual report summarizing all tests of new pipe using less than 25,000 gallons per test will be submitted to the OCD within 45 days of the temporary permission expiration date. The report will contain the following information for each test:
 - i. Location of the hydrostatic test (including Section, Township and Range or GPS coordinates);
 - ii. Date of the test;
 - iii. Volume of the discharge; and
 - iv. Source and quality of the test water.

If you have questions or require additional information please call me at (303) 605-1961.

Sincerely,

DCP Midstream, LP



Jon D. Bebbington

Principal Environmental Specialist

AMS File: 2.2.5 (SENM General File)

DCP Midstream, LP
370 17th Street, Suite 2500
Denver, CO 80202

Vendor Number
0000078217
Vendor Name
STATE OF NEW MEXICO GENERAL FUND

Check Number
0000452389
Check Date
10/20/16

Invoice Number	Invoice Date	Net Amount	Description
NMPT201610	10/19/16	250.00	Hydrostatic Test Dewatering
	Total Paid	\$250.00	

Please Detach and Retain for Your Records

DCP Midstream, LP
370 17th Street, Suite 2500
Denver, CO 80202

JPMORGAN CHASE BANK, N.A. 50-937/213
Syracuse, NY

Pay *Two hundred fifty and xx / 100 Dollars*

To The
Order Of

STATE OF NEW MEXICO GENERAL FUND
NEW MEXICO ENVIRONMENTAL DEPARTMENT
GENERAL FUND AIR QUALITY BUREAU
C/O COMPLIANCE ENFORCEMENT MGR
525 CAMINO DE LOS MARQUEZ STE 1
SANTA FE, NM 87505

NOT NEGOTIABLE AFTER 120 DAYS

Vendor Number
0000078217

Check Date
10/20/2016

Check Number
0000452389

Check Amount
***\$250.00

Authorized Signature