

DATE IN 11/8/16	SUSPENSE	ENGINEER LEL	LOGGED IN 11/10/16	TYPE NSL	APP NO. SD1631553258
-----------------	----------	--------------	--------------------	----------	----------------------

ABOVE THIS LINE FOR DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION
 - Engineering Bureau -
 1220 South St. Francis Drive, Santa Fe, NM 87505



7487

ADMINISTRATIVE APPLICATION CHECKLIST

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Application Acronyms:

[NSL-Non-Standard Location] [NSP-Non-Standard Proration Unit] [SD-Simultaneous Dedication]
 [DHC-Downhole Commingling] [CTB-Lease Commingling] [PLC-Pool/Lease Commingling]
 [PC-Pool Commingling] [OLS - Off-Lease Storage] [OLM-Off-Lease Measurement]
 [WFX-Waterflood Expansion] [PMX-Pressure Maintenance Expansion]
 [SWD-Salt Water Disposal] [IPI-Injection Pressure Increase]
 [EOR-Qualified Enhanced Oil Recovery Certification] [PPR-Positive Production Response]

NSL
 Well: Cedar Canyon 21 Federal
 Com Well No. 22H
 Oxy USA Inc.
 06R1D 16696
 Pool: Corral
 Draw: Bone
 Spring
 (96238)

- [1] **TYPE OF APPLICATION** - Check Those Which Apply for [A]
 [A] Location - Spacing Unit - Simultaneous Dedication
☒ NSL ☐ NSP ☐ SD
- Check One Only for [B] or [C]
 [B] Commingling - Storage - Measurement
☐ DHC ☐ CTB ☐ PLC ☐ PC ☐ OLS ☐ OLM
- [C] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery
☐ WFX ☐ PMX ☐ SWD ☐ IPI ☐ EOR ☐ PPR
- [D] Other: Specify _____
- [2] **NOTIFICATION REQUIRED TO:** - Check Those Which Apply, or Does Not Apply
 [A] ☒ Working, ~~Royalty~~ or ~~Overriding Royalty~~ Interest Owners
 [B] ☒ Offset Operators, Leaseholders or Surface Owner
 [C] ☐ Application is One Which Requires Published Legal Notice
 [D] ☒ Notification and/or Concurrent Approval by BLM or SLO
U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office
 [E] ☐ For all of the above, Proof of Notification or Publication is Attached, and/or,
 [F] ☐ Waivers are Attached

[3] **SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED ABOVE.**

[4] **CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

David Stewart
 Print or Type Name

Signature

SR. Regulatory Advisor
 Title

11/21/16
 Date

david_stewart@oxy.com
 e-mail Address

OXY USA Inc.
 Cedar Canyon 21 Federal Com #22H



OXY USA Inc

**PO Box 50250
Midland, TX 79710-0250**

November 2, 2016

New Mexico Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Attention: Leonard Lowe

Re: ***Application for Administrative Approval of Non-Standard Location –
Cedar Canyon 21 Federal Com #22H – Corral Draw Bone Spring
Surface – 1764 FNL 141 FWL Ut E Sec 21 T24S R29E
Top Perforation – 1386 FNL 340 FWL Ut E Sec 21 T24S R29E
Bottom Perforation – 1387 FNL 340 FEL Ut H Sec 21 T24S R29E
Bottom Hole – 1387 FNL 180 FEL Ut H Sec 21 T25 R29E
Eddy County, New Mexico***

Dear Mr. Lowe:

OXY USA Inc. respectfully requests administrative approval of a non-standard location on the Cedar Canyon 21 Federal Com #22H well, API Number-30-015-Pending, Property Code Pending. The #22H well is proposed to be completed in the Corral Draw Bone Spring, Pool Code 96238. This will be a horizontal well in a pool with no special rules for setback, so the setback requirements under Rule 19.15.15.9 (A) and 19.15.16.15 (B) would apply. The proposed producing interval is outside of the proposed Producing Area but within the proposed Project Area and will be drilled as follows:

Surface – 1764 FNL 141 FWL Ut E Sec 21 T24S R29E
Top Perforation – 1386 FNL 340 FWL Ut E Sec 21 T24S R29E
Bottom Perforation – 1387 FNL 340 FEL Ut H Sec 21 T24S R29E
Bottom Hole – 1387 FNL 180 FEL Ut H Sec 21 T25 R29E

The adjoining spacing units are located in T24S R29E Section 20–Units A, H, I; Section 21–Units A, B, C, D, E, F, G, H, I, J, K, L; Section 23–Units D, E, L.

Approval of the unorthodox producing interval will allow for efficient spacing of horizontal wells and thereby prevent waste.

To support this request, the following information has been submitted for your review:

1. Application for Permit to Drill.
2. C-102 Plat for the proposed well and additional plats with offsetting well and affected spacing units.
3. List of affected offset parties that adjoin the non-standard, copies of the signed certified return receipts will be furnished upon request.
4. Proposed Directional Survey

If you need any additional information, please call me at 432-685-5717.

Sincerely,

David Stewart
Sr. Regulatory Advisor
OXY USA Inc.

Attachments

CC: NMOCD-Artesia, BLM-Carlsbad, Service List



OXY USA Inc.

PO Box 50250
Midland, TX 79710-0250

November 2, 2016

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

Re: *Application for Administrative Approval of Non-Standard Location –
Cedar Canyon 21 Federal Com #22H – Corral Draw Bone Spring
Surface – 1764 FNL 141 FWL Ut E Sec 21 T24S R29E
Top Perforation – 1386 FNL 340 FWL Ut E Sec 21 T24S R29E
Bottom Perforation – 1387 FNL 340 FEL Ut H Sec 21 T24S R29E
Bottom Hole – 1387 FNL 180 FEL Ut H Sec 21 T25 R29E
Eddy County, New Mexico*

Ladies and Gentlemen:

Enclosed is a copy of an application, filed with the New Mexico Oil Conservation Division by OXY USA Inc., requesting administrative approval for a non-standard location. As an affected party, notice is being provided to you pursuant to Rule 19.15.15.9 (A) and 19.15.16.15 (B). The well is located as follows:

Surface – 1764 FNL 141 FWL Ut E Sec 21 T24S R29E
Top Perforation – 1386 FNL 340 FWL Ut E Sec 21 T24S R29E
Bottom Perforation – 1387 FNL 340 FEL Ut H Sec 21 T24S R29E
Bottom Hole – 1387 FNL 180 FEL Ut H Sec 21 T25 R29E

If you object to the well's location, you must notify the Division in writing no later than 20 days from the date the application is received by the NMOCD (1220 South St. Francis Drive, Santa Fe, NM 87505; Attention: Leonard Lowe).

If you need any additional information, you can contact Jeremy Murphrey, CPL at 713-350-4816 or myself at 432-685-5717.

Sincerely,

A handwritten signature in black ink, appearing to read "David Stewart", is written over a horizontal line.

David Stewart
Sr. Regulatory Advisor
OXY USA Inc.

Attachments

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

FORM APPROVED
OMB No. 1004-0137
Expires October 31, 2014

5. Lease Serial No.
NMNM85893

6. If Indian, Allottee or Tribe Name

7. If Unit or CA Agreement, Name and No.

8. Lease Name and Well No.
CEDAR CANYON 21 FEDERAL C 22H

9. API Well No.

1a. Type of work: ☒ DRILL ☐ REENTER

1b. Type of Well: ☒ Oil Well ☐ Gas Well ☐ Other ☐ Single Zone ☒ Multiple Zone

2. Name of Operator
OXY USA INC

3a. Address
5 Greenway Plaza, Suite 110 Houston TX 770

3b. Phone No. (include area code)
(713)366-5716

10. Field and Pool, or Exploratory
CORRAL DRAW BONE SPRING / 2ND E

4. Location of Well (Report location clearly and in accordance with any State requirements*)

At surface **SWNW / 1764 FNL / 141 FWL / LAT 32.205409 / LONG -103.997548**

At proposed prod. zone **SENE / 1387 FNL / 180 FEL / LAT 32.206473 / LONG -103.981455**

11. Sec., T. R. M. or Blk. and Survey or Area
SEC 21 / T24S / R29E / NMP

14. Distance in miles and direction from nearest town or post office*
6 miles

12. County or Parish
EDDY

13. State
NM

15. Distance from proposed*
location to nearest **50 feet**
property or lease line, ft.
(Also to nearest drig. unit line, if any)

16. No. of acres in lease
160

17. Spacing Unit dedicated to this well
160

18. Distance from proposed location*
to nearest well, drilling, completed, **30 feet**
applied for, on this lease, ft.

19. Proposed Depth
8710 feet / 13472 feet

20. BLM/BIA Bond No. on file
FED: ESB000226

21. Elevations (Show whether DF, KDB, RT, GL, etc.)
2931 feet

22. Approximate date work will start*
04/17/2017

23. Estimated duration
25 days

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, must be attached to this form:

1. Well plat certified by a registered surveyor.
2. A Drilling Plan.
3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office).

4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
5. Operator certification
6. Such other site specific information and/or plans as may be required by the BLM.

25. Signature
(Electronic Submission)

Name (Printed Typed)
David Stewart / Ph: (713)366-5716

Date
10/20/2016

Title
Sr. Regulatory Advisor

Approved by (Signature)

Name (Printed Typed)

Date

Title

Office
CARLSBAD

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)




OXY USA INC.
CEDAR CANYON "21" FEDERAL COM #22H
SECTIONS 20, 21 & 22, TOWNSHIP 24 SOUTH,
RANGE 29 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO



Asel Surveying

P.O. BOX 393 - 310 W. TAYLOR
HOBBS, NEW MEXICO - 575-393-9146



2000' 0 2000' 4000' FEET
SCALE: 1"=2000'

WD# 161025NSL

DISTRICT I
1420 N. FRANCHIS DR., SHERMAN, NM 87404
Phone: (505) 583-0181 Fax: (505) 583-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (505) 748-1283 Fax: (505) 748-0720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6178

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3480 Fax: (505) 476-3480

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-	Pool Code 96238	Pool Name Cornal Draw Bone Springs
Property Code	Property Name CEDAR CANYON 21 FEDERAL COM	Well Number 22H
OCRID No. 16696	Operator Name OXY USA INC.	Elevation 2930.8'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	21	24-S	29-E		1764	NORTH	141	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	21	24-S	29-E		1387	NORTH	180	EAST	EDDY

Dedicated Acres 160	Joint or Infill Y	Consolidation Code	Order No. NSL will be filed
-------------------------------	-----------------------------	--------------------	---------------------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

SURFACE LOCATION Y=438624.0 N X=645194.4 E LAT.=32.205409° N LONG.=103.997548° W	KICK OFF POINT Y=439001.1 N X=645105.1 E LAT.=32.206446° N LONG.=103.997833° W	PROPOSED BOTTOM HOLE LOCATION Y=439027.2 N X=650170.7 E LAT.=32.206473° N LONG.=103.981455° W	OPERATOR CERTIFICATION I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature <i>[Signature]</i> Date 10/19/16 Printed Name David Stewart - Sr. Reg. Adv. E-mail Address david.stewart@oxy.com							
PRODUCING AREA PROJECT AREA				SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. JULY 27, 2016 Date of Survey Signature & Seal of Professional Surveyor Certificate No. CHAD HARGROW 17777 W.O. #16-725 DRAWN BY: CF						
TOP PERF. Y=439002.6 N X=645395.1 E LAT.=32.206464° N LONG.=103.996895° W	BOTTOM PERF. Y=439026.3 N X=650010.7 E LAT.=32.206472° N LONG.=103.981972° W									
POINT LEGEND <table border="1"><tr><td>1</td><td>Y=439080.4 N X=645055.4 E</td></tr><tr><td>2</td><td>Y=439088.4 N X=650350.6 E</td></tr><tr><td>3</td><td>Y=437781.6 N X=650353.2 E</td></tr><tr><td>4</td><td>Y=437733.9 N X=645049.4 E</td></tr></table>					1	Y=439080.4 N X=645055.4 E	2	Y=439088.4 N X=650350.6 E	3	Y=437781.6 N X=650353.2 E
1	Y=439080.4 N X=645055.4 E									
2	Y=439088.4 N X=650350.6 E									
3	Y=437781.6 N X=650353.2 E									
4	Y=437733.9 N X=645049.4 E									

* ALL COORDINATES ARE NAD 83 VALUES

DISTRICT I
1825 N. FRANKLIN DR., ROSA, NM 88240
Phone: (505) 352-4181 Fax: (505) 352-8728

DISTRICT II
811 E. FIRST ST., ARTESIA, NM 88210
Phone: (505) 748-1853 Fax: (505) 748-8728

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-8170 Fax: (505) 334-8170

DISTRICT IV
1825 N. FRANKLIN DR., SANTA FE, NM 87506
Phone: (505) 476-3455 Fax: (505) 476-3455

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-05-	Pool Code 96238	Pool Name Cornal Draw Bone Springs
Property Code	Property Name CEDAR CANYON 21 FEDERAL COM	Well Number 23H
OGRID No. 16656	Operator Name OXY USA INC.	Elevation 2931.0

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	21	24-S	29-E		1824	NORTH	141	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	21	24-S	29-E		2200	NORTH	180	EAST	EDDY


Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
160	Y		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

SURFACE LOCATION Y=438564.0 N X=645194.1 E LAT.=32.205244° N LONG.=103.997550° W	BOTTOM PERE Y=438213.3 N X=650012.3 E LAT.=32.204237° N LONG.=103.981976° W	PROPOSED BOTTOM HOLE LOCATION Y=438214.2 N X=650172.3 E LAT.=32.204238° N LONG.=103.981459° W	OPERATOR CERTIFICATION I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature <i>[Signature]</i> Date 10/19/16 Printed Name David Stewart Springs, Adv. E-mail Address dwstewart@oxy.com
PRODUCING AREA PROJECT AREA S.L. - K.P.-2200' FNL & 50' FWL GRID AZ. - 193°48'21" HORZ. DIST. - 388.2' T.P. - GRID AZ. - 89°41'35" HORZ. DIST. - 5070.9' T.P.-2200' FNL & 340' FWL			
KICK POINT Y=438187.0 N X=645101.5 E LAT.=32.204208° N LONG.=103.997853° W	TOP PERE Y=438188.6 N X=645391.5 E LAT.=32.204210° N LONG.=103.996916° W	POINT LEGEND 1 Y=439080.4 N X=645055.4 E 2 Y=439088.4 N X=650350.6 E 3 Y=437781.6 N X=650353.2 E 4 Y=437733.9 N X=645049.4 E	
* ALL COORDINATES ARE NAD 83 VALUES			

SURVEYOR CERTIFICATION
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
JULY 27 2016
Date of Survey

Signature & Seal of Professional Surveyor



Chad Harcrow 9/19/16
Certificate No. **CHAD HARCROW 17777**
W.O. #16-728 DRAWN BY: CF

DISTRICT I
1626 N. FRANCHIS DR., HOBBS, NM 88240
Phone: (505) 393-8101 Fax: (505) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (505) 748-1223 Fax: (505) 748-0720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-8178 Fax: (505) 334-8170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-	Pool Code 9623B	Pool Name Corral Draw Bone Springs
Property Code	Property Name CEDAR CANYON 21 FEDERAL COM	Well Number 21H
OGRID No. 16696	Operator Name OXY USA INC.	Elevation 2928.2'

Surface Location


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	21	24-S	29-E		369	NORTH	368	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	21	24-S	29-E		440	NORTH	180	WEST	EDDY

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
160	Y		

**NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION**



OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature _____ Date _____

Printed Name _____

E-mail Address _____


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

JULY 27, 2016

Date of Survey

Signature & Seal of Professional Surveyor



10/12/16
Certificate No. CHAD HARCROW 17777
W.O. #16-802 DRAWN BY: AM

Application Non-Standard Location - Service List
OXY USA Inc.
Cedar Canyon 21 Federal Com #22H

New Mexico Oil Conservation Division
811 S. First St.
Artesia, NM 88210
7015-0640-0005-1003-3584

New Mexico Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505
7015-0640-0005-1003-3591

United States Dept of Interior
Bureau of Land Management
620 E. Greene Street
Carlsbad, NM 88220
7015-0640-0005-1003-3607

T24S R29E

Section 20 - Units A, H

OXY USA Inc
P.O. Box 50250
Midland, TX 79710

Section 20 - Unit I

Devon Energy Production Co. LP
333 W. Sheridan Avenue
Oklahoma City, OK 73102
7015-0640-0005-1003-3621

Section 21 - Units A, B, C, D, E, F, G, H, I, J, K, L

OXY USA Inc
P.O. Box 50250
Midland, TX 79710

Section 21 - Unit D
Devon Energy Production Co. LP
333 W. Sheridan Avenue
Oklahoma City, OK 73102
7015-0640-0005-1003-3621

Section 22 - Units D, E, L

OXY USA Inc.
P.O. Box 50250
Midland, TX 79710

Beryl Oil & Gas LP
6707 Pebble Court
Midland, TX 79707
7015-0640-0005-1003-3638

B. Jack Reed
506 Charismatic
Midland, TX 79705
7015-0640-0005-1003-3645

DRW Energy, LLC
4107 Tanforan
Midland, TX 79707
7015-0640-0005-1003-3652

GD McKinney Investments LP
300 N. Mariefeld, Ste. 1100
Midland, TX 79701
7015-0640-0005-1003-3676

Leopard Petroleum, LP
4200 Fairwood
Midland, TX 79707
7015-0640-0005-1003-3669

Mobil Producing TX & NM Inc.
810 Houston St.
Fort Worth, TX 76102
7015-0640-0005-1003-3683

Wayne & Linda Newkumet
500 W. Texas Ave, Ste. 1410
Midland, TX 79701
7015-0640-0005-1003-3690

M'lissa L. McKinney Schoening
301 Sir Barton Parkway
Midland, TX 79705
7015-0640-0005-1003-3706

Copies of this application were mailed to the following individuals, companies and organizations
on or before 11/2/16.





David Stewart
OXY USA Inc.



Project: NM DIRECTIONAL PLANS (NAD 1983)
 Site: Cedar Canyon 21
 Well: Cedar Canyon 21 Fed Com 22H
 Wellbore: WB00
 Design: Permitted Plan

WELL DETAILS: Cedar Canyon 21 Fed Com 22H

Ground Level: 2930.80 RKB @ 2957.30ft
 +N/-S +E/-W Northing Easting Latitude Longitude
 0.00 0.00 438624.00 645194.40 32° 12' 19.470674 N 103° 59' 51.173737 W



PROJECT DETAILS: NM DIRECTIONAL PLANS (NAD 1983)

Geodetic System: US State Plane 1983
 Datum: North American Datum 1983
 Ellipsoid: GRS 1980
 Zone: New Mexico Eastern Zone
 System Datum: Mean Sea Level

ANNOTATIONS

TVD	MD	Inc	Azi	+N/-S	+E/-W	Vsect	Departure	Annotation
5348.00	5348.00	0.00	0.00	0.00	0.00	0.00	0.00	Build @ 2.00 DLS
5845.37	5847.91	10.00	346.72	42.34	-9.99	-6.54	43.51	Hold Tangent @ 10°
7549.62	7578.44	10.00	346.72	334.79	-79.01	-51.72	343.98	Drop @ 2.00 DLS
8046.99	8078.35	0.00	346.72	377.13	-89.01	-58.26	387.49	Build Curve @ 10.00 DLS
8619.84	8966.85	88.85	89.70	380.02	472.44	501.58	948.94	Landing Point
8709.99	13471.67	88.86	89.70	403.23	4976.30	4992.61	5452.86	TD at 13471.67

Oxy Planning Report

Database:	HOPSP	Local Co-ordinate Reference:	Well Cedar Canyon 21 Fed Com 22H
Company:	OXY	TVD Reference:	RKB @ 2957.30ft
Project:	NM DIRECTIONAL PLANS (NAD 1983)	MD Reference:	RKB @ 2957.30ft
Site:	Cedar Canyon 21	North Reference:	Grid
Well:	Cedar Canyon 21 Fed Com 22H	Survey Calculation Method:	Minimum Curvature
Wellbore:	WB00		
Design:	Permitted Plan		

Project	NM DIRECTIONAL PLANS (NAD 1983)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		Using geodetic scale factor

Site	Cedar Canyon 21				
Site Position:	Northing:	0.00 usft	Latitude:	30° 59' 18.403714 N	
From:	Map	Easting:	0.00 usft	Longitude:	106° 3' 38.987298 W
Position Uncertainty:	0.00 ft	Slot Radius:	13.200 in	Grid Convergence:	-0.89 °

Well	Cedar Canyon 21 Fed Com 22H					
Well Position	+N/-S	438,517.52 ft	Northing:	438,624.00 usft	Latitude:	32° 12' 19.470674 N
	+E/-W	645,037.78 ft	Easting:	645,194.40 usft	Longitude:	103° 59' 51.173737 W
Position Uncertainty		0.00 ft	Wellhead Elevation:	2,930.80 ft	Ground Level:	2,930.80 ft

Wellbore	WB00				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM	9/26/2016	7.20	60.03	48,216

Design	Permitted Plan			
Audit Notes:				
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)
	0.00	0.00	0.00	85.37

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,348.00	0.00	0.00	5,348.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,847.96	10.00	346.72	5,845.42	42.35	-10.00	2.00	2.00	0.00	346.72	
7,578.40	10.00	346.72	7,549.58	334.78	-79.01	0.00	0.00	0.00	0.00	
8,078.35	0.00	89.70	8,047.00	377.13	-89.01	2.00	-2.00	0.00	180.00	CC_21_22H_KOP
8,966.85	88.85	89.70	8,619.84	380.02	472.44	10.00	10.00	0.00	89.70	
13,472.07	88.86	89.70	8,710.00	403.23	4,976.70	0.00	0.00	0.00	0.00	CC_21_22H_BHL

Oxy Planning Report

Database: HOPSPP
Company: OXY
Project: NM DIRECTIONAL PLANS (NAD 1983)
Site: Cedar Canyon 21
Well: Cedar Canyon 21 Fed Com 22H
Wellbore: WB00
Design: Permitted Plan

Local Co-ordinate Reference: Well Cedar Canyon 21 Fed Com 22H
TVD Reference: RKB @ 2957.30ft
MD Reference: RKB @ 2957.30ft
North Reference: Grid
Survey Calculation Method: Minimum Curvature

Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N-S (ft)	+E-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Buid Rate (°/100ft)	Turn Rate (°/100ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
305.00	0.00	0.00	305.00	0.00	0.00	0.00	0.00	0.00	0.00
Rustler									
670.00	0.00	0.00	670.00	0.00	0.00	0.00	0.00	0.00	0.00
Salado									
1,309.00	0.00	0.00	1,309.00	0.00	0.00	0.00	0.00	0.00	0.00
Castile (Anhydrite)									
2,872.00	0.00	0.00	2,872.00	0.00	0.00	0.00	0.00	0.00	0.00
Lamar/Delaware									
2,893.00	0.00	0.00	2,893.00	0.00	0.00	0.00	0.00	0.00	0.00
Bell Canyon									
3,600.00	0.00	0.00	3,600.00	0.00	0.00	0.00	0.00	0.00	0.00
Cherry Canyon									
5,046.00	0.00	0.00	5,046.00	0.00	0.00	0.00	0.00	0.00	0.00
Brushy Canyon									
5,348.00	0.00	0.00	5,348.00	0.00	0.00	0.00	0.00	0.00	0.00
Build @ 2.00 DLS									
5,400.00	1.04	346.72	5,400.00	0.46	-0.11	-0.07	2.00	2.00	0.00
5,500.00	3.04	346.72	5,499.93	3.92	-0.93	-0.61	2.00	2.00	0.00
5,600.00	5.04	346.72	5,599.68	10.78	-2.54	-1.67	2.00	2.00	0.00
5,700.00	7.04	346.72	5,699.12	21.02	-4.96	-3.25	2.00	2.00	0.00
5,800.00	9.04	346.72	5,798.13	34.63	-8.17	-5.35	2.00	2.00	0.00
5,847.91	10.00	346.72	5,845.37	42.34	-9.99	-6.54	2.00	2.00	0.00
Hold Tangent @ 10°									
5,847.96	10.00	346.72	5,845.42	42.35	-10.00	-6.54	2.00	2.00	0.00
5,900.00	10.00	346.72	5,896.68	51.15	-12.07	-7.90	0.00	0.00	0.00
6,000.00	10.00	346.72	5,995.16	68.05	-16.06	-10.51	0.00	0.00	0.00
6,100.00	10.00	346.72	6,093.64	84.94	-20.05	-13.12	0.00	0.00	0.00
6,200.00	10.00	346.72	6,192.12	101.84	-24.04	-15.73	0.00	0.00	0.00
6,300.00	10.00	346.72	6,290.60	118.74	-28.02	-18.34	0.00	0.00	0.00
6,400.00	10.00	346.72	6,389.08	135.64	-32.01	-20.95	0.00	0.00	0.00
6,500.00	10.00	346.72	6,487.56	152.54	-36.00	-23.57	0.00	0.00	0.00
6,589.80	10.00	346.72	6,576.00	167.72	-39.58	-25.91	0.00	0.00	0.00
Bone Spring									
6,600.00	10.00	346.72	6,586.04	169.44	-39.99	-26.18	0.00	0.00	0.00
6,700.00	10.00	346.72	6,684.52	186.34	-43.98	-28.79	0.00	0.00	0.00
6,800.00	10.00	346.72	6,783.01	203.24	-47.97	-31.40	0.00	0.00	0.00
6,900.00	10.00	346.72	6,881.49	220.14	-51.95	-34.01	0.00	0.00	0.00
7,000.00	10.00	346.72	6,979.97	237.04	-55.94	-36.62	0.00	0.00	0.00
7,100.00	10.00	346.72	7,078.45	253.93	-59.93	-39.23	0.00	0.00	0.00
7,200.00	10.00	346.72	7,176.93	270.83	-63.92	-41.84	0.00	0.00	0.00
7,300.00	10.00	346.72	7,275.41	287.73	-67.91	-44.45	0.00	0.00	0.00
7,400.00	10.00	346.72	7,373.89	304.63	-71.90	-47.06	0.00	0.00	0.00
7,500.00	10.00	346.72	7,472.37	321.53	-75.89	-49.67	0.00	0.00	0.00
7,578.40	10.00	346.72	7,549.58	334.78	-79.01	-51.72	0.00	0.00	0.00
7,578.44	10.00	346.72	7,549.62	334.79	-79.01	-51.72	0.00	0.00	0.00
Drop @ 2.00 DLS									
7,600.00	9.57	346.72	7,570.87	338.35	-79.85	-52.27	2.00	-2.00	0.00
7,700.00	7.57	346.72	7,669.75	352.85	-83.28	-54.51	2.00	-2.00	0.00
7,800.00	5.57	346.72	7,769.09	363.98	-85.90	-56.23	2.00	-2.00	0.00
7,900.00	3.57	346.72	7,868.76	371.73	-87.73	-57.43	2.00	-2.00	0.00
8,000.00	1.57	346.72	7,968.66	376.09	-88.76	-58.10	2.00	-2.00	0.00
8,078.35	0.00	346.72	8,046.99	377.13	-89.01	-58.26	2.00	-2.00	0.00

Oxy Planning Report

Database:	HOPSPP	Local Co-ordinate Reference:	Well Cedar Canyon 21 Fed Com 22H
Company:	OXY	TVD Reference:	RKB @ 2957.30ft
Project:	NM DIRECTIONAL PLANS (NAD 1983)	MD Reference:	RKB @ 2957.30ft
Site:	Cedar Canyon 21	North Reference:	Grid
Well:	Cedar Canyon 21 Fed Com 22H	Survey Calculation Method:	Minimum Curvature
Wellbore:	WB00		
Design:	Permitted Plan		

Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N-S (ft)	+E-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
Build Curve @ 10.00 DLS									
8,078.35	0.00	89.70	8,047.00	377.13	-89.01	-58.26	2.00	-2.00	0.00
CC_21_22H_KOP									
8,100.00	2.16	89.70	8,068.64	377.13	-88.60	-57.85	10.00	10.00	0.00
8,200.00	12.16	89.70	8,167.74	377.20	-76.14	-45.43	10.00	10.00	0.00
8,300.00	22.16	89.70	8,263.16	377.35	-46.67	-16.04	10.00	10.00	0.00
8,400.00	32.16	89.70	8,352.02	377.58	-1.07	29.42	10.00	10.00	0.00
8,500.00	42.16	89.70	8,431.61	377.89	59.26	89.58	10.00	10.00	0.00
8,600.00	52.16	89.70	8,499.51	378.27	132.50	162.61	10.00	10.00	0.00
8,700.00	62.16	89.70	8,553.66	378.70	216.41	246.29	10.00	10.00	0.00
8,800.00	72.16	89.70	8,592.42	379.18	308.46	338.07	10.00	10.00	0.00
8,900.00	82.16	89.70	8,614.61	379.68	405.84	435.17	10.00	10.00	0.00
8,966.85	88.85	89.70	8,619.84	380.02	472.44	501.58	10.00	10.00	0.00
Landing Point									
8,966.85	88.85	89.70	8,619.84	380.02	472.44	501.59	10.00	10.00	0.00
9,000.00	88.85	89.70	8,620.51	380.19	505.58	534.63	0.00	0.00	0.00
9,100.00	88.85	89.70	8,622.51	380.71	605.56	634.33	0.00	0.00	0.00
9,200.00	88.85	89.70	8,624.52	381.22	705.54	734.02	0.00	0.00	0.00
9,300.00	88.85	89.70	8,626.53	381.74	805.52	833.72	0.00	0.00	0.00
9,400.00	88.85	89.70	8,628.53	382.25	905.50	933.41	0.00	0.00	0.00
9,500.00	88.85	89.70	8,630.54	382.77	1,005.48	1,033.10	0.00	0.00	0.00
9,600.00	88.85	89.70	8,632.54	383.29	1,105.46	1,132.80	0.00	0.00	0.00
9,700.00	88.85	89.70	8,634.55	383.80	1,205.43	1,232.49	0.00	0.00	0.00
9,800.00	88.85	89.70	8,636.55	384.32	1,305.41	1,332.18	0.00	0.00	0.00
9,900.00	88.85	89.70	8,638.56	384.83	1,405.39	1,431.88	0.00	0.00	0.00
10,000.00	88.85	89.70	8,640.56	385.35	1,505.37	1,531.57	0.00	0.00	0.00
10,100.00	88.85	89.70	8,642.57	385.86	1,605.35	1,631.27	0.00	0.00	0.00
10,200.00	88.85	89.70	8,644.57	386.38	1,705.33	1,730.96	0.00	0.00	0.00
10,300.00	88.85	89.70	8,646.58	386.89	1,805.31	1,830.65	0.00	0.00	0.00
10,400.00	88.85	89.70	8,648.58	387.41	1,905.28	1,930.35	0.00	0.00	0.00
10,500.00	88.85	89.70	8,650.58	387.92	2,005.26	2,030.04	0.00	0.00	0.00
10,600.00	88.85	89.70	8,652.59	388.44	2,105.24	2,129.73	0.00	0.00	0.00
10,700.00	88.85	89.70	8,654.59	388.95	2,205.22	2,229.43	0.00	0.00	0.00
10,800.00	88.85	89.70	8,656.59	389.47	2,305.20	2,329.12	0.00	0.00	0.00
10,900.00	88.85	89.70	8,658.59	389.98	2,405.18	2,428.81	0.00	0.00	0.00
11,000.00	88.85	89.70	8,660.59	390.50	2,505.16	2,528.51	0.00	0.00	0.00
11,100.00	88.85	89.70	8,662.60	391.01	2,605.13	2,628.20	0.00	0.00	0.00
11,200.00	88.85	89.70	8,664.60	391.53	2,705.11	2,727.90	0.00	0.00	0.00
11,300.00	88.85	89.70	8,666.60	392.04	2,805.09	2,827.59	0.00	0.00	0.00
11,400.00	88.85	89.70	8,668.60	392.56	2,905.07	2,927.28	0.00	0.00	0.00
11,500.00	88.85	89.70	8,670.60	393.07	3,005.05	3,026.98	0.00	0.00	0.00
11,600.00	88.85	89.70	8,672.60	393.59	3,105.03	3,126.67	0.00	0.00	0.00
11,700.00	88.85	89.70	8,674.60	394.10	3,205.01	3,226.36	0.00	0.00	0.00
11,800.00	88.85	89.70	8,676.60	394.62	3,304.99	3,326.06	0.00	0.00	0.00
11,900.00	88.85	89.70	8,678.60	395.13	3,404.96	3,425.75	0.00	0.00	0.00
12,000.00	88.85	89.70	8,680.60	395.65	3,504.94	3,525.45	0.00	0.00	0.00
12,100.00	88.85	89.70	8,682.60	396.16	3,604.92	3,625.14	0.00	0.00	0.00
12,200.00	88.85	89.70	8,684.60	396.68	3,704.90	3,724.83	0.00	0.00	0.00
12,300.00	88.85	89.70	8,686.60	397.19	3,804.88	3,824.53	0.00	0.00	0.00
12,400.00	88.86	89.70	8,688.59	397.71	3,904.86	3,924.22	0.00	0.00	0.00
12,500.00	88.86	89.70	8,690.59	398.22	4,004.84	4,023.91	0.00	0.00	0.00
12,600.00	88.86	89.70	8,692.59	398.74	4,104.81	4,123.61	0.00	0.00	0.00
12,700.00	88.86	89.70	8,694.59	399.26	4,204.79	4,223.30	0.00	0.00	0.00

Oxy Planning Report

Database:	HOPSPP	Local Co-ordinate Reference:	Well Cedar Canyon 21 Fed Com 22H
Company:	OXY	TVD Reference:	RKB @ 2957.30ft
Project:	NM DIRECTIONAL PLANS (NAD 1983)	MD Reference:	RKB @ 2957.30ft
Site:	Cedar Canyon 21	North Reference:	Grid
Well:	Cedar Canyon 21 Fed Com 22H	Survey Calculation Method:	Minimum Curvature
Wellbore:	WB00		
Design:	Permitted Plan		

Planned Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
12,800.00	88.86	89.70	8,696.58	399.77	4,304.77	4,323.00	0.00	0.00	0.00
12,900.00	88.86	89.70	8,698.58	400.29	4,404.75	4,422.69	0.00	0.00	0.00
13,000.00	88.86	89.70	8,700.58	400.80	4,504.73	4,522.38	0.00	0.00	0.00
13,100.00	88.86	89.70	8,702.57	401.32	4,604.71	4,622.08	0.00	0.00	0.00
13,200.00	88.86	89.70	8,704.57	401.83	4,704.69	4,721.77	0.00	0.00	0.00
13,300.00	88.86	89.70	8,706.57	402.35	4,804.67	4,821.47	0.00	0.00	0.00
13,400.00	88.86	89.70	8,708.56	402.86	4,904.64	4,921.16	0.00	0.00	0.00
13,471.67	88.86	89.70	8,709.99	403.23	4,976.30	4,992.61	0.00	0.00	0.00
TD at 13471.67									
13,472.07	88.86	89.70	8,710.00	403.23	4,976.70	4,993.01	0.03	0.03	0.00
CC_21_22H_BHL									

Design Targets

Target Name	- hit/miss target	- Shape	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude
CC_21_22H_KOP	- plan hits target center	- Point	0.00	0.00	8,047.00	377.13	-89.01	439,001.10	645,105.40	32° 12' 23.205176 N	103° 59' 52.195926
CC_21_22H_BHL	- plan hits target center	- Point	0.00	0.01	8,710.00	403.23	4,976.70	439,027.20	650,170.70	32° 12' 23.303203 N	103° 58' 53.238421

Formations

Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)
305.00	305.00	Rustler			
670.00	670.00	Salado			
1,309.00	1,309.00	Castile (Anhydrite)			
2,872.00	2,872.00	Lamar/Delaware			
2,893.00	2,893.00	Bell Canyon			
3,600.00	3,600.00	Cherry Canyon			
5,046.00	5,046.00	Brushy Canyon			
6,589.80	6,576.00	Bone Spring			

Plan Annotations

Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates +N/-S (ft)	+E/-W (ft)	Comment
5,348.00	5,348.00	0.00	0.00	Build @ 2.00 DLS
5,847.91	5,845.37	42.34	-9.99	Hold Tangent @ 10°
7,578.44	7,549.62	334.79	-79.01	Drop @ 2.00 DLS
8,078.35	8,046.99	377.13	-89.01	Build Curve @ 10.00 DLS
8,966.85	8,619.84	380.02	472.44	Landing Point
13,471.67	8,709.99	403.23	4,976.30	TD at 13471.67

Application Non-Standard Location - Service List
 OKY USA Inc.
 Cedar Canyon 21 Federal Com #22H

New Mexico Oil Conservation Division
 811 S. First St.
 Artesia, NM 88210
 7015-0640-0005-1003-3584

New Mexico Oil Conservation Division
 1220 South St. Francis Dr.
 Santa Fe, NM 87505
 7015-0640-0005-1003-3581

United States Dept of Interior
 Bureau of Land Management
 620 E. Greene Street
 Carlsbad, NM 88220
 7015-0640-0005-1003-3807

7249 R289
 Section 20 - Units A, H

OKY USA Inc.
 P.O. Box 80250
 Midland, TX 79710

Section 21 - Units A, B, C, D, E, F, G, H, I, J, K, L

OKY USA Inc.
 P.O. Box 80250
 Midland, TX 79710

Section 22 - Units D, E, L

OKY USA Inc.
 P.O. Box 80250
 Midland, TX 79710

DRW Energy, LLC
 4107 Tandon
 Midland, TX 79707
 7015-0640-0005-1003-3652

Mobil Producing TX & NM Inc.
 810 Houston St.
 Fort Worth, TX 76102
 7015-0640-0005-1003-3683

Section 20 - Unit I

Devon Energy Production Co. LP
 333 W. Sheridan Avenue
 Oklahoma City, OK 73102
 7015-0640-0005-1003-3621

Section 21 - Unit D

Devon Energy Production Co. LP
 333 W. Sheridan Avenue
 Oklahoma City, OK 73102
 7015-0640-0005-1003-3621

Beryl Oil & Gas LP
 5707 Pebble Court
 Midland, TX 79707
 7015-0640-0005-1003-3638

OD McGrosey Investments LP
 300 N. Marland, Ste. 1100
 Midland, TX 79701
 7015-0640-0005-1003-3676

Wayne & Linda Newsum
 500 W. Texas Ave, Ste. 1410
 Midland, TX 79701
 7015-0640-0005-1003-3680

B. Jack Reed
 506 Chastanet
 Midland, TX 79705
 7015-0640-0005-1003-3645

Leopard Petroleum, LP
 4200 Fairwood
 Midland, TX 79707
 7015-0640-0005-1003-3689

Miss L. McKinney Schoening
 301 Sir Barton Parkway
 Midland, TX 79705
 7015-0640-0005-1003-3705

OKY USA Inc.
 Cedar Canyon 21 Federal Com #21H

SEARCHED INDEXED SERIALIZED FILED	SEARCHED INDEXED SERIALIZED FILED	SEARCHED INDEXED SERIALIZED FILED	SEARCHED INDEXED SERIALIZED FILED
1. Article Addressed to UNOCED 811 S. First St. Artesia, NM 88210 2. Article Number (Number from service label) 7015 0640 0005 1003 3584 FD Form 5811, July 2010	1. Article Addressed to UNOCED 1220 South St. Francis Dr. Santa Fe, NM 87505 2. Article Number (Number from service label) 7015 0640 0005 1003 3581 FD Form 5811, July 2010	1. Article Addressed to Devon Energy Prod Co. LP 333 W. Sheridan Ave. Oklahoma City, OK 73102 2. Article Number (Number from service label) 7015 0640 0005 1003 3621 FD Form 5811, July 2010	1. Article Addressed to BLM 620 E. Greene St. Carlsbad, NM 88220 2. Article Number (Number from service label) 7015 0640 0005 1003 3807 FD Form 5811, July 2010
1. Article Addressed to B. Jack Reed 506 Chastanet Midland, TX 79705 2. Article Number (Number from service label) 7015 0640 0005 1003 3645 FD Form 5811, July 2010	1. Article Addressed to Leopard Petroleum, LP 4200 Fairwood Midland, TX 79707 2. Article Number (Number from service label) 7015 0640 0005 1003 3689 FD Form 5811, July 2010	1. Article Addressed to Miss L. McKinney Schoening 301 Sir Barton Parkway Midland, TX 79705 2. Article Number (Number from service label) 7015 0640 0005 1003 3705 FD Form 5811, July 2010	1. Article Addressed to Beryl Oil & Gas LP 5707 Pebble Court Midland, TX 79707 2. Article Number (Number from service label) 7015 0640 0005 1003 3638 FD Form 5811, July 2010

Copies of this application were mailed to the following individuals, companies and organizations on or before 11/11/10

David Stewart
 OKY USA Inc.

OKY. USA INC.
Cedar Canyon 21 Federal Com #214

(2)

SENDER'S COPY - MAIL SERVICE ☐ Complete Items 1, 2, and 3. Also complete Item 4 if Restricted Delivery is desired. ☐ Print your name and address on the reverse so that we can return the card to you. ☐ Attach this card to the back of the mailpiece, or on the front if space permits.		ADDRESSEE'S COPY - MAIL SERVICE A. Signature X <u>David McCoy</u> ☐ Agent ☐ Addressee B. Received by (Printed Name) <u>11/13/11</u> C. Date of Delivery D. Is delivery address different from Item 1? ☐ Yes ☐ No If YES, enter delivery address below:	
1. Article Addressed to: G.D. McKinnon Investments LP 300 N. Main St. Ste. 1100 Midland, TX 79701		3. Service Type ☒ Certified Mail ☐ Priority Mail Express ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ Collect on Delivery 4. Restricted Delivery? (Extra Fee) ☐ Yes	
2. Article Number (Transfer from service label) 7015 0640 0005 1003 3676		PS Form 3811, July 2013 Domestic Return Receipt	

SENDER'S COPY - MAIL SERVICE ☐ Complete Items 1, 2, and 3. Also complete Item 4 if Restricted Delivery is desired. ☐ Print your name and address on the reverse so that we can return the card to you. ☐ Attach this card to the back of the mailpiece, or on the front if space permits.		ADDRESSEE'S COPY - MAIL SERVICE A. Signature X <u>Kathy West</u> ☐ Agent ☐ Addressee B. Received by (Printed Name) <u>Kathy West</u> C. Date of Delivery D. Is delivery address different from Item 1? ☐ Yes ☐ No If YES, enter delivery address below:	
1. Article Addressed to: DWJ Energy LLC 4107 Tamboran Midland, TX 79707		3. Service Type ☒ Certified Mail ☐ Priority Mail Express ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ Collect on Delivery 4. Restricted Delivery? (Extra Fee) ☐ Yes	
2. Article Number (Transfer from service label) 7015 0640 0005 1003 3652		PS Form 3811, July 2013 Domestic Return Receipt	

SENDER'S COPY - MAIL SERVICE ☐ Complete Items 1, 2, and 3. Also complete Item 4 if Restricted Delivery is desired. ☐ Print your name and address on the reverse so that we can return the card to you. ☐ Attach this card to the back of the mailpiece, or on the front if space permits.		ADDRESSEE'S COPY - MAIL SERVICE A. Signature X <u>[Signature]</u> ☐ Agent ☐ Addressee B. Received by (Printed Name) <u>NOV 07 2016</u> C. Date of Delivery D. Is delivery address different from Item 1? ☐ Yes ☐ No If YES, enter delivery address below:	
1. Article Addressed to: Mobil Producing TX LP 810 Houston St. Fort Worth, TX 76102		3. Service Type ☒ Certified Mail ☐ Express Mail ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ C.O.D. 4. Restricted Delivery? (Extra Fee) ☐ Yes	
2. Article Number (Transfer from service label) 7015 0640 0005 1003 3683		PS Form 3811, February 2004 Domestic Return Receipt 102389-02-16-1240	

SENDER'S COPY - MAIL SERVICE ☐ Complete Items 1, 2, and 3. Also complete Item 4 if Restricted Delivery is desired. ☐ Print your name and address on the reverse so that we can return the card to you. ☐ Attach this card to the back of the mailpiece, or on the front if space permits.		ADDRESSEE'S COPY - MAIL SERVICE A. Signature X <u>Michael Hancock</u> ☐ Agent ☐ Addressee B. Received by (Printed Name) <u>Michael Hancock</u> C. Date of Delivery <u>11-7-16</u> D. Is delivery address different from Item 1? ☐ Yes ☐ No If YES, enter delivery address below:	
1. Article Addressed to: Leopold Petroleum LP 4200 Fairwood Midland, TX 79707		3. Service Type ☒ Certified Mail ☐ Express Mail ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ C.O.D. 4. Restricted Delivery? (Extra Fee) ☐ Yes	
2. Article Number (Transfer from service label) 7015 0640 0005 1003 3669		PS Form 3811, February 2004 Domestic Return Receipt 102389-02-16-13	

SENDER'S COPY - MAIL SERVICE ☐ Complete Items 1, 2, and 3. Also complete Item 4 if Restricted Delivery is desired. ☐ Print your name and address on the reverse so that we can return the card to you. ☐ Attach this card to the back of the mailpiece, or on the front if space permits.		ADDRESSEE'S COPY - MAIL SERVICE A. Signature X <u>Rose Henderson</u> ☐ Agent ☐ Addressee B. Received by (Printed Name) <u>Rose Henderson</u> C. Date of Delivery <u>11-7-16</u> D. Is delivery address different from Item 1? ☐ Yes ☐ No If YES, enter delivery address below:	
1. Article Addressed to: H. Box McKinnon Schenck 301 S. Barton Parkway Midland, TX 79701		3. Service Type ☒ Certified Mail ☐ Express Mail ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ C.O.D. 4. Restricted Delivery? (Extra Fee) ☐ Yes	
2. Article Number (Transfer from service label) 7015 0640 0005 1003 3706		PS Form 3811, February 2004 Domestic Return Receipt	

SENDER'S COPY - MAIL SERVICE ☐ Complete Items 1, 2, and 3. Also complete Item 4 if Restricted Delivery is desired. ☐ Print your name and address on the reverse so that we can return the card to you. ☐ Attach this card to the back of the mailpiece, or on the front if space permits.		ADDRESSEE'S COPY - MAIL SERVICE A. Signature X <u>Wanda & Linda Nantkumet</u> ☐ Agent ☐ Addressee B. Received by (Printed Name) <u>Wanda & Linda Nantkumet</u> C. Date of Delivery <u>11-7-16</u> D. Is delivery address different from Item 1? ☐ Yes ☐ No If YES, enter delivery address below:	
1. Article Addressed to: Wanda & Linda Nantkumet 500 W. Texas Ste. 1410 Midland, TX 79701		3. Service Type ☒ Certified Mail ☐ Express Mail ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ C.O.D. 4. Restricted Delivery? (Extra Fee) ☐ Yes	
2. Article Number (Transfer from service label) 7015 0640 0005 1003 3690		PS Form 3811, February 2004 Domestic Return Receipt	