1			1 s. d			
107 24/7	OIL SUSPEN	SE ENGINEER	LOGGEDIN	TYPE SUD	APP Nom 16300	53861
Swiperie	1	NEW MEXICO O	ABOVE THIS LINE FOR DIVISION	ON DIVISION	STATE OF	<u> </u>
CL VILLE	eit	- En 1220 South St. F	igineering Bureau Francis Drive, Santa Fe	- , NM 87505		·
<u> </u>	e tilde 3 F	ADMINISTRA	TIVE APPLIC	ATION CHEC	KLIST	· · · · · · · · · · · · · · · · · · ·
THIS CH	ECKLIST IS M	ANDATORY FOR ALL ADM	NISTRATIVE APPLICATION	S FOR EXCEPTIONS TO D	VISION RULES AND RE	GULATIONS
Application [NS	n Acronym SL-Non-Sta [DHC-Dowi [PC-Po [EOR-Qual	s: ndard Location] [NS nhole Commingling] ol Commingling} [[WFX-Waterflood Ex [SWD-Salt Wate lified Enhanced Oil R	P-Non-Standard Pror [CTB-Lease Comm OLS - Off-Lease Stora pansion] [PMX-Pres r Disposal] [IPI-Inje ecovery Certification	ation Unit] [SD-Simu Ingling] [PLC-Pool/ Igé] [OLM-Off-Leas Issure Maintenance E Isction Pressure Incre Increase (PPR-Positive Pr	Itaneous Dedicatio Lease Comminglin te Measurement] xpansion] base] oduction Response	on] 9] 9]
[1] TY	PE OF AF [A]	PLICATION - Chec Location - Spacing	k Those Which Apply Unit - Simultaneous I SP SD	y for [A] Dedication	-P-1- Gomez (30-	_ SWD # - OIS-Pandon
· · · · · · · · · · · · · · · · · · ·	Check [B]	Commingling - Sto	[C] rage - Measurement TB PLC	PC 🗌 OLS 🔲	OLM Jever	niger .
·	[C]	Injection - Disposal	AX SWD	Enhanced Oil Recove	PPR	
•	[D]	Other: Specify		· · · · · · · · · · · · · · · · · · ·	•	
[2] NC	TIFICAT [A]	ION REQUIRED T	D: - Check Those Wh alty or Overriding Roy	ich Apply, or [] Does alty Interest Owners	Not Apply	•
, · · ·	[B]	Offset Operato	ors, Leaseholders or Su	urface Owner		
	[C]	Application is	One Which Requires	Published Legal Notic	ce	
	[D]	Notification an U.S. Bureau of Land M	id/or Concurrent Appr lanagement - Commissioner of Pi	oval by BLM or SLO)	1999 - J.
	[E]	For all of the a	bove, Proof of Notific	ation or Publication is	s Attached, and/or,	
	[F]	Waivers are A	ttached			
[3] SU OF	BMIT AC	CURATE AND CON ATION INDICATED	MPLETE INFORMA) ABOVE.	TION REQUIRED	TO PROCESS TH	ІЕ ТҮРЕ
[4] CE	RTIFICA	FION: I hereby certi	fy that the information	n submitted with this a	application for admi	inistrative

[4] **CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is accurate and complete to the best of my knowledge. I also understand that no action will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

P	res	ton	Stei	in
11	1200		1.1	1

Print or Type Name

\cap) '	r -	C1.
X	(es	ten)kin
Signa	ature		

-	Vice-President	<i>]</i>	10/10/2016
	Title		Date

_preston@delawareenergyllc.com e-mail Address

Delaware Energy, LLC

Application for Injection/SWD

Gomez SWD #1

UL N, Sec. 9, T-24-S, R-28-E, 1,139' FSL & 1,479' FWL, Eddy Co., NM

October 10, 2016

<u>Conte</u>	tents:		
1.	1. Administrative Application Checklist		
2.	2. Form C-108: Application for Authority to Inject		
3.	3. Form C-108 Additional Questions Answered		
4.	4. Form C-102		 The second second
5.	5. Chemical Analysis of Bone Springs Formation Water Sample f	om T25S, R28E, Eddy C	o., NM
6.	6. Chemical Analysis of Wolfcamp Formation Water Sample from	n T26S, R29E, Eddy Co.,	NM
7.	7. Chemical Analysis of Delaware Formation Water Sample from	T23S, R28E, Eddy Co., I	NM
8.	8. Wellbore diagram of Gomez SWD #1 as planned		
9.	9. Tabular Data on All Wells of Public Record within the Area of Injection Zone (No applicable wells)	Review which Penetrate	the Proposed
10	10. Average depth to fresh water per State Engineers Website		
11	11. Water Well Samples:		
	a. Sec. 15, T24S, R28E		
	b. Sec. 16, T24S, R28E		
	c. Sec. 10, T24S, R28E		
12	12. Map Identifying all Wells and Leases within Two Miles of Any Mile Radius Circle Drawn Around Each Proposed Injection We	Proposed Injection Wel	l with a One-half
- 13	13. Sample of Letter Sent with This Application Packet to Owner of is to be Located and to each Leasehold Operator within One-h	of Surface of the Land or alf Mile of the Well Loc	n Which the Well ation

14. Legal Notice that will be run as required in the Carlsbad Current-Argus

15. Formation Tops

	the second s
STA ENE RES	E OF NEW MEXICO (GY, MINERALS AND NATURAL DURCES DEPARTMENTOil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505FORM C-108 Revised June 10, 2003
	APPLICATION FOR AUTHORIZATION TO INJECT
I.	PURPOSE: Secondary Recovery Pressure Maintenance xxx_Disposal Storage Application qualifies for administrative approval? xxx_Yes No
II.	OPERATOR: Delaware Energy LLC
	ADDRESS: 3001 W. Loop 250 N. Suite C-105-318, Midland TX 79705
	CONTACT PARTY: Preston Stein PHONE: 214-558-1371
III.	WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.
IV.	Is this an expansion of an existing project?YesXXXNo If yes, give the Division order number authorizing the project:
V.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
VII.	Attach data on the proposed operation, including:
2	 Proposed average and maximum daily rate and volume of fluids to be injected; Whether the system is open or closed; Proposed average and maximum injection pressure; Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than re-injected produced water; and, If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).
*VIII.	Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
IX.	Describe the proposed stimulation program, if any.
*X.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted)
*XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any njection or disposal well showing location of wells and dates samples were taken.
XII.	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
XIII.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.
XIV.	Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.
	NAME: Preston Stein TITLE: Vice-President
· .	SIGNATURE: 10/10/2016
	E-MAIL ADDRESS:Prestonms@delawareenergyllc.com If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal:

\$

DISTRIBUTION: Original and one copy to Santa Fe with one copy to the appropriate District Office

III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
 - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
 - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
 - (3) A description of the tubing to be used including its size, lining material, and setting depth.

(4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
 - (1) The name of the injection formation and, if applicable, the field or pool name.
 - (2) The injection interval and whether it is perforated or open-hole.
 - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
 - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
 - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,

(4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them. Side 1

OPERATOR: Delaware Energy LLC

WELL NAME & NUMBER: <u>Gomez SWD No1</u>

WELL LOCATION:1,139' FSL, 1,479' FWLN924S28EFOOTAGE LOCATIONUNIT LETTERSECTIONTOWNSHIPRANGE

WELLBORE SCHEMATIC	И	ELL CONSTRUCTION DATA
Surface (Casing	
Hole Size: <u>17-1/2</u> "	Casing Size: <u>13-3/8"</u>	9
Cemented with: <u>700</u> sx.	or	ft ³
Top of Cement: <u>SURFACE</u> Total Depth: <u>700'</u>	Method Determined: Circulated	
Intermediate C	asing <u>(N/A)</u>	
Hole Size: <u>12-1/4"</u>	Casing Size: <u>9-5/8"</u>	
Cemented with: <u>1,150</u> sx.	or	ft ³
Top of Cement: <u>Surface</u> Total Depth: <u>2,500</u> '	Method Determined: Circulated	n Tarray (19 19 19 - 1 9 - 19 - 19 - 19 - 19 - 19
Production	Casing*	** 15/* 48 * 18 Ken + 1
Hole Size: 8.75"	Casing Size: <u>7"</u>	1
Cemented with: <u>2,200</u> sx.	or	ft ³
Top of Cement: surface	Method Determined: Circulated	
Total Depth: <u>13,650'</u>		
Injection Interval	(Open Hole)	
<u>13,650'</u>	to <u>14,650'</u>	······································
) 	1944 and 194	

INJECTION WELL DATA SHEET

 Tubing Size:
 4.5"
 Lining Material:
 Internally plastic coated

 Type of Packer:
 Weatherford Arrow Set 1X Injection Packer (Nickel Plated)

 Packer Setting Depth:
 50-100ft above open hole

 Other Type of Tubing/Casing Seal (if applicable):
 NONE

Additional Data

1. Is this a new well drilled for injection? XXX Yes No

2. Name of the Injection Formation: <u>Devonian</u>

3. Name of Field or Pool (if applicable): <u>SWD: Devonian</u>

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e. sacks of cement or plug(s) used.

N/A.

5. Give the name and depths of any oil or gas zones underlying or overlying the proposed injection zone in this area:

BELOW: None

<u>ABOVE:</u> Delaware 2,568'-6,162', Bone Spring 6,162'-9,500', Wolfcamp 9,500'-11,032', Strawn 11,032'-11,274', Atoka 11,274'-11,930', Morrow 11,930'-13,225'

Side 2

District I 1625 N. French Dr., Hobbs, NM 88240 Phome: (575) 393-6161 Fax: (575) 393-0720 District II 811-S: First St., Artesia, NM 88210 Phome: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phome: (505) 334-6178 Fax: (505) 334-6170 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phome: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

AMENDED REPORT

WEL	L	L	0C	A	T	[0	N	A	N	Ð	ľ	4	CI	Œ	ΞA	1	ΞE	Γ)E	ED)I(C	A'	Tl	[C)	I	Pl	Ĺ	47	ſ

1	API Numb	er		² Pool Cod	e	³ Pool Name								
	30-015-	,		Undesigna	ted		vonian							
⁴ Property Code ⁵ Property Name									5	Well Numi	er			
Gomez SWD										1				
⁷ OGRID	No.			⁸ Operator Name							1 .			
37119	5		۰.	Delaware Energy, LLC										
					¹⁰ Surface L	ocation			<u>, , , , , , , , , , , , , , , , , , , </u>	-				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/W	est line		County			
N	9	24 S	28 E		1,139'	South	1,479'		West		Eddy			
		*.	" Bot	tom Hole	Location If	Different From	Surface	. ,	e a c	·····	re .			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/W	est line		County			
,											4			
12 Dedicated Acres	¹³ Joint o	Infill 14 Co	nsolidation (Code 15 Oro	ler No.		1			·				
							· · ·			. 7				
<u> </u>										<u>.</u>	<u> </u>			

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

-16			¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hade location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
			Signature Date Preston Stein
		-	"SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey
1,477	- o 1,139'		Signature and Seal of Professional Surveyor: WAITING ON SIGNED PLAT Certificate Number



Gomez SWD No 1 1,139' FSL & 1,479' FWL, UL N, SEC. 9, T-24S R-28E, Eddy County, NM

Additional Questions on C-108

VII.

1. Proposed average and maximum daily rate and volume of fluids to be injected; Average 5,000-10,000 BWPD, Max 17,500 BWPD

- 2. Whether the system is open or closed; Open System, Commercial SWD
- 3. Proposed average and maximum injection pressure; Average 400-1,000 PSI, Max 2,730 PSI

4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and,

Bone Spring, Delaware, and Wolfcamp produced water. No known incompatibility exists with these produced water types and the Devonian. Devonian formation is used as a disposal interval in offset Townships for Wolfcamp, Bone Springs, and Delaware produced water. See attached water analysis from Bone Spring, Wolfcamp, and Delaware produced water.

5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).

Disposal interval is barren and does not produce. No Devonian receiving formation water samples in the surrounding area.

*VIII. Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed <u>injection</u> zone as well as any such sources known to be immediately underlying the injection interval.

The proposed disposal interval is located in the Devonian formations 13,650'-14,650'. Devonian is an impermeable Shale at the very top (13,550', Woodford Shale) followed by permeable lime and dolomite. There are no fresh water zones underlying the proposed injection zone. Usable water depth is from surface to +/-300', the water source is older alluvium (Quaternary). All of the fresh water wells in the area have an average depth to water of 30' - 100' (Based on State Engineers Office).

IX. Describe the proposed stimulation program, if any.

20,000 gallons 15% HCL acid job with packer

X. Attach appropriate logging and test data on the well

Logs will be filed following drilling operations. See attached log of the Devonian interval from the nearby Cigarillo SWD No 1 (No offset Devonian logs are available).

XI. Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken. Attached are water samples from section 10, 15, and 16 of Township 24 South, Range 28 East. XII. Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.

Delaware Energy, L.L.C. has reviewed and examined available geologic and engineering data in the area of interest for the Gomez SWD No 1 and have found no evidence of faults or other hydrologic connections between the Devonian disposal zone and the underground sources of drinking water. Furthermore, there exist many impermeable intervals between the injection interval and the fresh ground water in the 13,650' feet of lithology between the top of the Devonian and the base of the ground water.

Preston Stein	Vice-President	10/10/2016
	Title	Date

III. WELL DATA

(1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section. Gomez SWD No 1, Sec. 9-T24S-R28E, 1,139' FSL & 1,479' FWL, UL N, Eddy County, New Mexico

(2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.

Casing Size	Setting Depth	etting Depth Sacks of Cement Hole Size		Top of Cement	Determined
13-3/8″	700'	700	17-1/2"	Surface	CIRC
9-5/8″	2,500'	1,150	12-1/4"	Surface	CIRC
7"	13,650'	2200	8-3/4""	Surface	CIRC

(3) A description of the tubing to be used including its size, lining material, and setting depth.

4-1/2" OD, Internally Plastic Coated Tubing set 50 to 100ft above open hole

(4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Weatherford Arrow set 1X injection packer, nickel plated with on/off tool

B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.

(1) The name of the injection formation and, if applicable, the field or pool name.

Devonian Formation

Pool Name: SWD (Devonian)

(2) The injection interval and whether it is perforated or open-hole.

13,650' to 14,650' (OH)

(3) State if the well was drilled for injection or, if not, the original purpose of the well. Well is a planned new drill for SWD (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.

None, well is a planned new drill

(5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

Next Higher: Delaware 2,568'-6,162', Bone Spring 6,162'-9,500', Wolfcamp 9,500'-11,032', Strawn 11,032'-11,274', Atoka 11,274'-11,930', Morrow 11,930'-13,225'

Next Lower: None

Sec 22, T25, S, R28E

Bone Spring

North Permian Basin Region P.O. Box 740 Sundown, TX 79372-0740 (806) 229-8121 Lab Team Leader - Shella Hernandez (432) 495-7240

Water Analysis Report by Baker Petrolite

Company:	·	Sales RDT:	33514.1
Region:	PERMIAN BASIN	Account Manager:	TONY HERNANDEZ (575) 910-7135
Area:	ARTESIA, NM	Sample #:	534665
Lease/Platform:	PINOCHLE 'BPN' STATE COM	Analysis ID #:	106795
Entity (or well #):	2 H	Analysis Cost:	\$90.00
Formation:	UNKNOWN		
Sample Point:	WELLHEAD		

Summary		Analysi	s of Sa	mple 534665 @ 75	F '	· .
Sampling Date: 03/10/11	Aniona	mg/l	meq/l	Cations	mg/l	məq/i
Analysis Date:03/18/11Analysis Date:03/18/11Analysi:SANDRA GOMEZTDS (mg/l or g/m3):184911.1Density (g/cm3, tonne/m3):1.113Anlon/Cation Ratio:1	Chioride:1090Bicarbonate:21Carbonate:21Sulfate:21Phosphale:21Borate:21Silicate:21	618.0 3(135.0 6.0 747.0	091.92 34.99 0. 15.55	Sodium: Magnesium: Calcium: Strontlum: Barlum: Iron: Potassium:	70275.7 195.0 844.0 220.0 0.8 6.5 869.0	3058.82 16.04 42.12 5.02 0.01 0.23 22.22
Carbon Dioxide: 0 50 PPM Oxygen: Comments:	Hydrogen Sulfide: pH at time of sampling: pH at time of analysis: pH used in Calculation:	0	РРМ 7 7	Aluminum: Chromium: Copper: Lead: Manganese: Nickel:	0.100	0.

Cond	ltions	Values Calculated at the Given Conditions - Amounts of Scale in Ib/1000 bbi											
Temp	Gauge Press.	C	Calcite CaCO ₃		Gypsum CaSO₄2H₂ 0		nydrite aSO ₄	Cel	estite rSO4	Ba Ba	rite SO ₄	CO ₂ Press	
F	psi	Index	Amount	Index	Amount	Index	Amount	Index	Amount	/ Index	Amount	psi	
80	0	1.08	188.52	-1.20	0.00	-1.18	0.00	-0.11	0.00	0.56	0.29	1.72	
100	0	1.10	208.05	-1.29	0.00	-1.20	0.00	-0.15	0.00	0.35	0.29	2.35	
120	0	1.12	224.17	-1.38	0.00	-1.19	0.00	-0.17	0.00	0.16 -	0.00	3.17	
140	0	1.13	243.17	-1.42	0.00	-1.18	0 00	-0.18	0.00	0.00	0.00	4.21	

Note 1: When assessing the sevenity of the scale problem, both the seturation index (SI) and amount of scale must be considered.

Nole 2: Precipitation of each scale is considered separately. Total scale will be less than the sum of the amounts of the five scales.

Note 3: The reported CO2 pressure is actually the calculated CO2 fugacity. It is usually nearly the same as the CO2 partiel pressure.



Scale Predictions from Baker Petrolite

Analysis of Sample 534665 @ 75 F for

03/18/11

			Alata	Amalia
BAKER	5		AAStel	Analys
<u>HUGHE</u>		<u>A series de la companya de la compa</u>		aus. 23-Aug-
2708 West County Road,	Hobbs NM 88240			
Phone (575) 392-5556 F	ax (575) 392-7307	· ·		
Analyzed For	Broche	Draws 1th	t l	
Company	Well.Name	n de la constante de	ounty	State
	BD ····		1.6 8-	New Mexico
Sample Source	Swab Sample	Sample #	ddy	/ <i>-265-29</i> 4 1
Formation		Depth		
Specific Gravity	1.170	SG@	60 °F	1.172
pН	6.30	S	ulfides	Absent
Temperature (*F)	70	Reducing /	Agents	
Cations				
Sodium (Calc)	in Mg/L	77,962	in PPM	66,520
Calcium	in Mg/L	4,000	in PPM	3,413
Magnesium	in Mg/L	1,200	in PPM	1,024
Soluable Iron (FE2)	in Mg/L	10.0	in PPM	9
Anions	· · · · · · · · · · · · · · · · · · ·			
Chlorides	in Mg/L	130,000	in PPM	110,922
Sullates	in Mg/L	250	in PPM	213
Bicarbonates	in Mg/L	127	in PPM	108
Total Hardness (as CaCO	3) in Mg/L	15,000	in PPM	12,799
Total Dissolved Solids (Cal	c) in Mg/L	213,549	in PPM	182,209
Equivalent NaCi Concentra	tion in Mg/L	182,868	in PPM	156,031
icaling Tendencies		···		
Calcium Carbonate Index Bebw 500,000	Remoto / 500,000 - 1,000,00	0 Possible / Above 1,	000,000 Probable	507,520
Calcium Suifate (Gyp) Inde Betwy 500,000 F	X Remoto / 500,000 - 10,000 at) Possible / Above 10	000.000 Protecta	1,000,000
				-

Report #

3188

W.A. BMICALS	CI PRODUCT	tion depai	RIMENT	MIL Post Of Artesia (505) 74 (505) 39	LER (fice Box N.M. 8 16-1919 2-2893	CHEMI 298 8211-0298 Artesia Off Hobbs Offi	CALS, IN fice c9
De	elaware Brust	ly C	2 M YOI) SIS REPORT	(505) 74 mci@pla	10-1918 Ateautel	Fax .net	
Compan Addres Lease	y : 9 : : Loying "Aib"		Date Date Sa Analysi	mpled : s No. ;	MARCH	17, 2008 17, 2008	
Well Sample	: \$15 Pt. : Wellhead		· .		-		
	ANALYSIS		mg /)	Ľ		* mea/l	
				-			
1.	pH 6	.0					
2.	H2S U					-	, ,
3. A	Specific bievily 1		304604	6			
4.	Supported Solida	·	304004	. フ			
6.	Disclved Oxygen		ND				
7.	Dissolved CO2						
	Oil In Water		NR				
σ.	Phenolphthalein Alkalin	ity (CaCC	3)				
9.	Mathul Animan Bikslinia	y (CaCO3)	· ·				
9. 10.	MACHAT ALOUGA WIYATTUTP	HC	03 927.	0 H	CO3	15.2	
9. 10. 11.	Bicarbonete			0 C.	1	5287.4	
9. 10. 11. 12.	Bicarbonete Chloride	C1	187440.				
8. 9. 10. 11. 12. 13.	Bicarbonste Chloride Sulfate	C1 S0	187440. 4 500.	0 SC	74	10.9	
9. 10. 11. 12. 13. 14.	Bicarbonate Chloride Sulfate Calcium	C1 S0 Ca	187440. 4 500. 37200.	0 SA 0 Ca	04 B	10.4	
9. 10. 11. 12. 13. 14. 15.	Hothyi Orange Aikaiinit Bicarbonate Chloride Sulfate Calcium Magnesium	C1 SO Ca Mg	187440. 4 500. 37200. 996.	0 S4 0 Ca 3 Ng	04 B. J	10.4 1856.3 82.0	•
9. 10. 11. 12. 13. 14. 15. 16.	Rochyl Grange Alkalinit Bicarbonste Chloride Sulfate Calcium Magnesium Sodium (calculated)	C1 SO Ca Mg Na	187440. 4 500. 37200. 996. 77586.	0 SA 0 Ca 3 Mg 6 Na	D4 B J 3	10.4 1856.3 82.0 3374.8	•
9. 10. 11. 12. 13. 14. 15. 16. 17.	Hothyi Oranya Arkainnit Bicarbonate Chloride Sulfate Calcium Magnesium Sodium (calculated) Iron	Cl SO Ca Mg Na Fe	187440. 4 500. 37200. 996. 77586. 35.	0 S4 0 C2 3 Mg 6 Na 0	04 B. J B.	10.6 1856.3 82.0 3374.8	
9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	Hothyl Crange Alkalinit Bicarbonate Chloride Sulfate Calcium Magnesium Sodium (calculated) Iron Barium	Cl SO Ca Mg Na Fe Ba	187440. 4 500. 37200. 996. 77586. 35.	0 SA 0 Ca 3 Mg 6 Na 0 R	D4 B J 3	10.6 1856.3 82.0 3374.8	•

PROBABLE MINERAL COMPOSITION

*milli equivalents per Lit	:e <i>i</i>	Compound	Equiv wt	X meq/L	~ mg/L
ф	4+	*******			
1856 *Ca < *HCO3	1 151	Ca (HCO3) 2	81.0	15.2	1231
> />	1	Casos	68.1	10.4	709
82 *Mg> *SO4	10]	CaC12	55.5	1830.7	101584
[/ </td <td>1</td> <td>Ng (HCO3) 2</td> <td>73.2</td> <td></td> <td></td>	1	Ng (HCO3) 2	73.2		
1 3375 *Na> *Cl	1 52871	NgSO4	60.2		
++	*~~~~*	MgC12	47.6	82.0	3902
Saturation Values Dist. Wa	ter 20 C	NaHCO3	84.0		•
CaCO3 13	mg/L	Na2504	71.0		
CaSO4 * 2820 2090	mg/L	NaCl	58.4	3374.8	197223
BaS04 2.4	mg/L i				

: *

REMARKS:

•

Kara w	New Mexi ater Colu	co Office of	the State Engin one Depth to	<i>eer</i> Wate
(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)	(R=POD has been replaced, O=orphaned, C=the file is (quarter closed) (quarter	s are 1=NW 2=NE 3=SW 4 s are smallest to largest)	4=SE) (NAD83 UTM in meters)	(In feet)
POD Number	POD Sub- Q Code basin County 64	Q.Q 16 4 Sec Tws Rng	X Y Depth	Depth Water Water Column
<u>C 02306</u>	ED 2 C ED	2 4 04 24S 28E 5 3 2 04 24S 28E 5	586188 3568087 🥹 250 585690 3568382 🚱 75	35 215 25 50
			Average Depth to Water: Minimum Depth:	30 feet 25 feet
Record Count: 2	· · · , · · ·		Maximum Depth:	35 IEEI
Section(s): 4	Township: 245	6 Range: 28E		

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data

10/6/16 6:02 AM

Page 1 of 1

WATER COLUMN/AVERAGE DEPTH TO WATER

Į

K CA	ater C	olu	imn	/Av	era	ige	Depth	i to	Wa	ter
(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)	(R=POD has been replaced O=orphaned, C=the file is closed)	(quarte	ers are 1= ers are sn	NW 2=N	E 3=SW	4=SE) (NAD8	3 UTM in meters)		(In feet)	
POD Number	POD Sub- Code basin C	ountv 6	2 Q Q 4 16 4 S	iec Tws.	Rng	x	Y	Depth Well	Depth Water Col	iter umn
C 03703 POD1	С	ED 1	210	9 24S	28E	585259	3567225 🍪	74	15	59
							Average Depth t	o Water:	15 feet	
							Minimun	n Depth:	15 feet	
							Movimum		15 4004	

Pange: 28E

Township: 24S

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/6/16 6:00 AM

Section(s): 9

Page 1 of 1

WATER COLUMN/ AVERAGE DEPTH TO WATER

New Mexico Office of the State Engineer Water Column/Average Depth to Water (A CLW##### in the (R=POD has POD suffix indicates the been replaced, POD has been replaced O=orphaned (quarters are 1=NW 2=NE 3=SW 4=SE) C=the file is & no longer serves a (quarters are smallest to largest) (NAD83 UTM in meters) water right file.) (in feet) closed) POD Sub-0 0 0 Depth Depth Water POD Number Code basin County 64 16 4 Sec Tws Rng ΪX Y Well Water Column C 00361 С С ED 3 3 08 24S 28E 583283 3565926* 🖓 2575 C_00406 С ED 1 1 08 24S 28E 583270 3567142* 🚱 78 50 28 Average Depth to Water: 50 feet Minimum Depth: 50 feet Maximum Depth: 50 feet Record Count: 2 PLSS Search: Township: 24S Section(s): 8 Range: 28E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/6/16 6:01 AM

Page 1 of 1

WATER COLUMN/ AVERAGE DEPTH TO WATER

Wa	<i>New</i> ater C	Me Ol	<i>xi</i> U	ica m) 1 1	Offi IA	ce (ve l	of the rage	e State Dep	e Ei oth	ngir to	neer Wa	ater
(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)	(R=POD has been replaced O=orphaned, C=the file is closed)	i, (qua (qua	rten	s ar s ar	е 1= е sл	NW 2=	NE 3=S	SW 4=SE) st) (NADE	33 UTM in m	eters)	· .	(in feet)	
	POD Sub-		٥	٩	٩		<u>.</u>				Depth	Depth	Water
C 00570	Code basin (C	ED	/:64	16	4 S 1 1	ec Tw 0 249	s Rng 6 28E	586490	3567195'	(Well 100	Water C 28	72
C 00764		ED	3	1	31	0 245	28E	586399	3566292*	6	118	25	93
<u>00890</u>		ED	3	3	41	0 245	28E	587211	3565897*	6	50		
C 00962	С	ED		3	31	0 245	28E	586505	3565992*	9	63	9	54
C 01237	C	ED	1	1	2 1	0 245	28E	587197	3567298	0	123	•	
C 01442	с	ËD		1	2 1	0 245	28E	587298	3567199*	6	100	· ·	
C 03604 POD1	CUB	ED	2	4	3 1	0 245	28E	526534	3565712	0	. 38	24	14
									Average De	epth to	Water:	21 fe	et .
									Mi	nimum	Depth:	9 fe	et
									Ma	ximum	Depth:	28 fe	et
Record Count: 7													·

PLSS Search:

Section(s): 10

Township: 24S Range: 28E

'UTM location was derived from PLSS - see Help

The data is turnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or sultability for any particular purpose of the data

10/6/16 6:01 AM

Page 1 of 1

WATER COLUMN/ AVERAGE

w	New I ater C	Me Oli	xic ur	n	C n/	offic A	ce o V er a	f the age	State E Depth	ingii 1 to	neel W	ater
(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)	(R=POD has been replaced O=orphaned, C=the file is closed)	(quai (quai	rters	are	1=N smal	W 2=N	VE 3=SW	/ 4=SE) (NAD8	3 UTM in meters)		(in feet) .
POD Number	POD Sub- Code basin C	ounty	Q 64	Q Q 6 4	Sec	Tws	Rng	X	Y STEAADO PO	Depth Well	Depth Water	Water Column
<u>C_00709</u>	, C	ED	3 :	33	16	245 245	28E 28E	584802	3564232	101	42	119
C 02836	с	ED	2 2	2 2	16	24S	28E	586203	3565676* 🚯		15	
C 03824 POD1	CUB	ED	4	2	16	24S	28E	585770	3565578 🌍	290	60	230
					×.				Average Depth to	Water:	39 fe	æt
									Minimun	Depth:	15 f	et
						*			Maximum	Depth:	60 fe	eet
Record Count: 4										-		

PLSS Search:

Section(s): 16

Township: 24S Range: 28E

'UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/6/16 6:01 AM

Page 1 of 1

WATER COLUMN/ AVERAGE DEPTH TO WATER ViewGeneralInfoGWater

v.



allar Creta	•	American C
Data	₽	News
ricesheet		
Deta	۶.	
	₽	
	►	
	▶	
	•	
	▶	

State Lana Office Date	Atoess

E-NM WAIDS
-Data
Produced Water
Ground Water
Conversion Tools
Scale
-Scale details
Stiff
Oddo
-Probable Mineral Composition
mix
-Corrosion
-Theory
Uniform

Gener	al Information	About: Samp	ole 7954
Section/ Township/Range	15/24S/28E	Lat/Long	32.2174/-104.075
Elevation	3002.9	Depth	
Date Collected	8/20/1997 12:00:00 AM	Chlorides	308
Collector / Point of Collection	SEO/YT	Use	Domestic
Formation	OAL	TDS	

http://octane.nmt.edu/waterquality/data/ViewGeneralInfoGWater.aspx

Page 1 of 2

ViewGeneralInfoGWater

4



eta 🕨	American Or	
•	Lieus	
P		
•		
•		
•		
•		
•		

10.	14/1	16.	7:39	PM

State La	and Office I	Data Konara

--NM WAIDS --Data --Produced Water --Ground Water --Conversion Tools --Scale --Scale details --Stiff --Oddo --Probable Mineral Composition --mix --mix --Corrosion ---Uniform

Genera	al Information A	bout: Samp	ole 10516
Section/ Township/Range	16 / 24S / 28E	Lat/Long	32.2174/-104.0921
Elevation	3041	Depth	161
Date Collected	5/28/1981 12:00:00 AM	Chlorides	1039
Collector / Point of Collection	SEO/DP	Use	Irrigation Water
Formation	OAL	TDS	0

http://octane.nmt.edu/waterquality/data/ViewGeneralInfoGWater.aspx

Page 1 of 2

ViewGeneralInfoGWater

 $_{\rm s}$, i.e. 4



un Da	12.	American Gil
	•	News
85580		
	•	
	•	
	•	
	Þ	
	•	
	•	
		Trantig the

Rela Land Office C	atta Accest
CQC wellfog in	regre fil ce
RC NMITECH N	M-RCMR

-NM WAIDS
-Data
-Produced Water
Ground Water
Conversion Tools
-Scale
-Scale details
Stiff
Oddo
-Probable Mineral Composition
mix
Corrosion
-Uniform

General Information About: Sample 8183			
Section/ Township/Range	10/24S/28E	Lat/Long	32.2319/-104.075
Elevation	3011	Depth	50
Date Collected	3/26/1992 12:00:00 AM	Chlorides	1480
Collector / Point of Collection	SEO/SBBLR	Use	Stock
Formation	OAL	TDS	0

http://octane.nmt.edu/waterquality/data/ViewGeneralInfoGWater.aspx

Page 1 of 2

	「「「「「」」」」」」」」」」」」」」」」」」」」」」」」」」」」」」」」	had Literatures # 111
- Charles Pro 201 A Bank	And an Diffe State Antime Lange and Antime Lange and Antime Antim	1 2010 Barriel 1/1
3 1 Willing and tody Martin Our Les clars		161
1 4 TO 2014 1 4 TO 22 2 2	the second secon	ME MAR MARTIN
Many District State		· ····································
toph	Where has not and a fair and a fair a start and a start an	11" 1213 dienko
ALL Entrantie Sunfor Tr Est	Perder Farms Anternal Anternal Anternal and ber in all diaments finders (Caller Treat Est	Trs) I That Har - an Ir
There was and the state and the	and the set of the set	these is an share diese 3
Trans uto	The second secon	S Of EveryEver Sale Har
A Contract of States Strengthered States	Amerikan Berdandiste (****	Treas Streeting Children Ch
Charles and the second second	and the second light the -i Barriel States Milling and the Milling and the second seco	Serdie Stans Bandard and
	I manual has be done of the state of the sta	Hard States Trends Party
Tolenter Arestant	The second se	The second second second
Traff when a rome wir Dg Une dat	and I dereary Vergering and any a le of here a said in the said and th	Suparity Supplem
A long a	The second	room fin make it bom
ARTEN CALL AND IN ART	and the second s	with ght fit had the
ALL ALL	Here of the second seco	Bathinty fert
1 Cm = Patter Patterstore	Resting to Doman Stilling I and the Start of the Start of the	State al interior a la' ind
Const at and	and the mail and the managers and an training of ground has	PTTTP (Respondence) Putton (Restant
Provide A training	And	Shering County
anner " ar anner a Ciel	And Annual Annua	Landred P Britarourth righ u.
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	The same being the same and a same a same a same a same	There a prove free way and
Hanfactor 1 410-74	MALAGA THE THE STATE	The Area States and a state of the state of
A Des Brite Lore Der han Augulat	and a state of the	HANNIN SINTER
DURANT, TT	Anantia Security 1. The providence of the second	and a second sec
1 100 La Contration		The Hieron
and the set (1) of the		and the state of the state
a partition of a partition of the	And a serie CALCO [2] Water transfer Constant Planet Constant Cons	they and rategrands
The state out of the state	and the second s	ISOC A Photo Nal
international present	Lange - Just State - Barrier - Contract - Co	Traction and souther the
The state of the s	trait and the state of the stat	internet (instance)
?在我此了"[]] [] [] 前是 [Disan true mit direction and get the state of the state o	1 P 19
C7 29 CPast "	the second	
1 53 15 18 Man H month	and the " by " " " " " " " " " " " " " " " " "	and the large of
the first have been and the second state have be	And a second sec	a grang bin Un
The line was the	Constant's Spins and Prant At I am Analysis and Atter	4 1010 A 101
ALLER STREET		There is a superior
and a second the second second	28 17 17 The second from the second s	tight on the second
	a partie a support for the state of the same of the sa	Manual Hay my 30 texte
	manufacture in the second with the second	1111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
sum 1 1 min 1 min	W Bridt Tr + Ad anter state to an a first and the to and the to and	What the strain of the
	the part of reading of the second sec	ELEVE ES 1 Staty SIA
	the second of the second secon	1. 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
A CONTRACTOR OF A CONTRACTOR OF A CONTRACTOR OF A CONTRACTOR OF A	A REAL PROPERTY AND A REAL PROPERTY A REAL PRO	CAPTER AND AND A CONTRACT

Gomez Swott

Chevron

COG

Delaware Energy, L.L.C. 3001 W. Loop 250 N., Suite C-105-318 Midland, TX 79705 Office: (214) 558-1371

October 10, 2016

Surface Owner / Offset Operators

Re: Notification of Application for Authorization to Inject Gomez SWD No 1 Well

Ladies and Gentlemen:

Delaware Energy, LLC is seeking administrative approval to utilize the proposed Gomez SWD No 1 as a Salt Water Disposal well. As required by the New Mexico Oil Conservation Division Rules, we are notifying you of the following proposed salt water disposal well. This letter is a notice only. No action is required unless you have questions or objections.

<u>Well</u> :	Gomez SWD No 1
Proposed Disposal Zone:	Devonian Formation (from 13,650'- 14,650')
Location:	1,139' FSL & 1,479' FWL, Sec. 9, UL N, T24S, R28E, Eddy
	Co., NM
Applicants Name:	Delaware Energy, L.L.C.
Applicants Address:	3001 W. Loop 250 N., Suite C-105-318, Midland, TX 79705

This application for water disposal well will be filed with the New Mexico Oil Conservation Division. If they determine the application complies with the applicable regulations, then it will be approved. The New Mexico Conservation Division address is 1220 South St. Francis Dr., Santa Fe, NM 87505. And their phone number is 505-476-3460.

Please call Preston Stein with Delaware Energy, LLC if you have any questions at 214-558-1371.

Sincerely,

Preston Stein

LEGAL NOTICE

Delaware Energy, L.L.C., 3001 W. Loop 250N, Suite C-105-318, Midland, TX 79705, has filed a form C-108 (Application for Authorization to Inject) with the Oil Conservation Division seeking administrative approval to utilize the proposed Gomez SWD No 1 (API – 30-015-XXXXX) as a Salt Water Disposal well.

The Gomez SWD No 1 will be located at 1,139' FSL and 1,479' FWL, Unit Letter N, Section 9, Township 24 South, Range 28 East, Eddy County, New Mexico. The well will dispose of water produced from oil and gas wells into the Devonian Formation from 13,650' to 14,650' at a maximum rate of 17,500 barrels of water per day at a maximum pressure of 2,730 psi.

Interested parties must file objections or requests for hearing with the Oil Conservations Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

Additional information can be obtained by contacting Delaware Energy, L.L.C., at (214) 558-1371.

Gomez SWD No 1 API#: 30-015-Location: Sec. 9, T-24S, R-28E, UL N

Formation Tops

Top of Salt	1,220'
Bottom of Salt	2,440'
Delaware	2,568′
Bone Spring	6,162'
Wolfcamp	9,500'
Strawn	11,032'
Atoka	11,274'
Morrow	11,930′
Mississippi	13,225'
Woodford Shale	13,550'
Devonian	13,650'

Delawere E Gomes in I/I



USPS Tracking[®]

Customer Service

USPS Mobile

🛟 English

_

Still Have Questions? Browse our FAQs >



Get Easy Tracking Updates > Sign up for My USPS.

🚔 Register / Sign In

Tracking Number: 7015301	0000022097834		
			Delivered
Product & Trackin	g Information		Available Actions
Postal Product: First-Class Mail [®]	Features: Certified Mail [™]	Retum Receipt	Text Updates 😁
	See tracking for related ite	m: 9590940220826132431299	Email Updates 🗢
DATE & TIME	STATUS OF ITEM	LOCATION	
October 31, 2016 , 12:17 pm	Delivered, Left with Individual	ARTESIA, NM 88210	
Your item was delivered to an i NM 88210.	ndividual at the address at 12 17	om on October 31, 2016 in ARTESIA,	
October 30, 2016 , 3:45 am	In Transit to Destination		
October 28, 2016 , 10:32 pm	Departed USPS Facility	LUBBOCK, TX 79402	



ZUSPS.COM

	ON ABOUT USPS.COM	OTHER USPS SITES	LEGAL INFORMATION
HELPFUL LINKS	About LISPS Home	Business Customer Gateway	Privacy Policy
Contact Us	About OSF O Home	Postal inspectors	Terms of Use
Site Index		Inspector General	FOIA
FAQs	USPS Service Opdates	Postal Explorer	No FEAR Act EEO Data
	Forms & Publications	National Postal Museum	
	Careers	Resources for Developers	

Copyright © 2016 USPS. All Rights Reserved.

 (\mathfrak{P}) (S)

			Get Fasy Tracking Undates
			Sign up for My USPS.
Tracking Number: 70161370000	0062947124		
			In-Transit
Product & Tracking I	nformation		Available Actions
Postal Product: irst-Class Mail [®]	Features: Certified Mail [™]	Retum Receipt	Text Updates
	See tracking for related it	em: 9590952106150302942945	Email Updates
	STATUS OF ITEM	LOCATION	
DATE & TIME			
DATE & TIME October 25, 2016 , 10:20 am	Available for Pickup	LOVING, NM 88256	

۲.



Track Another Package

Tracking (or receipt) number

그는 아이에는 것 같은 것을 하는 것을 수 있다.

Track It

Manage Incoming Packages

Track all your packages from a dashboard. No tracking numbers necessary.

Sign up for My USPS >

ZUSPS.COM

andra and Andra andr



A CONTRACT OF A CONTRACT

Affidavit of Publication

State of New Mexico, County of Eddy, ss.

Danny Fletcher, being first duly sworn, on oath says:

That he is the Publisher of the Carlsbad Current-Argus, а newspaper published daily at the City of Carlsbad, in said county of Eddy, state of New Mexico and of general paid circulation in said county; that the same is a duly qualified newspaper under the laws of the State wherein legal notices advertisements and may be published; that the printed notice attached hereto was published in the regular and entire edition of said newspaper and not in supplement thereof on the date as follows, to wit:

October 27

2016

That the cost of publication is **\$66.82** and that payment thereof has been made and will be assessed as court costs. Λ

Subscribed and sworn to before me this 28 day of <u>ctolor</u>, 2016

My commission Expires 2/1.3/19

Notary Public



October 27, 2016 Delaware Energy, LLC, 3001 W. Loop 250N, Suite C-105-318, Midland, TX 79705, has filed a form C-108 (Applica-tion for Authorization to Inject) with the Oil Conservation Division seeking administra-tive approval to utilize the proposed Gomez the proposed Gomez SWD No 1 (API - 30-015-XXXX) as a Salt Water Disposal well. The Gomez SWD No 1 The Gomez SWD No 1 will be located at 1,139' FSL and 1,479' FWL, Unit Letter N, Section 9, Township 24 South, Range 28 East, Eddy County, New Mexico. The well will dispose of water produced from oil and produced from oil and

gas wells into the Devonian Formation from 13,650' to 14,650' at a maximum rate of 17,500 barrels of water per day at a maximum pressure of 2,730 psi. Interested parties must file objections or requests for hearing with the Oil Conservations Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

Additional information can be obtained by contacting Delaware Energy, LLC., at (214) 558-1371;



See Reverse for Instructions



Print your name and address on the reverse Addresse so that we can return the card to you. B. C. Date of Deliver (Printed Name Attach this card to the back of the mailpiece. or on the front if space permits. 1. Article Addressed to: D. Is delivery address different from item 1? If YES, enter delivery address below: Yes NM Oil Consuration Divison 1220 South St. Francis D OCT 2 4 2016 Santa FE, NM 87505 Priority Mail Express®
 BRedistered Mair™
 Redistance Mair™
 DRedistance Mair™
 DRedistance
 Deliver
 Deliver 3. Service Type Adult Signature
 Adult Signature Restricted Delivery
 Certified Mail®
 Certified Mail® 9590 9402 2082 6132 2541 64 Collect on Delivery Merchandise C Signature Confirmation¹ 2. Article Number (Transfer from service label) Signature Confirmation 1 54á11 🗄 7016 1370 0000 6294 6943 Mail Restricted Delivery **Restricted** Delivery PS Form 3811, July 2015 PSN 7530-02-000-9053 **Domestic Return Receip**









McMillan, Michael, EMNRD

From: Sent: To: Subject:

Preston Stein preston@delawareenergyllc.com> Monday, November 21, 2016 1:49 PM McMillan, Michael, EMNRD RE: Gomez SWD Well No. 1suspended application

12 5 Carloy 7 55

Yes sir. We obtained a surface use agreement from him several months ago.

Best Regards,

Preston M. Stein Vice President Delaware Energy, LLC 3001 W: Loop 250 N Suite C-105-318 Midland, TX 79705 (214) 558-1371

This electronic transmission and any attached documents or other writings are intended only for the person or entity to which it is addressed and may contain information that is privileged, confidential or otherwise protected from disclosure. If you have received this communication in error, please immediately notify sender by return e-mail and destroy the communication. Any disclosure, copying, distribution or the taking of any action concerning the contents of this communication or any attachments by anyone other than the named recipient is strictly prohibited.

From: McMillan, Michael, EMNRD [mailto:Michael.McMillan@state.nm.us] Sent: Monday, November 21, 2016 2:44 PM To: Preston Stein <preston@delawareenergyllc.com>

Subject: RE: Gomez SWD Well No. 1suspended application

Is Hector Gomez the surface owner? Mike

From: Preston Stein [mailto:preston@delawareenergyllc.com] Sent: Friday, November 4, 2016 1:59 PM To: McMillan, Michael, EMNRD <<u>Michael.McMillan@state.nm.us</u>> Subject: RE: Gomez SWD Well No. 1suspended application

Mike,

This one should be much better. Sorry about quality on initial.

Best Regards,

Preston M. Stein Vice President Delaware Energy, LLC 3001 W. Loop 250 N Suite C-105-318

	. Lubar	10/2		build at her	
C-108 Review Checkl	ist: Received 1017 Add: Requ	uest:	Reply Date: 49	Suspended: [Ver 15]	
ORDER TYPE: WFX / PMX / SV	ORDER TYPE: WFX / PMX / SWD Number:				
Well No. 1 Well Name(s): 60	omczsho#]			
API: 30-0 15-pending sp	Dud Date: 736	New or Old:	UIC Class II	Primacy 03/07/1982)	
Footages 147 4 Fm L	Lot or Unitsec	_ Tsp <u>2</u>	IS Rge 286	FCounty Eddy	
General Location: Elmile Su	MAIng Pool:	<u>End</u>	Devanian	Pool No.: 56101	
BLM 100K Map: CHILSAND Operator:	Energy LL	OGRID	371145 Conta	ct: Phestonsteingub	
COMPLIANCE RULE 5.9: Total Wells:		Compl.		5.9 OK? Date:	
WELL FILE REVIEWED () Current Status:	prupos-		- /		
WELL DIAGRAMS: NEW: Proposed (9 or RE-E	/ NTER: Before Conv. () After (Conv. 🔿 🛛 L	.ogs in Imaging:	NIA	
Planned Rehab Work to Well	0			×.,,,	
Sizes (in	n) Setting		Cement		
Well Construction Details Borehole/	Pipe Depths (ft)		Sx or Cf	Cement Top and Determination Method	
Planned _or Existing _Surrace //~//	700	Stage 1001	100	Superior Visici	
Planned or Existing Interm/Prod \$3/4/-	7 13450	e Rither La Constantin	7200	Charley - 111540	
Planned_or Existing_ Prod/Liner		영화 가락하			
Planned_or Existing Liner		a ng mga suka suka sang		na ang kapitan di katalan katalan katalan di katalan katalan katalan katalan katalan katalan katalan katalan k	
Planned_or Existing OP/PERF	=	Inj Length	Comp	letion/Operation Details:	
Injection Lithostratigraphic Units: Depths	ft) Injection or Confining	Tops	Drilled TD 146	යනියකිරුකාලය මෙම සමාබි මෙහි මේ විට් හිතී වැටි. ≪ PBTD	
Adjacent Unit: Litho, Struc, Por	Units	132.5	- NEW TD	NEW PBTD	
Confining Unit: Litho. Struc. Por.	<u>אַר אַר אַר אַר אַר אַר אַר אַר אַר אַר </u>	13625	NEW Open Hole (4	or NEW Perfs ()	
Proposed Inj Interval TOP:	armanika na okazar zakon katala († 1990). 1993 - Alexandra Alexandra, se	13650	Tubing Size 42	in. Inter Coated?	
Proposed Inj Interval BOTTOM:		14650	Proposed Packer D	epth <u>13600</u> ft	
Confining Unit: Litho. Struc. Por.		ļ	Min. Packer Depth	<u>13560</u> (100-ft limit)	
Adjacent Unit: Litno. Struc. Por.	nic Information	an an the state of the	Admin Ini Press	$273\sqrt{(0.2 \text{ psi ner ft})}$	
Admin. Inj. Press. 275 (0.2 ps) per II)					
ERESH WATER: Aquifer 350 CH	Max Depth Z44			NT By Qualified Person	
Max Depth - HTDRO AFFIRM STATEMENT BY Qualified Person (-					
Bone Spring CAPITAN REES and adj WAY No. Weils within 1-wile Radius? A FW Analysis y					
Disposal Fluid: Formation Source(s) welt the more starting of the Analysis? On Lease () Operator Only () or Commercial					
Disposal Int: Inject Rate (Avg/Max BWPD)					
<u>nc</u> Potential: Producing Interval? <u>[V]</u> Formerly Producing? Method: Logs/DST/P&A/Other 2-Mile Radius Pool Map ()					
AOR Wells: 1/2-M Radius Map? VIK Well List? Total No. Wells Penetrating Interval: V Horizontals?					
Penetrating wells: No. Active wells (
Prenetrating weils: NO. P&A weils(// Num Hepairs? on which weil(s)? Diagrams?					
NOTICE: Newspaper Date_ <u>10-27-24</u> N	Aineral Owner	_ Surface C	Owner and	$n = 2$ N. Date 10^{-2} $20 - 20$	
RULE 26.7(A): Identified Tracts?Affect	ed Persons: <u>Chevno</u>	n, c	.00	N. Date 10-21-2	
Order Conditions: Issues:	DEE 13	en	<u> </u>		
Add Order Cond:					
VADE Shi	-11 MANthe	5 578	"- CASING	Hapa Selt &	