District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

District IV

State of New Mexico **Energy Minerals and Natural Resources**

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

NM OIL CONSERVATION

ARTESIA DISTRICT

Form C-141 Revised August 8, 2011

JAN 1 0 2017

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

RECEIVED

1220 S. St. Francis Dr., Santa Fe, NM 87505 **Release Notification and Corrective Action** NABITO 1 250969 **OPERATOR** Initial Report Final Report Name of Company Devon Energy Production Company 6/31 Contact Jake Harrington, Production Foreman Address 6488 Seven Rivers Hwy Artesia, NM 88210 **Telephone No.** 432-214-5175 Facility Name Cotton Draw Unit 172H Facility Type Oil Surface Owner Federal Mineral Owner Federal API No 30-015-42426 LOCATION OF RELEASE Unit Letter Section Township Feet from the North/South Line Feet from the East/West Line Range County 0 **25S** South 1345 East Eddy Latitude: 32.1525726 Longitude: -103.7273788 NATURE OF RELEASE Type of Release Produced Water and Oil Volume of Release 15bbls Volume Recovered 15bbls produced produced water & 10bbls oil water & 10bbls oil Source of Release 2" drain line from slop tank to the circulating pump **Date and Hour of Occurrence** Date and Hour of Discovery January 7, 2016 @ 6:15 AM January 7, 2016 @ 6:15 AM Was Immediate Notice Given? If YES, To Whom? ☑ Yes □ No □ Not Required Shelly Tucker, BLM Mike Bratcher, OCD By Whom? **Date and Hour** Ray Carter, Asst. Production Foreman Shelly Tucker, BLM January 7, 2017 @ 1:30 PM Mike Bratcher, OCD January 7, 2017 @ 1:35 PM Was a Watercourse Reached? If YES, Volume Impacting the Watercourse ☐ Yes ☒ No N/A If a Watercourse was Impacted, Describe Fully.* Describe Cause of Problem and Remedial Action Taken.* The 2" drain line from the slop tank to the circulating pump froze and ruptured due to freezing temperatures. The drain was isolated and isolated so that the line could be replaced. Repairs are complete and the line is back in service. Describe Area Affected and Cleanup Action Taken.* Approximately 15bbls produced water and 10bbls oil were released into lined containment. A vacuum truck was called and recovered all 15bbls produced water and all 10bbls oil from lined containment. The containment was checked for holes and none were found. No further action is necessary. I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. OIL CONSERVATION DIV Signature: Sheila Fisher Signed By Approved by Environmental Specialist: Printed Name: Sheila Fisher Approval Date: **Expiration Date:** Title: Field Admin Support Conditions of Approval E-mail Address: Sheila.fisher@dvn.com Attached

Date: 1/10/17

Phone: 575.748.1829

^{*} Attach Additional Sheets If Necessary

Operator/Responsible Party,

The OCD has received the form C-141 you provided on 1/10/2017 regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number 2RP-4070 has been assigned. Please refer to this case number in all future correspondence.

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete <u>division-approved corrective action</u> for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District 2 office in Artesia, NM on or before 2/10/2017. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized to the following concentrations: benzene 10 mg/kg, total BTEX 50 mg/kg, TPH (GRO+DRO+MRO; C₆ thru C₃₆) 100 mg/kg, chloride 600 mg/kg. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized to the following concentrations: benzene 10 mg/kg, total BTEX 50 mg/kg, TPH (GRO+DRO+MRO; C₆ thru C₃₆) 100 mg/kg, chloride 250 mg/kg. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- No inference should be made concerning the minimum characterization concentrations expressed above as to the ultimate remediation levels which might be approved. Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- •Probable depth to shallowest groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.
- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.
- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold

OCD Environmental Bureau Chief 1220 South St. Francis Drive Santa Fe, New Mexico 87505 505-476-3465 jim.griswold@state.nm.us

Bratcher, Mike, EMNRD

From: Fisher, Sheila <Sheila.Fisher@dvn.com>

Sent: Tuesday, January 10, 2017 8:38 AM

To: Shelly Tucker (stucker@blm.gov); Patterson, Heather, EMNRD; Bratcher, Mike, EMNRD

Cc: Fulks, Brett; Harrington, Jake; Carter, Ray; McMahan, Mike

Subject: Cotton Draw Unit 172H_15bbl pw & 10bbl oil_1.7.17

Attachments: Cotton Draw Unit 172H_15bbl pw 10bbl oil_Initial Final C-141_1.7.17.doc; Cotton Draw

Unit 172H_15bbl pw & 10bbl oil GIS Image 1.7.17.pdf

Good Morning,

Attached please find the Initial and Final C-141 and GIS Image for the 15bbl produced water and 10bbl oil release at the Cotton Draw Unit 172H on 1.17.17.

If you have any questions please feel free to contact me.

Thank you,

Sheila Fisher
Field Admin Support
Production
B-Schedule

Devon Energy Corporation PO Box 250 Artesia, NM 88211 575 748 1829 Direct



Confidentiality Warning: This message and any attachments are intended only for the use of the intended recipient(s), are confidential, and may be privileged. If you are not the intended recipient, you are hereby notified that any review, retransmission, conversion to hard copy, copying, circulation or other use of all or any portion of this message and any attachments is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, and delete this message and any attachments from your system.