District II District III Dis Please refer to the Nebsite for 1000 Rio B. Conservation Division Website for District IV http://www.emnrd.state.nm.us/ District IV 1220 S. St. F. updated form(s) at: Thank you

NM OIL CONSERVATION State of New Mexico

ARTESIA DISTRICT

Minerals and Natural Resources OCT 1 2 2017

Form C-141 Revised August 8, 2011

'Conservation Division 1220 South St. Francis Dr.

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

RECEIVED OCD/ forms.html Santa Fe. NM 87505 **Release Notification and Corrective Action OPERATOR** Initial Report Final Report Name of Company Devon Energy Production Company /0/37 **Contact** Wesley Ryan-Production Foreman Address 6488 Seven Rivers Hwy Artesia, NM 88210 **Telephone No.** 575-390-5436 Facility Name Chimayo 16 State 3 Facility Type Salt Water Disposal **Surface Owner State Mineral Owner State** API No 30-015-38105 LOCATION OF RELEASE Unit Letter Section Township Feet from the North/South Line Feet from the East/West Line County Range F 16 25S 29E 1610 FNL. 1455 **FWL** Eddy **Latitude:** 32.1329002 Longitude: 103.9933624 NATURE OF RELEASE Type of Release Produced Water **Volume of Release 33 BBLS** Volume Recovered 30 BBLS Source of Release Pump discharge line **Date and Hour of Occurrence Date and Hour of Discovery** October 2, 2017 10:00 AM October 2, 2017 10:00 AM Was Immediate Notice Given? If YES, To Whom? ☑ Yes ☐ No ☐ Not Required OCD-Mike Bratcher By Whom? Wesley Ryan-Production Foreman Date and Hour October 3, 2017 8:30 AM Was a Watercourse Reached? If YES, Volume Impacting the Watercourse ☐ Yes ⊠ No N/A If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* There was a split in the pump discharge line resulting in the release. The pump was shut down to prevent any further release. The discharge line was repaired. Describe Area Affected and Cleanup Action Taken.* 33 BBLS of Produced Water was released from the pump discharge line. A vacuum truck was dispatched and 30 BBLS of Produced Water was recovered. The release originated from the pump discharge line that is located on the well pad on the West side of the pump building. An area approximately 150 ft x 300 ft on the well pad was affected by the release. None of the release fluid left pad. I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. OIL CONSERVATION DIVISION Signature: Jennifer Reyna Approved by Environmental Specialist: Printed Name: Jennifer Reyna Expiration Date: NIA Title: Field Admin Support Approval Date: E-mail Address: jennifer.reyna@dvn.com Attached (

Phone: 575.746.5588

^{*} Attach Additional Sheets If Necessary

Operator/Responsible Party,

The OCD has received the form C-141 you provided on 10/12/17 regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number APP-4442 has been assigned. Please refer to this case number in all future correspondence.

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete <u>division-approved corrective action</u> for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District II office in Artesia on or before 11/12/17. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- •Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.
- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.
- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold

OCD Environmental Bureau Chief 1220 South St. Francis Drive Santa Fe, New Mexico 87505 505-476-3465 jim.griswold@state.nm.us

Weaver, Crystal, EMNRD

From: DeLaRosa, Dana < Dana.DeLaRosa@dvn.com>

Sent: Thursday, October 12, 2017 2:57 PM

To: Bratcher, Mike, EMNRD; Weaver, Crystal, EMNRD

Cc: Shoemaker, Mike; Fulks, Brett

Subject: Chimayo 16 State 3_33BBLS PW_10.3.2017

Attachments: Chimayo 16 State 3_33 BBLS PW_Initial C-141_10.3.17.doc; Chimayo 16 State 3_33 BBLS

PW_GIS Image_10.3.17.pdf

Good Afternoon,

Attached is the Initial C141 and GIS Image for the 33BBLS produced water release that occurred on 10-3-2017 at the Chimayo 16 State 3. The red dot on the GIS Image represents the approximate origin of release.

Thank you and have a great day,

Dana De La Rosa

Field Admin Support

Production B-Schedule

Devon Energy Corporation PO Box 250 Artesia, NM 88211 575 746 5594



Confidentiality Warning: This message and any attachments are intended only for the use of the intended recipient(s), are confidential, and may be privileged. If you are not the intended recipient, you are hereby notified that any review, retransmission, conversion to hard copy, copying, circulation or other use of all or any portion of this message and any attachments is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, and delete this message and any attachments from your system.