RECEIVED

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fc, NM 87505

,

State of New Mexico Energy Minerals and Natural Resources

JUL 1 7 2018

Bistrict II-AFTESIA Operative District Office in accordance with 19.15.29 NMAC.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Release Notification and Corrective Action

OP	ER/	ATOR
----	-----	------

Initial Report 🔲 Final Report

API No. 30-015-43951

HAWK 8K Fed. #51

Name of Company: Lime Rock Resources II-A, L.P. 277552	Contact: Mike Barrett
Address: 1111 Bagby St. Ste. 4600, Houston, TX 77002	Telephone No. 575-365-9724
Facility Name: All Thorn P/W Transfer Line	Facility Type:

Surface Owner: Key Livestock, LLC Mineral Owner: State

meral Owner. State

LOCATION	OF	RELEASE
DOCATION		

_									
	Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
	J	36	175	27Ē	1650	S	1650	E	Eddy
[

Latitude 34.4724 Longitude -104.1404 NAD83

NATURE OF RELEASE

Type of Release: Fresh and Produced Water	Volume of Release: 25 bbls	Volume Recovered: 8 bbls			
Source of Release: 12" PW transfer line	Date and Hour of Occurrence	Date and Hour of Discovery			
	6-28-18 @ Unknown AM	6-28-18 @ 12:15 PM			
Was Immediate Notice Given?	If YES, To Whom?				
🖾 Yes 🔲 No 🗌 Not Required	Mike Bratcher/NMOCD voicemail				
By Whom? David Adkins	Date and Hour: 6-28-18 @ 3:15 pn	n			
Was a Watercourse Reached?	If YES, Volume Impacting the Wat	crcourse.			
🗋 Yes 🖾 No	N/A				
If a Watercourse was Impacted, Describe Fully.*					
N/A					
Describe Cause of Problem and Remedial Action Taken.*					
The 12" transfer line going from the All Thorn Facility to the Hawk 8K	Federal #51 (API above) had previousl	y been flushed with fresh water and was at			
the time of the release idle. Vandals stole the connections resulting in a r	elease of the water that was trapped in	the line. The line subsequently was capped			
to stop the leak. Clean dirt was brought to berm the spill to prevent it fro fluids and was able to recover 8 bbls of standing water. Talon mobilized					
Thirds and was able to recover a bols of standing water. Takin moomzed	personner to the socation for the initial	are assessment.			
Describe Area Affected and Cleanup Action Taken.*		<u> </u>			
The spill measures approximately 25 feet across at its greatest width and					
measuring approximately 15 feet wide by 30 feet long. A backhoe and v	ac truck was used to carry out the initia	al remediation activities.			
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger					
public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability					
should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health					
or the environment. In addition, NMOCD acceptance of a C-141 report of	toes not relieve the operator of response	ibility for compliance with any other			
federal, state, or local laws and/or regulations.					
	<u>OIL CONSERV</u>	ATION DIVISION			
Signature: Multon					
		//m			
Printed Name: Mike Barrett	Approved by Environmental Specialis				
	21.01.0				
Title: Production Superintendant	Approval Date:	Expiration Date: N/M			
E-mail Address: mbarrett@limerockresources.com	Conditions of Approval:	Attached Ann Alar			
Date: 7-16-18 Phone: 575-365-9724	See attach	10 AKF-48/05			

* Attach Additional Sheets If Necessary

Operator/Responsible Party,

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete <u>division-approved corrective action</u> for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District _2___ office in Artesia_ on or before ____07/27/2018____. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

• Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.

• Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.

- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.

• Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

•Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

• If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

• Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold OCD Environmental Bureau Chief 1220 South St. Francis Drive Santa Fe, New Mexico 87505 505-476-3465 jim.griswold@state.nm.us

Pruett, Maria, EMNRD

From: Sent: To: Subject: Attachments: Bratcher, Mike, EMNRD Tuesday, July 17, 2018 11:14 AM Pruett, Maria, EMNRD FW: C-141, Lime Rock Resources, All Thorn Transfer Line Release 3303_001.pdf

From: David J. Adkins <dadkins@talonlpe.com> Sent: Monday, July 16, 2018 2:47 PM To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us> Cc: Michael Barrett <mbarrett@limerockresources.com>; Christopher Jones <cjones@talonlpe.com> Subject: C-141, Lime Rock Resources, All Thorn Transfer Line Release

Hello Mike,

Attached please find the initial C-141 for the above referenced incident. Please let us know if you need anything further on this.

1

Thank you.

David J. Adkins District Manager Artesia Office: 575.746.8768 Direct: 575.616.4022 Cell: 575.441.4835 Fax: 575.746.8905 Emergency: 866.742.0742 Web: www.talonipe.com

