NEW MEXICO OIL CONSERVATION DIVISION

- Engineering Bureau -2040 South Pacheco, Santa Fe, NM 87505



ADMINISTRATIVE APPLICATION COVERSHEET

THIS COVERSHEET IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATION FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE **Application Acronyms:** [NSP-Non-Standard Proration Unit] [NSL-Non-Standard Location] [SD-Simuitaneous Dedication] [DD-Directional Drilling] [PLC-Pool/Lease Commingling] [DHC-Downhole Commingling] [CTB-Lease Commingling] [OLM-Off-Lease Measurement] [PC-Pool Commingling] [OLS - Off-Lease Storage] [PMX-Pressure Maintenance Expansion] [WFX-Waterflood Expansion] [SWD-Salt Water Disposal] [IPI-Injection Pressure increase] [EQR-Qualified Enhanced Oll Recovery Certification] IPPR-Positive Production Response [1]TYPE OF APPLICATION - Check Those Which Apply for [A] MAR 2 6 1999 [A] Location - Spacing Unit - Directional Drilling . □ NSI. ☐ NSP □ DD OIL CONSERVATION DE Check One Only for [B] or [C] Commingling - Storage - Measurement **DHC** □ OLM □ CTB □ PLC □ OLS Injection - Disposal - Pressure Increase - Enhanced Oil Recovery □ WFX □ PMX □ SWD ☐ EOR [2] **NOTIFICATION REQUIRED TO:** - Check Those Which Apply, or \square Does Not Apply [A] ☐ Working, Royalty or Overriding Royalty Interest Owners B Offset Operators, Leaseholders or Surface Owner Application is One Which Requires Published Legal Notice Notification and/or Concurrent Approval by BLM or SLO ID1 U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office E For all of the above, Proof of Notification or Publication is Attached, and/or, ☐ Waivers are Attached F

	N / DATA SUBMITTED I	S COMPLETE - Certification	
Regulations of the Oil Capproval is accurate and ORRI) is common. <i>I un</i>	Conservation Division. Fur complete to the best of my kinderstand that any omission	vision, have read and complied wither, I assert that the attached appropriately and where applicable, vento of data (including API numbers, to have the application package retains)	plication for administrative that all interest (Williams), pool codes, etc.), perting
Note: Sta	tement must be completed by an i	ndividual with managerial and/or supervis	ory capacity.
	Joan Shan		,,
Print or Type Name	Signature	Title	Date

DISTRICT I

P.O. Box 1980, Hobbs, NM 88241-1980

DISTRICT II

811 South First St., Artesia, NM 88210-2835

DISTRICT III

1000 Rìo Brazos Rd, Aztec, NM 87410-1693

Burlington Resources Oil & Gas Company

State of New Mexico Energy, Minerals and Natural Resources Department **OIL CONSERVATION DIVISION**

2040 S. Pacheco Santa Fe, New Mexico 87505-6429

Address

Form C-107-A New 3-12-96

APPROVAL PROCESS:

X Administrative ___Hearing

EXISTING WELLBORE

X YES ___ NO

APPLICATION FOR DOWNHOLE COMMINGLING

PO Box 4289, Farmington, NM 87499

128 K 27-27N-05W Rio Arriba San Juan 27-5 Unit Well No. Unit Ltr. - Sec - Twp - Rge County Spacing Unit Lease Types: (check 1 or more) State (and/or) Fee OGRID NO. Property Code 7454 API NO. 30-039-20363 Federal x 14538 The following facts are submitted in support of downhole commingling: Intermediate Zone Upper Zone Pool Name and Pool Code Blanco Mesaverde - 72319 Basin Dakota - 71599 2. Top and Bottom of Pay Section (Perforations) will be supplied upon completion will be supplied upon completion 3. Type of production (Oil or Gas) 4. Method of Production (Flowing or Artificial Lift) flowing flowing (Current) a. 651 psi (see attachment) 5. Bottomhole Pressure a. 1015 psi (see attachment) Oil Zones - Artificial Lift: Estimated Current Gas & Oil - Flowing: Measured Current (Original) b. 1365 psi (see attachment) b. b. 2102 psi (see attachment) All Gas Zones:
Estimated or Measured Original 6. Oil Gravity (API) or Gas BTU Content BTU 1211 BTU 1106 shut in 7. Producing or Shut-In? shut in Production Marginal? (yes or no) no yes If Shut-in and oil/gas/water rates of last production Date: n/a Date: Date: n/a Rates: Rates Rates Note: For new zones with no production history applicant shall be required to attach production estimates and supporting data If Producing, give data and il/gas/water water of recent test Date: n/a Date: Date: n/a oil/gas/water wa (within 60 days) Rates: Rates Rates: 8. Fixed Percentage Allocation Formula -% for each zone (total of %'s to equal 100%) Gas: Gas: % Gas: Oil: Oil: Oil: will be supplied upon completion will be supplied upon completion If allocation formula is based upon something other than current or past production, or is based upon some other method, submit attachments with supporting data and/or explaining method and providing rate projections or other required data. _No Nill cross-flow occur? _x_ Yes _ No If yes, are fluids compatible, will the formations not be damaged, will any cross-flowed production be recovered, and will the allocation formula be reliable. _x_ Yes ____No (If No, attach explanation) 12. Are all produced fluids from all commingled zones compatible with each other? x Yes 13. Will the value of production be decreased by commingling? ____ Yes _X_ No (If Yes, attach explanation) 14. If this well is on, or communitized with, state or federal lands, either the Commissioner of Public Lands or the United States Bureau of Land Management has been notified in writing of this application. _X_Yes ___ No 15. NMOCD Reference Cases for Rule 303(D) Exceptions: ORDER NO(S). ___Reference Order ____R-10694_ *ENTS:

* C-102 for each zone to be commingled showing its spacing unit and acreage dedication.

* Production curve for each zone for at least one year. (If not available, attach explanation.)

* For zones with no production history, estimated production rates and supporting data.

* Data to support allocation method or formula.

* Notification list of all offset operators.

* Notification list of working, overriding, and royalty interests for uncommon interest cases.

* Any additional statements, data, or documents required to support commingling. I hereby certify that the information above is true and complete to the best of my knowledge and belief. Kumethen. Color SIGNATURE: TITLE: Production Engineer DATE: 03-08-99 TYPE OR PRINT NAME: Ken Collins **TELEPHONE NO.:** (505) 326-9700

District 1 PO Box 1980, Hobba, NM 88241-1980

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088 1000 Rio Brazos Rd., Aztec, NM 87410

Form C-10 Revised February 21, 199 Instructions on bac

PO Drawer DD, Artesia, NM 88211-0719 District III

Submit to Appropriate District Offic State Lease - 4 Copi-Fee Lease - 3 Copi

' Pool Name

District IV PO Box 2088, Santa Fe, NM 87504-2088


☐ AMENDED REPOR

WELL LOCATION AND ACREAGE DEDICATION PLAT


State of New Mexico
Energy, Minerals & Natural Resources Department

, A	API Number			¹ Pool Code			' Pool Name				
30-039-20363			723	19/71	9/71599 Blanco Me			erde/Basi	de/Basin Dakota		
Property Code		5 Property Name					' Well Number				
7454	7454			San J	uan 27	'- 5	Unit		128		
'OGRID	No.			' O _l	perator	Name			' Elevation		
14538		Bur	lingt	on Re	source	s O	il & Gas C	ompany	6511' GR		
	338 Burlington Resources Oil & Gas Company 6511' GR 10 Surface Location										
UL or lot no.	Section	Township	Range	Lot Idn	Feet from	the	North/South line	Feet from the	East/West	East/West line County	
K	27	27N	5W	İ	1700		South	1840	West	t RA	
	· · · · · · · · · · · · · · · · · · · 	11		tom Ho		ion I	f Different Fro				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from		North/South line	Feet from the	East/West	line	County
	<u> </u>							·			
Wydiwyd30	es 't Joint	or Infill ' C	onsolidatio	n Code 15	Order No.		I	L	<u> </u>	<u>-</u> -	
DK-S/31											
		WILL BE A	SSIGNE	D TO TH	IS COMP	LETIC	ON UNTIL ALL	INTERESTS H	AVE BEI	EN CO	SOLIDATED
							EEN APPROVED				
16	-					T		17 OPE	RATOR	CERT	TFICATIO
				1	~ . 1	_,]	+ 6	ii ii	I hereby certify that the information contained herein is		
41				I Day	id O	Vi 1	t from ven 2-16-7	true and com	true and complete to the best of my knowledge and beli.		
[]] Dav	1u 0.	`-†	ven 2 10 7	†			
1				1		- 1					
			,	1		1		1			
				1				- 			
				i				Signature	z Brod	fic1	a
								Printed Nar	Peggy Bradfield Printed Name		
	٠			1				Regu	latory	Adm	inistrat
 				Щ				Title	- · · · · · ·		
								Date			W
				_							
				i		1		"SUR	/EYOR	CERI	TIFICATIO
	i			1		1					n shown on this pla al surveys made by
l i	ŀ							148 .			u surveyx made by he same is true and
16	40'							118	e best of my l		
				ıl							
				I		- 1		Date of Sur	·		_
				i				Signature an	d Scal of Pro	fessional S	iurveyer:
! !		700		il							
 											
				:				į.			
				1				Certificate N	lumber		
				 _				<u>-</u> '.			

San Juan 27-5 Unit #128 Expected Production Curve Mesaverde Formation



San Juan 27-5 Unit #128
Actual Production
Dakota Formation



San Juan 27-5 Unit #128

Bottom Hole Pressures Flowing and Static BHP Cullender and Smith Method Version 1.0 3/13/94

MCO2	Mesaver	le	Dakota	
COND. OR MISC. (C/M) (C) (M) (C) (N) (N	MV-Curre	<u>nt</u>	DK-Current	
	COND. OR MISC. (C/M) %N2 %CO2 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA)	0.25 0.79 0 1.25 5429 60 137 0	COND. OR MISC. (C/M) %N2 %CO2 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA)	
GAS GRAVITY 0.709 GAS GRAVITY 0.646	MV-Origin	<u>al</u>	DK-Original	
COND. OR MISC. (C/M) C COND. OR MISC. (C/M) C %N2 0.25 %N2 0.15 %CO2 0.79 %CO2 1.13 %H2S 0 %H2S 0 DIAMETER (IN) 1.25 DIAMETER (IN) 1.5 DEPTH (FT) 5429 DEPTH (FT) 7669 SURFACE TEMPERATURE (DEG F) 60 SURFACE TEMPERATURE (DEG F) 60 BOTTOMHOLE TEMPERATURE (DEG F) 137 BOTTOMHOLE TEMPERATURE (DEG F) 198 FLOWRATE (MCFPD) 0 FLOWRATE (MCFPD) 0 SURFACE PRESSURE (PSIA) 1163 SURFACE PRESSURE (PSIA) 1735	%N2 %CO2 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA)	0.25 0.79 0 1.25 5429 60 137 0 1163	%N2 %CO2 %H2S DIAMETER (IN) DEPTH (FT) SURFACE TEMPERATURE (DEG F) BOTTOMHOLE TEMPERATURE (DEG F) FLOWRATE (MCFPD) SURFACE PRESSURE (PSIA)	0.646 C 0.15 1.13 0 1.5 7669 60 198 0 1735

Page No.: 2

Print Time: Wed Feb 24 11:17:08 1999

Property ID: 1492

Property Name: SAN JUAN 27-5 UNIT | 66 | 52118A-1 Table Name: Q:\PUBLIC\GENTITY\GDPNOS\TEST.DBF

	CUM_GAS		
08/03/61 08/29/61 08/06/62 07/07/63 05/07/64 10/25/65 04/19/66 08/04/67 05/02/68 08/28/70 04/08/71 08/09/72 07/15/74 04/18/86 09/08/89 10/01/91 10/21/91	47000 80000 130000 150000 190000 209000 259602 272727 297706 349215 525154 571303	652.0 631.0 642.0 507.0 464.0 472.0	San Juan 27-5 Unit #128 Mesaverde Offset

Page No.: 1

Print Time: Wed Feb 24 11:17:08 1999

Property ID: 1351
Property Name: SAN JUAN 27-5 UNIT | 128 | 52255A-1
Table Name: Q:\PUBLIC\GENTITY\GDPNOS\TEST.DBF


		CUM_GAS	DATE
San Juan 27-5 Unit #128	1735.0	0	05/28/71
<u> </u>		61265	11/03/71
Existing Dakota			
Exioting Danota		153057	08/09/72
	1028.0	218625	07/20/73
	877.0	367401	09/04/75
	763.0	476612	08/08/77
	749.0	567194	05/02/79
	759.0	657236	06/04/81
	1095.0	724925	09/22/83
	786.0	796261	05/20/85
	839.0	906114	10/11/88
	774.0	964583	04/22/90
	850.0	1020916	07/02/92

BURLINGTON RESOURCES OIL AND GAS COMPANY

San Juan 27-5 Unit #128 OFFSET OPERATOR/OWNER PLAT

Commingle Well Mesaverde (W/2) /Dakota (S/2) Formations Well


Township 27 North, Range 5 West



1) Burlington Resources

San Juan 27-5 Unit #128

Blanco Mesaverde / Basin Dakota



STATE OF NEW MEXICO ENERGY. MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

> CASE NO. 11626 ORDER NO. R-10694

APPLICATION OF BURLINGTON RESOURCES
OIL & GAS COMPANY FOR THE ESTABLISHMENT
OF A DOWNHOLE COMMINGLING "REFERENCE
CASE" FOR ITS SAN JUAN 27-5 UNIT PURSUANT
TO DIVISION RULE 303.E AND THE ADOPTION
OF SPECIAL ADMINISTRATIVE RULES THEREFOR.
SAN JUAN COUNTY. NEW MEXICO.

PIO ARRIBA

ORDER OF THE DIVISION

BY THE DIVISION:

This cause came on for hearing at 8:15 a.m. on October 17 and November 7, 1996, at Santa Fe, New Mexico, before Examiners David R. Catanach and Michael E. Stogner, respectively.

NOW, on this 12th day of November. 1996, the Division Director, having considered the testimony, the record and the recommendations of the Examiner, and being fully advised in the premises.

FINDS THAT:

- (1) Due public notice having been given as required by law, the Division has jurisdiction of this cause and the subject matter thereof.
- (2) The applicant. Burlington Resources Oil & Gas Company (Burlington), pursuant to the provisions of Division Rule 303.E., seeks to establish a downhole comminging "reference case" to provide exceptions for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhole commingling of Dakota. Mesaverde. Fruitland Coal and Pictured Cliffs gas production within existing or funite drilled wells within the San Juan 27-5 Unit. San Juan County, New Mexico.
- (3) Division Rule No. 303.E., amended by Order No. R-10470-A. currently states:

"If sufficient data exists on a lease, pool, formation, geographic area, em., so as to render it unnecessary to repeatedly provide such data on Form C-107-A, an operator may except any of the various criteria required under Paragraph 303.D, of this rule by establishing a "reference case". The Division, upon its own motion, or by application from an operator, may establish "reference cases" either administratively or by hearing. Upon Division approval of such "reference cases" for specific criteria, subsequent applications to downhole commingie (Form C-107-A) will be required only to cite the Division order number which established such exceptions and shall not be required to submit data for those criteria."

- (4) The applicant is the current operator of the San Juan 27-5 Unit which encompasses some 23.043 acres in Township 27 North, Range 5 West, NMPM. San Juan County, New Mexico.
- (5) Within the San Juan 27-5 Unix, the applicant currently operates one hundred and one (101) Basin-Dakota Gas Pool wells, one hundred and five (105) Blanco-Mesaverde Gas Pool wells, eighty-seven (87) South Blanco-Pictured Cliffs and Tapacito-Pictured Cliffs Gas Pool wells, and four (4) Basin-Fruitiand Coal Gas Pool wells.
 - (6) According to its evidence and testimony, Burlington seeks to:
 - establish a "reference case" for marginal economic criteria in the Dakota and Pictured Cliffs formations wherevery these formations and/or pools may be identified as "marginal" on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit. The applicant further proposes that the data provided in the immediate case serve as supplemental data or confirmation that these formations and/or pools should be classified as "marginal":
 - b) establish a "reference case" for pressure criteria in the Dakota and Pictured Cliffs formations whereby the Division may utilize data provided in the immediate case to verify the pressure data provided on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Unit:

- establish a "reference case" whereby the Division unlikes the data presented in the immediate case to endorse or approve certain methods of allocating production whereby the applicant need not submit additional data or justification when proposing a certain method of allocating production on Form C-107-A's subsequently filed for wells within the San Juan 27-5 Units and
- d) establish a "reference case" or an administrative procedure for authorizing the downhole communiting of existing or future drilled wells within the San Juan 27-5 Unit without additional nonce to each affected interest owner as required by Division Rule No. 303.D.
- (7) In support of its request to except marginal economic criteria, the applicant presented geologic and engineering evidence and testimony which indicates that within the San Juan 27-5 Units
 - a) the structure and thickness of the Dakota and Pictured Cliffs formations are very consistent:
 - b) the average recoverable Dakota and Pictured Cliffs gas reserves underlying an undeveloped drill block are approximately 583 MMCFG and 426 MMCFG, respectively:
 - c) the average initial producing rate for a newly drilled or recompleted Dakota and Pictured Cliffs gas well is approximately 393 MCFGD and 63 MCFGD, respectively; and.
 - d) the estimated ultimate gas recoveries and initial producing rates from the Dakota and Pictured Cliffs formations are insufficient to justify drilling stand alone wells and/or dually completed wells to recover such gas reserves.
 - (8) The evidence and testimony presented by the applicant indicates that the Dakota and Pictured Cliffs formations within the San Juan 27-5 Unit should be properly classified as "marginal".
 - (9) In support of its request to except pressure criteria within the Dakota and Pientren Cliffs formations within the San Juan 27-5 Unit, the applicant presented engineering evidence and testimony which indicates that:

-

- a) the average shut-in bottominoic pressure within the Dakota and Pictured Cliffs formations at the time of initial development were approximately 3.141 psi and 1.118 psi, respectively; and.
- b) the average current shur-in bottomhole pressure within the Dakota and Pictured Cliffs formations are approximately 1.032 pst and 441 pst. respectively.
- (10) There is sufficient pressure data available within the San Juan 27-5 Unit so as to except pressure criteria as proposed by the applicant.
- (11) The applicant testified that various allocation methods will be unliked for downhole commingled wells within the San Juan 27-5 Unit depending on the circumstances. Some of the methods and circumstances are described as follows:
 - a) the subtraction method will likely be utilized in those instances involving the Basin-Fruitland Coal Gas Pool and in those instances where a zone with a well established decline rate is commingled with a newly completed zone:
 - b) a fixed allocation formula will be utilized in those instances where production history for both zones is available, or in those instances where newly completed zones are tested and stabilized flow rates obtained.
 - (12) The allocation methods proposed by the applicant are routinely utilized by industry and approved by the Division and therefore the proposal to except allocation formulas should be approved.
 - (13) In support of its request to establish a "reference case" or administrative procedure for providing notice within the San Juan 27-5 Unit the applicant presented evidence and testimony which indicates that:
 - a) the interest ownership between two zones within a given weilbore in the San Juan 27-5 Unit is generally not common:
 - pursuant to Division Rule No. 303.D., applicant is currently required to nonly all interest owners within the San Juan 27-5 Unit every time a Form C-107-A is submitted to the Division. There is a considerable number of such interest owners within the unit:

- c) providing notice to each interest owner within the San Juan 27-5
 Unit of subsequent downnote communitings is unnecessary and is an excessive burden on the applicant:
- d) the downhole comminging of wells within the San Juan 27-5 Unit Area will benefit working, royalty, and overriding royalty interest owners. In addition, the downhole comminging of wells within the San Juan 27-5 Unit should not violate the correlative rights of any interest owner:
- e) no interest owner appeared at the hearing in opposition to the establishment of a "reference case" or administrative procedure for notice.
- (14) An administrative procedure should be established within the San Juan 27-5 Unit for obtaining approval for subsequent downhole commingled wells without notice to Unit interest owners, provided however that, all other provisions commined within Division Rule No. 303.C. are compiled with.
- (15) Approval of the proposed "reference cases" for marginal economic criteria, pressure criteria, allocation formulas and notice will lessen the burden on the applicant insofar as providing the data required pursuant to Division Rule No. 303.D. and Form C-107-A, will provide the applicant a streamlined method for obtaining downtole comminging approvals within the San Juan 27-5 Unit, and will not violate correlative rights.

IT IS THEREFORE ORDERED THAT:

(1) The application of Burlington Resources Oil & Gas Company to establish a "reference case" for (a) marginal economic criteria. (b) pressure criteria. (c) allocation formulas and (d) modification of notification rules on a unit-wide basis for downhold comminging of Dakota. Mesaverce. Fruitiand Coal and Pictured Cliffs gas production within existing or future drilled wells within the San Juan 27-5 Unit. San Juan County New Mexico, is hereby approved.

- (2) Upon filing of Division Form No. C-107-A's for weils subsequently downhole commungied within the San Juan 27-5 Unit Area, the applicant shall not be required to submit supporting data to justify the classification of the Pictures Cliffs and Dakota formations as "marginal", supporting data to verify the Pictures Cliffs and Dakota pressure information provided, and support or justification for utilizing a given method or formula for allocation of production, provided however, in the event any of the data described above appearing on Form C-107-A appears to be beyond the data range provided in this case, the Division may require the submittal of additional supporting data.
- (3) In order to obtain Division authorization to downhole commungle wells within the San Juan 27-5 Unit, the applicant shall file a Form C-107-A with the Santa Fe and Azree Offices of the Division. Such application shall contain all the information required under Rule No. 303.C. of the Division Rules and Regulations, provided however that the applicant shall not be required to provide notice to all Interest owners within the San Juan 27-5 Unit of such proposed comminging.
- (4) Jurisdiction of this cause is retained for the entry of such further orders as the Division may deem necessary.

DONE at Sama Fe. New Mexico. on the day and year hereinabove designated.

STATE OF NEW MEXICO
OIL CONSERVATION DIVISION

WILLIAM J/ Lemay

Dieserre