## ENERGY AND MINERALS DEPARTMENT OIL CONSERVATION DIVISION P. O. BOX 2088 Santa Fe, New Mexico 87501

December 11, 1980

Mesa Petroleum Co. 1660 Lincoln Street, Suite 2800 Denver, Colorado 20264

Attention:

Administrative Order TX- 68

Gentlemen:

Reference is made to your request for an exception to the tubing setting requirements as contained in Division Rule 107(d)(3) for the below-named well.

Pursuant to the authority granted me by Rule 107(d)(4), you are hereby authorized to set tubing at 3,084 feet in the following well:

LEA	SE NAME			. •	WELL NO.	: :	UNIT	S-T-R	· .
Coco	Fada1								
uage	Federal	•	1000		3		G	20-30N-3	LOW

The Division reserves the right to rescind this authority in the event that waste appears to be resulting therefrom.

Very truly yours,

JOE D. RAMEY, Division Director

JDR/DSN/dr

cc: Oil Conservation Division - Aztec Oil & Gas Engineering Committee - Hobbs U. S. Geological Survey - Farmington





October 29, 1980

State of New Mexico Oil Conservation Division P. O. Box 2088 Santa Fe. NM 87501

Attention Mr. Joe D. Ramey

Gentlemen:

Subject: Gage Federal #3

Sec. 20-T30N-R10W

San Juan County, New Mexico

Mesa Petroleum Co. requests an exception to Rule 107 for the above referenced well. The 2-1/16" tubing was set at 7,261 feet KB to produce the Dakota-Graneros interval. A retrievable production packer was set at 6944 feet which isolates the Dakota-Graneros interval from the upper Mesaverde perforations.

The 1-1/4" NUE tubing was set at 3084 feet KB to produce the Mesaverde interval. The tubing was set approximately 2 feet into the 4-1/2" liner hanger. This is 1466 feet above the upper Mesaverde perforations, but due to the I.D. of the liner, this is the lowest possible setting depth for the 1-1/4" NUE string in conjunction with the 2-1/16" IJ string.

Your consideration of this application is appreciated and if further information is necessary, please do not hesitate to contact this office.

Sincerely

Alex Nash, Jr.

Division Drilling Supervisor

Rocky Mountain Division

pkp

